

PD-1: RSVPs with a waitlist (delivery report)

Status: delivered · Revision 3 · Created by Ivan Blažević <ivan.blazevic@rubycode.co> · 29 September 2026

Summary

5 of 5 tickets merged. 33 of 33 acceptance criteria are proven by a passing scenario.

Tickets and pull requests

#	Ticket	Status	Pull request	Merge commit	Approved by
T1	Migration: Create rsvps table	merged	#8	bafbdf1	Ivan Blažević <ivan.blazevic@rubycode.co>
T2	Add Rsvp model and Event rules for RSVP, cancel, waitlist and promotion	merged	#9	a30c1ab	Ivan Blažević <ivan.blazevic@rubycode.co>
T3	Let signed-in people RSVP, join the waitlist and cancel from the event page	merged	#11	75bf79d	Ivan Blažević <ivan.blazevic@rubycode.co>
T4	Show the organizer who is going and who is waiting	merged	#12	1bdb205	Ivan Blažević <ivan.blazevic@rubycode.co>
T5	Show seats left on the events index	merged	#10	09b73f3	Ivan Blažević <ivan.blazevic@rubycode.co>

Acceptance criteria and proof

Cucumber, run 29 Sep 2026 22:43 on commit 1bdb205 : bundle exec cucumber --tags "@pd-1-t1 or @pd-1-t2 or @pd-1-t3 or @pd-1-t4 or @pd-1-t5"

AC	Criterion	Scenario	Result
T1.1	Running bin/rails db:migrate creates the rsvps table with event_id, user_id, status, created_at and updated_at, all NOT NULL, and status has no default	Migrating creates the rsvps table (features/pd-1-rsvps-with-a-waitlist/t1.feature:11)	passed
T1.2	Inserting a second row with the same event_id and user_id fails with ActiveRecord::RecordNotUnique through the index index_rsvps_on_event_id_and_user_id	A person can have only one row per event (features/pd-1-rsvps-with-a-waitlist/t1.feature:17)	passed

AC	Criterion	Scenario	Result
T1.3	Inserting a row with a status other than 'going' or 'waitlisted' fails at the database because of the check constraint rsvps_status_check	The status must be going or waitlisted (features/pd-1-rsvps-with-a-waitlist/t1.feature:24)	passed
T1.4	The indexes index_rsvps_on_event_id_and_status_and_created_at and index_rsvps_on_user_id exist	Seat and per-person lookups are indexed (features/pd-1-rsvps-with-a-waitlist/t1.feature:29)	passed
T1.5	Inserting a row that points to a missing event or user fails the foreign key check, and neither foreign key cascades on delete	Rows must point at an existing event and person (features/pd-1-rsvps-with-a-waitlist/t1.feature:34); Deleting an event or person does not cascade to rsvps (features/pd-1-rsvps-with-a-waitlist/t1.feature:41)	passed
T1.6	bin/rails db:rollback drops the rsvps table and leaves events, users and sessions unchanged	Rolling back drops only the rsvps table (features/pd-1-rsvps-with-a-waitlist/t1.feature:51)	passed
T2.1	An event with capacity 3 and no RSVPs has 3 seats left, is not full, and has an empty waitlist	An event nobody has RSVPed to has every seat left (features/pd-1-rsvps-with-a-waitlist/t2.feature:10)	passed
T2.2	For an event with capacity 2, four people calling rsvp in turn get going, going, waitlisted #1 and waitlisted #2, and going RSVPs have a waitlist_position of nil	People beyond capacity join the waitlist in turn (features/pd-1-rsvps-with-a-waitlist/t2.feature:16)	passed
T2.3	Calling rsvp twice for the same person returns the same record and changes neither the going count nor the waitlisted count	RSVPing twice changes nothing (features/pd-1-rsvps-with-a-waitlist/t2.feature:25); RSVPing twice from the waitlist changes nothing (features/pd-1-rsvps-with-a-waitlist/t2.feature:32)	passed
T2.4	When several threads race for the last seat of an event, exactly one RSVP is going, the rest are waitlisted, and the going count never exceeds capacity	Several people race for the last seat (features/pd-1-rsvps-with-a-waitlist/t2.feature:40)	passed

AC	Criterion	Scenario	Result
T2.5	Destroying a going RSVP promotes only the oldest waitlisted RSVP to going. Destroying a waitlisted RSVP promotes nobody and moves everyone behind it up one position	Cancelling a going RSVP promotes only the oldest waitlisted RSVP (features/pd-1-rsvps-with-a-waitlist/t2.feature:47); Leaving the waitlist promotes nobody and moves the line up (features/pd-1-rsvps-with-a-waitlist/t2.feature:55)	passed
T2.6	rsvp returns nil and creates no row when the user is the event's organizer or when the event's starts_at has passed	The organizer cannot RSVP to their own event (features/pd-1-rsvps-with-a-waitlist/t2.feature:63); Nobody can RSVP once the event has started (features/pd-1-rsvps-with-a-waitlist/t2.feature:69)	passed
T2.7	Destroying a going user promotes the next waitlisted person, destroying an organizer removes their events' RSVPs without errors, and seats_left is 0 rather than negative when capacity is below the going count	Deleting a going person promotes the next waitlisted person (features/pd-1-rsvps-with-a-waitlist/t2.feature:76); Deleting an organizer removes their events' RSVPs (features/pd-1-rsvps-with-a-waitlist/t2.feature:83); Seats left never goes below zero (features/pd-1-rsvps-with-a-waitlist/t2.feature:89)	passed
T3.1	A guest opening "Ruby Zagreb Meetup #42" with 3 seats sees "Seats left: 3 of 3" and a "Sign in to RSVP" link, and sees no "RSVP" button	A guest sees the seats left and a sign-in link (features/pd-1-rsvps-with-a-waitlist/t3.feature:10)	passed
T3.2	A signed-in person who clicks "RSVP" sees "You're going", sees "Seats left: 2 of 3" and sees a "Cancel RSVP" button	A signed-in person RSVPs (features/pd-1-rsvps-with-a-waitlist/t3.feature:18)	passed

AC	Criterion	Scenario	Result
T3.3	When 3 people are going, a fourth person sees "Full" and a "Join waitlist" button, and after clicking it sees "You're #1 on the waitlist"	A fourth person joins the waitlist of a full event (features/pd-1-rsvps-with-a-waitlist/t3.feature:27)	passed
T3.4	When a going person clicks "Cancel RSVP", they see "Your RSVP was cancelled.", and the person who was #1 on the waitlist sees "You're going" when they open the event	Cancelling an RSVP gives the seat to the first person waiting (features/pd-1-rsvps-with-a-waitlist/t3.feature:37)	passed
T3.5	A waitlisted person who clicks "Leave waitlist" no longer sees a waitlist position and sees the "Join waitlist" button again	A waitlisted person leaves the waitlist (features/pd-1-rsvps-with-a-waitlist/t3.feature:48)	passed
T3.6	The organizer sees no RSVP button on their own event, and nobody sees an RSVP or cancel button on an event that has already started	The organizer sees no RSVP button on their own event (features/pd-1-rsvps-with-a-waitlist/t3.feature:57); Nobody sees RSVP buttons on an event that has started (features/pd-1-rsvps-with-a-waitlist/t3.feature:72); Nobody sees RSVP buttons on an event that has started (features/pd-1-rsvps-with-a-waitlist/t3.feature:73); Nobody sees RSVP buttons on an event that has started (features/pd-1-rsvps-with-a-waitlist/t3.feature:74); A guest sees no RSVP link on an event that has started (features/pd-1-rsvps-with-a-waitlist/t3.feature:77)	passed

AC	Criterion	Scenario	Result
T3.7	A guest who sends POST or DELETE to /events/:id/rsvp is redirected to sign-in and nothing changes. Extra user_id or status params are ignored, and an unknown event id returns 404	A guest cannot RSVP or cancel by sending requests directly (features/pd-1-rsvps-with-a-waitlist/t3.feature:84); Extra user_id and status params are ignored (features/pd-1-rsvps-with-a-waitlist/t3.feature:94); An unknown event returns 404 (features/pd-1-rsvps-with-a-waitlist/t3.feature:104)	passed
T4.1	Organizer Ana sees "Going (3)" followed by the three attendees' names in the order they RSVPed	The organizer sees who is going in the order they RSVPed (features/pd-1-rsvps-with-a-waitlist/t4.feature:11)	passed
T4.2	Organizer Ana sees "Waitlist (1)" with "#1" next to the name of the person who is waiting	The organizer sees who is waiting and their position (features/pd-1-rsvps-with-a-waitlist/t4.feature:17)	passed
T4.3	After a going attendee cancels, Ana sees the promoted person under Going and the waitlist count goes down by one	A cancellation moves the first person waiting to Going (features/pd-1-rsvps-with-a-waitlist/t4.feature:24)	passed
T4.4	Marko, who is signed in but is not the organizer, sees neither the "Going" nor the "Waitlist" list, and sees no other attendee's name	A signed-in person who is not the organizer sees no names (features/pd-1-rsvps-with-a-waitlist/t4.feature:32)	passed
T4.5	A guest sees neither the "Going" nor the "Waitlist" list	A guest sees no attendee lists (features/pd-1-rsvps-with-a-waitlist/t4.feature:41)	passed

AC	Criterion	Scenario	Result
T4.6	No attendee's email address appears anywhere on the event page, including for the organizer	No email address appears on the event page (features/pd-1-rsvps-with-a-waitlist/t4.feature:55); No email address appears on the event page (features/pd-1-rsvps-with-a-waitlist/t4.feature:56)	passed
T4.7	The organizer's list shows no controls to remove or reorder people	The organizer's list has no remove or reorder controls (features/pd-1-rsvps-with-a-waitlist/t4.feature:59)	passed
T5.1	An upcoming event with capacity 3 and no RSVPs shows "3 of 3 seats left" on the events page	An event nobody has RSVPed to shows every seat left (features/pd-1-rsvps-with-a-waitlist/t5.feature:10)	passed
T5.2	After one person RSVPs, the events page shows "2 of 3 seats left" for that event	An RSVP takes a seat (features/pd-1-rsvps-with-a-waitlist/t5.feature:15)	passed
T5.3	An event where every seat is taken shows "Full" on the events page	An event with every seat taken shows Full (features/pd-1-rsvps-with-a-waitlist/t5.feature:21)	passed
T5.4	Waitlisted RSVPs do not reduce the seats left shown on the events page	Waitlisted RSVPs do not take seats (features/pd-1-rsvps-with-a-waitlist/t5.feature:28)	passed
T5.5	An event whose capacity was lowered below its going count shows "Full" and never a negative number	Lowering capacity below the going count shows Full, never a negative number (features/pd-1-rsvps-with-a-waitlist/t5.feature:35)	passed
T5.6	Rendering the events page with several events runs a single query against rsvps, however many events are listed	The events page counts seats for every event in a single query (features/pd-1-rsvps-with-a-waitlist/t5.feature:43)	passed

Checks run on each pull request

- **T1**: all checks passed
- **T2**: all checks passed
- **T3**: all checks passed
- **T4**: all checks passed
- **T5**: all checks passed

Tokens and cost

No token usage recorded.

Approvals

When	Subject	Role	Decision	By	Note
29 Sep 2026 21:32	plan r3	review	approved	Ivan Blažević <ivan.blazevic@rubycode.co>	Read it end to end. Decisions recorded under Outstanding questions.
29 Sep 2026 21:43	plan r3	tickets:review	approved	Ivan Blažević <ivan.blazevic@rubycode.co>	
29 Sep 2026 22:03	T1 pull request	pr	approved	Ivan Blažević <ivan.blazevic@rubycode.co>	Read the migration and the feature. Matches the plan.
29 Sep 2026 22:14	T2 pull request	pr	approved	Ivan Blažević <ivan.blazevic@rubycode.co>	Race test verified to fail without the transaction.
29 Sep 2026 22:28	T3 pull request	pr	approved	Ivan Blažević <ivan.blazevic@rubycode.co>	Tried RSVP and cancel on the branch locally.

When	Subject	Role	Decision	By	Note
29 Sep 2026 22:32	T5 pull request	pr	rejected	Ivan Blažević <ivan.blazevic@rubycode.co>	Two things. T3 is merged, so merge main into this branch and run RuboCop, RSpec and Cucumber again. And seats_left_label repeats the clamp in Event#seats_left: let Event#seats_left take a preloaded going count, and have the helper use it, so the rule lives in one place.
29 Sep 2026 22:38	T5 pull request	pr	approved	Ivan Blažević <ivan.blazevic@rubycode.co>	Merged main, seats-left rule now lives on Event.
29 Sep 2026 22:39	T4 pull request	pr	rejected	Ivan Blažević <ivan.blazevic@rubycode.co>	T5 is merged, so merge main into this branch and run RuboCop, RSpec and Cucumber again.
29 Sep 2026 22:42	T4 pull request	pr	approved	Ivan Blažević <ivan.blazevic@rubycode.co>	Names only, organizer only.

Timeline

- 29 Sep 2026 21:00 · plan.drafted · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 21:31 · plan.revised · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 21:32 · plan.revised · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 21:32 · plan.submitted · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 21:32 · plan.approved · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 21:34 · tickets.drafted · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 21:37 · tickets.drafted · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 21:43 · tickets.approved · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 21:43 · ticket.issue_created T1 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 21:43 · ticket.issue_created T2 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 21:43 · ticket.issue_created T3 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 21:43 · ticket.issue_created T4 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 21:43 · ticket.issue_created T5 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 21:44 · ticket.agent_started T1 · Ivan Blažević <ivan.blazevic@rubycode.co>

- 29 Sep 2026 21:50 · ticket.pr_opened T1 · cursor-agent
- 29 Sep 2026 21:53 · ticket.reviewed T1 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 21:54 · ticket.reviewed T1 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:03 · ticket.reviewed T1 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:03 · ticket.pr_approved T1 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:03 · ticket.reviewed T1 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:03 · ticket.merged T1 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:04 · ticket.agent_started T2 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:09 · ticket.pr_opened T2 · cursor-agent
- 29 Sep 2026 22:13 · ticket.reviewed T2 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:14 · ticket.reviewed T2 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:14 · ticket.pr_approved T2 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:14 · ticket.reviewed T2 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:14 · ticket.merged T2 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:14 · ticket.agent_started T3 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:14 · ticket.agent_started T5 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:17 · ticket.pr_opened T5 · cursor-agent
- 29 Sep 2026 22:20 · ticket.pr_opened T3 · cursor-agent
- 29 Sep 2026 22:27 · ticket.reviewed T3 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:28 · ticket.reviewed T3 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:28 · ticket.pr_approved T3 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:28 · ticket.reviewed T3 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:28 · ticket.merged T3 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:31 · ticket.reviewed T5 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:32 · ticket.changes_requested T5 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:32 · ticket.agent_started T4 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:33 · ticket.pr_opened T5 · cursor-agent
- 29 Sep 2026 22:36 · ticket.pr_opened T4 · cursor-agent
- 29 Sep 2026 22:38 · ticket.reviewed T5 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:38 · ticket.reviewed T5 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:38 · ticket.pr_approved T5 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:38 · ticket.reviewed T5 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:38 · ticket.merged T5 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:39 · ticket.reviewed T4 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:39 · ticket.changes_requested T4 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:41 · ticket.pr_opened T4 · cursor-agent
- 29 Sep 2026 22:41 · ticket.reviewed T4 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:42 · ticket.reviewed T4 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:42 · ticket.pr_approved T4 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:42 · ticket.reviewed T4 · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:42 · ticket.merged T4 · Ivan Blažević <ivan.blazevic@rubycode.co>

- 29 Sep 2026 22:42 · plan.delivered · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:43 · evidence.recorded · Ivan Blažević <ivan.blazevic@rubycode.co>
- 29 Sep 2026 22:43 · report.written · Ivan Blažević <ivan.blazevic@rubycode.co>
- 30 Sep 2026 16:38 · report.written · Ivan Blažević <ivan.blazevic@rubycode.co>

The approved plan

The plan this delivery implements is in `plan.md` , revision 3.