



LEARNING PATHS

Improve your solution

Take some time to find where you can improve your solution. You can use the design comparison slider and reports to help discover areas to work on. After updating your code and pushing the updates to your live site, generate a new screenshot or report to see the changes.

Improved your solution?

Generate a new screenshot to display your changes. You have unlimited screenshots.

REGENERATE SCREENSHOT

SOLUTION

DESIGN



Simple Omelette Recipe

An easy and quick dish, perfect for any meal. This classic omelette is cooked to perfection, optionally filled with your choice of cheese, vegetables, or meats.

Preparation time


- **Total:** Approximately 10 minutes
- **Preparation:** 5 minutes
- **Cooking:** 5 minutes

Ingredients

- 2-3 large eggs
- Salt, to taste
- Pepper, to taste
- 1 tablespoon of butter or oil



is beaten eggs
ss, or meats.

[Accessibility report](#)[HTML report](#)[CSS report](#)[JavaScript report](#)

Reports are only visible to you

Improved your solution?

Generate a new report to resolve errors and warnings.

REGENERATE REPORTS

[Learn more about our CSS report](#)

AI Analysis Summary

You've demonstrated strong CSS fundamentals with great use of custom properties, logical properties, and responsive typography. To take it further, consider consolidating duplicate selectors like `td` to improve maintainability and avoid confusion.

Priority recommendations:

- 1 Combine the two separate `td` selectors into one block to keep all padding declarations together, making the stylesheet easier to maintain and understand.

Issues 6

All (6) **Error (0)** **Warning (4)** **Info (2)**

WARNING **Responsive Design** 2 occurrences

[Read more](#)

Consider using relative units (`em` , `rem`) instead of absolute units (`px` , `pt`) to support resizing and improve accessibility.

```
height: 1px;
```

styles.css:670

LEARN HOW TO FIX THIS ISSUE

WARNING **Best Practice** 4 occurrences

[Read more](#)

Include a generic font family fallback to ensure reliable text rendering across all devices.

```
font-family: "Young Serif";
```

styles.css:607

LEARN HOW TO FIX THIS ISSUE

WARNING **Maintainability** 2 occurrences[Read more](#)

Consolidate duplicate selectors to maintain an organized and efficient stylesheet.

```
body {  
  background: var(--Eggshell);  
  display: flex;
```

styles.css:352

LEARN HOW TO FIX THIS ISSUE

WARNING **Maintainability** **AI Detected** 1 occurrence

Duplicate `td` selectors with separate padding declarations which can cause confusion and harder maintenance. This makes it difficult to track all styles applied to `td` elements.

```
td {  
  padding-inline-start: 2rem;  
}  
  
tr:not(:last-child) {  
  border-bottom: 1px solid var(--LightGrey);  
}  
  
td {  
  padding-block-end: 0.75rem;  
  padding-block-start: 0.75rem;  
}
```

styles.css:131

LEARN HOW TO FIX THIS ISSUE

INFO **Best Practice** 5 occurrences[Read more](#)

Use logical properties (e.g., `padding-left` instead of `padding-left`) to support different reading directions and improve internationalization.

```
padding-left: 1.5rem;
```

styles.css:644

LEARN HOW TO FIX THIS ISSUE**INFO** **Best Practice** 20 occurrences[Read more](#)

Consider using CSS functions like `calc()` , `min()` , and `clamp()` to create more responsive and flexible layouts that adapt to different viewport sizes.

```
padding-block: 0 1.75rem;
```

styles.css:362

LEARN HOW TO FIX THIS ISSUE**AI-detected issues notice**

Some issues shown above were detected by AI analysis and may require human review for accuracy. If you're unsure about any findings or need clarification, please reach out in the help channel on Discord for assistance.

Strengths 5**Maintainability**

Excellent use of CSS custom properties (`--Nutmeg` , `--DarkRaspberry` , etc.) for colors which improves theme consistency and makes future updates easier.

Best Practice

Global `box-sizing: border-box` applied to all elements and pseudo-elements ensures predictable sizing and prevents layout issues.

Responsive Design

Use of `clamp()` for font sizes in `.main-heading` enables fluid typography that adapts smoothly across different viewport widths.

Layout & Styling

Consistent use of CSS logical properties like `padding-inline-start` and `margin-block-start` supports internationalization and writing mode flexibility.

Accessibility

Thoughtful use of `ul[role="list"]` selector to remove list styles only when explicitly intended, preserving semantic meaning and screen reader experience.

CONTINUE

Your path progress

Introduction to Frontend Mentor

Setting up your development environment

Submitting your first solution

QR code component

How to make the most out of the Frontend Mentor community

Blog preview card

Social links profile

Recipe page

Start solution

Submit solution

Improve solution

Peer review

Challenge completed



Stay up to date

with new challenges, featured solutions, selected articles, and our latest news

SUBSCRIBE

FRONTEND MENTOR

Unlock Pro
Contact us
FAQs
Become a partner
Use cases

COMMUNITY

Discord
Guidelines

EXPLORE

Learning paths
Challenges
Solutions
Articles

FOR COMPANIES

Hire developers
Train developers