

PRE-DEVELOPMENT GUIDE

Sprayitsolutions.com.au

Website SEO, UX & UI requirements to be built into the new site before launch

Requirements at a Glance

#	Requirement	Priority	Type
1	JavaScript-Dependent Content	Critical	Technical SEO
2	Clickable Business Address	Medium	Local SEO
3	USP's Sections	Medium	Conversion / Trust
4	Navigation – Services & Sub-Services	High	Internal linking / UX
5	Before & After Gallery	Medium	Trust / UX
6	FAQs on Dedicated Pages	High	Content / SEO
7	Blog Author Bio	Medium	E-E-A-T
8	About Us – Team & Company Journey	Medium	E-E-A-T / Trust
9	Contact Us – Google Map	Medium	Local SEO
10	Typography – Font Sizes & Spacing	High	UI
11	FAQ Accordion Design	Medium	UI / UX
12	Scrolling Ticker & Auto-Play Carousel	Medium	UX / Accessibility
13	Colour Contrast & Readability	High	UI / Accessibility
14	Mobile Experience & Calls to Action	High	UX / Conversion
15	Buttons & Forms	Medium	UI / UX
16	Page Speed – Core Web Vitals	High	Performance

01

JavaScript-Dependent Content

Priority: **Critical** | Where: **Site-wide** | Type: **Technical SEO**

WHAT TO BUILD

- Serve all main content in the initial HTML response. Use **server-side rendering (SSR), static site generation (SSG) or pre-rendering**.
- Page title, meta description, canonical tag, H1, body copy, images and internal links must all be present in the raw HTML (view-source).
- Build all internal links as standard `<a href= "... ">` elements, not onClick/JavaScript-only navigation.
- JavaScript may enhance the page (sliders, forms, animations) but must not be required to see the content.

Why it matters: The staging site currently shows a blank page when JavaScript is disabled. Googlebot may not reliably see the content or follow links, which can delay or prevent pages from being indexed and ranked.

02

Clickable Business Address

Priority: **Medium** | Where: **Footer (site-wide)** | Type: **Local SEO**


WHAT TO BUILD

- Make the footer business address a link to the official Google Business Profile (GBP) listing.
- Open in a new tab: **target="_blank" rel="noopener"**.
- Address text must match the GBP address exactly (same format and abbreviations).
- Also make the phone number a **tel:** link and the email a **mailto:** link.

Inputs required: GBP listing URL and exact NAP details from the client.

Why it matters: Helps users find the business location and reinforces consistent local business (NAP) signals for local search.

REFERENCE



03

USP's Sections

Priority: **Medium**

Where: **Homepage + service pages**

Type: **Conversion / Trust**

WHAT TO BUILD

- Move the existing USP/trust signals section currently placed above the footer to directly below the homepage hero section.
- Build the section as HTML text with icons rather than a single flat image, so the content remains readable and crawlable. Add appropriate alt text to logos where applicable.
- On mobile, allow the signals to wrap into two rows or use a swipeable horizontal row. Do not hide the section.
- The same USP section can also be reused on relevant service pages to reinforce key trust signals and differentiators.

Why it matters: Builds trust quickly with first-time visitors and supports enquiries and quote requests.

REFERENCE



04

Navigation – Services & Sub-Services

Priority: **High** | Where: **Header (site-wide)** | Type: **Internal linking / UX**

WHAT TO BUILD

- Add a **Services** dropdown (or mega-menu) in the main navigation.
- List each main service, with its sub-service pages grouped underneath it. Main service names must be clickable links too.
- All menu links must be in the raw HTML (not injected on hover/click).
- Mobile: expandable accordion menu. Desktop: opens on hover and click, and works with the keyboard (Tab/Enter/Esc).

Why it matters: Improves navigation and gives search engines a clear service → sub-service structure, passing link value to every service page.

REFERENCE



↓ SCROLL TO SEAL THE HOUSE

AUSTRALIA-WIDE

Stop paying to heat the sky.

A third of your heating leaves through the roof, more through the walls, the rest through the floor. Scroll to seal it and watch the difference.

[Request a Free Quote](#)



05

Before & After Gallery

Priority: **Medium** | Where: **Gallery page** | Type: **Trust / UX**

WHAT TO BUILD

- Create a Before & After Gallery with **category filters by service** (All + one tab per service).
- Show each project as a before/after pair (side-by-side or slider), with a short caption: service and suburb.
- Optimise images: WebP/compressed, width and height set, lazy-load below the fold.
- Add descriptive alt text to every image (e.g., "Underfloor spray foam insulation – before").
- Optional: show the matching category on each service page and link each category to its service page.

Why it matters: Gives visitors visual proof of work quality and helps them quickly find examples relevant to their job.

REFERENCE



06

FAQs on Dedicated Pages

Priority: **High** | Where: **Every service & sub-service page** | Type: **Content / SEO**

WHAT TO BUILD

- Add an FAQ section (4–6 questions) near the bottom of every service and sub-service page.
- Questions and answers must be specific to that page. No copy-paste FAQs across pages.
- Accordion design is fine, but all answers must load in the HTML (hidden with CSS, not fetched on click).
- Use a heading such as “FAQs about [Service]” (H2) with each question as H3/button. Optional: **FAQPage** schema matching the visible text.

Why it matters: Answers customer questions on the page, reduces friction before enquiry, and adds relevant content that supports each page's search visibility.

REFERENCE

Figure 7: Example FAQ section on a service page.

07

Blog Author Bio


Priority: **Medium** | Where: **All blog posts** | Type: **E-E-A-T**

WHAT TO BUILD

- Add an author box at the end of every blog post: photo, name, role, years of experience and relevant credentials.
- Add an author byline at the top of each post with the published and last-updated dates.
- Manage author details in one CMS author profile so they update everywhere at once.
- Link the author name to an author/team page. Add **Article** schema with the author (Person) details.

Why it matters: Shows real expertise behind the content, which builds reader trust and supports Google's E-E-A-T quality signals.

REFERENCE



08

About Us – Team & Company Journey

Priority: **Medium** | Where: **About Us page** | Type: **E-E-A-T / Trust**

WHAT TO BUILD

- **Team section:** photo, name, role and a one-line bio for each team member, in a consistent grid.
- **Company Journey section:** timeline of key milestones (year + short description), e.g. founding, key certifications, projects completed.
- Use consistent photo size and crop; add alt text with the person's name and role.
- Timeline must stack vertically on mobile.

Why it matters: Shows the real people and experience behind the business, which builds trust and credibility with visitors.

REFERENCE


Our Story

Spray Foam Australia is a branch of the Energy Efficiency Group, a national company specialising in insulation services and employing more than 100 people across Australia.

With a focus on residential, commercial, and industrial markets, we have established ourselves as the foremost experts in the insulation industry throughout the country.

Visit EEG 

- ✓ **Operating in NSW, WA, QLD & VIC.**
- ✓ **No-obligation quotes & advice.**
- ✓ **Australian owned since 2014.**
- ✓ **Insulated over 16,000 Australian homes.**



9

Contact Us – Google Map

Priority: **Medium**

Where: **Contact Us page**

Type: **Local SEO**

WHAT TO BUILD

- Embed a Google Map on the Contact Us page, next to the address, phone, email and enquiry form.
- Generate the embed from the Google Business Profile listing (Maps → Share → Embed a map), so the pin is the business listing, not just a street address.
- Add **loading="lazy"** and a **title** attribute to the iframe; make it responsive.
- Also add one more field: "How did you hear about us?" and add "Google Ads, Google Organic, Referral" as options. For better tracking, I'd recommend making this a **required dropdown field** so the source is consistently captured for each enquiry.

Why it matters: Helps customers find the business and reinforces the business location for local search.

REFERENCE

**needs
insulating.**

A few details is all it takes. We will come back to you with honest advice on whether spray foam is the right answer, what it involves and what it costs.

📞 **0428 26 36 26**

Straight through to the family, not a call centre.

✉ **info@sprayitsolutions.com.au**

📍 **WORKSHOP**
Factory 4, T14 Colemans Road
Carrum Downs VIC 3201
Servicing Australia-wide.

0400 000 000

Postcode
3201

Street address (optional)
12 Example Street

Suburb (optional)

What are we insulating?
Choose one


Which parts?
CHOOSE ALL THAT APPLY

☐ Roof or ceiling ☐ Walls ☐ Underfloor ☐ Whole property ☐ Not sure yet

Stage (Optional)
Choose one

Timeframe (Optional)
Choose one

Anything else? (Optional)
Rough size, access, when you need it done



UX / UI Requirements

Based on a review of the staging site's design. These apply site-wide unless stated otherwise.

10 Typography – Font Sizes & Spacing

Priority: **High** | Where: **Site-wide** | Type: **UI**

WHAT TO BUILD

- **Reduce heading sizes.** Section headings (e.g., “The technical bit, plainly explained”, “One seamless seal, not a stack of gaps”) and FAQ questions are currently display-sized and dominate the screen.
- **Fix collapsed word spacing.** Headings read as “WhatIsR-Value?” and “BUILTTOLAST” because the letter-spacing is too tight. Keep letter-spacing no tighter than **-0.02em**, and add word-spacing if the font still looks cramped.
- Use the type scale below as CSS variables/theme tokens so sizes are consistent on every page.
- Use fluid sizing (**clamp()**), so headings scale smoothly between mobile and desktop.
- Keep one H1 per page; use heading levels in order (H2 → H3), not for visual size only.

RECOMMENDED TYPE SCALE

Element	Desktop	Mobile	Weight · line height
H1 – page hero	48–56px	32–36px	Bold · 1.1
H2 – section heading	36–40px	26–30px	Bold · 1.15
H3 – card / sub-heading	22–24px	19–20px	Semibold · 1.25
FAQ question	18–20px	16–17px	Semibold · 1.35
Scrolling ticker text	20–24px	16–18px	Bold · 1.2
Body text	16–18px	16px	Regular · 1.6
Labels, captions, stats labels	13–14px	13px (min 12px)	Medium · 1.4

Why it matters: Oversized, tightly spaced headings slow down reading, push key content and CTAs below the fold, and look cramped on mobile (see Figures 12 and 13).

11

FAQ Accordion Design

Priority: **Medium** | Where: **All FAQ sections** | Type: **UI / UX**

WHAT TO BUILD

- Reduce FAQ question size to 18–20px (desktop) / 16–17px (mobile). The current questions look like page headings.
- Make the whole question row clickable, not only the +/- icon. Minimum touch target 44 × 44px for the icon.
- Use a **<button>** with **aria-expanded** for each question so it works with the keyboard and screen readers.
- Keep the first question open by default (as now); allow others to open without jumping the page.
- The side CTA card: make the phone button a **tel:** link labelled “Call 0428 26 36 26”, and add a secondary “Get a Free Quote” link.
- Tone down the diagonal background stripes behind the text so they don’t compete with it.

Why it matters: FAQs should be quick to scan. Oversized questions make the section hard to scan and push the answers off-screen.

12

Scrolling Ticker & Auto-Play Carousel


Priority: **Medium** | Where: **Homepage** | Type: **UX / Accessibility**

WHAT TO BUILD

- Reduce the scrolling ticker text (“SEALS AIR LEAKAGE · BUILT TO LAST ...”) to 20–24px and slow the scroll speed.
- Pause the ticker on hover/focus and stop all motion for users with **prefers-reduced-motion** enabled.
- Keep the carousel pause button (good) and make the slide dots at least 24px tap targets with a visible active state.
- Carousel should not auto-advance faster than every 5–7 seconds; stop auto-play once the user interacts.
- Stats labels (“sqm, single project”, “largest contract”) should be 13–14px and darker for contrast.

Why it matters: Large moving text distracts from the content and is an accessibility issue (WCAG 2.2.2: moving content must be pausable).

REFERENCE



13

Colour Contrast & Readability

Priority: **High** | Where: **Site-wide** | Type: **UI / Accessibility**

WHAT TO BUILD

- Light grey body text (FAQ answers, CTA card text, stats labels) must meet a contrast ratio of at least 4.5:1 against its background.
- Large headings and icons: at least 3:1. Check green-on-white text (e.g., “plainly”, “seamless”) the same way.
- Limit body text line length to about 70–80 characters per line.
- Do not place text over busy images or strong patterns without an overlay.

Why it matters: Low-contrast text is hard to read, especially on mobile, and is a common accessibility failure.

14

Mobile Experience & Calls to Action

Priority: **High** | Where: **Site-wide (mobile)** | Type: **UX / Conversion**

WHAT TO BUILD

- Add a sticky bottom bar on mobile with two buttons: **Call** and **Get a Free Quote**.
- Use the same primary CTA label and style on every page (e.g., “Get a Free Quote”).
- Place a CTA in the hero, mid-page after key proof (stats, gallery) and at the end of each service page.
- Test at 375px, 390px and 414px widths: no horizontal scroll, no overlapping or cut-off text.
- Add breadcrumbs on service and sub-service pages.

Why it matters: Most local service enquiries come from mobile, so calling or requesting a quote must be effortless.

15

Buttons & Forms

Priority: **Medium** | Where: **Site-wide** | Type: **UI / UX**

WHAT TO BUILD

- Define one primary and one secondary button style; use them everywhere. Minimum button height 44px.
- Every link and button needs visible hover, focus (keyboard outline) and active states.

- Quote/contact form: visible labels (not placeholder-only), mark required fields, keep fields to the minimum, and use the right mobile keyboard (tel, email).
- Show clear inline error messages and a success message/thank-you page after submitting.
- Use a consistent spacing system (e.g., 8px grid) for margins and padding across sections.

Why it matters: Consistent, predictable controls build trust and reduce abandoned enquiries.

16

Page Speed – Core Web Vitals

Priority: **High** | Where: **Site-wide** | Type: **Performance**

WHAT TO BUILD

Targets (mobile): LCP under 2.5s, CLS under 0.1, INP under 200ms.

- Serve images as WebP/AVIF, correctly sized, with width/height set; lazy-load below-the-fold images; preload the hero image.
- Self-host web fonts, limit to 2 families / 4 weights, and use **font-display: swap**.
- Defer non-critical scripts (chat widget, analytics, sliders).

Why it matters: Page speed affects both rankings and enquiries; slow mobile pages lose visitors before they see the CTA.