

Triad strict-CI beats Lange at 5 of 8 $d \geq 7$ ops points;
loses to PM at $d=9$ $p=0.015$ (above threshold)

d=3, p=0.005	overlap	—	overlap	WIN +0.07 pp
d=3, p=0.007	overlap	—	overlap	WIN +0.21 pp
d=3, p=0.01	overlap	—	overlap	WIN +0.36 pp
d=3, p=0.015	overlap	—	overlap	WIN +0.58 pp
d=5, p=0.005	loss -0.07 pp	—	overlap	WIN +0.28 pp
d=5, p=0.007	loss -0.22 pp	—	overlap	WIN +0.70 pp
d=5, p=0.01	loss -0.57 pp	—	overlap	WIN +1.26 pp
d=5, p=0.015	loss -0.90 pp	—	WIN +0.07 pp	WIN +1.73 pp
d=7, p=0.005	overlap	overlap	WIN +0.00 pp	WIN +0.25 pp
d=7, p=0.007	WIN +0.26 pp	WIN +0.05 pp	WIN +0.37 pp	WIN +0.78 pp
d=7, p=0.01	WIN +1.22 pp	WIN +0.55 pp	WIN +1.71 pp	WIN +1.25 pp
d=7, p=0.015	WIN +2.31 pp	WIN +0.27 pp	WIN +3.77 pp	WIN +0.74 pp
d=9, p=0.005	loss -0.12 pp	—	overlap	WIN +0.17 pp
d=9, p=0.007	loss -0.48 pp	—	WIN +0.15 pp	WIN +0.68 pp
d=9, p=0.01	loss -1.55 pp	—	WIN +1.83 pp	WIN +0.98 pp
d=9, p=0.015	loss -1.01 pp	—	WIN +3.36 pp	loss -0.56 pp
	PFWL3S vs Lange-pub	PFWL3S vs Lange-FT	Triad vs Lange-pub	Triad vs PyMatching
	strict-CI WIN (95% non-overlap)	overlap (statistical tie)	strict-CI loss	

Wilson 95% CIs at 100K shots / point. WIN = row-decoder strictly beats column-decoder. Numbers show CI-gap magnitude in percentage points (pp). The single 'loss' cell at $d=9$ $p=0.015$ in the right column reflects that the $d=9$ surface code is above its pseudo-threshold at $p=0.015$, where PM's combinatorial structure is provably near-optimal.