

Module 1, Assignment 2: Getting to Know the Team

Ellen Bledsoe

2024-09-04

Assignment Description

Purpose

The goal of this assignment is to get comfortable using R to look at 1- and 2-dimensional data sets.

Task

Write R code to successfully answer each question below.

Criteria for Success

- Code is within the provided code chunks
- Code is commented with brief descriptions of what the code does
- Code chunks run without errors
- Code produces the correct result

Due Date

Thursday, Sept 12 at 9:30 am MST

Assignment Questions

Each question is worth 2 points unless otherwise specified.

Vectors

Let's start working with vectors, or 1-dimensional data, first.

Run this chunk of code to create a vector of data to use. It represents the number of penguins counted at different sites.

```
# vector with counts of penguins  
counts <- c(2, 9, 4, 3, 6, 7, 1, 0, 3)
```

1. Write a line of code that pulls out the 2nd value in the `counts` vector.

```
# second value of counts vector  
counts[2]
```

```
## [1] 9
```

2. Use conditional sub-setting to return values from the vector that are greater than 5.

```
counts[counts > 5]
```

```
## [1] 9 6 7
```

3. Calculate the average number of penguins that were counted.

```
# mean number of penguins
mean(counts)
```

```
## [1] 3.888889
```

Data Frames

Now that we've practiced with vectors, let's move on to 2-dimensional data.

Remember those fun/silly questions about our trip to Antarctica? It's time to play around with that data!

The following code chunk will read the data into RStudio. Be sure to run it before try to answer the questions! A bunch of stuff will pop up, but it should work just fine. Once you run the code, you will see a dataframe called `team_data` show up in the environment.

```
team_data <- read.csv("../data/team_antarctica.csv")
```

4. Using either a function or looking in the environment, answer the following questions (1 point each).

- What are the dimensions of the data (how many rows and how many columns)?
- What are the names of the columns in the data?

Answer:

```
# using code is optional
dim(team_data) # 34 rows, 10 columns
```

```
## [1] 30 10
```

```
colnames(team_data)
```

```
## [1] "uniqueID"      "cooking_skill"  "fishing_skill"
## [4] "swimming"      "cold_tolerance" "working_with_animals"
## [7] "remote_location" "parka_color"    "team_flag"
## [10] "distance_mi"
```

```
str(team_data)
```

```
## 'data.frame': 30 obs. of 10 variables:
## $ uniqueID : int 1 2 3 4 5 6 7 8 9 10 ...
## $ cooking_skill : int 3 4 2 4 4 4 3 3 5 3 ...
## $ fishing_skill : int 3 4 3 3 2 3 1 2 4 2 ...
## $ swimming : chr "Yes" "Yes" "Yes" "Yes" ...
## $ cold_tolerance : int 2 3 5 2 2 3 2 2 3 4 ...
## $ working_with_animals: logi TRUE TRUE TRUE TRUE TRUE TRUE ...
## $ remote_location : int 5 4 4 4 5 5 4 1 5 4 ...
## $ parka_color : chr "Orange" "Black" "Black" "Blue" ...
## $ team_flag : chr "Leopard Seal" "Emperor Penguin" "Orca" "Orca" ...
## $ distance_mi : num 8290 8368 8922 9166 8290 ...
```

5. Take a look at the data frame using the `head()` function. Typically, `head()` provides the first 6 rows of data. Modify one of the arguments in `head()` so that the line of code prints the first 10 rows. (If you aren't sure how to do that, remember how you can look for help about functions!)

```
head(team_data, 10)
```

```
##   uniqueID cooking_skill fishing_skill swimming cold_tolerance
## 1         1             3             3      Yes             2
## 2         2             4             4      Yes             3
```

```
## 3      3      2      3      Yes      5
## 4      4      4      3      Yes      2
## 5      5      4      2      Yes      2
## 6      6      4      3      Yes      3
## 7      7      3      1      Yes      2
## 8      8      3      2      Yes      2
## 9      9      5      4      Yes      3
## 10     10     3      2      Yes      4
##      working_with_animals remote_location parka_color      team_flag distance_mi
## 1              TRUE          5      Orange      Leopard Seal      8290.00
## 2              TRUE          4      Black      Emperor Penguin      8367.93
## 3              TRUE          4      Black          Orca          8922.00
## 4              TRUE          4      Blue          Orca          9166.00
## 5              TRUE          5      Blue          Orca          8290.00
## 6              TRUE          5      Blue      Emperor Penguin      8301.00
## 7              TRUE          4      Black          Orca          8299.00
## 8              TRUE          1      Red      Emperor Penguin      8347.00
## 9              TRUE          5      Red          Sea Spider      8290.00
## 10             TRUE          4      Orange          Orca          8290.00
```

6. Using what you know about sub-setting data frames, write a line of code the pulls out the parka color for Unique ID 4. (Hint: count the columns!)

```
team_data[4, 8]
```

```
## [1] "Blue"
```

When we have a large data set like this, it is often helpful to summarize the data in some way. The next few questions will help use get a better understanding of the content of the data set.

7. On average, how did people rate their ability to be in a remote location? (Hint: the `mean()` function will calculate the average.)

```
mean(team_data$remote_location)
```

```
## [1] 3.666667
```

8. What are the minimum and maximum distances that would be traveled by a team member to get to Antarctica? Use the `min()` and `max()` functions.

```
# minimum distance
min(team_data$distance_mi)
```

```
## [1] 5304
```

```
# maximum distance
max(team_data$distance_mi)
```

```
## [1] 11456.4
```

9. Use conditional sub-setting to produce a new data frame that only includes rows of data for people who rated their fishing skills as a 5. (Hint: numbers do not need quotation marks around them).

```
team_data[team_data$fishing_skill == 5, ]
```

```
##      uniqueID cooking_skill fishing_skill swimming cold_tolerance
## 14          14           3           5      Yes              4
## 25          25           5           5      Yes              4
## 28          28           5           5      Yes              4
##      working_with_animals remote_location parka_color      team_flag distance_mi
```

```
## 14          TRUE          4      Blue Emperor Penguin    11456.4
## 25          TRUE          4      Black          Orca      8290.0
## 28          TRUE          3      Blue      Leopard Seal    8222.0
```

10. Calculate the average cold tolerance of people who want blue parkas. Use these steps to think through how to answer this question.

- First, think about how to create a data frame with only people who want blue parkas
- Next, think about how you select the column with the cold tolerance data
- Finally, think about how to calculate the average

```
mean(team_data[team_data$parka_color == "Blue", 5])
```

```
## [1] 3.545455
```

Bonus (up to 2 points)!

What animal should be on our team flag?

First, create a vector called `mascot` that has only the values from the `team_flag` column. Next, use the `table()` function on the `mascot`. This will give you the number of times each option was chosen. According to the results, which animal should be on our team flag?

Answer: Orca!

```
# data frame
mascot <- team_data$team_flag
# mascot count
table(mascot)
```

```
## mascot
## Emperor Penguin    Leopard Seal          Orca      Sea Spider
##                8                8          10                4
```