


Ground-floor facility layout

Unit number / area (m²) / monthly rent. Live system geometry, matched to the current inventory. Schematic, not to scale.



139 internal units: 2,042 m². Outdoor units 530-532: 29.6 m² each. Unit 46 is absent from the current inventory.

STOR24 Midpoint

Ground-floor unit pricing schedule

Current displayed monthly rents | 2 October 2026 | Prepared for Pinny Hack

139 internal units / 2,042 m². Three outdoor units / 88.8 m² are listed separately. All 142 units are shown as available in the public inventory at extraction.

Pricing basis: these are the monthly rents currently displayed by the live booking system. Its records carry a 15% tax rate, but VAT-inclusive versus VAT-exclusive treatment remains to be confirmed. No VAT has been added or deducted. Deposits, insurance and other charges are excluded from this schedule.

Floor	Unit number	Size (m ²)	Monthly rent (ZAR)
Ground floor	1	36	R 3,900
Ground floor	2	36	R 3,900
Ground floor	3	34	R 3,700
Ground floor	4	35	R 4,000
Ground floor	5	35	R 3,900
Ground floor	6	33	R 3,700
Ground floor	7	36	R 4,000
Ground floor	8	35	R 3,800
Ground floor	9	33	R 3,900
Ground floor	10	35	R 3,900
Ground floor	11	34	R 3,800
Ground floor	12	18	R 2,550
Ground floor	13	13	R 1,950
Ground floor	14	19	R 2,450
Ground floor	15	2	R 750
Ground floor	16	2	R 750
Ground floor	17	22	R 2,750
Ground floor	18	23	R 2,750
Ground floor	19	12	R 1,750
Ground floor	20	10	R 1,650
Ground floor	21	11	R 1,650
Ground floor	22	10	R 1,550
Ground floor	23	11	R 1,550

Floor	Unit number	Size (m²)	Monthly rent (ZAR)
Ground floor	24	13	R 1,650
Ground floor	25	9	R 1,650
Ground floor	26	12	R 1,650
Ground floor	27	8	R 1,550
Ground floor	28	11	R 1,550
Ground floor	29	12	R 1,550
Ground floor	30	35	R 3,900
Ground floor	31	8	R 1,550
Ground floor	32	13	R 1,650
Ground floor	33	8	R 1,650
Ground floor	34	14	R 1,650
Ground floor	35	10	R 1,550
Ground floor	36	12	R 1,650
Ground floor	37	11	R 1,750
Ground floor	38	9	R 1,200
Ground floor	39	6	R 1,200
Ground floor	40	23	R 2,800
Ground floor	41	23	R 2,800
Ground floor	42	12	R 1,850
Ground floor	43	11	R 1,650
Ground floor	44	11	R 1,650
Ground floor	45	11	R 1,650
Ground floor	47	14	R 1,750
Ground floor	48	12	R 1,750
Ground floor	49	12	R 1,750
Ground floor	50	11	R 1,550
Ground floor	51	3	R 750
Ground floor	52	3	R 750
Ground floor	53	6	R 1,100
Ground floor	54	6	R 1,100

Floor	Unit number	Size (m²)	Monthly rent (ZAR)
Ground floor	55	6	R 1,100
Ground floor	56	6	R 1,000
Ground floor	57	7	R 1,100
Ground floor	58	5	R 1,100
Ground floor	59	6	R 1,100
Ground floor	60	6	R 1,100
Ground floor	61	5	R 1,000
Ground floor	62	9	R 1,450
Ground floor	63	25	R 3,000
Ground floor	64	23	R 2,800
Ground floor	65	23	R 2,750
Ground floor	66	23	R 2,900
Ground floor	67	24	R 2,800
Ground floor	68	23	R 2,750
Ground floor	69	12	R 1,850
Ground floor	70	6	R 1,000
Ground floor	71	4	R 1,000
Ground floor	72	8	R 1,200
Ground floor	73	7	R 1,200
Ground floor	74	6	R 1,100
Ground floor	75	7	R 1,100
Ground floor	76	6	R 1,100
Ground floor	77	6	R 1,100
Ground floor	78	6	R 1,100
Ground floor	79	14	R 1,750
Ground floor	80	11	R 1,750
Ground floor	81	14	R 1,750
Ground floor	82	13	R 1,750
Ground floor	83	11	R 1,750
Ground floor	84	12	R 1,750

Floor	Unit number	Size (m²)	Monthly rent (ZAR)
Ground floor	85	12	R 1,750
Ground floor	86	10	R 1,550
Ground floor	87	24	R 2,900
Ground floor	88	23	R 2,800
Ground floor	89	6	R 1,200
Ground floor	90	6	R 1,100
Ground floor	91	22	R 2,750
Ground floor	92	7	R 1,200
Ground floor	93	6	R 1,100
Ground floor	94	23	R 2,800
Ground floor	95	7	R 1,100
Ground floor	96	6	R 1,100
Ground floor	97	23	R 2,800
Ground floor	98	6	R 1,100
Ground floor	99	6	R 1,100
Ground floor	100	22	R 2,800
Ground floor	101	13	R 1,850
Ground floor	102	6	R 1,100
Ground floor	103	5	R 1,100
Ground floor	104	6	R 1,000
Ground floor	105	8	R 1,200
Ground floor	106	6	R 1,100
Ground floor	107	5	R 1,100
Ground floor	108	70	R 6,150
Ground floor	109	35	R 3,900
Ground floor	110	35	R 3,800
Ground floor	111	49	R 4,850
Ground floor	112	14	R 1,950
Ground floor	113	76	R 6,600
Ground floor	114	49	R 4,950

Floor	Unit number	Size (m²)	Monthly rent (ZAR)
Ground floor	115	29	R 3,450
Ground floor	116	21	R 2,550
Ground floor	117	20	R 2,450
Ground floor	118	12	R 1,650
Ground floor	119	12	R 1,750
Ground floor	120	4	R 900
Ground floor	121	4	R 750
Ground floor	122	4	R 750
Ground floor	123	3	R 750
Ground floor	124	4	R 900
Ground floor	125	4	R 750
Ground floor	126	3	R 750
Ground floor	127	3	R 750
Ground floor	128	4	R 900
Ground floor	129	4	R 750
Ground floor	130	12	R 1,650
Ground floor	131	8	R 1,650
Ground floor	132	10	R 1,450
Ground floor	133	7	R 1,200
Ground floor	134	9	R 1,350
Ground floor	135	7	R 1,200
Ground floor	136	6	R 1,200
Ground floor	137	14	R 1,850
Ground floor	138	15	R 1,350
Ground floor	139	11	R 1,200
Ground floor	140	8	R 1,200


Outdoor units on the ground floor

Floor	Unit number	Size (m ²)	Monthly rent (ZAR)
Ground floor - outdoor	530	29.6	R 3,400
Ground floor - outdoor	531	29.6	R 3,400
Ground floor - outdoor	532	29.6	R 3,400

Sources and review points

Inventory, prices and schematic layout: live STOR24 Midpoint booking data, extracted 2 October 2026 from <https://stor24.co.za/api/booking/facilities/midpoint>. Internal areas were independently reconciled to the 139-row as-built area schedule recorded on 30 September 2026.

Architectural reference: MILarchi drawing B24-001-11A / C-104-00, revision A, dated 29 September 2026, issued for information. The source drawing follows this schedule. It labels categories rather than CRM unit numbers. The numbered system layout is schematic and does not certify survey dimensions or staff-map acceptance. Please review unit mapping, rent and VAT treatment before operational sign-off.



1 GROUND FLOOR - LAYOUT .
1 : 100

GENERAL

*All workmanship and materials to comply with the latest edition of the national building regulations and conform to the minimum standards specified in the standard premises.

*The contractor is to verify and check all levels and dimensions on site before work is commenced.

*Read figured dimensions in preference to scaling any discrepancy on these drawings or associated documentation must be clarified and reported to the architect before work is commenced.

*All purpose made items to be measured up on site prior to fabrication.

*Site boundaries to be pointed out by a land surveyor before work commences

FOUNDATIONS

*Foundations to be determined by engineer on site after soil tests have been carried out.

BRICKWORK

*All new brickwork to have brickfacing every 4 courses. All brickwork is to be constructed out of well-fired clay bricks with a min compressive strength of 14MPa to SABS standards. Only ordinary Portland cement will be used.

*Mortar to be class 1 mortar (1:4 cement sand) with the strength of no less than 10MPa.

*A minimum of 10% natural light with 50% openings to be provided

DRAINAGE

*All plumbing, drainage work and installation of sanitary fittings to be in accordance with the NBR. All materials to comply with SABS 0252 code of practice.

*Pipe runs are diagrammatically indicated on the drawings. Exact position to be established on site. All surface waste pipes to be securely mounted to walls in accordance with SABS 0112

*All uPVC soil pipes to be laid in accordance with SABS 0112

*IE to have marked covers at ground level.

*No bends or junctions to occur below the building.

*Drainage to be accessible for clearing along the entire length

*As to all bends and junctions.

*10mm dia. vent valve at the head of the drain.

*Soil pipes 110mm dia uPVC with a minimum fall of 1:40.

*Waste pipes 40mm dia. PVC.

*Sinks 20mm dia. PVC.

*Waste pipes to have vent valves on one pipe and single stack systems

*IE located at the head of the drain

*IE within 1.5m of the sewer connection

*IE every 25m along the sewer system

*Provide a 90x450 manhole at the entrance of the stand (≥1m²)

*Drain: 160 Dia @1200 mm fall

FINISHES

*Plaster with primer coat, under coat and finish coat of acrylic paint to client's approval

STAIRS

*Riser: 200mm maximum

*Treads: 250mm minimum

*Open treads to overlap 25mm minimum

*Roughness 100mm in height minimum

*Openings to balustrade to be 100mm maximum

POOL

*Built pool to comply with national building regulations 103/1977.

GLAZING

*All glazing to comply with part H of NBR.

TIMBER

*All timberwork to comply with SABS 082

*NBR Any discrepancies between drawings and site conditions are to be checked with the Architects immediately.

Copyright of this drawing remains with the Architect

PROFESSIONAL ARCHITECT

MATTHEW MILLAR

10:58 PM (Africa/Johannesburg) on 19 Jan 2024

PROFESSIONAL ARCHITECT

RAUIRDH MACLEOD

16:18 PM (Africa/Johannesburg) on 19 Jan 2024

Revisions:

No.	Date	Description
A	2026/09/29	Issued for Information

Client's Signature

Architect's Signature

Engineer's Signature

Copyright of this drawing is reserved by the Architect.
Dimensions to be checked on site before construction commences.

MILARCHI

44 1ST AVE, LINDEN
RANDURG, 2193
INFO@MILARCHI.CO.ZA
082 449 7499

Approx. North

Stand No.

ERF 342 ,HALFWAY
,BUILDING 11A ,162
TONETTI STREET
,MIDRAND

Client:

BLEND PROPERTY GROUP

Project Title:

BUILDING 11 ALTERATIONS

Sheet Name:

STAND 11 - GROUND FLOOR GENERAL
ARRANGEMENT PLAN

Drawing Purpose:

ASBUILT

Date:

2026/09/29

Drawn: NN Checked: FK Scale: 1 : 100 Plot: A1

Project No.: B24-001-11A Drawing No.: C-104-00 Revision No.: A