

# Lab-1: Setup Environment

## Introduction

This lab will set up the Watson Studio environment for subsequent labs and introduce you to the Project and Community features of Watson Studio. Watson Studio is an integrated platform of tools, services, data, and meta-data to help companies and agencies accelerate their shift to be data driven organizations. The platform enables data professionals such as data scientists, data engineers, business analysts, and application developers collaboratively work with data to build, train, deploy machine learning and deep learning models at scale to infuse AI into business to drive innovation. Watson Studio is designed to support the development and deployment of data and analytics assets for the enterprise.

## End-to-End Data Science

The general flow of the End to End Data Science PoT will be guided by the activities shown in Figure 1- End to End Flow. This lab will focus on the Create Project and Research Topics activities.




Figure 1- End to End Flow

## Objectives

The goal of this lab is to familiarize the user with the Project and Community features of Watson Studio, and to set up the environment for subsequent labs. Projects are a core component of Watson Studio. Projects enable you to organize your analytic and data assets in one place. Projects are also the home base for collaboration. Colleagues can be added as collaborators on a project with administrator, editor, or viewer access.


The Community feature of Watson Studio provides built-in learning. Articles, Notebooks, Tutorials, Datasets, and Papers are curated from well-known sources and provided as


“Community Cards”. These artifacts can be bookmarked in Projects for easy reference. The Community feature supports the “Research Topics” activity in the end-to-end process shown above.

After completing this lab, you will be familiar with these features of Watson Studio.


1. Create a project
2. Create an object storage instance and associate it with the project
3. Associate an existing Watson Machine Learning service instance with the project
4. Add a collaborator to the project
5. Research topics by searching the Community

## Create a Project


1. Log into your Watson Studio account at [datascience.ibm.com](https://datascience.ibm.com), then click on the hamburger icon .



2. Click on **View All Projects**



3. Click on **New Project**.



4. Hover the mouse over **Standard**, and then click **Create Project**.

[← Back](#)

# Create a project

Choose the project starter for your work. Required services with Lite plans are provisioned automatically. You can add more services as you need them.

Work with any type of asset. Add services for analytical assets as you need them.

Create Project

- Enter “Watson Studio Labs” for the **Name**, optionally enter a **Description**, check **Restrict who can be a collaborator** (if it’s unchecked), and in **Define Storage** click on **Add** to add an object storage instance.

## New project

### Define project details

**Name**

Watson Studio Labs

**Description**

Project description

**Choose project options**

☒ Restrict who can be a collaborator

Project will include integration with Cloud Object Storage for storing project assets.

### Define storage

1 Select storage service

Add

Add an object storage instance and then return to this page and click Refresh.

2 Refresh

[Cancel](#)
[Create](#)

- Click on **Lite**, and then click on **Create**

## Cloud Object Storage

IBM Cloud Object Storage is a highly scalable cloud storage service, designed for high durability, resiliency and security. Store, manage and access your data via our self-service portal and RESTful APIs. Connect applications directly to Cloud Object Storage use other IBM Cloud Services with your data.

### Features

#### Storage for the IBM Cloud

IBM Cloud Object Storage provides unstructured data storage for cloud applications. Libraries and SDKs support a common set of 53 API functions for connecting new applications to scalable cloud storage and integrating your data into other services on the IBM Watson and Cloud Platform available with Regional and Cross Region resiliency options worldwide.

#### Built-in Aspera high-speed transfer

With IBM Cloud Object Storage Aspera high-speed data transfer, you can improve data transfer performance by quickly transferring data over long distances, and under various network conditions. It's natively integrated into Cloud Object Storage and there is no additional cost for uploading data.

#### Storage Classes and Archive Policy

Choose storage classes based on your usage patterns for active, less active, and cold workloads with Standard, Vault, and Cold Vault respectively. Use File Gateway for dynamic data access with usage patterns that are hard to predict. For newly used data that requires long-term retention, simply set an Archive policy with our existing storage classes tiers allowing you to reduce costs even further with our lowest priced Archive storage.

#### Access and Key Management

IBM Identity and Access Management (IAM) policies allow for granular access control at the bucket level using role-based policies. Key Protect support allows customers to have their own-managed encryption keys for higher level data security.

### Pricing Plans

Monthly Prices shown above reflect the United States

PLAN	FEATURES	PRICING
<p><b>Lite</b></p>	<p><b>1 COS Service Instance</b></p> <p>Storage up to 25 GB/mo.</p> <p>Up to 20,000 GET requests/mo.</p> <p>Up to 2,000 PUT requests/mo.</p> <p>Up to Data Retrieval 10 GB/mo.</p> <p>Up to 50B Public Outbound</p> <p>Applies to aggregate total across all storage bucket classes</p>	<p>Free</p>

The Lite service plan for Cloud Object Storage includes Regional and Cross Regional resiliency, flexible data classes, and built in security.


☐ Standard
 ☒ Lite
 

There is no minimum fee, so you pay only for what you use.

[Expand each section to view details](#)


[Cancel](#)
[Create](#)

7. Click **Confirm**.



A dialog box titled "Confirm Creation" with a close button (X) in the top right corner. It contains three sections: "Plan" with a dropdown menu showing "Lite", "Resource group" with a dropdown menu showing "Default", and "Service name" with a text input field containing "cloud-object-storage-uu". At the bottom, there are two buttons: "Cancel" and "Confirm". The "Confirm" button is highlighted with a red circle.

8. Click **Refresh**.



A form titled "New project" with two main sections: "Define project details" and "Define storage". The "Define project details" section includes a "Name" field with "Watson Studio Labs", a "Description" field, and a "Choose project options" section with a checked checkbox "Restrict who can be a collaborator". The "Define storage" section includes a "Select storage service" step with an "Add" button and a "Refresh" button. The "Refresh" button is highlighted with a red circle.

9. Click **Create**.

New project

Define project details

**Name**

Watson Studio Labs

**Description**

Project description

Choose project options

☒ Restrict who can be a collaborator ⓘ

Project will include integration with Cloud Object Storage for storing project assets.

Storage

cloud-object-storage-uu

Cancel Create

**10.** The Project **Overview** page is shown. This page provides summarized information about the project. In addition to the Overview page, are six other pages described below.

- a. **Assets Page** – Analytics and Data assets can be added to the project from this page.
- b. **Environments Page** - Provides information on the current notebook environments that are defined, lists the active notebook environments currently running, and enables users to create custom notebook environments.
- c. **Bookmarks Page** - Lists artifacts from the Community that are bookmarked in this project.
- d. **Deployments Page** – Lists the deployed models
- e. **Access Control** – Lists the project collaborators and enables users to add/remove collaborators.
- f. **Settings** – Enables users to view and set project attributes.

My Projects / Watson Studio Labs

Launch IDE Add to project

Overview Assets Environments Bookmarks Deployments Access Control Settings

Watson Studio Labs

Last Updated: 28 Apr, 2019

Readme

0 Assets 0 Bookmarks 1 Collaborators

**Date created**  
28 Apr, 2019

**Description**  
No description available

**Storage**  
Cloud Object Storage  
0 Byte used

**Collaborators** View all (1)  
Thomas Doe Admin

**Bookmarks** View all (0)  
You currently have 0 bookmarks


**Recent activity**

Alerts related to this project will show here when the project is active.


## Associate a Watson Machine Learning Service to the Project

To save and deploy machine learning models, a Watson Machine Learning service must be created (if one doesn't exist) and added to our project.


1. Click on **Settings** to navigate to the Project **Settings** page.



2. Scroll down to **Associated Services**, click on **Add service**, click on **Watson**.



3. Click on **Add** in the **Machine Learning** tile.



4. Select **Existing**, select **WatsonMachineLearning** for the **Existing Service Instance**, and click on **Select**.

Machine Learning

**Existing** New

RESOURCE GROUP: All Resources ▾ LOCATION: All Locations ▾ CLOUD FOUNDRY ORG: None ▾

Existing Service Instance

WatsonMachineLearning ▾

Select Cancel

5. The **WatsonMachineLearning** service is associated with the project.

Associated services <span>Add service +</span>				
NAME	SERVICE TYPE	PLAN	ACTIONS	
WatsonMachineLearning	Watson - Machine Learning			

## Add a Project Collaborator


Colleagues can gain access to a project's data and analytic assets by being made a collaborator. Permissions are based on the assigned role. The roles are administrator, editor, and viewer.

Recall, the project that was created in this lab restricts who can collaborate. This option was required to demonstrate the Watson Knowledge catalog features in lab-2. The restriction limits the collaborators to be members of your company (if your company has federated SAML with IBM Cloud), or a member of the project creator's IBM Cloud account. Given the restriction, to demonstrate adding collaborators to the project, we will need to first add the collaborator to your IBM Cloud account.


We will add two collaborators. One to demonstrate project collaboration, the second to demonstrate catalog collaboration.

### Step 1 – Add Collaborator to the IBM Account

1. Click on the hamburger ☰ icon




2. Click on **Manage** and then click on **Access (IAM)**




3. Click on **Users**.





4. Click on **Invite Users**.



5. For **E-mail address**, enter the **PROJECT COLLABORATOR** e-mail address on the index card handed out, for **Service** select **All Identity and Access enabled services**.

## Invite users

**Users**

You can invite one or more users. All users invited together are granted the same access.

**Email address**

beekmanb@us.ibm.com

**Access**

Assign access for all invited users. The default is no access, but at least one type of access must be assigned.

Services ⓘ

An initial IAM policy can be assigned with this invite. You can edit this policy or assign additional access after the user accepts the invite. All fields are required.

**Assign access to** ⓘ

Resource

**Services**

All Identity and Access enabled services

This option automatically grants access to new services when added.

6. Scroll down. For **Platform access roles**, click on **Viewer**. For **Service access roles**, click on **Reader**, and then click on **Invite users**.

Access (IAM)

Overview

**Users**

Access groups

Service IDs

Authorizations

IBM Cloud API keys

Settings

Completed and doesn't limit the actions of the lesser roles. These roles enable actions to be performed on platform resources, such as creating instance, connecting instance to apps, and assigning user access.

**Assign platform access roles**

☐ **Administrator**  
As an administrator, you can perform all platform actions based on the resource this role is being assigned, including assigning access policies to other users.

☐ **Editor**  
As an editor, you can perform all platform actions except for managing the account and assigning access policies.

☐ **Operator**  
As an operator, you can perform platform actions required to configure and operate service instances, such as viewing a service's dashboard.

☒ **Viewer**  
As a viewer, you can view service instances, but you can't modify them.

Each role is customized by the selected service. Refer to the service's documentation for more details.

**Assign service access roles**

☐ **Manager**  
As a manager, you have permissions beyond the writer role to complete privileged actions as defined by the service. In addition, you can create and edit service-specific resources.

☐ **Writer**  
As a writer, you have permissions beyond the reader role, including creating and editing service-specific resources.

☒ **Reader**  
As a reader, you can perform read-only actions within a service such as viewing service-specific resources.

> Cloud Foundry access ⓘ

Cancel Invite users

7. Repeat steps 4,5,6 for the **CATALOG COLLABORATOR** on the index card handed out. Click on **Invite Users**.

Users

Account: Peter Doe's Account

Use the View by option to change your view of the user list by selecting the user grouping. Depending on your access, you might see users grouped at the account level or by Cloud Foundry org or user hierarchy for classic infrastructure access.

View by: Account users

Filter

Filter by name or email Status

User	Email	Status
<a href="#">Bernard Beekman</a>	beekmanb@us.ibm.com	Active
<a href="#">Peter Doe</a> owner self	wsuser21000@gmail.com	Active

Users per page: 25 | 1-2 of 2 Items

Invite users

- For **E-mail address**, enter the **CATALOG COLLABORATOR** e-mail address on the index card handed out, for **Service** select **All Identity and Access enabled services**.

Users

You can invite one or more users. All users invited together are granted the same access.

Email address

wsuserblb@gmail.com

Access

Assign access for all invited users. The default is no access, but at least one type of access must be assigned.

Services

The role field is required.

An initial IAM policy can be assigned with this invite. You can edit this policy or assign additional access after the user accepts the invite. All fields are required.

Assign access to


Resource

Services

All Identity and Access enabled services

This option automatically grants access to new services when added.


- Scroll down. For **Platform access roles**, click on **Viewer**. For **Service access roles**, click on **Reader**, and then click on **Invite users**.




## Step 2 – Add Collaborator to the Project

Now that the collaborator has been added to the IBM Cloud Account, you can add the collaborator to the project.


1. Close the Identity and Access Management tab.




2. Click on the **IBM Watson Studio** tab. Click on the ☰ icon.




3. Click on Watson Studio Labs.




4. Click on the **Access Control** tab.




5. Click on **Add collaborators**.




6. For **Invite**, enter the **PROJECT COLLABORATOR** e-mail address on the index card handed out by the instructor, press Tab key, select Editor from the **Access Level** dropdown, and click on **Add**.



7. The collaborator is added to the list of Collaborators on the right-hand side. Click on **Invite**.




8. The collaborator is added.




## Research Topics


As you work on a data analysis project, you may need to do some research to help find a solution. Watson Studio provides a built-in learning capability, accessed via the **Community** option, that contains articles, sample notebooks, tutorials, sample datasets, and papers on a variety of topics. These are curated on a regular basis to provide up-to-date materials.

For the lab exercise, assume that you are interested in learning how to use the Watson Machine Learning api to save and deploy a machine learning mode. We will look for a sample notebook that demonstrates this capability and bookmark this capability in our project.


1. Click on the  icon.




2. Click on **Community**.




3. The Community Cards are displayed. Click on **All filters**.




4. Click on **Notebook**.



5. Enter **Watson Machine Learning** in the **Search** area. Click on the **Sort by** dropdown and change it to **Latest** to get the most up-to-date information.




6. The Community view is updated. Hover the mouse over the Community Card “Use scikit-learn to predict hand-written ...” The descriptive text refers to the Watson Machine Learning api. This notebook appears to be a good candidate for having code demonstrating the use of the Watson Machine Learning api. Let’s bookmark the notebook in the project.







7. Click on the bookmark icon.




8. Click on the **Watson Studio Labs** project and click **Save**.




9. Click on **Done**.



10. Close the Watson Studio tab corresponding to the **Community**. Click on the **Bookmark** tab.



11. Click on the notebook.



12. Scroll to Section 4 to see the information on Watson Machine Learning apis.

#### 4. Save, load, and delete a model in the WML repository

In this section, you will learn how to use the `watson-machine-learning-client` package to manage your model in the WML repository.

- [4.1 Set up the WML instance](#)
- [4.2 Save the model in the WML repository](#)
- [4.3 Load a model from the WML repository](#)
- [4.4 Delete a model from the WML repository](#)

**Tip:** You can find more information about the `watson-machine-learning-client` [here](#).

#### 4.1 Set up the WML instance

First, import required modules.

```
In [ ]: from watson_machine_learning_client import WatsonMachineLearningAPIClient
```

**Note:** A deprecation warning is returned from scikit-learn package that does not impact watson machine learning client functionalities. Authenticate to the Watson Machine Learning service on the IBM Cloud.

**Tip:** Authentication information (your credentials) can be found in the [Service credentials](#) tab of the service instance that you created on the IBM Cloud. If you cannot find the `instance_id` field in **Service Credentials**, click **New credential (+)** to generate new authentication information.

**Action:** Enter your Watson Machine Learning service instance credentials here.

```
In [19]: wml_credentials={
    'url': 'https://ibm-watson-ml.mybluemix.net',
    'access_key': '****',
    'username': '****',
    'password': '****',
    'instance_id': '****'
}
```

**Instantiate the WML API client object.**

```
In [21]: client = WatsonMachineLearningAPIClient(wml_credentials)
```

## You have completed Lab-1!

- ✓ Created a project
- ✓ Created an object storage instance and associate it with the project
- ✓ Associated an existing Watson Machine Learning service instance with the project
- ✓ Added a collaborator to the project
- ✓ Researched topics by searching the Community

