

Adversarial Robustness Toolbox Lab

Introduction

ART is a library developed by "IBM Research" which is dedicated to adversarial machine learning. Its purpose is to allow rapid crafting and analysis of attacks and defense methods for machine learning models. ART provides an implementation for many state-of-the-art methods for attacking and defending classifiers. See below links for more information on ART.

ART Demo: <https://art-demo.mybluemix.net>

ART Blog: <https://www.ibm.com/blogs/research/2018/04/ai-adversarial-robustness-toolbox/>

ART Github: <https://github.com/IBM/adversarial-robustness-toolbox>

In this lab, you will work with the Adversarial Robustness Toolbox (ART) and implement an adversarial attack and its defense on a trained model. You will work with a model trained on the German Traffic Signs dataset (see Citation below) and get the model to misclassify a stop sign.

Dataset Citation

J. Stallkamp, M. Schlipsing, J. Salmen, and C. Igel. The German Traffic Sign Recognition Benchmark: A multi-class classification competition. In Proceedings of the IEEE International Joint Conference on Neural Networks, pages 1453–1460. 2011.

@inproceedings{Stallkamp-IJCNN-2011,

```
author = {Johannes Stallkamp and Marc Schlipsing and Jan Salmen and Christian Igel},
booktitle = {IEEE International Joint Conference on Neural Networks},
title = {The {G}erman {T}raffic {S}ign {R}ecognition {B}enchmark: A multi-class
classification competition},
year = {2011},
pages = {1453--1460}
```

```
}
```


Objectives



Upon completing the lab, you will learn how to:

1. load a Tensorflow trained model
2. create an ART classifier object using the loaded model
3. perform an adversarial attack
4. perform a defense to make sure manipulated images can still be classified correctly


Lab Steps

Step 1 - Create a Jupyter Notebook


1. Click on the hamburger icon , then click on **Projects**, and then **Watson Studio Labs** (or whatever you named the project)



2. We are now going to create a notebook in our project. This notebook will be created from a url that points to the ART notebook in the github repository. Click the **Add to project** link.



3. Click on **Notebook**



- Click on **From URL** under **New Notebook**, enter **ART Demo** for the **Name**, optionally enter a **Description**, leave the default for the **runtime**, and cut and paste the following url into the **Notebook URL** field.

https://github.com/bleonardb3/ML_POT_07-23/blob/master/Lab-4/Lab4%20-%20ART%20Demo.ipynb

Click **Create Notebook**.

The screenshot shows the 'New notebook' interface. At the top, there are three tabs: 'Blank', 'From file', and 'From URL' (which is selected and circled in red). Below the tabs, there are two main sections. The left section has a 'Name' field with 'ART_Demo' (circled in red) and a 'Description (optional)' text area. The right section has a 'Select runtime' dropdown menu showing 'Default Python 3.6 XS (2 vCPU and 8 GB RAM)' (circled in red), a 'Notebook URL' field with the GitHub URL (circled in red), and a 'Create Notebook' button at the bottom right (circled in red).

- Execute the cells in the notebook. For those unfamiliar with Jupyter notebooks, read below.

A Jupyter notebook consists of a series of cells. These cells are of 2 types (1) documentation cells containing markdown, and (2) code cells (denoted by a bracket on the left of the cell) where you write Python code, R, or Scala code depending on the type of notebook. Code cells can be run by putting the cursor in the code cell and pressing **<Shift><Enter>** on the keyboard. Alternatively, you can execute the cells by clicking on **Run icon** on the menu bar that will run the current cell (where the cursor is located) and then select the cell below. In this way, repeatedly clicking on **Run** executes all the cells in the notebook. When a code cell is executed the brackets on the left change to an asterisk '*' to indicate the code cell is executing. When completed, a sequence number appears. The output, if any, is displayed below the code cell.