Larry Delgado
Juan Villa
Nicholas Wong
4 February 2021

Relational Algebra 1

1. List all rows from Customer

   $customers$

2. List the productName and the ProductLine that the product belongs to for all products.

   $\pi_{productname,\ productline}products$

3. List all ProductNames where the ProductLine is ‘MotorCycles’.

   $\pi_{productname}\sigma_{productline='MotorCycles'}products$

4. List the Vendor for the product whose productName is ‘1968 Ford Mustang’.

   $\pi_{productvendor}\sigma_{productname='1968\ Ford\ Mustang'}products$

5. List the Order Number, Order Status where the Order Status is ‘Resolved’ or ‘Cancelled’

   $\pi_{ordernumber,status}\sigma_{status='Resolved'\ \vee\ status='Cancelled'}orders$

6. List the Order Number and Shipped Date for Orders that the Order Status is ‘Shipped’ **and** the Shipped Date is **greater than** Required Date.

   $\pi_{orderNumber,shippedDate}\sigma_{status='Shipped'\ \wedge\ shippedDate\ >\ requiredDate}orders$

7. List the ProductName and Quantity in Stock where the BuyPrice is greater than the MSRP.

   $\pi_{productname,\ quantityinstock}\sigma_{buyprice\ >\ msrp}products$