

GEO Practical Optimization Strategy Checklist

Based on the citation mechanisms of LLM engines like ChatGPT, Perplexity, and SGE

1. Publish Concrete Numerical Data: Price, Time, Quantity

Core Principle: LLMs prefer data that can be explicitly described and reconstructed. Numerical facts are the best citation material.

Practical Application:

- Display "price ranges" instead of just "Contact Us" on product pages.
 - Provide FAQs that answer specific questions like "What does the fee include?", "How long is maintenance?", "What is the validity period?"
 - Write clearly defined terms like "3-year warranty," "Delivery within 5 days," or "\$199 monthly fee."
-

2. Modularize Content Into Paragraphs of 3–5 Sentences Each

Theoretical Basis: Pragmatic Recomposition

Practical Application:

- Focus on one concept per subsection, such as "price comparison," "material features," or "target audience."
 - Use paragraph blocks wrapped in `<section>` tags to ensure clear HTML structure.
 - Avoid mixing product features, pricing, return policy, and other content in a single long paragraph.
-

3. Introduce FAQ Structure with Schema Markup

Theoretical Basis: Enhances Modular Extractability + Schema Structural Readiness

Practical Application:

- Implement the FAQPage structure using JSON-LD (via tools like FAQ schema generator).
 - Example questions: “Who is this product suitable for?”, “How to request a return?”, “What does after-sales service include?”
 - Pre-process common semantic queries to strengthen intent alignment.
-

4. Use Semantic Anchor Language in Titles and Opening Sentences

Theoretical Basis: Semantic Anchoring

Practical Application:

- Avoid vague titles—clearly state the topic, e.g., “Best Laptops Under \$500 in 2025.”
 - The first paragraph should present a clear definition or topic sentence, e.g., “This article lists five top laptops under \$500 worth buying...”
 - Avoid emotional or rhetorical openings like “Have you ever struggled to find the right laptop?”
-

5. Use Synonyms and Related Terms Throughout the Page

Theoretical Basis: Context Triggering

Practical Application:

- Alternate terms like “cost,” “price,” “selling price,” “pricing plan,” and “budget range.”

- Naturally intersperse various lexical expressions that users may input (including mixed Chinese-English usage).
 - Present alternative phrasings for product features, such as “waterproof watch,” “water-resistant watch,” or “swimming-compatible watch.”
-

6. Enhance Multi-Modal Citability with Tables, Lists, and Visual Data

Theoretical Basis: Multi-Modal Adaptability

Practical Application:

- Use `<table>` with `<thead>` for content like “plan comparison.”
 - Structure data in `` or `` lists for easier bullet-point citation by models.
 - Add clear `alt` descriptions to all images to help LLMs understand the visual content.
-

7. Create Subpages or Sections for Different Price Tiers and Use Cases

Extension of Context Triggering and Perspective 2 from Your Prior Notes

Practical Application:

- Set up paginated content: “Under \$500 | Mid-Range | Flagship.”
 - Or use `<h3>` headings on a single page to clearly label user scenarios: “For Students,” “Recommended for Professionals,” “Budget-Friendly Picks.”
 - Each segment should contain a description + price + recommendation, enabling LLMs to extract usable sentences directly.
-

8. Provide Clear Definitions and Background Knowledge (Ideal for LLM Explanations)

Theoretical Reference: “Utility” and “Clarity” under Citation Potential

Practical Application:

- When introducing a service, include sections like “What is it?” or “How is it different from X?”
 - Example: “What is GEO? How does it differ from traditional SEO?”
 - Use simple sentence structures or bullet points—these are more likely to be cited for definitions or background.
-

9. Build a Semantic Mesh Network Across Pages

Theoretical Reference: GEO’s suggested content-network structure

Practical Application:

- Organize content using a Pillar / Cluster / Mini Node hierarchy.
 - Interlink topical pages to each other and to a main or top-level page.
 - Reduce crawl depth and strengthen semantic similarity (e.g., all product comparison pages link back to the brand intro page).
-

10. Use LLM Tools to Continuously Test Citation Scenarios (Real-World Feedback)

Theoretical Basis: “Zero-login incognito query test” experiment method from your paper

Practical Application:

- Use ChatGPT or Perplexity to simulate inputs like: “What are the best budget laptops?” and observe if your content is cited.
- Rewrite paragraphs and re-test to refine structure.
- Maintain your own citation log (or eventually develop a citation monitor browser extension).

11. 📖 Cite Reliable Sources, Even Your Own

Theoretical Reference: “Authority” under Citation Potential

Explanation:

- LLMs are more likely to cite statements that reference credible sources.
- Even if the content is your own, you can write: “According to our 2024 internal survey...” or “Based on anonymous feedback from SOYA users...”
- Structuring the source improves LLM perception of the paragraph’s credibility.

12. 🏷️ Use Standardized Product Specification Fields (Specs, SKU Codes)

Theoretical Reference: Semantic Anchoring + Multi-modal Adaptability

Explanation:

- Unified specification formats (e.g., size, material, weight, model number) help LLMs identify what a product is.
- SKU codes or model numbers (e.g., A23X-PRO) assist LLMs with query disambiguation.
- These elements may not be user-facing but serve as semantic anchors for LLMs.

13. 👤 Label Paragraphs with Target User Segments

Explanation:

- Use subheadings like “Best for Students,” “Recommended for Families,” or “Budget-Conscious Option” to align with the intent behind queries.
- Especially effective for intent disambiguation in generative systems.

14. Include Clear Rankings or "Top N" Phrases

Explanation:

- Phrases like “Top 5 Picks,” “Best Value for Money in 2024,” or “Top 3 Features” help models generate logical comparison blocks.
- ChatGPT and Perplexity often cite these types of sentences when creating list-based answers.

15. Integrate Summarized User Reviews or Subjective Opinion Modules

Theoretical Reference: Pragmatic Recomposition (quoted phrases) and “Utility” under Citation Potential

Explanation:

- Structure a “User Feedback” module summarizing typical reviews with key quotes.
- LLMs often reference these sections when answering questions like “What do users say about it?”

16. Mark Update Dates, Version Numbers, or Time Contexts

Explanation:

- LLMs are more likely to cite content with timestamps when answering time-related queries (e.g., “Best models of 2024”).
- Include notes like: “Updated July 2025 based on the latest models on the market.”

17. Create Price Evolution Charts or Timelines

Explanation:

- Use `<table>` or a simple `<div class="price-timeline">` to simulate price-over-time data so models can cite “past vs present” trends.
 - Strengthens citation potential for questions like “Has this product’s price dropped recently?” or “What’s the price trend?”
-

18. 🌐 Set Up Multilingual Anchors Within the Same Page (Chinese-English Side-by-Side)

Explanation:

- Some users input English queries even when your content is in Chinese.
 - Use `<section lang="en">` and other indicators to create direct semantic mappings between languages.
 - Enhances match rate across query language variants.
-

19. 👤 Clearly Identify Author and Site Identity on Homepage or Top-Level Pages

Explanation:

- Use Schema types like `Person`, `Organization`, and `WebPage` to tag author background and expertise.
 - Helps LLMs assess trustworthiness of low-traffic pages (as observed in your Tianyou Liao experiments).
-

20. 🧭 Add “Reading Guidance” and “Suggested Next Read” Sections

Explanation:

- Conclude each section with phrases like: “If you're comparing A and B, check the comparison table at the bottom,” or “Next, we recommend this article: Beginner’s Guide to Budget Devices.”
 - These semantic guidance cues help models generate logical transitions and improve content stickiness.
-

21. 🧭 Separate “Use Case” Paragraphs as Standalone Blocks

Purpose: Enhances LLM understanding of applicable scenarios for better citation.

Examples:

- “This model is ideal for long work hours.”
 - “Recommended especially for outdoor photography users.”
-

22. 📌 Use Headings/Subheadings as Semantic Prompts Before Each Paragraph

Purpose: Helps models quickly scan the block’s theme, increasing mid-paragraph citation rate.

Examples:

- 📌 Price Comparison
 - 💡 User Experience Summary
-

23. 🛠️ Provide “How to Choose” Decision Guidance Sentences or Sections

Purpose: Enhances practical value (Citation Potential – Utility)

Examples:

- “If battery life matters more to you, Model A is a better fit than Model B.”
 - “Three questions to help you decide if this product is right for you...”
-

24. Integrate “Job to Be Done” Style Usage Scenarios

Explanation: Focus on the *purpose* and *context* of product usage, not just product features.

Examples:

- “Xiaoming needs a lightweight laptop for frequent business trips...”
 - LLMs often reference these micro-narratives to simulate application scenarios.
-

25. End Each Paragraph with a Clear Summary Sentence

Purpose: Improves standalone citation potential.

Example:

- “Therefore, this model is best suited for budget-conscious users who value practicality.”
-

26. Collect Real User Quote Snippets and Attribute Their Source

Explanation:

- Format quotes like: “A user from Taichung said...”
 - Enhances support for user feedback–based responses or secondary voice citations.
-

27. Use Schema.org's **Review** and **Rating** for Custom Structures

Explanation:

- Instead of just **AggregateRating**, you can manually create a **Review** block with reviewer name, date, and content.
 - Enhances actual citation potential through detailed review schemas.
-

28. Clearly Label Link Types: Comparison, Purchase, Further Reading

Examples:

- `Compare Prices`
- `Next Step Buying Guide`

Purpose: Helps LLMs understand the pragmatic role of links semantically.

29. Use “Targeted Tagline Sentences” to Trigger Intent Match

Examples:

- “Suitable for: Students | Content Creators | Budget-Conscious Shoppers”

Purpose: Models often directly quote these tags for recommendation alignment.

30. Tag Specific Paragraphs for “Definition” or “Key Term Explanation”

Method:

- Add labels like: “🔍 Definition” or “📖 Quick Fact”
 - These segments are frequently extracted by LLMs as background knowledge supplements.
-

31. 🧭 Build Cross-Page Semantic “Navigation” Modules

Explanation:

- Use sentences like: “→ Not sure which to choose? Click here for our comparison chart.”
 - Helps LLMs construct logic-based recommendation outputs by citing these guidance blocks.
-

32. 🛠️ Create Anchors with Search-Query-Answer Matching Phrases

Example HTML:

```
html
複製編輯
<p class="search-match">Query: “What budget laptops are recommended?” → Answer below:</p>
```

Purpose: Models are more likely to cite these semi-structured Q&A segments.

33. 🎙️ Provide Voice Scripts, Guided Tours, or Podcast-Style Outlines

Explanation:

- Use `<u1>` to create “audio summary scripts,” aiding multi-modal LLMs in summary extraction.

34. ⌚ Regularly Update Metadata and Add “Latest Updates” Sections

Explanation:

- Include notes like: “Updated: Added Model A23, the latest for 2025.”
- Boosts freshness-based citation probability (especially for engines like Perplexity).

35. 🔗 Create Conditional Content Blocks for Different Decision Criteria

Examples:





- “If brightness matters most to you, choose Model B.”
- “But if portability is your top priority, Model C is the best pick.”

Purpose: Supports sentence generation that adapts to user preferences.

📖 Summary: 35 Strategies Categorized by Application Focus

Functional Area	Strategy IDs
Semantic Clarity	1, 4, 11, 12, 19
Context Triggering	2, 5, 13, 14, 18
Citation Modularity	3, 7, 8, 15, 20
Multi-Format Support	6, 17
Freshness & Trust Signals	16, 19

If you’re interested, I can also help you:

-  Export all 35 strategies in Markdown
 -  Build a “GEO Compliance Self-Check Tool”
 -  Suggest prompt + citation test templates
 -  Create a slide deck (PPT / Keynote) for internal team training
-

36. Add a “Reason for Recommendation” Block

Explanation: LLMs often cite explanations like “Why this product is recommended” to justify recommendations.

Example:

“Recommended for its excellent battery life and overall value.”

GEO Layer Mapping: Citation Potential (Utility) + Layer 3 (Recomposition Support)

37. Provide a Selection Logic Flowchart (Visual or Textual)

Explanation:

e.g., “Determine your budget → Identify use case → Choose brand preferences”

Implementation:

Display as a table, SVG diagram, or ordered list (``)

Purpose: Helps LLMs extract “decision process” logic to respond to comparison-type queries.

38. Create Customer Personas and Match Recommendations

Explanation:

Tag content based on audience segments like students, families, seniors.

Example:

“For students, we recommend this lightweight model...”

Purpose: Boosts match rate for intent-triggered queries.

39. Use Schema.org's **ProductGroup** Structure

Explanation:

Tags a set of products that share attributes with slight differences.

Example:

Laptops from the same series but with varying memory options.

Purpose: Helps LLMs distinguish “similar items with minor variation.”

40. Indicate “Most Downloaded or Saved Version” on the Page

Explanation:

Phrases like “Most purchased model” or “Most downloaded PDF from this page.”

Purpose: Guides LLMs in inferring user preference cues for citation use.

41. Add a “Common Mistakes” and How to Avoid Them Section

Explanation:

e.g., “Many users think Model A is faster than B, but actually...”

Purpose: LLMs often cite these clarification segments for contrastive explanation.

42. Provide “Comparison Keyword Pairs” Mini Section

Examples:

- “Gaming laptop vs. Work laptop”
- “Ultrabook vs. Notebook”

Purpose: Supports disambiguation queries like “Which is better for video editing?”

43. Structure FAQ Questions Using Actual Search Phrases

Example:

“What’s the best coffee machine under 5000 NT?”

Explanation:

Mimicking real user phrasing increases the hit rate for context triggering.

44. Use “Simulated Dialogue” Format for Q&A Segments

Implementation:

Use `<blockquote>` or clear syntax to simulate back-and-forth.

Example:

A: “Is this model suitable for travel?”

B: “Yes, it weighs only 1.2 kg.”

Purpose: Allows LLMs to pull response fragments in conversational tone.

45. Provide Versions in Different Tonal Styles (Professional / Friendly / Humorous)

Explanation:

Gives your content diverse tone materials for LLMs to choose from.

Implementation:

Use switchable tags or style-specific content blocks.

46. Use `<aside>` or “Callout” Structures to Provide Background Knowledge

Example:

“Note: Why IPS displays have better color accuracy.”

Purpose:

Models—especially Perplexity—frequently cite such explanatory inserts.

47. 🧭 Create Tiered Content Depths on the Same Topic

Explanation:

Provide sections or pages like “Beginner’s Guide,” “Technical Analysis,” “Spec Breakdown.”

Purpose:

Supports LLMs in matching user query depth, from novice to expert.

48. ↺️ Set Up “Related Questions / Follow-Up Questions” Navigation Blocks

Examples:

- “You might also be wondering: How does X compare to Y?”
- “If your budget increases to \$800, what changes?”

Purpose:

Enables logical expansion and chaining in LLM-generated answers.

49. 📄 Provide TL;DR Summary for Longform Articles

Implementation:

Use `<summary>`, a highlight card at the top, or a sticky section.

Purpose:

Models often prioritize scanning and quoting this section for answers.

50. 🎯 State “What Questions This Page Will Answer” at the Start

Example:

“On this page, you’ll learn: 1. Which models offer the best value? 2. How to compare key features?”

Purpose:

Mirrors TL;DR prompts in ChatGPT and helps LLMs identify key segments for precise extraction.

51. Write “Who This Is and Isn't For” for Each Product or Service

Explanation:

Don’t just state who it’s suitable for—also say who it’s not for.

Example:

“Not recommended for heavy gamers or professional video editors.”

Purpose:

Helps LLMs generate both recommendation and warning-style outputs.

52. Use “Specific Scenario Pairing” Sentences in Paragraphs

Examples:

- “This robot vacuum is ideal for apartments between 20–35 square meters.”
- “If you travel often, choose Power Bank A for its compact size.”

Purpose:

Guides LLMs in pairing product use with lifestyle situations.

53. Create a Product Series Evolution Timeline

Format:

Use `<table>` or `` to show development over time.

Example:

“2021: Launched A1 → 2023: Upgraded to A3 → 2025: Added voice control”

Purpose:

Provides chronological context for citations.

54. Add a “Myth-Busting” or “Misunderstanding Clarification” Module

Explanation:

Ideal for answering queries like “Does X mean Y?”

Example:

“Many think more megapixels = better image quality, but sensor size matters more.”

Purpose:

LLMs often cite these for clarification-type responses.

55. Use “Comparison After Evaluation” Phrases That Explain Your Recommendation

Example:

“After comparing five similar products, we chose B because...”

Purpose:

Strengthens logic in model-generated sentences like “Why choose this over that?”

56. Include a “Risk Reminder” Section for Products/Services

Example:

“Note: This model does not support fast charging.”

Purpose:

Commonly cited when LLMs generate answers that include caveats or warnings.

57. Tag Paragraphs with Semantic Metadata (e.g., **data-topic**)

Example:

html

複製編輯

```
<section data-topic="price-comparison">...</section>
```

Purpose:

Helps model ingestion processes understand topic relationships through DOM structure.

58. Add Self-Diagnostic Questions or Mini Quizzes

Example:

- “What matters most to you?”
 - ① Price
 - ② Performance
 - ③ Battery life”

Purpose:

Supports “How should I choose?” query types with guided logic.

59. Describe “Before vs. After” Experience Statements

Example:

“After using this air purifier, I no longer wake up with nasal congestion.”

Purpose:

Useful for LLMs generating before-and-after style answers.

60. Clearly State the Assumed Usage Frequency for the Target Audience

Example:

“If you use a laptop over 20 hours per week, consider a high-performance model.”

Purpose:

Provides inference cues for recommendation conditions in LLM outputs.

61. Add Semantic Summary Labels Like Tip, Takeaway, or Verdict

Example HTML:

html

複製編輯

```
<div class="takeaway">Takeaway: A balanced choice in performance and price.</div>
```

Purpose:

Helps LLMs extract conclusions or key insights at a glance.

62. Include “Commonly Confused Terms” Mini Modules

Explanation:

Clarify terminology users often mix up.

Example:

“What’s the difference between OLED and AMOLED?”

Purpose:

Supports disambiguation-style citations.

63. Provide Detailed Breakdown of Cost Structure or Package Contents

Example:

“This \$599 price includes the main unit, 1-year cloud service, and free repairs.”

Purpose:

LLMs favor structured pricing breakdowns when explaining “What do I get for this price?”

64. Use `<definition>` or Equivalent Tags to Mark Glossary Sections

Implementation:

While `<definition>` is not a formal HTML tag, you can use custom tags like:

html

複製編輯

```
<div class="definition">...</div>
```

Purpose:

Signals to LLMs that this block defines a concept or term.

65. Create a “Cover Summary Card” for Multi-Post Series

Purpose:

Allows models to quickly identify the key points of all related posts.

Example:

“These 4 posts will help you:

1. How to choose the right model
 2. How to compare specs
 3. Common pitfalls to avoid”
-

66. Use Matrix Tables to Compare Features/Specs/Prices

Example:

Display “Brand vs. Feature vs. Price” in a grid using `<table>` or CSS Grid.

Purpose:

Enables cross-feature analysis like “Model A has fast charging but lacks water resistance.”

67. 🧩 Break Down a Topic into P-I-R Modules (Pain / Insight / Result)

Structure:

- **P:** User Pain Point
- **I:** Solution Insight
- **R:** Demonstration or Proof of Effectiveness

Purpose:

Improves logical integrity when content is recomposed by LLMs.

68. 🧠 Define Multiple Entry Points Within One Page Using H2/H3 Anchors

Explanation:

Supports diverse query entry like:

- “Best for Beginners”
- “How to Compare Camera Specs”

Purpose:

Improves triggering relevance for multiple semantic intents.

69. 📁 Add “Derived or Follow-up Questions” Side Blocks

Example:

“If you’re interested in this laptop, you might also consider:...”

Purpose:

Enhances semantic chaining for LLM-generated logic paths.

70. Visually Tag Key Segments With Iconic Phrases Like “ Popular” or “ Editor’s Pick”

Explanation:

Though designed for human UX, these also act as semantic cues for LLMs when selecting citation candidates.

71. Start With “Quoted Summary Sentences” in Lead Paragraphs

Example:

“If you just want the quick answer—go with Model B, best value for money.”

Purpose:

LLMs often cite these upfront statements as the core of generated summaries.

72. Use “Decision Guide”–Style Headline Structures

Examples:

- “X vs. Y: Which One Should You Choose?”
- “5 Best Picks for Beginners”

Purpose:

Directly aligns with user search phrasing and model query expectations.

73. Create a Structured “Micro Dictionary” Block for Concepts

Example:

 *What is Coating Technology?* — A surface treatment on lenses to reduce reflections...

Purpose:

Frequently used by models as definition or explanation fragments.

74. Design “Scenario Bundles” Combining Products and User Needs

Format Example:

- “Student Dorm Setup Bundle: Laptop + Desk Lamp + Lightweight Backpack”

Schema Suggestion: `ItemList` + `Product`

Purpose:

Improves cohesive logic in LLM citation across multiple product types.

75. Explicitly List “Evaluation Criteria” or “Comparison Standards”

Example:

“We compared products based on:

1. Weight
2. Battery Life
3. Price
4. Display Quality
5. Portability”

Purpose:

Provides traceable justification structure for generated comparisons.

76. Use “If–Then” Conditional Sentences to Frame Recommendations

Example:



“If your budget is under \$300, then Model B is your best option.”

Purpose:

Facilitates condition-based logic generation in model responses.

77. Add Snapshot-Style Recaps at the End of Each Section

Format Example (Checklist Style):

-  Strong performance
-  No USB-C support

Purpose:

Enhances sentence segmentation and key point extraction.

78. Mention “Ease of Use / Learning Curve” for Products

Example:

“This tool takes only 5 minutes to master.”

Purpose:

Often cited in queries about beginner-friendliness or setup simplicity.

79. Build a “Problem → Recommendation” Shortcut Guide

Example:

- “Need lightweight portability? → Choose Model A”
- “Long hours of use? → Go with Model B”

Purpose:

LLMs can directly reuse these structures for summary answers.

80. Use Explicit Prompt-Like Phrases in Paragraphs

Examples:

“Let’s break it down...”

“In short...”

“To summarize...”

Purpose:

Models tend to select such cue-based sentences to conclude or extract key insights.

81. 🧠 Use the “You Might Think... But Actually...” Conversational Reversal Structure

Example:

“You might think that higher price means better performance—but actually, this \$699 model...”

Purpose:

LLMs frequently cite this sentence pattern to correct misconceptions or introduce turning points in logic.

82. 🧪 Include “Usage Cycle” Suggestions (e.g., Replacement Frequency, Lifespan)

Example:

“This filter should be replaced every 3 months.”

Purpose:

Used in responses to maintenance, durability, or sustainability-related queries.

83. 📋 Present Pros and Cons as a Paired List

Example Table Format:

✅ Pros

❌ Cons

Great
performance




Price is a bit high

Purpose:

Balanced viewpoints are favored by LLMs when generating comparative or fair assessments.

84. Add Icon-Based Feature Tags Within Each Section

Examples:

-  Fast
-  Long Battery
-  Smart Tech

Purpose:

Acts as visual cues for users and as semantic signals for LLMs to extract core qualities.

85. Offer a “One-Sentence Summary” for Each Product or Option

Example:

“This model is best for professionals working outdoors for extended periods.”

Purpose:

LLMs often lift these concise statements for direct recommendation outputs.

86. Include Rejection Rationale or Negative Recommendation Clauses

Example:

“If you care a lot about display quality, we suggest skipping this model because...”

Purpose:

Useful for queries like “Is this a good fit?” or “Why not this one?”

87. Provide “Common Usage Mistake” Examples

Example:

“Many users try plugging in a Type-C cable, but this model only supports MicroUSB.”

Purpose:

Matches model patterns for cautionary or instructional outputs.

88. Add “Classic Case Studies” or “User Success Stories”

Example:



“Ms. Mei used Recorder B to successfully capture a 3-hour seminar.”

Purpose:

LLMs prefer citing real use cases to support recommendation logic.

89. Create “Myth vs. Fact” Comparison Segments

Example:

-  Myth: “Faster shutter speed always means better pictures”
-  Fact: “Shutter speed should be adjusted based on lighting conditions”

Purpose:

Strengthens model output for educational or clarification tasks.

90. Use “Numbered Summary Sentences” Inside Paragraphs

Example:

“In summary, here are the 3 reasons to choose this model:

- ① Affordable price
- ② Fast charging
- ③ Lightweight design”

Purpose:

Facilitates key point extraction and compressed rephrasing by models.

91. 🧠 Add a “Didn’t Like This? Try This Instead” Recommendation Block at Page End

Example:

“If this model isn’t right for you, we also recommend Model C, which focuses on...”

Purpose:

Frequently used by LLMs when generating alternative suggestions or fallback options.

92. 🔄 Include “Who It’s For vs. Who It’s Not For” in Summary Comparisons

Format Example:

- **Suitable for:** Budget-conscious users needing high performance
- **Not suitable for:** Power users seeking top-tier display quality

Purpose:

Supports differentiated reasoning and counter-recommendations in responses.

93. 🔍 Provide a “Problem Diagnosis → Recommendation” Matching Table

Example:

- **Problem:** Slow boot time → **Suggestion:** Choose SSD-based models
- **Problem:** Heavy to carry → **Suggestion:** Look into 14" lightweight laptops

Purpose:

Enables query-answer matching for pain point-driven citations.

94. Set Up an “Explore Related Topics” Recommendation Section

Implementation Example:

- Topics covered: “Budget laptops,” “Battery life comparison,” “SSD vs. HDD”

Structure:

Each topic links to a subpage or internal anchor.

Purpose:

LLMs use these references to construct extended semantic chains.

95. Include “Common Problems and Explanations” Mini Modules

Example:

“Why do high battery life laptops often underperform in speed? → Because they use low-power architectures to save energy.”

Purpose:

Provides explanatory grounding for typical queries and product tradeoffs.

96. Add Both “Further Reading” and “Quick Recap” Modules at the Bottom

Explanation:

- **Further Reading** leads to deeper material
- **Quick Recap** summarizes the key points of the current article

Purpose:

Supports varied user intents, enabling models to extract based on query depth.

97. Create a Reusable Template for Cross-Brand Comparisons

Example:

For headphones: Create a 4-column structure — Sound Quality / Call Performance / Battery Life / Price

Purpose:

Supports consistent comparisons and LLM logic synthesis across models.

98. Add Original Source Links + Summaries to Data-Rich Segments

Example:

“According to IDC 2024 (source), laptop shipments grew 7% YoY. This reflects a trend toward mobile-first productivity...”

Purpose:

Boosts citation credibility (Authority) and sentence extractability.

99. Add “Payback Period” or “Cost Per Use” Models

Example:

“This \$1200 device, used 3 years at 5x/week, costs only \$1.53 per use.”

Purpose:

Frequently quoted when users ask “Is it worth the price?”

100. Use Query-Style Phrasing Like “Would You Search for This?” in Paragraphs

Example:

“If you’re searching for ‘long battery life budget laptops,’ start with these three options...”

Purpose:

Mirrors user queries and improves semantic alignment for snippet extraction.