

Usability Testing Report for Shaml+ Application (HCI Undergraduate)

Umm Al-Qura University
College of Computing
BSc in Human-Computer Interaction

A User-Centered Digital System for External Child Visits

Item	Details
Course	HCI3502T - Graduation Project 1
Program	BSc in Human-Computer Interaction
Project	Shaml+
Supervisor	Hanan Hayat
Team Members	Sham Khalid Aldossari, Hajar Abdulaziz Alharthi, Lina Abdullah Alasmari, Eshraq Osama Faqeha
Report Focus	Usability testing implementation strategy, testing plan, results, analysis, and design recommendations

Abstract

This usability testing report evaluates the Shaml+ prototype across three connected user experiences: the parent mobile app, the child mobile app, and the admin dashboard. The purpose of the test was to check whether users can understand the main screens, complete core tasks, and identify areas that need more clarity before the next design iteration. The collected feedback shows that the prototype is generally easy to understand and supports the main visitation workflow. Parents were able to view upcoming visits, submit a visit request, follow request status, use messages, and access support services. Children understood the welcoming flow, visit preparation, emotion selection, games, and rewards. Admin users found the dashboard, visit management pages, and system navigation clear. The main issues were not major task blockers; they were mostly clarity problems, such as explaining who the chat is with, showing what action is expected during request tracking, clarifying status labels, improving child-friendly guidance, and adding more operational details to admin notifications. No design improvements have been implemented yet, so the recommendations in this report should be used as the next prototype revision plan.

1. Study Overview

1.1 Purpose of the Usability Test

The usability test was conducted to evaluate whether the Shaml+ prototype can support the external child visitation process in a clear, safe, and low-stress way. The prototype includes parent-facing screens, child-facing screens, and admin-facing screens because the service depends on coordination between families and the center team.

1.2 Project Description

Shaml+ is a digital application designed to organize child visits between separated parents. The system helps parents request or confirm visits, track request status, review visit records, communicate safely, and access family or child support services. It also includes a child experience that prepares the child emotionally before a visit, and an admin dashboard that helps staff manage visits, cases, notifications, and system activity.

1.3 Target Users

User Group	Role in the Experience	Main Need
Parents	Primary mobile users who schedule, confirm, track, and review visits.	Clear visit information, status transparency, safe communication, reminders, and services.
Children	Indirect but important users who are affected by the visit experience.	Simple language, emotional reassurance, visit preparation, rewards, and child-friendly guidance.
Admins / Supervisors	Operational users who manage visits, requests, child/family records, and notifications.	Fast overview, accurate case details, clear actions, searchable records, and controlled communication.

1.4 Test Scope

The test focused on the main pages and core journeys available in the Figma prototype. It did not test final implementation, performance, security, accessibility compliance, or real back-end data integration. The feedback should therefore be treated as prototype usability evidence, not as a final product acceptance test.

- Parent app scope: login, home, my visits, request visit, visit details, request tracking, messages, notifications, services, and profile.
- Child app scope: welcome, child selection, home, visit preparation, emotion selection, games, messages, achievements, and bottom navigation.
- Admin dashboard scope: login, dashboard statistics, visit management, visit details, notifications, search/filtering, and system navigation.

2. Usability Testing Design

2.1 Testing Method

The test used role-based prototype walkthroughs. Each participant reviewed the screens related to their role and answered usability questions after trying the expected tasks. The collected comments were then grouped into positive findings, usability issues, and improvement suggestions.

2.2 Prototype Links Used

Prototype Area	Link
Figma design file	https://www.figma.com/design/RSSEHHNXarZwMFraZsprJt/Shaml--UX-Prototype?node-id=1-5
Parent mobile prototype	Open Parent Prototype
Child mobile prototype	Open Child Prototype
Admin dashboard prototype	Open Admin Dashboard

2.3 Participants

Participant Code	Role	Feedback Type
P1	Parent / father perspective	Full screen-by-screen feedback with ease-of-use rating.
P2	Parent / guardian perspective	Full screen-by-screen feedback with ease-of-use rating.
C1	Child user perspective	Answers to child usability questions.
C2	Child user perspective	Answers to child usability questions.
A1	Admin / supervisor perspective	Answers to admin usability questions.
A2	Admin / supervisor perspective	Full answers to admin usability questions.

2.4 Usability Goals

- Check if parents can log in, see the next visit, request a new visit, review visit details, track the request, and communicate inside the app.
- Check if children can understand the welcome flow, select their profile, understand the upcoming visit, prepare for the visit, choose an emotion, and use rewards/games.
- Check if admins can understand the dashboard, navigate using the sidebar, manage visits, review visit details, send notifications, and use search/filtering.
- Identify unclear wording, missing feedback, missing operational details, or screens that need stronger visual hierarchy.

2.5 Success Criteria

Criterion	How It Was Judged
Task completion	Whether the participant reported being able to complete the task without needing outside help.
Clarity	Whether the participant understood the purpose of each screen and the meaning of buttons, states, and labels.
Confidence and trust	Whether the interface made the user feel that the process is official, safe, and reliable.
Friction points	Any comment showing confusion, delay, uncertainty, or a need for explanation.
Improvement value	Whether a suggested fix would reduce stress, prevent mistakes, or make the workflow clearer.

3. Implementation Strategy / Test Plan

3.1 Test Preparation

The prototype was prepared in Figma and shared through role-specific prototype links. The test was planned around the main user journey for each role rather than asking every participant to test every screen. This was important because parents, children, and admins use the system for different goals.

3.2 Procedure

1. The participant opened the relevant prototype link for their role.
2. The participant reviewed the starting screen and completed the requested tasks in order.
3. After each screen or task, the participant answered usability questions about clarity, ease, and confusion.
4. All feedback was recorded separately under its related test.
5. Repeated issues were then analyzed to decide priority and recommended design changes.

3.3 Test Scenarios and Separate Test Documentation

3.3.1 Test 1 - Parent Mobile App: Father Perspective

Item	Details
Role	Parent / father perspective

Scenario	The parent logs in to review the next external visit, confirm the visit information, check previous and upcoming visits, follow the request status, and use the communication/support options when needed.
Tasks Tested	Log in, understand the home page, view upcoming and previous visits, open visit details, track request status, use messages, read notifications, access services, and open profile options.
Result	The flow was completed successfully. The next visit card, visit tracking, messages, and notifications were clear and useful.
Issue Found	The chat destination, status meaning, and expected waiting time needed clearer wording.
Suggested Improvement	Add a clear chat label, short status explanations, and estimated review time inside request tracking.

3.3.2 Test 2 - Parent Mobile App: Guardian Perspective

Item	Details
Role	Parent / guardian perspective
Scenario	The guardian uses the app to create a new visit request, enter visit information, review the request details, and check available family support services.
Tasks Tested	Request a new visit, enter child/date/time/pickup/drop-off information, add notes, review visit details, check services, and manage profile options.
Result	The request flow was understandable and the service options were useful for family support.
Issue Found	The form felt long, available time slots were not fully clear, and service booking details needed more information.
Suggested Improvement	Split the request into clear steps, show available slots, and explain whether services are free, paid, instant, or scheduled.

3.3.3 Test 3 - Child Mobile App: Welcome and Visit Preparation

Item	Details
Role	Child user perspective
Scenario	The child opens the app before a visit, starts from the welcome screen, selects the correct child profile, checks the upcoming visit, and opens the preparation section.
Tasks Tested	Start the app, select the child profile, understand the home page, see the upcoming visit, open visit preparation, and review visit bag items.
Result	The welcome flow, profile selection, home page, and preparation idea were understood.
Issue Found	Some preparation items did not clearly show whether they were clickable or only for reading.
Suggested Improvement	Turn visit bag items into a checklist or add clear text such as Tap to mark as ready.

3.3.4 Test 4 - Child Mobile App: Feelings, Games, and Rewards

Item	Details
Role	Child user perspective
Scenario	The child continues the experience by choosing a current feeling, exploring games, checking achievements, and using the bottom navigation.
Tasks Tested	Select current feeling, explore games, review achievements, check rewards, and use bottom navigation.

Result	The child-friendly visuals, emotion faces, stars, rewards, and navigation were easy to understand.
Issue Found	Some emotional wording could be difficult for younger children, and reward details were not clear before opening.
Suggested Improvement	Use simpler emotion wording, add a friendly guide character, and show reward previews with simple animation or sound.

3.3.5 Test 5 - Admin Dashboard: Dashboard and Visit Management


Item	Details
Role	Admin / supervisor perspective
Scenario	The admin logs in to review dashboard statistics, understand the visit status summary, navigate the sidebar, and open visit management pages.
Tasks Tested	Log in, read dashboard statistics, understand visit status, navigate the sidebar, open visit management, use search/filtering, and review visit details.
Result	The dashboard statistics, side navigation, visit table, statuses, and actions were clear for operational use.
Issue Found	The assigned specialist and some operational details were not visible enough.
Suggested Improvement	Add the assigned specialist name to visit details and management tables where it helps staff follow cases.

3.3.6 Test 6 - Admin Dashboard: Notifications and System Pages

Item	Details
Role	Admin / supervisor perspective
Scenario	The admin reviews notification functions, checks case-related communication needs, and opens system pages for operational management.
Tasks Tested	Review notifications, create or send notification, check related visit information, review system pages, and identify scheduling conflicts or missing details.
Result	Notifications, filters, system pages, and admin actions were understood.
Issue Found	Notifications needed visit start/end time, case link, and holiday handling such as Eid holidays.
Suggested Improvement	Add start/end time, case name or ID, direct visit links, and official holiday calendar settings.

3.4 Prototype Screens Reviewed

The following screen groups were reviewed during the usability test.






Figure 1. Parent mobile app screens reviewed




Figure 2. Child mobile app screens reviewed

شمل+

تسجيل دخول المشرف

مرحباً بك مجدداً، يرجى إدخال بيانات الاعتماد الخاصة بك

اسم المستخدم

أدخل اسم المستخدم

كلمة المرور

أدخل كلمة المرور

نسيت كلمة المرور؟

تذكيري ☐


تسجيل الدخول ←

هل تواجه مشكلة في تسجيل الدخول؟ اتصل بالدعم الفني

نظام إدارة الرعاية الأسرية المتكامل

منصة شاملة لإدارة وتتبع الخدمات الأسرية، مصممة لتسهيل عمل المشرفين وتقديم رعاية أفضل.

آمن وموثوق • سريع وفعال • دعم على مدار الساعة





مشرف النظام

المدير العام



إضافة زيارة جديدة

إدارة الزيارات

جدولة ومتابعة الزيارات الميدانية والمنزلية

التاريخ

الحالة

نوع الزيارة

تطبيق الفلترة

mm/dd/yyyy

الكل

الكل

تطبيق الفلترة

قائمة الزيارات المجدولة

طباعة

تحميل

اسم الطفل	ولي الأمر	التاريخ	الوقت	الحالة	الإجراء
ليان عبدالرحمن	عبدالرحمن الفهد	24 أكتوبر 2023	09:30 AM	مؤكدة	✓ ✎ 👁
محمد سلطان	سلطان المرزوقي	24 أكتوبر 2023	11:00 AM	قيد المراجعة	✓ ✎ 👁
ياسر القحطاني	فهد القحطاني	25 أكتوبر 2023	01:45 PM	تم التعديل	✓ ✎ 👁
نورة العبدالله	عبدالله الشمري	26 أكتوبر 2023	08:00 AM	منفية	✓ ✎ 👁
فيصل بن أحمد	أحمد الدوسري	27 أكتوبر 2023	12:30 PM	مؤكدة	✓ ✎ 👁

<

3

2

1

>

عرض 5 من أصل 48 زيارة

شمل+

لوحة التحكم

إدارة الزيارات

إدارة الأطفال

إدارة المستخدمين

التقارير والإحصائيات

الإشعارات

سجل النشاط

إعدادات النظام

تسجيل الخروج

مشرف النظام
المدير العام

تفاصيل الزيارة

شمل

مشاركة

طباعة الملف

ملف زيارة رقم: VIS-2023-0842
تاريخ إنشاء الطلب: 20 أكتوبر 2023 | 04:15 م

قيد المراجعة

تطور الطلب

تم استلام الطلب
20 أكتوبر 2023 - 04:15 م

تم تقديم الطلب عبر البوابة الإلكترونية من قبل ولي الأمر

قيد المراجعة
21 أكتوبر 2023 - 10:30 ص
الموظف المسؤول: أحمد المنصور

تم التأكد
بانتظار الاعتماد النهائي

تمت الزيارة

إضافة ملاحظة

ملاحظات المشرف

يرجى التأكد من توفر مرافقة أنثى أثناء الاستلام نظراً لخصوصية الحالة.
تتبع هام

تم التنسيق مع الأمن لتسهيل دخول سيارة ولي الأمر.
21 أكتوبر - 11:45 ص

بيانات أولياء الأمور

الأب (المستلم)
عبد الرحمن الفهد
050XXXXX12
الأم (المستلم)
سارة المنصور
055XXXXX89

بيانات الطفل

ليان عبدالرحمن الفهد
الرقم الموحد: 1092837465
العمر
7 سنوات
الجنس
أنثى
الرقم المرجعي
#CH-7742

تفاصيل الموعد والمكان

تاريخ الزيارة
الثلاثاء، 24 أكتوبر 2023

الوقت المحدد
09:30 AM - 11:30 AM

نوع الزيارة
زيارة ميدانية (مركز شمل)

نقطة الاستلام
المدخل الرئيسي - البوابة الشمالية (أ)

نقطة التسليم
منطقة الألعاب - البوابة الشرقية

إلغاء الزيارة

إرسال إشعار

طلب تعديل

اعتماد الزيارة

لوحة التحكم

إدارة الزيارات

إدارة الأطفال

إدارة المستخدمين

التقارير والإحصائيات

الإشعارات

إعدادات النظام

تسجيل الخروج



مشرف النظام
المدير العام



إدارة الأطفال

+ إضافة طفل جديد

أبحث عن طفل (بالاسم أو الرقم المرجعي)

غير نشط
86

يحتاج متابعة
156

نشط
1,042

إجمالي الأطفال
1,284

المصورة	الاسم	العمر	الرقم المرجعي	الحالة	الأسرة	الإجراءات
	ليان عبدالرحمن الفهد تاريخ الإضافة: 12/05/2023	7 سنوات	#CH-7742	نشط	عائلة الفهد	 
	سعود محمد القحطاني تاريخ الإضافة: 08/10/2023	5 سنوات	#CH-8921	يحتاج متابعة	عائلة القحطاني	 
	نورة فهد السبيعي تاريخ الإضافة: 15/02/2023	9 سنوات	#CH-6540	غير نشط	عائلة السبيعي	 
	خالد تركي المطيري تاريخ الإضافة: 22/08/2023	6 سنوات	#CH-3312	نشط	عائلة المطيري	 
	ريما عبدالله الشهري تاريخ الإضافة: 05/11/2023	8 سنوات	#CH-2298	نشط	عائلة الشهري	 

< 24 ... 3 2 1 >

عرض 5 من أصل 1,284 طفل

شمل+

لوحة التحكم

إدارة الزيارات

إدارة الأطفال

إدارة المستخدمين

التقارير والإحصائيات

الإشعارات

إعدادات النظام

تسجيل الخروج



عبدالرحمن محمد

مصرف النظام



إضافة مستخدم جديد

إدارة المستخدمين

إدارة كافة حسابات النظام وصلاحيات الوصول

الحل

الأسر

المشرفون

الموظفون

عرض 1-10 من 128 مستخدم

تصدير البيانات

تصفية

الاسم	البريد الإلكتروني	الدور	الحالة	آخر نشاط	الإجراء
سارة أحمد السعيد ID: #USR-9921	sara.ahmed@email.com	ولي أمر	نشط	منذ ساعتين	 
فيصل ناصر الدوسري ID: #USR-8842	faisal.d@provider.com	مشرف	نشط	أمس، 04:30 م	 
هيا منصور القحطاني ID: #USR-7731	haya.m@shaml.com	موظف	موقوف	قبل أسبوع	 
محمد خالد التميمي ID: #USR-5521	mohammed.k@email.com	ولي أمر	نشط	منذ 30 دقيقة	 
ريم يوسف الحربي ID: #USR-2104	reem.harbi@domain.sa	موظف	نشط	منذ يومين	 

التالي

1 2 3 ... 13

السابق

شمل+

لوحة التحكم

إدارة الزيارات

إدارة الأطفال

إدارة المستخدمين


التقارير والإحصائيات

الإشعارات 12

سجل النشاط

إعدادات النظام

تسجيل الخروج



البحث في الإشعارات...

🔍

إدارة الإشعارات

لوحة التحكم > الإشعارات

شمل+

الرئيسية

لوحة التحكم

إدارة الزيارات

إدارة الأطفال

إدارة المستخدمين

التقارير والإحصائيات

التواصل

الإشعارات 12

النظام

سجل النشاط

إعدادات النظام

أحمد محمد

مدير النظام

+

إضافة إشعار جديد

تصفية

🔍 بحث في القائمة...

العنوان	نوع الإشعار	التاريخ	الحالة
تذكير بموعد الزيارة القادم نود تذكركم بموعد الزيارة القادم غداً..	تذكير قبل الزيارة	24 مايو 2024 10:00 صباحاً	مسودة
تأكيد موعد الزيارة تم تأكيد موعد زيارتكم بنجاح..	تأكيد الزيارة	23 مايو 2024 02:30 مساءً	مرسل
تحديث بخصوص الموعد نعنذر، تم تأجيل موعد الزيارة إلى..	تعديل موعد	25 مايو 2024 09:00 صباحاً	مجدول
تحديثات النظام الجديدة نعرف على الميزات الجديدة في منصة... شمل..	رسالة من النظام	20 مايو 2024 11:15 صباحاً	مرسل

<

3

2

1

>

عرض 1 إلى 4 من أصل 48 إشعار

مسودة

تفاصيل الإشعار

نوع الإشعار *

تذكير قبل الزيارة

عنوان الإشعار *

تذكير بموعد الزيارة القادم

الفئة المستهدفة *

الأباء

الأمهات

المشرفين

نص الرسالة *

140 حرف متبقي

نود تذكركم بموعد الزيارة القادم غداً في تمام الساعة 10:00 صباحاً. نرجو الحضور في الموعد المحدد.

حفظ كمسودة

إرسال الإشعار

سجل النشاط

مراقبة وتبويب العمليات المنفذة في النظام

شمل+

القائمة الرئيسية

لوحة التحكم

إدارة الزيارات

إدارة الأطفال

إدارة المستخدمين

التقارير والإحصائيات

الإشعارات

الإدارة المتقدمة

سجل النشاط

إعدادات النظام

أحمد محمد
مدير النظام (Super Admin)

نوع النشاط

المستخدم

النطاق الزمني

تطبيق الفلترة

جميع الأنشطة

جميع المستخدمين

آخر 30 يوم

سجل العمليات الأخير

عرض 1 - 6 من أصل 1,248 عملية




Figure 3. Admin dashboard screens reviewed

4. Test Results and Analysis

4.1 Overall Result Summary

Overall, the prototype performed well. The main journeys were understood by the participants, and no feedback suggested that a core task was completely impossible. The strongest parts of the experience were the parent home page, parent visit tracking, child home page, child achievements, admin dashboard, and admin visit management. The main improvement direction is to add clearer explanation around sensitive actions and status changes.

Area	Overall Usability Result	Main Evidence from Feedback
Parent app	Successful with minor to moderate clarity issues.	Parents could identify the upcoming visit, submit a visit request, track the request, and use messages. Ease ratings were 8/10 and 8.5/10.
Child app	Successful and suitable for children, with	Children understood the welcome flow, child profile

	some guidance improvements needed.	selection, home page, emotions, rewards, and navigation. Some text and interactive cues need improvement.
Admin dashboard	Successful and clear for operational use.	Admins understood dashboard statistics, visit management, side navigation, actions, and filters. Requested additions were operational details rather than major redesign.

4.2 Separate Test Results

4.2.1 Test 1 - Parent Mobile App: Father Perspective

Scenario	The parent logs in to review the next external visit, confirm the visit information, check previous and upcoming visits, follow the request status, and use the communication/support options when needed.
Tasks Completed	Log in, understand the home page, view upcoming and previous visits, open visit details, track request status, use messages, read notifications, access services, and open profile options.
Result	The flow was completed successfully. The next visit card, visit tracking, messages, and notifications were clear and useful.
Issue Found	The chat destination, status meaning, and expected waiting time needed clearer wording.
Suggested Improvement	Add a clear chat label, short status explanations, and estimated review time inside request tracking.

4.2.2 Test 2 - Parent Mobile App: Guardian Perspective

Scenario	The guardian uses the app to create a new visit request, enter visit information, review the request details, and check available family support services.
Tasks Completed	Request a new visit, enter child/date/time/pickup/drop-off information, add notes, review visit details, check services, and manage profile options.
Result	The request flow was understandable and the service options were useful for family support.
Issue Found	The form felt long, available time slots were not fully clear, and service booking details needed more information.
Suggested Improvement	Split the request into clear steps, show available slots, and explain whether services are free, paid, instant, or scheduled.

4.2.3 Test 3 - Child Mobile App: Welcome and Visit Preparation

Scenario	The child opens the app before a visit, starts from the welcome screen, selects the correct child profile, checks the upcoming visit, and opens the preparation section.
Tasks Completed	Start the app, select the child profile, understand the home page, see the upcoming visit, open visit preparation, and review visit bag items.
Result	The welcome flow, profile selection, home page, and preparation idea were understood.
Issue Found	Some preparation items did not clearly show whether they were clickable or only for reading.
Suggested Improvement	Turn visit bag items into a checklist or add clear text such as Tap to mark as ready.

4.2.4 Test 4 - Child Mobile App: Feelings, Games, and Rewards

Scenario	The child continues the experience by choosing a current
----------	---

	feeling, exploring games, checking achievements, and using the bottom navigation.
Tasks Completed	Select current feeling, explore games, review achievements, check rewards, and use bottom navigation.
Result	The child-friendly visuals, emotion faces, stars, rewards, and navigation were easy to understand.
Issue Found	Some emotional wording could be difficult for younger children, and reward details were not clear before opening.
Suggested Improvement	Use simpler emotion wording, add a friendly guide character, and show reward previews with simple animation or sound.

4.2.5 Test 5 - Admin Dashboard: Dashboard and Visit Management

Scenario	The admin logs in to review dashboard statistics, understand the visit status summary, navigate the sidebar, and open visit management pages.
Tasks Completed	Log in, read dashboard statistics, understand visit status, navigate the sidebar, open visit management, use search/filtering, and review visit details.
Result	The dashboard statistics, side navigation, visit table, statuses, and actions were clear for operational use.
Issue Found	The assigned specialist and some operational details were not visible enough.
Suggested Improvement	Add the assigned specialist name to visit details and management tables where it helps staff follow cases.

4.2.6 Test 6 - Admin Dashboard: Notifications and System Pages

Scenario	The admin reviews notification functions, checks case-related communication needs, and opens system pages for operational management.
Tasks Completed	Review notifications, create or send notification, check related visit information, review system pages, and identify scheduling conflicts or missing details.
Result	Notifications, filters, system pages, and admin actions were understood.
Issue Found	Notifications needed visit start/end time, case link, and holiday handling such as Eid holidays.
Suggested Improvement	Add start/end time, case name or ID, direct visit links, and official holiday calendar settings.

4.3 Parent Mobile App Cross-Test Analysis

The parent app was received positively. Both parent feedback sets indicated that the main tasks could be completed without outside help. The visit card on the home page and request tracking were especially useful because they reduce the need to call the center or contact the other parent directly.

Screen / Feature	Positive Result	Issue Found	Suggested Improvement
Login	Mobile number login is familiar. Nafath and Absher options increase trust.	One participant preferred Nafath as the main login method because the app contains sensitive child information.	Make Nafath the primary trust-based option, or visually highlight it as the recommended secure login method.
Home	Upcoming visit information is visible quickly. Quick actions are useful.	One participant felt the colorful background could distract from the important visit card.	Reduce background visual noise and make the next visit card the strongest visual element.
My Visits	Upcoming and previous visits are easy to see. Visit status is helpful.	Some status labels such as under review or modified need simpler explanation.	Add short helper text under each status, such as awaiting admin review or appointment updated successfully.
Request Visit	Child, date, time, pickup, drop-off, and notes are	Available time slots are not fully clear, and the form can feel long.	Show only available slots and split the request into simple steps.

	logically placed.		
Visit Details	Important information is collected in one place. Pickup and drop-off points are clear.	The source of child notes is unclear, and users want to know whether the other parent can see the same details.	Show note source and add a line confirming whether details were shared with the other party.
Request Tracking	The tracking flow gives reassurance and reduces calls.	Users do not know how long each step takes or whether they need to act.	Add estimated review time and stage-specific action text.
Messages	In-app messaging feels safer than external communication.	It is unclear whether the chat is with the other parent or the admin/supervisor.	Add a conversation label at the top of the chat that explains who is included and whether the center supervises it.
Notifications	Confirmation and reminder notifications are useful.	Some notifications need a direct action.	Add a View Details button inside important notifications.
Services	Family consultation and psychological support are valuable.	Users do not know whether services are free, paid, instant, or scheduled.	Show service price/status and how to book or request the service.
Profile	Privacy, support, logout, and child management options are expected and useful.	Editing child information is not clearly available.	Add clear edit options for child and guardian details.

4.4 Child Mobile App Cross-Test Analysis

The child experience was described as simple, friendly, and understandable. Both child feedback sets understood the welcome screen, child selection, home page, visit preparation, emotion selection, achievements, and bottom navigation. The main issues relate to making the experience more child-guided and interactive.

Screen / Feature	Positive Result	Issue Found	Suggested Improvement
Welcome	Children understood that it is the start of the app. The Start button is large and clear.	No major issue was reported.	Keep the simple greeting and clear start action.
Child selection	Children could select their account. Add child option was understood because of the plus sign.	One child suggested that profile photos should be larger.	Increase profile image size and touch target area.
Home	Children understood the upcoming visit, main sections, and bottom navigation.	The visit time could be larger and clearer.	Increase visit time size and improve contrast inside the visit card.
Visit preparation	Children understood the idea of getting ready for the visit.	Both children were unsure whether the visit bag items are clickable or only for reading.	Use checkboxes or add text such as Tap to mark as ready / Checklist.
Emotion selection	Faces are clear and helped children choose their feeling.	The word anxious may be difficult for younger children.	Use simpler wording or add a short explanation through a character.
Achievements	Stars and rewards motivated the children.	Children wanted to know the reward type before opening it.	Add reward preview and simple animation or sound when stars are tapped.
General child guidance	Colors and icons were seen as calm and child-friendly.	Some small texts need to be larger, and one child suggested a cartoon guide.	Increase small text size and add a friendly guide character that explains each step.

4.5 Admin Dashboard Cross-Test Analysis

The admin dashboard was considered clear and suitable for supervisors. Admin users understood the login screen, dashboard statistics, side navigation, visit management, visit details, notifications, filtering, and actions. The most requested improvements were additional operational details, such as the assigned specialist and visit timing information inside notifications.

Area	Positive Result	Issue Found	Suggested Improvement
Login	Fields and login button are clear.	Participants preferred linking login with Nafath for security and trust.	Add Nafath login or show it as an official authentication option.
Dashboard	Statistics, total families, total visits, and requests under review are easy to understand. Graph is useful.	One suggestion was to include holiday visits.	Add a holiday visit indicator or filter if it is part of the center workflow.
Sidebar navigation	Users could move between	No major issue reported.	Keep the current sidebar layout.

	pages easily.		
Visit management	Visit table, statuses, child data, guardian data, and actions are clear.	Admins suggested adding the assigned specialist for each case.	Add specialist name in visit details and tables where operationally useful.
Visit details	Stages of the request and action buttons are understandable.	No major confusion reported.	Keep action buttons clear and add confirmation messages for sensitive actions.
Notifications	Admins could access and create notifications easily. Search and filters are clear.	Need visit start/end time and case-related details inside notifications.	Add start time, end time, case name/ID, and a direct link to the visit.
System improvements	The interface fits admin use and uses comfortable colors and readable fonts.	Need official holiday handling such as Eid holidays.	Add official holiday calendar settings and visit conflict warnings.

5. Main Usability Findings

5.1 Strengths

- The parent home page gives fast access to the next visit, which supports one of the most important user needs.
- The parent request tracking flow reduces uncertainty and lowers the need to call the center.
- The parent messages and notifications support safer communication and reduce external conflict.
- The child app uses friendly visuals, simple navigation, emotion selection, and rewards, which makes the experience less stressful.
- The admin dashboard provides a clear operational overview through statistics, visit statuses, and visit management tables.
- The three experiences are connected around the same service journey: requesting, preparing, confirming, tracking, and managing visits.

5.2 Usability Issues by Severity

ID	Role	Issue	Severity	Reason
U1	Parent	Messages do not clearly show whether the conversation is with the other parent, the admin, or a supervised group.	Medium	This affects trust and communication behavior in a sensitive family context.
U2	Parent	Request tracking does not show estimated waiting time or whether the parent needs to take action.	Medium	Users may feel uncertain even though the tracking screen is useful.
U3	Parent	Visit status labels need short explanations.	Medium	Status wording alone may not tell the user what happens next.
U4	Parent	Request visit form can feel long and available time slots are not fully clear.	Medium	The task is completed, but the user may hesitate or choose a non-available time.
U5	Child	Visit preparation items do not clearly show if they are clickable or only informational.	Medium	Children expect interaction and may not understand what to do next.
U6	Child	Some text and visit time information should be larger.	Low	The app is understandable, but readability can improve.
U7	Child	Some emotional wording may be too difficult for younger children.	Low	A simpler label or explanation would improve accessibility for children.
U8	Admin	Notifications need more operational details such as visit start/end time and linked case information.	Medium	Admins need complete context before sending or reviewing notifications.
U9	Admin	Assigned specialist and holiday handling are not visible enough.	Low	These additions improve operations but do not block basic use.
U10	General	Some screens need stronger microcopy to explain what is shared, who can see it, and what happens next.	Medium	The service is sensitive, so clarity directly affects confidence and stress reduction.

5.3 Root Cause Analysis

Most issues come from missing explanatory text rather than poor layout. The prototype already gives users access to the required functions, but users sometimes need more context because the service involves children, separated parents, and official coordination. In this type of product, a simple label is not always enough. Users need to know who is involved, what will happen next, and whether action is required from them.

Theme	Where It Appears	Design Meaning
Need for trust	Login, messages, visit sharing, profile privacy.	Use official authentication, clear privacy wording, and supervised communication labels.
Need for status clarity	My Visits, request tracking, notifications.	Add short explanations, estimated times, and action-required messages.
Need for child guidance	Visit preparation, emotion selection, achievements.	Use larger text, simpler terms, animation, sound, and a cartoon guide.
Need for operational completeness	Admin notifications, visit details, holiday planning.	Add specialist name, start/end time, case links, and official holiday settings.

6. Recommendations

Because the reported improvements have not been applied yet, this section should be used as the next implementation plan before another round of testing.

6.1 Priority 1 - Fix Communication and Status Clarity

- Add a fixed label at the top of each chat, for example: Conversation with the supervisor or Conversation between parents under center supervision.
- Add short text under every request status, for example: Awaiting admin review, No action required from you, or Please wait for confirmation.
- Add estimated processing time in request tracking, such as: Usually reviewed within 24 hours.
- Add View Details inside important notifications so users can move directly to the related visit or request.

6.2 Priority 2 - Improve Parent Visit Request Flow

- Split the new visit request into steps: child selection, date/time, pickup/drop-off, notes, and final confirmation.
- Show available time slots only, or clearly mark unavailable times to reduce rejected requests.
- Show who wrote each child note: parent, admin, supervisor, or specialist.
- Add a sharing message on visit details, such as: These details were shared with the other parent.

6.3 Priority 3 - Make the Child Experience More Guided

- Increase small text size, especially visit time and helper text.
- Convert the visit bag section into an actual checklist, or clearly label it as information only.
- Replace difficult emotion wording with child-friendly language or add a short explanation.
- Add a friendly character that explains what to do on preparation and rewards screens.
- Add simple animation or sound feedback when children collect stars or open rewards.

6.4 Priority 4 - Improve Admin Operational Details

- Add Nafath login or official authentication to improve trust for admin access.
- Add the assigned specialist name to visit details and management tables.
- Add visit start and end time to notification creation and notification details.
- Add official holiday settings, including Eid holidays, to avoid scheduling conflicts.
- Add case ID or case name links inside notifications so the admin can open the related visit quickly.

User Research Report for Shaml+ Application

A User-Centered Digital System for External Child Visits



Item	Details
Course	HCI3502T - Graduation Project 1
Program	BSc in Human-Computer Interaction
Project	Shaml+
Supervisor	Hanan Hayat
Team Members	Sham Khalid Aldossari, Hajar Abdulaziz Alharthi, Lina Abdullah Alasmari, Eshraq Osama Faqeha
Report Focus	User research, data collection, interview insights, observation evidence, and results

Abstract

This user research report analyzes the experience of separated parents and children in managing external child visitation through the proposed Shaml+ application. The study focuses on coordination difficulties, unclear request status, emotional preparation for children, and the need for structured digital support. The primary field evidence in this phase is one semi-structured interview with a Shaml-related social worker, supported by document-based observation and benchmarking. No primary survey was conducted, and no direct interviews were conducted with mothers, fathers, or children in this phase.

The report therefore treats parent and child needs as inferred user needs derived from stakeholder insight, documented service evidence, and benchmark analysis. It does not claim data saturation. The findings show that Shaml services are not only about arranging visits, but also about creating a safe environment, supporting psychological preparation, responding to requests, handling complaints, and encouraging more stable visitation arrangements. Based on these findings, we propose Shaml+ as a digital platform that combines scheduling, status tracking, child preparation support, family-service booking, agreement documentation, and a simple dashboard to improve clarity and reduce stress.

1. Study Overview

1.1 Study Objectives

- To identify the main user problems faced by separated parents when arranging external child visits, based on staff interview evidence, documented service evidence, and benchmarking.
- To understand how Shaml services support safe visitation, custody transfer, children's psychological preparation, and request handling from a professional service perspective.
- To convert research findings into clear user requirements for the Shaml+ digital experience, including scheduling, service booking, notifications, records, and dashboard support.
- To clearly separate actual participants from inferred personas so that the research evidence remains transparent and defensible.

1.2 Study Scope

This study focuses on the external child visitation process, where the child moves between separated parents or where visitation-related arrangements require coordination outside a traditional supervised center scenario. The study is concerned with the digital experience that can support parents before, during, and after the visit.

Scope Element	Included in This Study
Target users	Mother, father, and child as inferred user groups affected by the process. They were not directly interviewed in this phase.
Tasks being studied	Scheduling a visit, receiving confirmation, understanding the visit status, preparing the child, requesting related family support, and reviewing visit history.
Context	Separated families in Saudi Arabia, especially cases connected to family visitation, custody transfer, and psychological preparation services.
Evidence used	One interview with a Shaml-related social worker, Al-Mawaddah Impact Story 2024, and benchmarking of Najiz, Absher, and Mawid/Sehhaty.

1.3 Study Boundaries

- The study does not evaluate legal judgment decisions or court enforcement rules.
- The study does not diagnose children clinically or replace professional psychological services.
- The study does not include a primary user survey. Therefore, unsupported survey percentages are not reported.

- The current fieldwork includes one staff participant only; therefore, the study presents preliminary qualitative insights and does not claim saturation.
- The coordinator/admin is treated as a supporting stakeholder because the available interview evidence comes from the service side. Parent and child personas are design representations, not interviewed participants.

2. Research Design

2.1 Type of Research

This research uses qualitative methods supported by secondary quantitative indicators. A qualitative approach is suitable because visitation management is a sensitive family-service process. We needed to understand emotions, stress points, communication needs, and how users interpret the process, not only collect numbers.

Secondary quantitative data was used only when it came from a documented source, specifically Al-Mawaddah Impact Story 2024. This makes the results clearer and more reliable than adding percentages without a survey source.

2.2 Research Methods

- **Semi-structured interview with a Shaml-related social worker:** Used to understand the service workflow, family needs, children's preparation, and common operational challenges.
- **Document-based observation:** Used to observe the services, indicators, and results reported in Al-Mawaddah Impact Story 2024, especially the Shaml Center pages.
- **Benchmarking:** Used to compare appointment and service-management patterns in Najiz, Absher, and Mawid/Sehhaty and identify gaps that Shaml+ should address.
- **Thematic analysis:** Used to group the collected notes into themes such as scheduling, status transparency, child emotional preparation, request response, and trust.

2.3 Interview Metadata

Item	Details
Date	12/03/2026
Duration	45 minutes
Method	Microsoft Teams
Participant Code	P1
Participant Role	Social worker / Shaml-related family visit coordinator
Experience	7 years
Consent	Obtained before the interview
Recording / Notes	Research notes were taken and summarized without including private family case details

2.4 Participant Profile

Participant	Role	Experience	Reason for Inclusion	Privacy Handling
P1	Social worker / family visit coordinator	7 years with Shaml-related cases	Understands service flow, judgment implementation, child preparation, parent coordination, and request handling.	No personal family case names, legal case IDs, or identifiable beneficiary details were included.

3. Research Instruments (MANDATORY)

3.1 Interview Questions

The interview was designed as a semi-structured discussion with a Shaml-related professional. The purpose was not to collect private family details, but to understand the service process and user needs from a professional perspective. Follow-up probes were used when an answer required clarification.

Section	Interview Questions and Probes
Demographic and Role Profile	1. What is your role in Shaml-related visitation work? 2. How many years of experience do you have with family visitation or custody transfer cases? 3. What are your main daily tasks when handling visitation cases?
Service Workflow	4. How does a case usually start after the judgment arrives? 5. What steps happen before a visit can be scheduled? 6. Which tools or systems do staff currently use during the process? Probe: Which step takes the longest or creates the most repeated work?
Parent Needs and Pain Points	7. What are the most common difficulties mothers and fathers face when arranging child visitation or custody transfer? 8. Which parts of the process usually create confusion for parents? 9. What causes conflict or repeated communication between parents and staff? Probe: Can you describe a typical situation without sharing private case details?
Child Preparation and Safety	10. How does Shaml support children who feel fear, resistance, or psychological stress before visitation? 11. What child-related information is important before the visit, such as health or medication notes? 12. What can help the child feel more prepared and less anxious?
Requests, Complaints, and Follow-up	13. What type of requests or complaints usually need a fast response from the center? 14. What information should parents receive before and after the visit to feel more prepared?
Digital Requirements	15. What digital features would make the process clearer for parents and easier for staff to follow? Probe: How can a digital platform protect privacy while still giving parents enough visibility about the case status?

3.2 Survey Questions

Not applicable in this phase. No primary survey was conducted, so the report does not present survey percentages. Any numerical findings in the Results section are taken from Al-Mawaddah Impact Story 2024 only.

3.3 Observation Checklist

Observation Focus	What Was Checked
Service workflow	Whether the process includes visitation, custody transfer, handover, legal consultation, and psychological preparation.
Child support	Whether the service includes stress reduction, gradual adjustment, or preparation for children resisting one parent.
Request handling	Whether complaints and beneficiary requests are measured and responded to.
Scheduling and agreement	Whether home-based visitation or mutual agreement appears as part of the service process.
Digital opportunity	Whether the current information suggests a need for status tracking, reminders, records, and a parent-facing dashboard.

4. Sampling Strategy

4.1 Participants

The study used purposive sampling. The actual field participant was selected because the participant had direct professional experience with Shaml-related visitation cases and could explain the service from a practical perspective.

Actual Participant	Role in the Study	Reason for Inclusion
P1 - Shaml-related social worker / specialist	Expert interview participant	Understands service flow, request handling, child preparation, parent coordination, and family support needs.

4.1.1 User Representations (Inferred Personas)

The mother, father, and child profiles in this report are personas, not research participants. They are inferred user representations based on the staff interview, document-based observation, and benchmarking evidence.

User Representation	Role in the Study	Basis for Inclusion
Mother persona	Primary user representation	Represents a caregiver who may need clear schedules, emotional reassurance, notifications, and documented agreements.
Father persona	Primary user representation	Represents a co-parent who may need transparent visit information, clear rules, simple scheduling, and rescheduling support.
Child persona	Indirect user representation	Represents a child affected by visit changes, conflict, and emotional preparation. The child was not interviewed directly in this phase.

4.2 Selection Criteria

- Actual participants must be connected to separated-family visitation or child-related family services.
- The selected information must help us understand user needs, not only organizational procedures.
- Sensitive personal information should not be collected or included in the report.
- Children are represented indirectly through stakeholder understanding and secondary evidence, not through direct interviews.

4.3 Sampling Limitation and Future Target

The current sample is limited because it includes one staff interview only. For a stronger GP1 continuation, the target sample should be expanded to 3-5 staff members, or 2 staff members plus 3 parents, depending on access and ethics approval. The current report therefore presents preliminary research findings, not saturated user research.

5. Data Collection Procedure

1. We started from our own Shaml+ project work by reviewing the problem statement, objectives, personas, and benchmarking direction, then organized the user research sections based on the collected evidence.
2. We conducted one semi-structured interview with a Shaml-related social worker using Microsoft Teams. Consent was obtained before the interview, and the participant was coded as P1.
3. We summarized the interview notes into user-experience themes without naming participants or including private family case details.
4. We reviewed Al-Mawaddah Impact Story 2024, especially the sections about Shaml Center services and performance indicators.

5. We analyzed Najiz, Absher, and Mawid/Sehhaty as benchmark platforms for appointment booking, status confirmation, rescheduling, and service communication.
6. We coded the collected data into themes, then translated the themes into personas, journey stages, pain points, design requirements, and design opportunities.
7. We removed unsupported survey-based claims and replaced them with documented evidence, transparent limitations, and qualitative findings.

6. Data Analysis Plan

6.1 Type of Data

Data Type	Source	Use in the Report
Qualitative	P1 interview notes and benchmarking observations	Identify themes, pain points, user needs, and design requirements.
Secondary quantitative	Al-Mawaddah Impact Story 2024	Support findings using documented indicators such as number of services, complaint response, and satisfaction.
Document-based observation	Impact Story service description and KPI tables	Understand what the service actually provides and where Shaml+ can add value.

6.2 Analysis Method

- Thematic analysis was used to organize qualitative data into repeated themes.
- Benchmark comparison was used to identify usability strengths and gaps in existing government-service platforms.
- Secondary indicator analysis was used to interpret documented Shaml Center results without claiming unsupported survey findings.

6.3 What Will You Measure?

- Common user needs related to scheduling, confirmation, status transparency, child preparation, and service follow-up.
- Operational evidence such as number of Shaml Center beneficiaries, number of services, home-based visitation by mutual agreement, complaints resolved within 48 hours, request response rate, satisfaction, and average performance.
- Design gaps between ordinary appointment platforms and the emotional requirements of separated-family visitation.
- Relative evidence strength of themes from P1 interview notes, without treating the score as a multi-user frequency count.

6.4 Thematic Coding Process

1. Familiarization: interview notes, observation notes, and benchmark notes were read several times.
2. Initial coding: short codes were assigned to meaningful statements such as parent conflict, unclear time, Excel problems, missing health information, and child preparation.
3. Theme clustering: similar codes were grouped into broader themes such as coordination, scheduling, child preparation, fragmented tools, data accuracy, and safety information.
4. Evidence strength scoring: the theme strength chart was based on coded references and practical importance inside the P1 interview notes. It is not a frequency across multiple users.
5. Design translation: each theme was converted into a Shaml+ requirement, such as status tracking, mediated messaging, child preparation content, health notes, and admin dashboard controls.

6.5 Thematic Coding Table

Theme	Main Codes	Evidence Source	Design Interpretation
Coordination between parents	Parent conflict; repeated calls; mediation need; pressure on staff	P1 interview	Use mediated communication, clear rules, notification workflow, and request status.
Fragmented tools / systems	Najiz; Excel/cloud files; manual notes; no single source of truth	P1 interview + benchmarking	Create unified dashboard connecting cases, schedules, requests, and reports.
Scheduling delays and errors	Similar names; unclear judgment time; scheduling takes more than 15 minutes	P1 interview	Use case IDs, validation, review step, and structured scheduling.
Child preparation needs	Psychological preparation; gradual adjustment; anxiety; parent influence	P1 interview + Impact Story observation	Add child preparation checklist, guidance, and specialist service booking.
Missing health information	Chronic illness; medication times; undisclosed child information	P1 interview	Require health notes and pre-visit safety fields before confirmation.
Data accuracy problems	Shared Excel deletion; duplicate data; inaccurate statistics	P1 interview	Use role-based editing, audit log, and dashboard reporting.

7. Results

The results are presented in two parts. First, the report presents documented secondary indicators from Al-Mawaddah Impact Story 2024. Second, it presents qualitative findings from the interview and observation analysis. No survey percentages are included because no survey was conducted.

7.1 Quantitative Results (if applicable)

Indicator	Target	Achieved	Achievement / Meaning for Shaml+
Number of beneficiaries of Shaml Centers	3,000	1,843	Shows a clear beneficiary base and a need for a system that supports real family cases.
Number of services provided to families	12,000	16,587	The achieved services exceeded the target, indicating repeated service interactions and the need for organized records.
Cases referred to home-based visitation by mutual agreement	15%	18%	Shows that agreement-based visitation is an important pathway that can be supported digitally.
Events to reduce psychological stress in children	3	3	Confirms that child emotional preparation is a real service concern.
Complaint resolution rate within 48 hours	100%	100%	Supports the need for request and complaint tracking in Shaml+.
Response rate to beneficiary request letters	100%	100%	Shows that response visibility should be reflected in the interface.
Beneficiary satisfaction rate of Shaml Center	70% target	67% achieved	Satisfaction is close to target but still leaves space for UX improvement.
Average performance	-	87%	Shows overall service strength, but digital experience can improve clarity, tracking, and emotional support.

7.2 Qualitative Results

- Shaml is a sensitive family-support service, not only an appointment booking process. The digital system must reflect safety, privacy, and emotional reassurance.
- The social worker highlighted that parents need clearer information about the procedure, visit confirmation, service status, and what to do before and after the visit.
- Children's emotional readiness is a central part of the process. This supports adding child preparation content, reminders, and optional specialist-service booking.
- Request and complaint handling should be visible to users. Families should know whether a request is received, under review, responded to, or closed.

- Benchmarking shows that normal appointment platforms provide useful structure, but Shaml+ must go further by supporting multi-party coordination, conflict-sensitive communication, and service trust.
- Because only one staff interview was completed, these findings should be treated as preliminary themes that require validation with more staff and parent participants.

7.3 Data Gathering - Interview Analysis and Visualization

The interview was conducted with a Shaml-related social worker who has seven years of experience. The participant described daily work such as supervising judgment implementation, providing social and psychological preparation, and coordinating between the mother and father. We analyzed the interview notes thematically to convert the answers into design requirements.

Theme	Interview Evidence	Design Meaning for Shaml+
Workflow starts from Najiz	The judgment arrives through Najiz, then the case is notified, studied, prepared if needed, and scheduled.	Shaml+ should connect judgment details with operational scheduling and case status.
Parent conflict	The staff member described disputes between mother and father as a major source of pressure.	The system needs mediated messaging, clear rules, and reduced direct conflict.
Preparation needs	Some cases need social and psychological preparation before implementation, especially when there is influence from one parent.	Child preparation content and support-service booking are essential.
Fragmented tools	The staff uses Excel/cloud files and Najiz; these tools are not enough as a coordination bridge.	A unified dashboard and single source of truth are needed.
Scheduling delay and errors	Scheduling a visit can take more than 15 minutes; mistakes happen because of similar names and unclear judgment time.	Use structured forms, case IDs, validation, and review before confirmation.
Missing health information	Parents may not disclose chronic illnesses or medication times for the child.	Add child health notes and required safety information before visit day.
Data accuracy problems	When multiple staff use the same Excel file, information can be deleted or duplicated, affecting statistics.	Use role-based editing, activity log, and dashboard reporting.




Figure 1. Interview theme evidence strength based on coded P1 staff interview notes. The values show relative evidence strength, not frequency across multiple participants.




Figure 2. Current workflow and friction points identified from the staff interview.

7.4 Interview Excerpts

The excerpts below are summarized from the interview notes and are anonymized as P1. They are included to show the raw evidence behind the themes without exposing private family case details.

Excerpt Code	Transcript Excerpt / Field Note	Linked Theme
P1-E1	The judgment comes from Najiz, then the case must be notified, studied, prepared if needed, and scheduled.	Workflow starts from Najiz
P1-E2	The difficult part is not only choosing a time; it is coordinating between the mother and father when there is disagreement.	Parent conflict
P1-E3	Some children need social and psychological preparation before implementation, especially when there is influence from one parent.	Child preparation needs
P1-E4	Excel and Najiz are not enough to be the connection point between cases and coordination needs.	Fragmented tools / systems
P1-E5	Scheduling may take more than 15 minutes, and similar names or unclear time in the judgment can lead to mistakes.	Scheduling delays and errors
P1-E6	Sometimes health or medication information is missing because parents do not disclose it before the visit.	Missing health information

7.5 Affinity Diagram

Affinity Diagram - Grouped Notes from P1 Interview, Observation, and Benchmarking




Figure 3. Affinity diagram grouping notes from P1 interview, document observation, and benchmarking.

7.6 Interview Findings Converted into Design Requirements

Interview Finding	Requirement for Shaml+
Staff need to coordinate between mother, father, and child.	Provide a mediated communication channel and clear notification workflow.
Excel and Najiz do not cover all coordination needs.	Provide one dashboard that connects cases, schedules, requests, and reports.
Scheduling takes more than 15 minutes and errors happen.	Provide structured scheduling, validation, and clear case identifiers.
Similar names affect statistics and scheduling accuracy.	Use unique case/child IDs and searchable profiles.
Missing child health/medication information creates risk.	Add child health notes and required pre-visit safety fields.
Staff postpone office work to handle urgent cases.	Provide priority flags and urgent-case workflow in the admin dashboard.

7.7 Benchmarking Summary

As part of our earlier Shaml+ project work, we benchmarked Najiz, Absher, and Mawid/Sehhaty using Nielsen Norman usability heuristics. The comparison showed that these platforms are useful for structured government services, but they do not fully address the emotional and multi-party nature of family visitation.

7.7.1 Benchmark Scoring Methodology

Each benchmark platform was reviewed against selected Nielsen Norman usability heuristics. A 1-5 rating scale was used: 1 = weak support, 2 = limited support, 3 = acceptable but incomplete, 4 = strong support, and 5 = very strong support. Ratings were based on observable interface patterns and were interpreted against Shaml+ needs. The benchmark scores are not user satisfaction scores and were not collected from users.

Platform	Useful UX Practice	Observed Gap for Shaml+
Najiz	Provides legal-service access and formal process structure.	Legal terminology and process complexity may increase user stress; Shaml+ should use simpler language.
Absher	Clear steps and familiar government-service interaction pattern.	It focuses on administrative tasks, not emotional support or child preparation.
Mawid / Sehhaty	Strong appointment booking and confirmation model.	It supports booking, but does not handle family conflict, visit agreements, or sensitive child transitions.

7.8 Secondary Observation from Al-Mawaddah Impact Story 2024

The document observation showed that Shaml Center provides visitation, custody transfer, and handover services to separated families in the Makkah Region in partnership with the Ministry of Justice. The center is described as an alternative to police stations and judgment enforcement units, which means the service already aims to create a safer and less stressful environment for families (Al-Mawaddah Association, 2024, p. 74).

The same source shows that the center also provides legal consultations for separated families, psychological preparation, gradual adjustment for children who resist one parent, and psychological stress reduction services for children. This is important because it confirms that the Shaml+ system should not be designed as a simple calendar only. It should include service booking, guidance, child preparation, and careful communication support.

7.9 Benchmarking with Interview Notes

The benchmarking section uses the heuristic ratings from our Shaml+ project work and connects them with interpretation from the staff interview. The interview confirmed that ordinary appointment and government-service platforms are useful, but they do not fully support the operational needs of external child visitation, especially case coordination, child preparation, missing information, and conflict-sensitive communication.

7.9.1 Najiz

Heuristic	Rating	Initial Observation	Interview Notes for Shaml+
Visibility of System Status	3/5	Feedback exists but is not always noticeable.	Najiz delivers the judgment, but the interview showed that staff still need a separate process to notify the case, study it, and schedule implementation. Shaml+ should show clear case status and next steps.
Match Between System and Real World	3/5	Complex legal terminology.	The social worker explained that unclear judgment details, especially time, can cause scheduling errors. Shaml+ should translate official details into simple operational language.
User Control and Freedom	3/5	Limited modification options.	Rescheduling and coordination still require staff effort, calls, and follow-up. Shaml+ should provide controlled reschedule requests and confirmation history.
Consistency and Standards	4/5	Consistent interface.	Although the interface is familiar, it is not designed as a coordination bridge between parents, children, and Shaml staff.
Error Prevention	3/5	Limited validation.	The interview highlighted errors caused by similar names and unclear appointment times. Shaml+ should use case identifiers, child profiles, and review steps before scheduling.

7.9.2 Absher

Heuristic	Rating	Initial Observation	Interview Notes for Shaml+
Visibility of System Status	4/5	Clear steps.	Absher provides familiar status patterns, but the interview showed that external visitation requires more than general administrative feedback; it needs case-specific coordination status.
Flexibility and Efficiency	4/5	Efficient for experienced users.	Efficiency is useful, but Shaml staff reported that scheduling may take more than 15 minutes because they move between systems and verify details manually.

Heuristic	Rating	Initial Observation	Interview Notes for Shaml+
Recognition Rather Than Recall	3/5	Users must remember information.	Shaml+ should reduce memory load through reminders, visit cards, case numbers, child profiles, and medication/health notes.
Error Recovery	3/5	Unclear error messages.	Staff need clear correction flows when appointment details, names, or health information are incomplete or inconsistent.
Aesthetic and Minimalist Design	4/5	Clean UI.	A clean style is important, but Shaml+ also requires emotional reassurance, privacy, and conflict-sensitive wording.

7.9.3 Mawid / Sehhaty

Heuristic	Rating	Initial Observation	Interview Notes for Shaml+
Visibility of System Status	4/5	Clear confirmations.	Appointment confirmation patterns are useful for Shaml+, but the interview showed that visit execution also depends on case study, preparation, and coordination between parties.
User Control and Freedom	4/5	Easy rescheduling.	Rescheduling should be adapted carefully because parent conflict may affect the child and the legal implementation process.
Match with Real World	4/5	Simple language.	Shaml+ should maintain simple Arabic labels and avoid legal or administrative terms that increase stress.
Error Prevention	3/5	Few conflict warnings.	The staff interview identified missing chronic illness and medication information as a serious gap. Shaml+ should include health notes and required information checks.
Aesthetic and Minimalist Design	4/5	Organized layout.	The interface should stay minimal, but also include child preparation, secure messages, and staff dashboard functions.

7.9.4 Benchmarking Innovation Gap

The benchmarking comparison shows that Najiz, Absher, and Mawid provide useful patterns for authentication, appointment flow, and status feedback. However, the staff interview highlighted a stronger operational gap: Shaml work requires a system that connects legal judgment information, case study, psychosocial preparation, parent coordination, child health notes, scheduling, and staff follow-up in one place. Therefore, Shaml+ should not only imitate appointment booking platforms; it should provide a conflict-sensitive coordination system designed for family visitation work.

8. Analysis

8.1 Analysis

The findings show that the main UX challenge in Shaml+ is not only selecting a time. The problem is the lack of one clear digital source that connects visit scheduling, agreement records, child preparation, request tracking, and family-support services. The Impact Story indicators show that Shaml Centers deliver many services to families, and that complaints and request letters are expected to be handled quickly. However, from the user perspective, these strong operational indicators need to become visible inside the interface through clear status messages and notifications.

The achieved 16,587 services compared with 1,843 beneficiaries suggests that each family may interact with the service more than once or may need more than one type of support. This supports the design of a visit history, a service history, and a dashboard that helps users understand what has already been completed and what is still pending.

The presence of psychological stress-reduction services and gradual adjustment for children also changes the design direction. A basic calendar would not be enough. Shaml+ should include gentle language, preparation checklists, educational guidance, and the ability to request family counseling or child preparation support. This makes the solution more aligned with the real nature of the Shaml service.

8.2 Persona Validation Note

The personas below are not direct interview participants. They are inferred design personas created from the P1 staff interview, Al-Mawaddah Impact Story 2024, and benchmark analysis. The quotes inside the parent and child personas are representative statements derived from stakeholder insights, not verbatim participant quotes. These personas should be validated later with direct parent interviews, guardian feedback, or usability testing.

8.3 User Personas

The personas focus on the main users and affected users. The coordinator/admin is treated as a supporting stakeholder rather than a main persona because the current research evidence mainly supports parents and the child as the core user groups through indirect evidence. Service staff remain important as internal stakeholders, but they are not the only focus of the user-facing research report.

Mother Persona - Sara Al-Harbi

Attribute	Description
Name	Sara Al-Harbi
Age	32
Role	Mother / primary caregiver or co-parent
Location	Makkah
Technology Behavior	Uses smartphone applications daily and is familiar with government-service apps.
Goals	Receive clear confirmation, avoid stressful direct coordination, prepare the child emotionally, and keep a record of agreements.
Pain Points	Unclear visit status, fear of last-minute changes, repeated communication stress, and lack of one trusted source of information.
Needs	Simple visit calendar, notifications, documented agreements, child preparation reminders, and a private communication channel.
Representative Statement	I just want the visit to be organized and confirmed without stress.

Father Persona - Khalid Al-Mutairi

Attribute	Description
Name	Khalid Al-Mutairi
Age	38
Role	Father / co-parent
Location	Jeddah
Technology Behavior	Comfortable using mobile apps, but prefers short steps and direct instructions.
Goals	See his child regularly, understand visitation rules, request or confirm visits quickly, and reduce misunderstandings.
Pain Points	Unclear procedures, delayed information, emotional discomfort during coordination, and limited transparency about changes.
Needs	Interactive calendar, reschedule request flow, status tracking, clear visit instructions, and agreement history.
Representative Statement	I want the process to be simple - choose a time and confirm.

Child Persona - Omar Rajeh

Attribute	Description
Name	Omar Rajeh
Age	8-12
Role	Child / indirect user affected by the process
Location	Jeddah
Technology Behavior	Does not use the system directly; depends on parents and specialists.
Goals	Feel safe, understand what will happen, and maintain a stable relationship with both parents.
Pain Points	Sudden changes, parental conflict, fear before visits, and lack of emotional preparation.
Needs	Predictable routine, calm communication around the visit, preparation support, and fewer conflict triggers.
Representative Statement	I need the visit to feel predictable, calm, and safe.

8.4 Supporting Staff Persona Based on Interview

The staff interview provides a more detailed supporting staff persona. This persona does not replace the parent and child personas; it explains the internal coordination needs that affect the user-facing experience.

Attribute	Description
Name	Maha Alasmari
Age	35
Role	Social worker / family visit coordinator
Experience	7 years working with Shaml-related cases
Main Daily Tasks	Supervising judgment implementation, providing social and psychological preparation, and

Attribute	Description
	coordinating between the mother and father.
Current Tools	Najiz for judgment-related information, Excel files uploaded to cloud, calls/messages, and manual coordination notes.
Goals	Execute judgments accurately, reduce coordination delays, prepare children socially and psychologically, and avoid scheduling mistakes.
Pain Points	Parent conflict, difficulty coordinating between parties, similar names, unclear judgment time, missed or confused appointments, and missing child health/medication information.
Needs	Unified case dashboard, clear case identifiers, scheduling workflow, health/medication notes, communication log, preparation status, and conflict-sensitive notifications.
Representative Statement	Excel and Najiz are not enough to be the connection point between cases and coordination needs.

8.5 Persona Notes from Interview

Persona	What the Interview Added	Design Implication
Mother / Father	Coordination between parents is very difficult, and conflicts may delay implementation.	Use secure messages, mediated communication, clear request status, and scheduled notifications.
Child	Some cases require social and psychological preparation, especially when there is pressure or influence from one parent.	Add child preparation content, mood check, and support-service booking.
Staff / Social Worker	Staff use multiple tools, scheduling may take more than 15 minutes, and Excel/cloud files can cause deletion or data accuracy problems.	Create an admin dashboard with case identifiers, scheduling controls, audit log, and data validation.

8.6 User Journey: Mother Persona

Stage	User Goal	Action	Challenge	Shaml+ Opportunity
Awareness	Understand the problem	Realizes that current visit coordination is stressful and unclear.	Emotional stress and repeated conflict.	Explain the process in simple language and show available support.
Login	Start safely	Signs in using a secure account.	Privacy concerns and fear of mistakes.	Use secure login and clear privacy messages.
Scheduling	Choose or view visit time	Checks available time slots or confirms an existing arrangement.	Disagreement or last-minute change.	Interactive calendar with status and change request flow.
Preparation	Prepare the child	Receives reminders and child preparation guidance.	Child anxiety before the visit.	Preparation checklist and optional support-session booking.
Visit Day	Follow the confirmed plan	Views location, handover details, and instructions.	Uncertainty about what to do.	Clear visit card with date, time, location, and steps.
Follow-up	Close or review visit	Checks completed visit record or submits a request.	No record of what happened.	Visit history, feedback, and request/complaint tracking.

8.7 Current Journey Map Based on Staff Interview

The current journey map below describes the real work process before Shaml+. It is based on the staff interview and shows how the current workflow depends on Najiz, Excel/cloud files, calls, and manual coordination.

Stage	Current Action	Channel / Tool	Pain Point	Emotion / Effect	Shaml+ Opportunity
Judgment Received	Judgment arrives through Najiz.	Najiz	The judgment may not provide operational details clearly,	Uncertainty	Import or record judgment details with clear case status.

Stage	Current Action	Channel / Tool	Pain Point	Emotion / Effect	Shaml+ Opportunity
			especially time.		
Case Notification	The case is informed that the judgment has arrived.	Calls / messages	Repeated communication and delayed responses.	Pressure	Automatic notifications and case timeline.
Case Study	Staff meet or review the case to understand needs.	Manual notes / staff interview	Some cases need social or psychological preparation.	Concern	Preparation checklist and specialist-service booking.
Scheduling	Staff determine the visit time and coordinate parties.	Excel cloud + calls	Similar names, unclear time, and scheduling errors.	Stress	Structured scheduling with case ID and conflict warnings.
Coordination	Staff coordinate between mother, father, and child.	Calls / messages	Parent conflict and need for a mediator.	Tension	Private mediated messaging and request status tracking.
Visit Execution	The visit or handover is executed.	Physical site + staff follow-up	Missing health or medication information can affect safety.	Risk	Child health notes and visit-day instructions.
Follow-up	Staff update files and handle follow-up requests.	Excel / cloud / manual follow-up	Information can be deleted or duplicated; statistics may be inaccurate.	Frustration	Activity log, request history, and dashboard reporting.

8.8 Storyboard Based on Interview Findings

The storyboard describes the general emotional problem of waiting, confusion, and lack of confirmation, then connects it with interview findings about Najiz, Excel/cloud files, parent conflict, child preparation, and scheduling errors.

Frame	Scene	Action	Problem Observed in Interview	Emotion	Design Response in Shaml+
1	Judgment arrives	Staff receives judgment through Najiz and starts case notification.	The judgment is separate from daily coordination work.	Responsibility	Case record with clear status and case number.
2	Case is studied	Staff assesses whether the case needs preparation.	Some children need psychological/social preparation due to parent influence or anxiety.	Concern	Child preparation checklist and support-service booking.
3	Scheduling begins	Staff coordinates time between parents.	Scheduling may take more than 15 minutes and depends on multiple tools.	Stress	Structured request form and smart calendar.
4	Conflict appears	Mother and father disagree or communication becomes difficult.	Parent conflict creates pressure and delays.	Tension	Mediated secure messages and clear rules.
5	Information gap	Staff discovers missing child health or medication details.	Parents may not disclose chronic illness or medication schedule.	Risk	Required child health notes before visit confirmation.
6	Visit is confirmed	The visit details are confirmed and visible to users.	Users need one trusted source of truth.	Reassurance	Visit details card, request tracking, notifications, and history.

8.9 Information Architecture and HTA

The information architecture organizes Shaml+ around three connected experiences: parent mobile app, child companion app, and staff/admin dashboard. The structure is based on the research findings and the staff interview.

Area	Main Navigation / Screens	Purpose
Parent App	Home, My Visits, Request Visit, Visit Details, Request Tracking, Messages, Support Services, Profile	Help parents request visits, track status, communicate safely, and access support services.
Child App	Home, My Visits, Visit Preparation, Voice Messages, Games, Rewards/Profile	Help the child understand the visit, prepare emotionally, and feel supported.
Admin Dashboard	Dashboard, Visits Management, Visit Details, Child Management, User Management, Reports, Notifications, Activity Log, Settings	Help staff manage cases, schedules, requests, user data, reporting, and system settings.

Area	Main Navigation / Screens	Purpose
Shared System Functions	Notifications, case IDs, status chips, request history, health notes, and activity log	Create one trusted source of information and reduce errors caused by disconnected tools.

8.9.1 HTA: Parent Requests and Tracks a Visit

Goal / Subgoal	Task Description	Sequence / Relationship
0. Arrange an external child visit	Complete a visit request and follow its status.	Main goal.
1. Log in securely	Open Shaml+ and sign in.	Before accessing private case data.
2. Select child and visit details	Choose child, date, time, pickup, and drop-off.	Required before submission.
3. Add notes	Add relevant notes such as preparation or health information.	Supports staff review and safety.
4. Submit request	Send request for review.	Triggers staff workflow.
5. Track status	Follow received, under review, confirmed, or completed state.	Reduces uncertainty.
6. Prepare child	Use reminders, checklist, and support services.	Supports emotional readiness.
7. Review visit history	Check completed visits and records.	Supports documentation and follow-up.

8.9.2 HTA: Staff Coordinates a Visit

Goal / Subgoal	Task Description	Sequence / Relationship
0. Execute a visitation judgment safely	Coordinate the case from judgment arrival to visit completion.	Main staff goal.
1. Receive judgment details	Review judgment details from Najiz.	Starting point.
2. Notify the case	Inform the relevant family that the judgment arrived.	Before study and scheduling.
3. Study the case	Check whether preparation or special support is needed.	Informs scheduling and services.
4. Verify missing information	Check child health, medication, and contact details.	Prevents avoidable risks.
5. Schedule the visit	Set time and location using clear case identifiers.	Prevents similar-name errors.
6. Coordinate communication	Send updates and handle conflict-sensitive messages.	Reduces manual mediator workload.
7. Record outcome	Update visit status, notes, and reports.	Feeds dashboard and history.

9. Pain Points

1. Unclear visit status: Parents may not know whether a visit is confirmed, changed, pending, or completed.
2. Fragmented communication: Families may depend on disconnected channels instead of one trusted place.
3. Emotional pressure on children: Children may feel anxious when they are not prepared or when plans change suddenly.
4. Lack of visible request tracking: Even if the center responds quickly, users still need to see the request status clearly.
5. Limited agreement documentation: Mutual agreements and changes need to be recorded in a transparent and safe way.
6. Administrative language: Legal or institutional terms may increase confusion for users already under emotional stress.
7. Staff workflow pressure: The service depends on several tools, and this can create delays, duplicate work, and data accuracy problems.

10. Opportunities

Pain Point	Design Opportunity	Suggested Feature
Unclear visit status	Make the process visible and predictable.	Status cards: Pending, Confirmed, Changed, Completed, Under Review.
Fragmented communication	Reduce direct conflict and scattered messages.	Private in-app communication and system-generated updates.
Child stress	Support emotional preparation before the visit.	Child preparation checklist, calming guidance, and support-session booking.
No visible request tracking	Show progress without exposing private information.	Request and complaint tracker with timestamps and safe wording.
Weak agreement records	Create one trusted record of confirmed plans.	Agreement history, reschedule request log, and confirmation receipts.
Complex language	Lower cognitive load.	Simple Arabic microcopy, clear icons, step-by-step guidance, and FAQs.
Staff data pressure	Reduce manual errors and support accurate reporting.	Case IDs, role-based editing, audit log, dashboard filters, and validation rules.

11. Evidence

11.1 Evidence Summary

Evidence Source	Relevant Finding	How It Supports Shaml+
Al-Mawaddah Impact Story 2024, p. 74	Shaml Center provides visitation, custody transfer, handover, legal consultation, psychological preparation, gradual adjustment, and child stress-reduction services.	The system should include service booking, preparation guidance, and family-support information, not only a calendar.
Al-Mawaddah Impact Story 2024, p. 75	Shaml Centers provided 16,587 services to families and achieved 100% complaint resolution within 48 hours and 100% response rate to beneficiary request letters.	The platform should show service history, request status, and complaint tracking to users.
Project benchmarking	Najiz, Absher, and Mawid have useful appointment and government-service patterns but lack emotional family-visitation support.	Shaml+ can combine structured booking with conflict-sensitive and child-centered features.
P1 interview notes with Shaml-related social worker	The interview emphasized coordination difficulty, safety, psychological preparation, fragmented tools, and careful request handling.	Supports user requirements for simple language, clear steps, privacy, health notes, staff dashboard, and support-service integration.

11.2 Ethics

- No names or personal family case details are included in the report.
- Children are not directly interviewed in this phase; their needs are represented indirectly to protect them from unnecessary emotional exposure.
- Interview insights are summarized at a general level and do not include private statements or identifiable information.
- The system design should avoid dark patterns and should not pressure users into choices related to visitation or family decisions.
- The design should follow privacy, accessibility, and inclusive communication principles because the service is emotionally sensitive.
- The report clearly separates actual research participants from inferred personas to avoid misleading claims.

11.3 Limitations

- The study does not include a primary survey, so no primary percentages are reported.
- The current fieldwork includes one staff interview only. This is not enough to claim saturation.
- Mothers, fathers, and children were not directly interviewed in this phase. Their needs are inferred from stakeholder evidence, secondary evidence, and benchmarking.
- The child persona is hypothetical and should be treated as an indirect representation, not a direct child interview result.
- The theme strength chart is based on coded P1 notes and practical design relevance. It is not a statistical frequency chart across multiple participants.
- The Impact Story provides strong secondary indicators, but it does not describe every step of the digital user experience.
- Future work should include usability testing with prototype tasks and clear metrics such as task completion rate, time on task, error rate, and SUS score.
- Future research should expand the sample to 3-5 staff members or 2 staff members plus 3 parents, depending on access and ethics approval.

11.4 Conclusion

The user research findings show that Shaml+ should be designed as a child-centered and family-sensitive digital system, not only as a scheduling tool. The research evidence from Al-Mawaddah Impact Story 2024 confirms that Shaml Center services include visitation facilitation, custody transfer, handover, legal consultation, child psychological preparation, gradual adjustment, and stress-reduction services. The performance indicators also show high service activity, strong request/complaint response, and a beneficiary satisfaction rate that can still be improved through better digital experience.

The main design direction for Shaml+ is to provide a unified and trusted platform for parents, while protecting the child's emotional well-being. The platform should include a clear visit calendar, status tracking, documented agreements, child preparation guidance, service booking, private communication, request and complaint tracking, and a simple dashboard. These features directly respond to the research findings and connect user research with personas, journey mapping, benchmarking, accessibility, ethics, and future usability evaluation.

Because the current phase depends on one staff interview, the findings should be considered a validated starting point for design decisions, not a final claim about all user groups. The next phase should validate the parent and child personas through additional interviews, prototype usability testing, and task-based evaluation.

11.5 References

Al-Mawaddah Association for Family Development. (2024). Impact Story 2024: Annual Performance Report, Edition 15.

Nielsen, J. (1994). 10 usability heuristics for user interface design. Nielsen Norman Group.

11.6 Appendices

11.6.1 Appendix A: Methodology Statement

This research uses qualitative methods supported by secondary quantitative indicators. One semi-structured interview, document-based observation, and benchmarking were used to understand user needs and service requirements. No primary survey was conducted in this phase; therefore, all numerical findings are taken from Al-Mawaddah Impact Story 2024. Personas are inferred design representations and should be validated in the next phase.

11.6.2 Appendix B: Suggested Usability Testing Metrics for the Next Phase

Metric	Purpose	Example Task
Task completion rate	Measure whether users can complete key tasks.	Book or confirm a visit.

Metric	Purpose	Example Task
Time on task	Measure efficiency.	Find the next visit details.
Error rate	Identify interface problems.	Submit a reschedule request without missing a required field.
SUS score	Measure user satisfaction and perceived usability.	Complete the full prototype test then answer SUS questions.
Qualitative comments	Understand emotional comfort and clarity.	Ask users what felt confusing or reassuring.

11.6.3 Appendix C: Interview Metadata and Participant Profile

Item	Value
Date	12/03/2026
Duration	45 minutes
Method	Microsoft Teams
Participant Code	P1
Role	Social worker / family visit coordinator
Experience	7 years
Consent	Obtained

11.6.4 Appendix D: Codebook and Theme Frequency Justification

The theme strength values are relative evidence strength scores derived from coded P1 interview notes. They combine the number of coded references, the practical importance of the theme, and whether the theme was supported by document observation or benchmark gaps. These values should not be interpreted as statistical frequencies across multiple users.

Theme	Evidence Strength	Justification
Coordination between parents	7	Repeatedly connected to parent conflict, mediator workload, delays, and communication pressure.
Fragmented tools / systems	6	Connected to Najiz, Excel/cloud files, calls, manual notes, and the absence of one coordination bridge.
Scheduling delays and errors	5	Connected to similar names, unclear judgment time, and scheduling taking more than 15 minutes.
Child preparation needs	4	Connected to social/psychological preparation and Impact Story child stress-reduction services.
Missing health information	3	Connected to chronic illness and medication disclosure risks before visit day.
Data accuracy problems	3	Connected to Excel deletion, duplication, and inaccurate statistics.
Time pressure	3	Connected to urgent cases and postponed office work.

11.6.5 Appendix E: Affinity Diagram Notes


The affinity diagram grouped notes into five clusters: coordination and conflict, scheduling and status, child preparation and safety, staff tools and data, and service follow-up. These clusters were used to connect the research evidence with Shaml+ requirements.

Shaml+

A User-Centered Digital System for External Child Visits

Final HCI Project Report

Course	HCI3502T - Graduation Project 1
Program	BSc in Human-Computer Interaction
Department	Software Engineering
College	College of Computing, Umm Al-Qura University
Project	Shaml+
Supervisor	Hanan Hayat
Team Members	Sham Khalid Aldossari (Leader), Hajar Abdulaziz Alharthi, Lina Abdullah Alasmari, Eshraq Osama Faqeha



Project overview and main user groups.

Contents

Chapter 1: introduction

- Problem statement

- Objectives

- Methodology

- Project planning

Chapter 2: Analyzing Current State

- Current journey analysis

- Benchmarking

- Data gathering Processes

 - Data gathering Techniques Description

 - Data analysis and visualization

- Storyboard

- Persona

- Information Architecture

- Pain points

- Opportunities (improvements suggestions)

- Low fidelity prototypes (Wireframe and sketches)

Chapter 2: Iteration 1

- Requirement Engineering (User Research)

 - Data gathering Techniques Description

 - Data analysis and visualization

- Requirements Statements

- Prototypes (medium to high fidelity)

- Improved UX Journey

- Usability Evaluation

 - Evaluation methods

 - Data analysis and visualization

Chapter 3: Iteration 2

- Requirements from Iteration 1

- Prototypes (high fidelity/interactive)

- Improved UX journey map

- Usability Evaluation

 - Evaluation methods

 - Data analysis and visualization

Chapter X: Application of HCI Principles

- General HCI principles and guidelines application

Accessibility, inclusivity and Ethics

Persuasive Techniques

Chapter X: Design System

References

Appendices

Table of Tables

Table 1. Project identification information.

Table 2. UCD stage deliverables.

Table 3. Project phases, duration, and deliverables.

Table 4. Gantt-style project progression across fourteen weeks.

Table 5. Current journey analysis with emotional dimension.

Table 6. Benchmarking summary across core capabilities.

Table 7. Benchmarking lessons used for design decisions.

Table 8. Research instruments and objectives.

Table 9. Secondary results and interpretation.

Table 10. Themes translated into design meaning.

Table 11. Pain points linked to design opportunities.

Table of Figures

Figure 1. Project overview and main user groups.

Figure 2. Methodology diagram.

Figure 3. Visual summary of secondary indicators.

Figure 4. Storyboard showing the current problem and Shaml+ design response.

Figure 5. Information architecture diagram for the Shaml+ system.

Chapter 1: introduction

Problem statement

Shaml+ is a user-centered digital system for external child visits in family-related cases. The project focuses on the external visitation process where parents, children, and specialists need clear coordination outside a traditional supervised center scenario. The target users include parents, children as indirect but strongly affected users, family counselors, visit coordinators, and admin supervisors.

The current external visitation process is fragmented. Parents and coordinators may rely on disconnected communication channels to schedule visits, track requests, confirm details, and handle changes. This creates repeated follow-up, high cognitive load, wasted effort, and emotional stress. The process also needs stronger support for children because external visitation is not only an appointment. It is a sensitive family experience that requires safety, privacy, preparation, and clear communication.

The problem is therefore the absence of one trusted digital source that brings together visit scheduling, request tracking, child preparation, family-support services, safe communication, agreement documentation, and staff

dashboard functions. Shaml+ responds to this need by connecting the parent mobile app, child companion app, admin dashboard, and smartwatch interface into one coordinated experience.

Objectives

- 1. Design a user-centered digital platform that centralizes the external child visitation process and reduces administrative fragmentation for parents and coordinators.
- 2. Integrate child preparation session booking and family counseling services into a unified system to reduce psychological stress and support families before the visit.
- 3. Improve the user experience by reducing confusion and cognitive load through clear status feedback, simple language, visible steps, and guided interactions.
- 4. Evaluate the prototype using measurable HCI usability indicators, including task completion rate, task time, error count, success percentage, and System Usability Scale (SUS) results, supported by qualitative feedback.

Methodology

The project followed a user-centered design methodology because Shaml+ is a user-focused HCI project aiming to enhance the user experience through a seamless, clear, accessible, and emotionally aware user interface. The work was not completed once; it evolved through repeated user-centered design cycles.

Each iteration deliverable was decision-driven. Research findings informed requirements, usability testing informed prototype revisions, and HCI principles guided the final design decisions.




Figure 2. Methodology diagram.

Table 2. UCD stage deliverables.

Stage	Deliverables
Discover	Interviews, observation, and current-state analysis
Define	Personas, journey maps, pain points, and requirements
Design	Information architecture, wireframes, and high-fidelity prototype
Evaluate	Usability testing using task completion rate, task time, error count, success percentage, SUS, and qualitative feedback
Refine	Design improvements and final recommendations

Project planning

The project was conducted across fourteen weeks. The plan shows the sequence of research, current-state analysis, requirements, design, usability evaluation, refinement, and final documentation so that task progression and duration are clear.

Table 3. Project phases, duration, and deliverables.

Phase	Weeks	Major activities	Deliverables
Current-state analysis	1-3	Problem definition, interviews, document observation, evidence review, and current journey analysis.	Research notes, current journey, and analysis summary.
Requirements engineering	4	Theme analysis, pain points, opportunity framing, and requirement statements.	Requirements list and design direction.
Iteration 1 design	5-7	Information architecture, wireframes, and prototype version 1.	Prototype V1 and role-based flows.
Iteration 1 evaluation	8	Prototype walkthroughs, issue logging, and severity classification.	Evaluation findings and improvement priorities.
Iteration 2 design	9-11	Design refinements and final interactive prototype improvements.	Prototype V2 and improved journey map.
Iteration 2 evaluation	12	Final validation testing and feedback review.	Final recommendations.
Final documentation	13-14	Design system organization, report writing, and appendix evidence.	Final report and supporting appendices.

Task	W1	W2	W3	W4	W5	W6	W7	W8	W9	W10	W11	W12	W13	W14
Literature review	■	■												
User research	■	■	■											
Data analysis			■	■										
Personas and journey maps				■										
Requirements engineering				■	■									
Low-fidelity prototypes					■	■								
Prototype V1						■	■							
Usability testing 1								■						
Prototype V2									■	■	■			
Usability testing 2												■		
Design system													■	
Final documentation													■	■

Table 4. Gantt-style project progression across fourteen weeks.

Chapter 2: Analyzing Current State

Current journey analysis

The current journey begins when a visitation judgment or case information is received. Staff then notify the family, study the case, check whether social or psychological preparation is needed, coordinate visit details, manage

communication between parents, execute the visit or handover, and update records. The emotional dimension is critical because families and children experience uncertainty, stress, tension, and reassurance needs throughout the journey.

Table 5. Current journey analysis with emotional dimension.

Stage	Current action	Channel / tool	Pain point	Emotion / effect	Shaml+ opportunity
Judgment received	Judgment arrives and staff start case handling.	Najiz	Operational details may not be clear, especially visit time.	Uncertainty	Record judgment details with clear case status and case number.
Case notification	Family is informed that the judgment arrived.	Calls / messages	Repeated communication and delayed responses.	Pressure	Automatic notifications and case timeline.
Case study	Staff review the case and understand preparation needs.	Manual notes / staff interview	Some children need social or psychological preparation.	Concern	Preparation checklist and specialist-service booking.
Scheduling	Staff determine visit time and coordinate parties.	Excel cloud + calls	Similar names, unclear time, scheduling errors, and delays.	Stress	Structured scheduling with case ID, validation, and review step.
Coordination	Staff mediate between mother, father, and child.	Calls / messages	Parent conflict and pressure on staff.	Tension	Private mediated messaging and request status tracking.
Visit execution	Visit or handover is executed.	Physical site + staff follow-up	Missing health or medication information can affect safety.	Risk	Child health notes and visit-day instructions.
Follow-up	Staff update files and handle requests.	Excel / cloud / manual follow-up	Information can be deleted, duplicated, or difficult to track.	Frustration	Activity log, request history, and dashboard reporting.

Benchmarking

Najiz, Absher, and Mawid/Sehhaty were selected because they are familiar Saudi government or appointment-based service platforms. The comparison focused on visibility of system status, match with the real world, user control and freedom, error prevention, recognition rather than recall, and aesthetic/minimalist design. The comparison was consolidated into the summary below.

Table 6. Benchmarking summary across core capabilities.

Capability	Najiz	Absher	Mawid / Sehhaty	Shaml+
Appointment booking	✓	✓	✓	✓
Status tracking	✓	✓	✓	✓
Child preparation	X	X	X	✓
Conflict-sensitive communication	X	X	X	✓
Family support services	X	X	X	✓
Agreement documentation	Limited	X	X	✓

Table 7. Benchmarking lessons used for design decisions.

Platform	Key strengths	Key limitations	Design lessons for Shaml+
Najiz	Legal process management and formal structure.	Complex terminology and limited operational clarity for families.	Use simpler language and convert legal details into clear operational steps.
Absher	Clear government-service workflows and familiar interaction patterns.	Limited emotional support and limited child-preparation context.	Improve reassurance, privacy messaging, and case-specific feedback.

Mawid / Sehhaty	Strong appointment management, confirmations, and rescheduling patterns.	No family-visitation support and no conflict-sensitive coordination.	Enhance coordination, visit preparation, and safe change-request flow.
-----------------	--	--	--

The gap is clear: existing platforms support structured government-service workflows and appointment booking, but they do not fully address emotional stress, multi-party coordination, child preparation, privacy, agreement documentation, and conflict-sensitive communication.

Data gathering Processes

This section summarizes the data gathering process used in the final report. Detailed instruments and full research evidence are kept in the user research report, while this report focuses on the objective of each instrument and how the findings informed design decisions.

Data gathering Techniques Description

Table 8. Research instruments and objectives.

Instrument	Objective	Expected output
Semi-structured interview	Understand the service workflow, common parent/child needs, staff coordination challenges, and operational pain points.	Qualitative themes, pain points, and design requirements.
Document-based observation	Review documented Shaml Center services and indicators from Al-Mawaddah Impact Story 2024.	Secondary quantitative indicators and service evidence.
Thematic analysis	Group interview and document-observation notes into recurring themes.	Theme table, visual evidence summary, and requirements direction.

Sampling strategy

The project used purposive sampling because the service context is sensitive and requires informed professional understanding. The sampling focused on Shaml-related officials/specialists as expert sources. Parent, father, child, and staff profiles are treated as user representations/personas, not as direct research participants. Future validation should include additional staff members and parent participants when access and ethics approval are available.

Data analysis and visualization

The analysis combined qualitative themes with secondary quantitative indicators. The quantitative values were treated as secondary indicators from Al-Mawaddah Impact Story 2024 rather than survey results from the project team.




Figure 3. Visual summary of secondary indicator achievement compared with target.

Indicator	Target	Achieved	Meaning for Shaml+
Number of beneficiaries of Shaml Centers	3,000	1,843	Shows a clear beneficiary base and a need for a system that supports real family cases.
Number of services provided to families	12,000	16,587	The achieved services exceeded the target, indicating repeated service interactions and the need for organized records.
Cases referred to home-based visitation by mutual agreement	15%	18%	Agreement-based visitation is an important pathway that can be supported digitally.
Events to reduce psychological stress in children	3	3	Confirms that child emotional preparation is a real service concern.
Complaint resolution rate within 48 hours	100%	100%	Supports the need for request and complaint tracking in Shaml+.
Response rate to beneficiary request letters	100%	100%	Response visibility should be reflected in the interface.
Beneficiary satisfaction rate of Shaml Center	70%	67%	Satisfaction is close to target but still leaves space for UX improvement.
Average performance	-	87%	Shows overall service strength, while the digital experience can improve clarity, tracking, and emotional support.

The collected interview and document-observation data were analyzed to identify recurring themes affecting the external visitation process. These themes represent the most significant operational and user experience challenges discovered during the research phase and were later translated into design requirements for Shaml+.

Table 10. Themes translated into design meaning.

Theme	Interview evidence	Design meaning for Shaml+
Workflow starts from Najiz	The judgment arrives through Najiz, then the case is notified, studied, prepared if needed, and scheduled.	Connect judgment details with operational scheduling and case status.
Parent conflict	Disputes between mother and father create pressure on staff.	Provide mediated messaging, clear rules, and reduced direct conflict.
Preparation needs	Some cases need social and psychological preparation before implementation.	Add child preparation content and support-service booking.
Fragmented tools	Staff use Excel/cloud files and Najiz; these are not enough as a coordination bridge.	Provide a unified dashboard and single source of truth.
Scheduling delay and errors	Scheduling can take more than 15 minutes; mistakes happen because of similar names and unclear judgment time.	Use structured forms, case IDs, validation, and review before confirmation.
Missing health information	Parents may not disclose chronic illness or medication times.	Add child health notes and required safety information before visit day.
Data accuracy problems	Shared Excel/cloud files can lead to deleted or duplicated information.	Use role-based editing, activity log, and dashboard reporting.

Storyboard

The storyboard translates the research themes into a visual scenario. It shows how fragmented coordination creates uncertainty and how Shaml+ responds with a clearer, safer, and more guided interaction flow.




Figure 4. Storyboard showing the current problem and Shaml+ design response.

Persona

The personas represent major user groups affected by external child visits. They are design personas derived from research evidence and are used to connect pain points to interface decisions.

Sara Al-Harbi

Table 11. Persona card - Sara Al-Harbi.

Persona element	Details
Role	Mother / primary caregiver
Demographics	32 Makkah Administrative Assistant
Technology behavior	Uses smartphone apps daily and is familiar with Absher and Sehhaty.
Goals	Schedule visits easily, receive reminders, avoid direct conflict, and ensure a safe structured visit.
Pain points	Unclear appointment status, emotional stress, fear of last-minute cancellation, and repeated communication.
Needs	Clear visit calendar, confirmation cards, agreement records, and safe communication.
Representative statement	I just want the visit to be organized and confirmed without stress.

Khalid Al-Mutairi

Table 12. Persona card - Khalid Al-Mutairi.

Persona element	Details
Role	Father / co-parent
Demographics	38 Jeddah Sales Representative
Technology behavior	Comfortable with mobile apps and prefers fast, direct processes.
Goals	See children regularly, schedule or reschedule quickly, and receive clear policy information.
Pain points	Lengthy booking, unclear change updates, and emotional discomfort during coordination.
Needs	Simple request flow, status tracking, reschedule request, and visit instructions.

Representative statement	I want the process to be simple - choose a time and confirm.
--------------------------	--

Omar Rajeh

Table 13. Persona card - Omar Rajeh.

Persona element	Details
Role	Child / indirect user
Demographics	8-12 Jeddah Elementary School Student
Technology behavior	Does not use the research system directly, but is affected by the visit experience.
Goals	Feel safe, understand what will happen, and maintain comfort during visits.
Pain points	Fear, anxiety, emotional stress during transitions, and sudden changes.
Needs	Predictable routine, gentle preparation, simple language, and child-friendly reminders.
Representative statement	I need the visit to feel predictable, calm, and safe.

Maha Alasmari

Table 14. Persona card - Maha Alasmari.

Persona element	Details
Role	Supporting staff / coordinator
Demographics	35 Makkah Family Visit Coordinator / Social Worker
Technology behavior	Uses Najiz, Excel/cloud files, calls, messages, and manual coordination notes.
Goals	Manage visitation schedules efficiently, track requests, reduce mistakes, and support families.
Pain points	High workload, disconnected systems, similar names, unclear judgment time, and missing child health information.
Needs	Unified dashboard, case identifiers, scheduling workflow, activity log, and data validation.
Representative statement	I need a clear system to manage visits efficiently without confusion or delays.

Information Architecture

The information architecture organizes Shaml+ as a connected multi-platform system. Instead of showing only a flat user flow, the diagram below shows the hierarchy of experiences, navigation areas, and shared system functions.




Figure 5. Information architecture diagram for the Shaml+ system.

Pain points


1. Unclear visit status: parents may not know whether a visit is confirmed, changed, pending, or completed.
2. Fragmented communication: families may depend on disconnected channels instead of one trusted place.
3. Emotional pressure on children: children may feel anxious when they are not prepared or when plans change suddenly.
4. Lack of visible request tracking: even if the center responds quickly, users still need to see the request status clearly.
5. Limited agreement documentation: mutual agreements and changes need to be recorded in a transparent and safe way.
6. Administrative language: legal or institutional terms may increase confusion for users already under emotional stress.
7. Scheduling errors and delays: similar names and unclear judgment times can affect staff accuracy.
8. Missing child health or medication information: important safety details may not be shared before visit day.
9. Data accuracy problems: shared files can lead to deletion, duplication, and unreliable reporting.

Opportunities (improvements suggestions)

Pain point	Design opportunity	Suggested feature
Unclear visit status	Make the process visible and predictable.	Status cards: Pending, Confirmed, Changed, Completed, Under Review.
Fragmented communication	Reduce direct conflict and scattered messages.	Private in-app communication and system-generated updates.
Child stress	Support emotional preparation before the visit.	Child preparation checklist, calming guidance, mood check, and support-session booking.
No visible request tracking	Show progress without exposing private information.	Request and complaint tracker with timestamps and safe wording.
Weak agreement records	Create one trusted record of confirmed plans.	Agreement history, reschedule request log, and confirmation receipts.
Complex language	Lower cognitive load.	Simple Arabic microcopy, clear icons, step-by-step guidance, and FAQs.
Scheduling and data errors	Reduce mistakes caused by similar names or unclear details.	Unique case IDs, child profiles, validation rules, review step, and activity log.
Missing safety information	Collect essential visit-day details early.	Required health/medication fields and notes visible to authorized staff.

Low fidelity prototypes (Wireframe and sketches)

The low-fidelity wireframes explored the main structure before the final visual design. They covered parent mobile screens, child-friendly screens, admin dashboard screens, and smartwatch concepts. The wireframes helped clarify layout hierarchy, navigation, cards, forms, and dashboard areas before visual styling was finalized.



Low-fidelity wireframe sketches for the Shaml+ multi-platform experience.

Chapter 2: Iteration 1

Requirement Engineering (User Research)

The first iteration converted research findings into requirements for the parent app, child app, admin dashboard, and shared system functions. The requirements were not limited to booking. They also included emotional preparation, trust, safety information, service history, and controlled communication.

Data gathering Techniques Description

Technique	Evidence collected	Requirement impact
Interview with Shaml-related staff	Workflow starts from Najiz, staff coordinate between parents, preparation may be needed, scheduling can take more than 15 minutes, missing health information can create risk.	Create admin dashboard, case IDs, scheduling validation, preparation status, health notes, and communication log.
Document observation	Shaml Center provides visitation, custody transfer, handover, legal consultation, psychological preparation, gradual adjustment, and stress-reduction services.	Add service booking, child preparation guidance, and service history.
Prototype walkthrough plan	Feedback tasks were defined for parent, child, and admin roles.	Evaluate if each role can understand screens and complete core tasks.

Data analysis and visualization

The first-iteration analysis grouped findings into parent, child, staff, and shared-system needs.

User group	Main needs identified	Design response
Parents	Clear visit information, status transparency, safe communication, reminders, service access, agreement record.	Home visit card, My Visits, Request Visit, Visit Details, Request Tracking, Messages, Notifications, Services, Profile.
Children	Simple language, emotional reassurance, visit preparation, rewards, and child-friendly guidance.	Welcome, choose child, visit preparation, mood selection, games, achievements, voice messages.
Admins / supervisors	Fast overview, accurate case details, clear actions, searchable records, notifications, and controlled communication.	Dashboard statistics, visit management table, visit details, child/user management, reports, notifications, activity log, settings.
Shared system	One source of truth, status visibility, privacy, and safer coordination.	Case IDs, status chips, notifications, activity logs, history, and role-based information.

Requirements Statements


Requirement type	Requirement statement
Functional	The system shall allow parents to log in, view upcoming visits, request a new visit, and track request status.
Functional	The system shall allow parents to view visit details including date, time, location, pickup/drop-off, notes, and support actions.
Functional	The system shall provide messages, notifications, services, and profile management for parents.
Functional	The system shall provide child-friendly welcome, child selection, upcoming visit details, preparation support, emotions, games, achievements, and voice messages.
Functional	The admin dashboard shall support dashboard statistics, visit management, visit details, child management, user management, reports, notifications, activity log, and settings.
Functional	The system shall support status chips, case/request IDs, notifications, request history, and activity logs.
Non-functional	The interface should use simple Arabic wording, calm visual hierarchy, clear status feedback, and consistent navigation.
Non-functional	The design should protect privacy, avoid exposing sensitive family details, and clearly communicate who can see messages, notes, and visit details.
Non-functional	The child experience should be readable, friendly, simple, and supportive rather than stressful or administrative.
Data / safety	The system should collect required child health or medication information where needed before visit confirmation.

Prototypes (medium to high fidelity)

The high-fidelity Figma prototype applied the research findings across three role-based journeys. The visual design uses calm colors, rounded cards, clear status components, bottom navigation for mobile, sidebar navigation for the admin dashboard, and simplified Arabic labels.

Prototype flow	Core screens included	Purpose
Parent mobile app	Landing, login, home, my visits, request visit, visit details, request tracking, messages, notifications, services, profile.	Support parent scheduling, tracking, communication, and service access.
Child app	Welcome, child selection, home, visits, preparation, emotion selection, voice	Prepare the child emotionally and

Prototype flow	Core screens included	Purpose
	messages, games, achievements/profile.	make the experience friendly.
Admin dashboard	Login, dashboard, visits management, visit details, children, users, reports, notifications, activity log, settings.	Support staff control, monitoring, case management, and reporting.
Smartwatch interface	Next visit reminder, mood check, quick help.	Give lightweight reminders and help at the moment of need.



Smartwatch interface screens inside the Figma prototype.

Improved UX Journey

Stage	User goal	Improved action	Added value
Login	Start safely.	Secure login using trusted authentication methods.	Reduces privacy concern and builds trust.
Select Time	Choose an available slot.	Interactive calendar and available time selection.	Reduces direct coordination and scheduling confusion.
Confirmation	Know that the visit is confirmed.	Instant notification and visible visit card.	Creates reassurance and one source of truth.
Before Visit	Prepare the child and family.	Reminder, checklist, support-service access, and child preparation content.	Reduces emotional stress.
Visit Day	Follow the confirmed plan.	View location, handover instructions, and notes.	Improves clarity and safety.
Post-Visit	Review and follow up.	Visit history, feedback, request/complaint tracker, and services.	Supports accountability and continuous improvement.

Usability Evaluation

Evaluation methods


The usability evaluation used role-based prototype walkthroughs. Each participant reviewed the screens related to their role and answered questions after trying the expected tasks. The comments were grouped into positive findings, issues, severity levels, root causes, and suggested improvements.


Participant code	Role	Feedback type
P1	Parent / father perspective	Full screen-by-screen feedback with ease-of-use rating.
P2	Parent / guardian perspective	Full screen-by-screen feedback with ease-of-use rating.
C1	Child user perspective	Answers to child usability questions.
C2	Child user perspective	Answers to child usability questions.
A1	Admin / supervisor perspective	Answers to admin usability questions.
A2	Admin / supervisor perspective	Full answers to admin usability questions.

Criterion	How it was judged
Task completion	Whether the participant reported being able to complete the task without outside help.
Clarity	Whether the participant understood the purpose of each screen and the meaning of buttons, states, and labels.
Confidence and trust	Whether the interface made the user feel that the process is official, safe, and reliable.
Friction points	Any comment showing confusion, delay, uncertainty, or a need for explanation.
Improvement value	Whether a suggested fix would reduce stress, prevent mistakes, or make the workflow clearer.


Data analysis and visualization


Area	Overall usability result	Main evidence from feedback
Parent app	Successful with minor to moderate clarity issues.	Parents identified the upcoming visit, submitted a visit request, tracked the request, and used messages. Ease ratings were 8/10 and 8.5/10.
Child app	Successful and suitable for children, with guidance improvements needed.	Children understood the welcome flow, child profile selection, home page, emotions, rewards, and navigation. Some text and interactive cues need improvement.
Admin dashboard	Successful and clear for operational use.	Admins understood dashboard statistics, visit management, side navigation, actions, and filters. Requested additions were operational details rather than major redesign.






Parent mobile app screens reviewed during usability testing.





Child mobile app screens reviewed during usability testing.



Admin dashboard screens reviewed during usability testing.

Chapter 3: Iteration 2

Requirements from Iteration 1

Iteration 2 is represented by the final interactive prototype and the prioritized improvement requirements produced from usability testing. The feedback did not show major task blockers; it mainly showed that sensitive actions need clearer wording, stronger status explanations, child-friendly guidance, and more operational detail for admins.

Priority	Requirement from evaluation	Expected improvement
1	Clarify who is included in each chat and whether it is supervised.	Increase trust and reduce uncertainty in sensitive communication.
1	Add short text under request and visit statuses, including action-required messages and estimated review time.	Make request tracking more reassuring and predictable.
1	Add View Details actions in important notifications.	Help users move directly from notification to the relevant visit or request.
2	Split the new visit request into steps: child selection, date/time, pickup/drop-off, notes, final confirmation.	Reduce form length, hesitation, and scheduling mistakes.
2	Show available time slots only, or clearly mark unavailable times.	Reduce rejected requests and confusion.
2	Show who wrote each child note and whether details were shared with the other parent.	Improve transparency and privacy confidence.
3	Increase small text size, especially visit time and helper text in the child app.	Improve child readability.
3	Convert visit bag items into a checklist or clearly label them as information only.	Make the child preparation screen more interactive and understandable.
3	Replace difficult emotion wording or explain it through a friendly guide character.	Improve accessibility for younger children.
3	Add animation or sound feedback when children collect stars or open rewards.	Strengthen motivation and emotional comfort.
4	Add Nafath login or official authentication to admin access.	Increase trust for admin use.
4	Add assigned specialist, start/end time, case links, and official holiday settings.	Improve operational completeness and reduce staff mistakes.

Prototypes (high fidelity/interactive)

The final interactive prototype includes three main role-based experiences and one wearable extension. The parent flow supports login, home, request visit, visit details, request tracking, messages, notifications, services, and profile. The child flow supports welcome, choose child, home, visits, preparation, messages, games, achievements, and profile. The admin dashboard supports login, dashboard overview, visits management, visit details, child management, user management, reports, notifications, activity log, and settings. The smartwatch interface supports next-visit reminder, mood check, and quick help.

Figma page / area	Role supported	Key purpose
00_Cover_User_Flow	All roles	Shows the project cover and main role flows.
01_Design_System	Design team / all screens	Defines colors, typography, spacing, radius, shadows, core components, and platform consistency.
02_Parent_Mobile_App	Parent	Supports visit scheduling, status tracking, communication, services, notifications, and profile management.
03_Child_App	Child	Supports reassurance, preparation, games, achievements, visits, and simple communication.
04_Admin_Web_Dashboard	Admin / supervisor	Supports dashboard monitoring, visit management, children/users, reports, notifications, activity log, and settings.
05_Smartwatch_Interface	Parent / child / quick use	Supports reminder, mood check, and quick help in a small wearable interface.

Improved UX journey map

The improved journey connects the parent, child, and admin flows around the same visit lifecycle. Parents request and track visits, children receive preparation and reassurance, and admins manage the operational status from the dashboard. This reduces dependence on disconnected calls, messages, and manual records.

Role	Journey flow
Parent	Landing -> Login -> Home -> Request Visit -> Visit Details -> Request Tracking -> Messages -> Notifications -> Services -> Profile.
Child	Welcome -> Choose Child -> Home -> My Visits -> Visit Preparation -> Voice Messages -> Games -> Achievements/Profile.
Admin	Login -> Dashboard Overview -> Visits Management -> Visit Details -> Child Management -> User Management -> Reports -

Role	Journey flow
	> Notifications -> Activity Log -> System Settings.
Smartwatch	Next Visit Reminder -> Mood Check -> Quick Help.

Usability Evaluation

Evaluation methods

The final evaluation focused on the Figma prototype and the main role-based tasks. It did not test final implementation, performance, security, accessibility compliance, or real back-end integration. The evaluation was used to identify design clarity issues and prioritize the next prototype revision.

Role	Main tasks tested
Parent	Log in, understand the home page, view upcoming and previous visits, request a new visit, enter date/time/location information, review visit details, track request status, use messages, read notifications, access services, and open profile options.
Child	Start the app, select the child profile, understand the home page, see the upcoming visit, open visit preparation, review visit bag items, select current feeling, explore achievements, and use bottom navigation.
Admin	Log in, read dashboard statistics, understand visit status, navigate the sidebar, open visit management, review visit details, approve or modify a visit, send notifications, use search/filtering, and review admin system pages.

Data analysis and visualization

ID	Role	Issue	Severity	Reason
U1	Parent	Messages do not clearly show whether the conversation is with the other parent, the admin, or a supervised group.	Medium	Affects trust and communication behavior in a sensitive family context.
U2	Parent	Request tracking does not show estimated waiting time or whether the parent needs to take action.	Medium	Users may feel uncertain even though the tracking screen is useful.
U3	Parent	Visit status labels need short explanations.	Medium	Status wording alone may not tell the user what happens next.
U4	Parent	Request visit form can feel long and available time slots are not fully clear.	Medium	The task is completed, but the user may hesitate or choose a non-available time.
U5	Child	Visit preparation items do not clearly show if they are clickable or only informational.	Medium	Children expect interaction and may not understand what to do next.

ID	Role	Issue	Severity	Reason
U6	Child	Some text and visit time information should be larger.	Low	The app is understandable, but readability can improve.
U7	Child	Some emotional wording may be too difficult for younger children.	Low	A simpler label or explanation would improve accessibility for children.
U8	Admin	Notifications need more operational details such as visit start/end time and linked case information.	Medium	Admins need complete context before sending or reviewing notifications.
U9	Admin	Assigned specialist and holiday handling are not visible enough.	Low	These additions improve operations but do not block basic use.
U10	General	Some screens need stronger microcopy to explain what is shared, who can see it, and what happens next.	Medium	The service is sensitive, so clarity directly affects confidence and stress reduction.



Root cause theme	Where it appears	Design meaning
Need for trust	Login, messages, visit sharing, profile privacy.	Use official authentication, clear privacy wording, and supervised communication labels.
Need for status clarity	My Visits, request tracking, notifications.	Add short explanations, estimated times, and action-required messages.
Need for child guidance	Visit preparation, emotion selection, achievements.	Use larger text, simpler terms, animation, sound, and a cartoon guide.
Need for operational completeness	Admin notifications, visit details, holiday planning.	Add specialist name, start/end time, case links, and official holiday settings.

Overall, the prototype was successful. The main journeys were understood and no feedback suggested that a core task was impossible. The main improvement direction is not a redesign of the whole interface; it is adding clearer explanation around sensitive actions, status changes, and child guidance.

Chapter X: Application of HCI Principles

General HCI principles and guidelines application

HCI principle	Application in Shaml+
Visibility of system status	Visit status cards, request tracking, confirmation notifications, dashboard statistics, status chips, and activity logs make progress visible.
Match between system and real world	The design uses simple Arabic wording, familiar visit cards, calendar/time patterns, and family-service terminology instead of complex legal wording.
User control and freedom	Parents can request visits, review details, track status, use services, and manage profile options; admins can filter, approve, modify, and review records.
Consistency and standards	Navigation, cards, buttons, status chips, forms, and icon use are repeated across parent, child, admin, and smartwatch interfaces.
Error prevention	Case IDs, child profiles, structured forms, required fields, health notes, time slots, and review steps reduce scheduling and information mistakes.
Recognition rather than recall	Upcoming visit cards, reminders, request history, child profiles, and saved visit details reduce memory load.
Flexibility and efficiency of use	Quick actions, dashboard filters, search fields, direct notification actions, and status views help experienced users move quickly.
Aesthetic and minimalist design	Calm colors, white space, rounded cards, clear icons, and focused screens reduce visual stress.
Help users recognize, diagnose, and recover	Status explanations, support access, help prompts, and admin review states should make recovery steps clearer.
Help and guidance	Support services, child preparation, visit instructions, reminders, and quick help actions guide users before and during the visit.



Design system and principle boards from the Figma file.

Accessibility, inclusivity and Ethics

The project deals with separated families and children, so ethics and inclusive design are central to the experience.

- No names or personal family case details are included in the research report.
- Children are represented indirectly in the research phase to avoid unnecessary emotional exposure.
- Interview insights are summarized at a general level without identifiable private statements.
- The interface uses child-friendly visuals, emotion selection, rewards, and simple guidance to support emotional comfort.
- The design should avoid pressure or dark patterns in visitation-related decisions.
- Privacy-aware microcopy should explain who can see messages, notes, visit details, and child information.
- Readable text, clear icons, large touch targets, calm colors, and simple Arabic wording support users under stress.
- The usability recommendations include increasing small text size, simplifying emotion wording, and adding clearer interaction cues for children.

Accessibility / ethics concern	Design response
Children may not understand complex wording.	Use simpler emotional labels, bigger text, visual icons, and a guide character.
Parents may worry about privacy.	Add clear sharing notices, supervised communication labels, and role-based visibility.
Users may be stressed during scheduling.	Use step-by-step forms, clear confirmation, reminders, and simple wording.
Admins handle sensitive family information.	Use official login, case IDs, activity logs, role permissions, and safe notifications.
Visit-related decisions must not be manipulative.	Avoid persuasive pressure and keep support, guidance, and confirmation transparent.

Persuasive Techniques

Persuasive design is used carefully because the service is sensitive. The goal is to support safe behavior, preparation, and confidence without pressuring users.

Technique	Use in Shaml+	Ethical purpose
Reminders	Next-visit notifications and smartwatch reminder screen.	Help families prepare and reduce missed or confused visits.
Progress/status feedback	Request tracking and visit status labels.	Reduce uncertainty and repeated calls.
Rewards and stars	Child achievements and game-based motivation.	Make preparation feel less stressful for children.
Trust signals	Nafath/Absher login options, official dashboard, secure messaging.	Increase confidence in a sensitive service.
Guided preparation	Visit checklist, mood check, support services, quick help.	Encourage readiness and emotional support.
Direct actions	View Details, contact support, approve visit, send notification.	Reduce delay and make the next step clear.

Chapter X: Design System

The design system defines the visual and interaction foundations used across Shaml+. It supports platform consistency, calm emotional tone, and repeated interface patterns across parent, child, admin, and smartwatch screens.

دليل الهوية البصرية والنظام التصميمي

شمل +

الألوان (Color Palette)

ألوان الهوية (Brand Colors)



ألوان الحالات (Status Colors)



ألوان محايدة (Neutral Colors)



مقياس المسافات (Spacing Scale)



نظام زوايا الحدود (Border Radius)



أنماط الظلال (Shadow Styles)



الخطوط (Typography)

العنوان الرئيسي للشاشة

Display Title
48px / Bold

عنوان الصفحة الحالي

Page Title
32px / Bold

عنوان القسم الفرعي

Section Title
24px / Semi-Bold

Body Text
16px / Regular

Caption
12px / Regular

المكونات الأساسية (Core Components)

حقول الإدخال (Inputs)

اسم المستخدم
أدخل اسمك هنا...

البحث
البحث عن...

الأزرار (Buttons)

حفظ التغييرات Primary

إلغاء Secondary

حذف العنصر Danger

حالات الشرائح (Status Chips)



تحديث في المود

تم تحديث نموذج المود إلى يوم الاثنين الموافق 2023-10-10.

مزيد من التفاصيل

طلب رعاية منزلية

خدمة طلب الرعاية المنزلية في حال المرض بواسطة طاقم مختص.

طلب الخدمة

زيارة ميدانية للمركز

10:00 - 12:00

مركز الرعاية التخصصي

قوالب المكونات (Component Placeholders)





اتساق المنصات (Platform Consistency)

واجهة الساعة الذكية
وصول سريع للمعلومات والتنبيهات الهامة.

لوحة التحكم
أدوات تحليلية وإدارية متقدمة للنظام.

تطبيق الأبناء
تجربة ممتعة ومبسطة مخصصة للأطفال.

تطبيق الوالدين
واجهة شاملة لإدارة ومتابعة الأبناء.

مبادئ التصميم المعتمدة (Design Principles)

سهولة الوصول
تصميم شامل يدعم جميع فئات المستخدمين.

سهولة الاستخدام
تبسيط العمليات لتقليل الجهد المطلوب من المستخدم.

الوضوح
جعل المعلومات سهلة الفهم والقراءة للمستخدم.

الاتساق
ضمان تجربة موحدة عبر جميع شاشات التطبيق.

التوافق بين المنصات
تقديم تجربة متناعمة على مختلف الأجهزة.

التسلسل البصري
ترتيب العناصر حسب الأهمية لتوجيه عين المستخدم.

التغذية الراجعة
إعلام المستخدم بنتائج أفعاله بشكل فوري.

تقليل الحمل المعرفي
عرض المعلومات الضرورية فقط لتجنب التششت.

Platform consistency and design principles cards.

Design system element	Implementation
Color palette	Brand teal/green, accent yellow/gold, status colors, and neutral colors are used to separate primary actions, warnings, success states, and calm backgrounds.
Spacing scale	Consistent spacing is used between cards, inputs, icons, buttons, and sections to keep screens clean.
Border radius	Rounded cards, inputs, buttons, and chips create a softer, family-centered interface.
Shadow styles	Light card shadows create hierarchy without making the interface visually heavy.
Typography	Large page titles, readable body text, and helper text support Arabic content and reduce cognitive load.
Buttons	Primary, secondary, and danger states are used for confirmation, support, and sensitive actions.
Inputs and forms	Text fields, dropdowns, date/time inputs, and notes fields are used in request and admin workflows.
Status chips	Status labels communicate Pending, Confirmed, Modified, Completed, Cancelled, and Under Review states.
Cards	Visit cards, service cards, request cards, profile cards, and dashboard cards carry the core information layout.
Navigation	Bottom navigation supports parent and child mobile flows; sidebar navigation supports admin operations.
Components	Core components include inputs, buttons, tabs/chips, visit cards, service cards, profile cards, dashboard cards, and table rows.

Platform consistency element	How it appears
Parent mobile app	Calm visit cards, quick access buttons, bottom navigation, status labels, and service cards.
Child app	Large friendly headings, playful cards, character imagery, emotion faces, rewards, and simple navigation.
Admin dashboard	Sidebar navigation, dashboard statistics, tables, filters, action buttons, and activity logs.
Smartwatch	Simplified cards for one action at a time: reminder confirmation, mood selection, and quick help.

References

- Al-Mawaddah Association for Family Development. (2024). Impact Story 2024: Annual Performance Report, Edition 15.
- Nielsen, J. (1994). 10 usability heuristics for user interface design. Nielsen Norman Group.

Appendices

Appendix A: Prototype links



Figma design file: <https://www.figma.com/design/RSSEHHNXarZwMFraZsprJt/Shaml--UX-Prototype?node-id=1-5&t=46BoBB92n1fTPDv5-1>



Parent mobile prototype: <https://www.figma.com/proto/RSSEHHNXarZwMFraZsprJt/Shaml--UX-Prototype?node-id=8-2666&p=f&t=g0jtLFA0i3taypaf-1&scaling=min-zoom&content-scaling=fixed&page-id=1%3A5&starting-point-node-id=8%3A2666>

Child mobile prototype: <https://www.figma.com/proto/RSSEHHNXarZwMFraZsprJt/Shaml--UX-Prototype?node-id=8-1820&p=f&t=zuz7eeQIV39nkq35-1&scaling=min-zoom&content-scaling=fixed&page-id=1%3A4&starting-point-node-id=8%3A1820>



Admin dashboard prototype: <https://www.figma.com/proto/RSSEHHNXarZwMFraZsprJt/Shaml--UX-Prototype?node-id=7-473&p=f&t=1aqzlkVhte8I7Fv-1&scaling=min-zoom&content-scaling=fixed&page-id=1%3A3&starting-point-node-id=7%3A473>

Appendix B: Parent mobile app screens





Appendix C: Child mobile app screens



Appendix D: Admin dashboard screens

شمل+

تسجيل دخول المشرف

مرحباً بك مجدداً، يرجى إدخال بيانات الاعتماد الخاصة بك

اسم المستخدم

أدخل اسم المستخدم

كلمة المرور

أدخل كلمة المرور

نسيت كلمة المرور؟

تذكرني

تسجيل الدخول ←

هل تواجه مشكلة في تسجيل الدخول؟ اتصل بالدعم الفني





مشرف النظام
التدوير العام



ابحث عن زيارة أو مستخدم أو طفل...

+ إضافة زيارة جديدة



الطلبات قيد المراجعة

128

تحتاج اهتماماً فورياً



إجمالي الزيارات

3,456

↑ 24% منذ الشهر الماضي



عدد الأسر

842

↑ 5% منذ الشهر الماضي



عدد الأطفال

1,248

↑ 12% منذ الشهر الماضي

حالة الزيارات اليوم

مؤكدة

42 زيارة



قيد المراجعة

18 زيارة



تم التعديل

7 زيارات



ملفية

3 زيارات




لوحة التحكم الرئيسية

أهلاً بك، إليك ملخص لأحدث الأنشطة لهذا اليوم.

الزيارات خلال الشهر

مقارنة أداء الزيارات الأسبوعية

آخر 30 يوم



عرض الكل

أحدث الطلبات

رقم الطلب	اسم الطفل	نوع الخدمة	التاريخ	الحالة	الإجراءات
#REQ-8902	أحمد محمد العلي	زيارة منزلية دورية	20 أكتوبر 2023	قيد المراجعة	✓
#REQ-8895	سارة يوسف فهد	تحديث بيانات أسرة	19 أكتوبر 2023	مكتمل	✓
#REQ-8891	خالد وليد الشمري	طلب رعاية عاجل	19 أكتوبر 2023	ملف	✓
#REQ-8888	نورة عبدالرحمن	زيارة تقييم أولى	18 أكتوبر 2023	قيد التنفيذ	✓

شمل

لوحة التحكم

إدارة الزيارات

إدارة الأطفال

إدارة المستخدمين

التقارير والإحصائيات

الإشعارات

سجل النشاط

إعدادات النظام

تسجيل الخروج



إدارة الزيارات

جدولة ومتابعة الزيارات الميدانية والمنزلية

إضافة زيارة جديدة

التاريخ الكل الحالة نوع الزيارة تطبيق الفلتر

تطبيق الفلتر

نوع الزيارة

الحالة

التاريخ

الكل

الكل

mm/dd/yyyy

📅



قائمة الزيارات المجدولة

اسم الطفل	ولي الأمر	التاريخ	الوقت	الحالة	الإجراء
ليان عبدالرحمن	عبدالرحمن الفهد	24 أكتوبر 2023	09:30 AM	مؤخدة	👁️ 📄 ✅
محمد سلطان	سلطان المرزوقي	24 أكتوبر 2023	11:00 AM	قيد المراجعة	👁️ 📄 ✅
ياسر القحطاني	فهد القحطاني	25 أكتوبر 2023	01:45 PM	تم التعديل	👁️ 📄 ✅
نورة العبدالله	عبدالله الشمري	26 أكتوبر 2023	08:00 AM	ملفية	👁️ 📄 ✅
فيصل بن أحمد	أحمد الحوسري	27 أكتوبر 2023	12:30 PM	مؤخدة	👁️ 📄 ✅

< 3 2 1 >

عرض 5 من أصل 48 زيارة



مشرف النظام
المدير العام



تفاصيل الزيارة

شمل+

لوحة التحكم

إدارة الزيارات

إدارة الأطفال

إدارة المستخدمين

التقارير والإحصائيات

الإشعارات

إعدادات النظام

تسجيل الخروج

مشاركة

طباعة الملف

قيد المراجعة

ملف زيارة رقم: VIS-2023-0842

تاريخ إنشاء الطلب: 20 أكتوبر 2023 | 04:15 م



تطور الطلب

تم استلام الطلب

20 أكتوبر 2023 - 04:15 م

تم تحميم الطلب عبر البوابة الإلكترونية من قبل
ولي الأمر

قيد المراجعة

21 أكتوبر 2023 - 10:30 ص

الموظف المسؤول: أحمد المنصور

تم التأكد

بانتظار الاعتماد النهائي

تمت الزيارة

بيانات أولياء الأمور

الأب (المستلم)

عبدالرحمن الفهد

05XXXXXX12

الأم (المستلم)

سارة المنصور

05XXXXXX89

بيانات الطفل

ليان عبدالرحمن الفهد

الرقم الموحد: 1092837465



7 سنوات

العمر

أنثى

الجنس

#CH-7742

الرقم المرجعي

تفاصيل الموعد والمكان

تاريخ الزيارة

الثلاثاء، 24 أكتوبر 2023

الوقت المحدد

09:30 AM - 11:30 AM

نوع الزيارة

زيارة ميدانية (مركز شمل)

نقطة الاستلام

المدخل الرئيسي - البوابة الشمالية (أ)

نقطة التسليم

منطقة الألعاب - البوابة الشرقية

إضافة ملاحظة

ملاحظات المشرف

يرجى التأكد من توفر مرافقة أنثى أثناء الاستلام نظراً
لخصوصية الحالة.

تتبع هام 22 أكتوبر - 09:00 ص

تم التنسيق مع الأمن لتسهيل دخول سيارة ولي الأمر.

21 أكتوبر - 11:45 ص

إلغاء الزيارة

إرسال إشعار

طلب تعديل

اعتماد الزيارة



عبدالرحمن محمد
مشرف النظام



ابحث عن مستخدم...

+ إضافة مستخدم جديد

إدارة المستخدمين

إدارة كافة حسابات النظام وملاحظات الوصول

الكل						الموظفون	المشرفون	الأسر
عرض 1-10 من 128 مستخدم						تصدير البيانات		تصفية
الاسم	البريد الإلكتروني	الدور	الحالة	آخر نشاط	الإجراء			
سارة أحمد السعيد ID: #USR-9921	sara.ahmed@email.com	ولي أمر	نشط	منذ ساعتين	 			
فيصل ناصر الدوسري ID: #USR-8842	faisal.d@provider.com	مشرف	نشط	أمس، 04:30 م	 			
هيا منصور القحطاني ID: #USR-7731	haya.m@shaml.com	موظف	موقوف	قبل أسبوع	 			
محمد خالد التميمي ID: #USR-5521	mohammed.k@email.com	ولي أمر	نشط	منذ 30 دقيقة	 			
ريم يوسف الحربي ID: #USR-2104	reem.harbi@domain.sa	موظف	نشط	منذ يومين	 			
التالي						13 ... 3 2 1		
						السابق		

شمل

لوحة التحكم

إدارة الزيارات

إدارة الأطفال

إدارة المستخدمين


التقارير والإحصائيات

الإشعارات

سجل النشاط

إعدادات النظام

تسجيل الخروج



البحث في الإشعارات...

إدارة الإشعارات
لوحة التحكم > الإشعارات

الرئيسية

لوحة التحكم

إدارة الزيارات

إدارة الأطفال

إدارة المستخدمين

التقارير والإحصائيات

التواصل

الإشعارات 12

النظام

سجل النشاط

إعدادات النظام

أحمد محمد
مدير النظام

إضافة إشعار جديد +

تصفية

بحث في القائمة...

العنوان	نوع الإشعار	التاريخ	الحالة
تذكير بموعد الزيارة القادم نود تذكركم بموعد الزيارة القادم غداً..	تذكير قبل الزيارة	24 مايو 2024 10:00 صباحاً	مسودة
تأكيد موعد الزيارة لم تأخذ موعد زيارتك بحاجة..	تأكيد الزيارة	23 مايو 2024 02:30 مساءً	مرسل
تحديث بخصوص الموعد نعذر، لم تأجل موعد الزيارة إلى..	تعديل موعد	25 مايو 2024 09:00 صباحاً	مجدول
تحديثات النظام الجديدة نعرف على الميزات الجديدة في منصة... شمل..	رسالة من النظام	20 مايو 2024 11:15 صباحاً	مرسل

عرض 1 إلى 4 من أصل 48 إشعار

1 2 3 < >

مسودة

تفاصيل الإشعار

نوع الإشعار
تذكير قبل الزيارة

عنوان الإشعار
تذكير بموعد الزيارة القادم

الجهة المستهدفة
الأباء ☐ المشرفين ☐ الأمهات ☐

نص الرسالة
140 حرف متبقي

نود تذكركم بموعد الزيارة القادم غداً في تمام الساعة 10:00 صباحاً. نرجو الحضور في الموعد المحدد.

حفظ كمسودة

إرسال الإشعار

📄

🔔

البحث برقم العملية أو اسم المشرف...

سجل النشاط

مراقبة وتبويب العمليات المنفذة في النظام

شمل+

القائمة الرئيسية

لوحة التحكم

إدارة الزيارات

إدارة الأطفال

إدارة المستخدمين

التقارير والإحصائيات

الإشعارات

الإدارة المتقدمة

سجل النشاط

إعدادات النظام

أحمد محمد
مدير النظام (Super Admin)

نوع النشاط

المستخدم

النطاق الزمني

تطبيق الفلترة

جميع الأنشطة

جميع المستخدمين

آخر 30 يوم

سجل العمليات الأخير

الوقت والتاريخ	المسؤول	تفاصيل النشاط	نوع العملية	الحالة	الإجراء
اليوم، 10:45 ص 2024 مايو 24	أحمد محمد AM ID: #ADM-001	تم اعتماد طلب الزيارة رقم #VS-8821	إدارة الزيارات	مؤكد	👁
اليوم، 09:12 ص 2024 مايو 24	سارة العتيبي ID: #ADM-014	تعديل الملف الطبي للطفل ياسين عبدالله	إدارة الأطفال	تم التعديل	👁
أمس، 05:30 م 2024 مايو 23	فهد المطيري FM ID: #ADM-009	إرسال إشعار تذكيري جماعي لجميع أولياء الأمور	نظام الإشعارات	مكتملة	👁
أمس، 02:20 م 2024 مايو 23	أحمد محمد ID: #ADM-001	إلغاء الزيارة #VS-8711 بسبب اعتذار الطرف الثاني	إدارة الزيارات	ملغية	👁
22 مايو، 08:00 ص 2024 مايو 22	سارة العتيبي SA ID: #ADM-014	تم تسجيل دخول المشرف إلى لوحة التحكم	النظام	مؤكد	👁
21 مايو، 04:45 م 2024 مايو 21	فهد المطيري FM ID: #ADM-009	طلب إضافة طفل جديد قيد الانتظار #CH-901	إدارة الأطفال	قيد المراجعة	👁

<

48

...

3

2

1

>

عرض 1 - 6 من أصل 1,248 عملية

عرض سجل التغييرات

تم إجراء آخر تحديث للإعدادات منذ 4 ساعات بواسطة "أحمد محمد".

إعدادات الزيارات

تفعيل الحجز التلقائي

السماح للنظام بتأكيد الزيارات تلقائياً بناءً على التوفر

60 دقيقة

مدة الزيارة الافتراضية

لتحديد المدة الزمنية لكل جلسة زيارة

24 ساعة

إنهاء الزيارة المتأخر

لتحديد المدة المسموح بها للإبقاء قبل الموعد

معلومات المؤسسة

اسم المؤسسة

مركز شمل لرعاية الأطفال

رقم التواصل

+966 500 000 000

البريد الإلكتروني الرسمي

info@shaml-plus.sa

ساعات العمل الرسمية

من 8:00 ص إلى 4:00 م (إ)



إدارة الصلاحيات

محرر النظام

لتحكم كامل إدارة المستخدمين وإعدادات النظام

المشرفون

إدارة الزيارات وتسجيل الأطفال، التقارير

+ إضافة دور وظيفي جديد

إعدادات الإشعارات

الرسائل النصية SMS

البريد الإلكتروني

إشعارات التطبيق (Push)

النسخ الاحتياطي

النسخ الاحتياطي التلقائي

تخزين نسخة من قاعدة البيانات يومياً في السحابة

آخر نسخة تم إنشاؤها:

24 مايو، 03:00 ص

حجم الملف:

142.5 MB



إشياء نسخة الآن

الخصوصية والأمان

المصادقة الثنائية (2FA)

تطلب من المشرفين تأكيد الدخول عبر رسالة نصية

سياسة كلمة المرور

إلزام المستخدمين بتغيير كلمة المرور كل 90 يوم

آخر فحص أمني

تم الفحص بنجاح: 22 مايو 2024

إعادة الفحص

تطبيق وحفظ التعديلات

إلغاء التغييرات

القائمة الرئيسية

لوحة التحكم

إدارة الزيارات

إدارة الأطفال

إدارة المستخدمين

التقارير والإحصائيات

الإشعارات

الإدارة المتقدمة

إعدادات النظام

سجل النشاط

أحمد محمد

مدير النظام