SUNG-A JANG

selected works

2024–2026

장성아 *sungajang*

인간·기술·자연이 맞물릴 때 생기는 마찰을 포착한다. 매끄러운 결과보다 지연·오차·중단·누락이 드러내는 균열에 주목하며, 그 흔적을 감각적 형태로 드러낸다.

작업은 특정 매체에 고정되지 않는다. 아날로그 파편을 픽셀 단위로 해체·편집하고, 재출력한 이미지를 손으로 덧대며 물성을 축적한다. 자체 개발 툴과 알고리즘을 개입시켜, 형태가 고착되려는 순간마다 일부러 흔들어 놓는다.

〈화성 정원사 프로젝트〉는 인간과 식물의 관계를 지구 밖으로 밀어내 돌봄의 다른 리듬을 상상한다. 〈손상 아틀리스〉는 몸의 경험이 기록의 규격으로 분절되고 재편될 때 생기는 괴리를 추적한다.

완결보다 흔적, 기능보다 관계, 소유보다 동행.

An artist-researcher materializing fractures of control at the seams of body, technology, and nature. Tensions are shaped into tactile hybrid forms through iterative analog-digital processes and custom-made tools. Her practice blends material experimentation with a decade of research building immersive systems for embodied sensemaking and augmented creativity.


Current projects include *The Martian Gardener Project*, which displaces the human-plant relationship off-world to imagine a different rhythm of care, and *Injury Atlas: The Dossiers*, which stages what gets erased, compressed, and rewritten when a lived body is rendered as clinical data.

the martian gardener project, 2024-

Presented as recovered artifacts from a near-future Mars outpost, *The Martian Gardener Project* constructs an archive of traces: images, objects, and documents offered as evidence of a botanical life once sustained beyond Earth. Mars is framed not as a frontier for expansion, but as an experimental stage that resists mastery: a site to reconsider the fragility of our tether to the living world, and how accidental vitality can still take hold.

Drawing on astrobiology and planetary research, the project weaves fact and fiction to imagine a rhythm of cultivation that transcends mere survival. Glass-held remnants, speculative botanical plates, trial records, and bio-inspired sensing mechanisms map intimate, sustained attempts and adjustments to nurture connection and make room for unforeseen variations.

Here, cultivation appears not as a technical feat, but as a ritual of continuity. Care is practiced across distance, keeping Earth's life within reach. The project stays with the fissures where worn records and new growth coexist, tracing the seams where our relation to the world is tested and reshaped.



Artist Statement

Control fractures at the seam of body, technology, and nature. Where bodily intuition, coded logic, and natural entropy collide, the world opens with visceral clarity. Delay, error, and omission become apertures, fissures through which reality reveals its unruly face.

For years my practice lived inside the screen, constructing immersive environments navigated with the whole body, testing whether spatial intuition can survive in a weightless digital void. Yet the pursuit of seamlessness gradually eroded my attunement to the grain of matter: the microscopic judgments of the hand, material resistance, and the slow duration of change.

This dissonance surfaced starkly in tending my crammed domestic garden, where even attentive stewardship could not prevent withering. In cycles of decay and unexpected return, gardening became both surrender and ongoing negotiation; a rehearsal of loss, and a practice of waiting.

Slowly, this rhythm took root in the studio. My hands shifted from those of an architect to those of a gardener: trying, adjusting, listening, and waiting to see what grows. This extends off-world in The Martian Gardener Project, imagining cultivation under impossible conditions. Framed as recovered artifacts from a near-future outpost, the works propose a botanical intimacy sustained beyond Earth. Mars is not a frontier here, but a test site that resists mastery. Drawing on astrobiology and planetary research, fact and fiction interleave to ask how extreme constraints rewrite the grammar of care, and what kinds of life take hold in the gaps.

Forms begin in the hand, pass through digital interference, then return to the surface. Each translation leaves residue: compression, noise, misregistration, erasure. These accumulate and solidify into hybrid artifacts, as stratified traces of contact, afterimages, and transmutation.



Suspended Bloom: Post-Mortem Meditations 2025-2026

Distressed glass, botanical remnants, red clay, paprika powder, adhesive, epoxy resin, spray paint, monofilament, stainless steel pipe

Glass-encased remnants of iterative botanical experiments, suspended forms shaped by cycles of trial, decay, and renewal.
Each holds the echo of growth rehearsed and relinquished.













Low brown noise runs through the room, almost breath-like, suggesting the thin hum of a Martian atmosphere. Projected footage drifts across the glass surfaces like a shifting archive of dust, light, and disrupted currents. Together they create a field of unstable perception, where remnants waver between preservation and dissolution, and memories hover in spectral stillness.







4403






Martian Morphologies: Field Notes from Sector R ('Red Garden') 2025 270W × 120H | Archival pigment print (iterative hand-digital layering)

Fragmentary records of synthetic and self-adapting flora, shaped by forces beyond control.
From a speculative cultivation zone on Mars, where design drifts into unexpected forms, and life roots itself on its own terms.

Each species begins as a story. The works adopt the visual grammar of scientific botanical plates, then interrupt it. Hand-drawn sketches and handwritten fragments are digitized, distorted, and worked back into the surface, producing a specimen that never fully stabilizes. Each plate tracks a form under pressure, recording what shifts and takes hold. The series asks how harsh constraints reshape care, and how life persists by rewriting the systems meant to contain it.





DRIFT

Aerophylla orbita plate 1 & 2, 2025 *Martian Morphologies series* | Each 50 × 50cm

Archival pigment print (iterative hand–digital layering)

Engineered for passive orbital dispersion, its motion syncs with the habitat's respiration cycle.





TOP LEFT

Anchor: Spiralium ferrox *PLATE* 1, 2025


Coils upward through perchlorate-rich regolith. Spiral provides structural integrity in low gravity and binds the soil's chemistry into form.

TOP RIGHT

Seep: Veinmoss terrae *PLATE* 1, 2025

Silvery-veined moss analogue that threads seams and joints where moisture lingers.





BOTTOM LEFT


Sync: Lumenleaf ernita *PLATE* 1, 2025

Feeds on artificial light, exhaling a circadian-tuned glow that anchors sleep-wake cycles where daylight can't reach.


BOTTOM RIGHT

Hold : Cryocactus glacialis *PLATE* 1, 2025


Silica skin shields radiation and seals moisture; hollow spines bank brine, blooming only on rare 'dew' sols.



Hold : Cryocactus glacialis PLATE 2, 2025 (detail)




Anchor: Spiralium ferrox PLATE 2, 2025 (detail)





Seep: Veinmoss terrae PLATE 2, 2025 (detail)




Sync: Lumenleaf ernita PLATE 2, 2025 (detail)









Silica-reinforced dermal plates
for durability & brine containment

Crystalline bloom
Triggered below -70°C, visible
threshhold response

Deployed along habitat perimeters
for passive confirmation of thermal
exposure

Ribbed structure for heat dispersion

1. BIOLUMINESCENT VEINS
Emit a blue glow tuned to circadian
rhythm cycles
2. THIN PHOTOSENSORY LAMINA
Adjusts translucency based on
ambient light input
3. Tapered petiole base
3 TAPERED PETIOLE BASE
Anchors flexibility to vertical surfaces;
follows directional cues
4. SUBSURFACE ROOT NODULE
Stores trace water & modulates
signal response timing
5. LIGHT-PHASE BLOOM APERTURE
Opens slightly during prolonged darkness;

Martian Morphologies - Notes on Process

An image builds slowly through layering, omissions, and afterimages that accumulate each time the work moves across media. Sketches that grew from stories are photographed and scanned, then deconstructed, reconfigured, and distorted in cycles of printing and physical reworking, until traces of translation solidify into form.










Tumblemesh, 2025 50 × 50 × 50cm

Collaboration with Dan Mikesell


Botanical remnants, PLA filament, mineral pigment

Tumblemesh drifts with the Martian wind, unspooling a weave of organic and synthetic strands. It sheds micro-nodes along its path that register light, temperature, and chemistry. Its tumbling body leaves a diffuse, reactive web in its wake, attuned to the shifting terrain.













생체 가설

Bioconstructs: Experiments in Morphogenesis

2024-2025 | variable dimensions


Speculative drafts and early configurations for hydration systems, growth chambers, and plant-inspired mechanisms.



Bioconstruct No. 14, 2025 | 28 x 35.6 cm graphite, charcoal on paper



Bioconstruct No. 19, 2025 | 28 x 28 cm watercolor pencil on paper




Bioconstruct No. 7, 2024 | 35.6 x 28 cm graphite, watercolor pencil on paper



Bioconstruct No. 9, 2024 | 54.5 x 39.4 cm watercolor pencil on paper




ω
ω
ω
accelerometer
motor
$\vec{g} = \vec{g_\delta} + \vec{g_{out}}$
$g_{out} = \sqrt{g^2 - g_\delta^2}$
$= g\sqrt{(1-0.379^2)} = 9.075 ms^{-2}$
$= r\omega^2$
$\omega = \sqrt{\frac{g_{out}}{r}}$
g_{out}
g_δ
α
g
r: 10cm : ω = 9.53 rad/s = 90.97RPM
r 1m : ω = 3.0721 rad/s = 28.77 RPM
$\tan\alpha = \frac{g_{out}}{g_\delta} = \frac{\sqrt{1-0.379^2}}{0.379} = 22.87°$
GRAVITROPICA v.1.0
Type A
Initial Root Growth Support



Bioconstruct No. 3, 2024 | 35.6 × 28 cm watercolor pencil on paper





Vestiges, 2024-2025 dimensions variable

Scattered ephemera recovered from regulated enclosures are pinned across the wall, retracing an unfinished growth history. Crumpled reports, logs, protocols, and photographic fragments outlive information, persisting as physical residue of care.

Aspect	Recommendation	Details
Frequencies	Low Frequencies	100–500 Hz (optimal at 300 Hz for structural growth stimulation)
	High Frequencies	500–800 Hz (encourages flowering and leaf development)
	Ultrasound	Above 20,000 Hz (experimental for cellular-level stimulation)
Keys	Major Keys	C Major, G Major, D Major (bright and uplifting for growth)
	Minor Keys	A Minor, E Minor (calming for rest phases)
Scales	Pentatonic Scale	C - D - E - G - A (simple and harmonious, reflects nature's purity)
	Lydian Mode	F - G - A - B - C - D - E (dreamy, ethereal quality)
Rhythms	Daytime Rhythms	Slow tempo: 60–80 BPM (calm, steady growth energy)
	Nighttime Rhythms	Very slow tempo: 40–60 BPM (simulates rest periods)
	Environmental Rhythms	Repetitive patterns: mimic rain (dripping) or wind (flowing patterns, 2–4 Hz)

Table 1: Musical Recommendations for Growth Stimulation

Plant Care Table

Plant	Adjusted NPK Ratio	Watering	Light Requirements	Humidity
Spider Plant (*Chlorophytum comosum*)	10-20-10	Water every 7-10 days. Use a self-watering system. Keep soil lightly moist but avoid sogginess.	14-16 hours of full-spectrum LED light. Indirect positioning preferred.	50-60%
Pothos (*Epipremnum aureum*)	12-12-6	Water every 7-10 days. Allow the top inch of soil to dry out. Drip irrigation recommended.	12-14 hours of LED light. Indirect light preferred to avoid leaf scorching.	50-60%
Peace Lily (*Spathiphyllum spp.*)	10-15-10	Keep soil consistently moist. Mist regularly to maintain hydration. Water weekly or when dry.	10-12 hours of low-intensity LED light. Avoid direct LED exposure.	60-70%
Boston Fern (*Nephrolepis exaltata*)	20-10-10	Water every 3-4 days. Keep soil consistently moist. Use misting for hydration.	10-12 hours of soft, indirect LED light. Avoid intense light.	60-80%
Dracaena (*Dracaena spp.*)	5-10-5	Water every 10-14 days. Let the topsoil dry out. Use an aerated substrate for proper drainage.	12 hours of moderate LED light with a red/blue spectrum mix. Rotate plant weekly for even light distribution.	40-50%
Aloe Vera (*Aloe barbadensis miller*)	3-5-7	Water every 3-4 weeks. Use well-draining substrates. Avoid waterlogging.	14-16 hours of high-intensity LED lighting. Position under direct light.	30-40%
Echeveria (*Echeveria spp.*)	2-9-9	Water sparingly every 4 weeks. Use bottom-up watering to prevent leaf rot.	12-14 hours of direct LED lighting. Avoid high airflow zones.	30-40%
Dwarf Bamboo (*Pleioblastus pygmaeus*)	10-10-10	Water every 3-5 days. Keep soil moist but not waterlogged.	12-14 hours of bright LED light. Avoid excessive airflow to prevent drying.	60-70%
Liriope (*Liriope muscari*)	15-10-10	Water every 5-7 days. Ensure consistent soil moisture with coco coir or similar substrates.	10-12 hours of indirect LED lighting. Thrives in moderate-light areas.	50-60%
Java Moss (*Taxiphyllum barbieri*)	2-5-7	Maintain constant moisture. Best grown in hydroponics. Keep water temperature between 20-24°C (68-75°F).	8-10 hours of low-intensity LED light. Avoid direct exposure to prevent algae overgrowth.	50-60%

- **NPK Ratios:** Adjust fertilizer formulations accordingly. Use slow-release fertilizers or controlled delivery methods.
- **Watering:** Implement smart irrigation systems (e.g., drip or wicking) to avoid overwatering and ensure precise hydration.
- **Light Requirements:** Ensure full-spectrum LED lighting tailored for each plant's needs. Position plants strategically to avoid stress.
- **Humidity Control:** Use humidifiers, misting, or humidity trays to maintain stable humidity levels.

Root Assessment Report

Location: XDS Greenhouse 12, Hydroponic Section B-3 Date: Aerocentric Sol 2450
Season: Mid-Northern Spring Plant Species: *Brassica rapa* (Fast-Growing Mustard) AI System: RootAI v3.2



Sol	Root Length (cm)	Branching	Coloration	Growth Rate (cm/sol)	Detected Issue	Correction
2450	0.5	None	White	0.5	None	None
2455	2.8	4	Slight yellow	0.46 (-8%)	Potassium Def.	Adjusted K+
2460	3.9	No growth	Brown tips	0.2 (-56%)	Calcium Def.	Ca++ Correction
2465	6.5	8	White (Healthy)	0.52	None	Stabilized

Figure 1: Summary of observed features, including root length, branching, coloration changes, and growth rate anomalies over time. This table summarizes the key findings for sols 240 to 255, alongside corrective actions taken.

Objective

To monitor root development under Martian conditions using time-lapse analysis and AI-driven feature detection for early identification of stress factors and growth anomalies.

Key Metrics Monitored:

- **Root Length:** Measurement in cm per sol.
- **Branching Patterns:** Number of lateral roots formed per sol.
- **Root Colorations:** Monitored for discoloration linked to nutrient deficiencies.
- **Growth Rate:** Average root elongation rate per sol.
- **Health Index:** Color-coded risk assessment (Green: Healthy, Yellow: Stress, Red: Damage).

Time-Lapse Observations

Sol 2450 - Initial Observation (Baseline)

- **Season:** Early-Northern Spring
- **Root Length:** 0.5 cm
- **Branching:** No lateral roots formed.
- **Root Coloration:** Uniform white.
- **Growth Rate:** 0.5 cm/sol
- **Status: Healthy, development. No intervention required.**

Sol 2455 - Early Expansion Phase

- **Season:** Mid-Northern Spring
- **Root Length:** 2.8 cm
- **Branching:** 4 lateral roots detected.
- **Root Coloration:** Slight yellowing at tips.
- **Growth Rate:** 0.46 cm/sol (8% drop)
- **Status: Early signs of nutrient stress detected.**

Potential Cause: Slight nutrient imbalance (potassium deficiency).
Mitigation: Adjust nutrient solution with additional potassium-rich nutrients. Monitor growth rate for next 5 sols.

Sol 2460 - Stress Event Detected

- **Season:** Late-Northern Spring
- **Root Length:** 3.9 cm, growth stagnation observed.
- **Branching:** Lateral root formation halted.
- **Root Coloration:** Tip browning observed (calcium deficiency likely).
- **Growth Rate:** 0.2 cm/sol (reduced by 56%)
- **Status: Significant nutrient stress event detected.**

Potential Cause: Reduced uptake efficiency due to low pressure fluctuations.
Mitigation: Rebalance hydroponic nutrient mix to provide calcium nitrate. Increase atmospheric pressure to 600 kPa within nearest sol.

Sol 2465 - Recovery Phase

- **Season:** Early Mid-Spring/ Summer
- **Root Length:** 6.5 cm
- **Branching:** 8 lateral roots formed.
- **Root Coloration:** Returning to healthy white.
- **Growth Rate:** 0.52 cm/sol (recovery observed)
- **Status: Healthy with recovery trends confirmed.**

Key Findings

- **Root Health:** Initial stress due to potassium and calcium deficiencies mitigated by precise nutrient adjustments.
- **AI System Efficiency:** Early stress detection (Aerocentric Sol 2455) prevented significant damage.
- **Environmental Factors:** Atmospheric pressure fluctuations correlated with nutrient uptake issues.

Recommendations

- **Monitoring:** Increase sampling rate to every 0.5 sol during early growth phases.
- **Preventative Adjustments:** Implement automated nutrient balancing based on AI health indices.
- **Research Expansion:** Test additional species for similar stress responses.

Martian Agricultural Lead, Dr. Bernard Lavender
AI Operating System: RootAI v3.2
Greenhouse Supervisor: Martian Agriculture Council

Experimental Approaches and Testing Strategies

Conduct controlled trials with adjustable temperature gradients to determine optimal growth conditions. Analyze plant stress response to temperature fluctuations and identify species-specific tolerance thresholds. Implement thermal imaging and chlorophyll fluorescence assays to assess stress markers.

Test spectral efficiency of different LED configurations (red/blue, full-spectrum) under controlled photoperiods. Measure photosynthetic rates, chlorophyll content, and biomass accumulation. Investigate long-term adaptation to suboptimal lighting through gene expression analysis.

Utilize clinostats or simulated reduced gravity chambers to analyze root orientation, nutrient transport, and water uptake. Compare hydroponic, aeroponic, and substrate-based growth to determine the most effective system for root stability.

Conduct studies on water retention, uptake efficiency, and transpiration rates under various irrigation methods (e.g., drip, misting, fogponics). Investigate plant tolerance to varying degrees of water purity, including recycled, briny, and purified Martian water.

Develop and test bioremediation strategies for Martian regolith, such as microbial degradation of perchlorates. Evaluate nutrient retention and root penetration in synthetic regolith blends. Use soil chemistry assays and root scanning technology to monitor plant adaptation.

Design closed-loop nutrient cycling experiments integrating composted plant matter, microbial biofertilizers, and in-situ regolith nutrient extraction. Compare hydroponic nutrient recovery efficiency with substrate-based nutrient retention.

Track elemental uptake using isotopic labeling techniques.

Examine plant growth at sub-atmospheric pressures to identify lower pressure thresholds for survival and productivity. Monitor stomatal conductance, gas exchange rates, and metabolic adjustments in varying pressurization regimes.

Experiment with CO_2 enrichment protocols to optimize photosynthesis while preventing photoinhibition. Investigate CO_2 compensation points across different plant species to assess their oxygen contribution in a closed-loop system. Measure gas exchange dynamics in a sealed Martian habitat.

Evaluate oxygen output from different plant species in controlled closed-loop environments. Monitor oxygen-CO_2 cycling efficiency using infrared gas analyzers. Investigate potential for mixed plant communities to stabilize atmospheric composition.

imental Strategies for Indoor Martian Gardening





Root Assessment Report



Objective

Key Metrics Monitored

- **Root Length:**
- **Branching Patterns:**
- **Root Coloration:**
- **Growth Rate:** Average root elongation rate per sol.
- **Health Indicators:** Color-coded risk assessment (Green, Yellow, Brown, Red: Damage).

Time-Lapse Observations

Sol 2450 - Initial Observation (Baseline)

- **Season:** Early-Northern Spring
- **Root Length:** 0.5 cm
- **Branching:** No lateral roots formed.
- **Root Coloration:** Uniform white.
- **Growth Rate:** 0.5 cm/sol
- **Status:** Healthy development. No intervention required.

Sol 2455 - Early Expansion Phase

- **Season:** Mid-Northern Spring
- **Root Length:** 2.8 cm
- **Branching:** 4 lateral roots detected.
- **Root Coloration:** Slight yellowing at tips.
- **Growth Rate:** 0.46 cm/sol (8% drop)
- **Status:** Early signs of nutrient stress detected.

Potential Cause: Slight nutrient imbalance (potassium deficiency).
Mitigation: Adjust nutrient solution with increased potassium concentration by 5%. Continue monitoring growth rate for next 5 sols.

Sol 2460 - Stress Event Detected

- **Season:** Late-Northern Spring
- **Root Length:** 3.9 cm (growth stagnation observed).
- **Branching:** Lateral root formation halted.
- **Root Coloration:** Tip browning observed (calcium deficiency de-

Challenge	Suggestions for Testing and Approach
Nutrient availability in regolith-based substrates	Test different microbial inoculants and amendments to improve nutrient cycling and root uptake efficiency. Conduct hydroponic vs. regolith comparative studies.
Water retention and delivery efficiency	Analyze water absorption rates under various soil compositions and irrigation methods. Evaluate capillary action and wicking techniques under Martian gravity.

SUNG-A JANG | 장성아

Materializing fractures of control
at the seams of body, technology, and nature

EDUCATION

2018-2021 Carnegie Mellon University, Pittsburgh, PA, U.S.
Ph.D. Studies in Human-Computer Interaction Institute (CMU HCII)

2015 Korea Advanced Institute of Science and Technology (KAIST), Daejeon, Korea
M.S. in Culture Technology, Focus: Interactive Media & Space

2007 Brown University, Providence, RI, U.S.
B.A. in Visual Art, History of Art & Architecture (Double Major)

SELECTED EXHIBITIONS

2026 *Common Grounds: Networks of Practice* (by invitation), CICA Korea × CATEDRA Romania, Gimpo, KR / Iaşi, RO (9.2026)

2026 *Felt Seams: What the Tide Erases, the Body Holds*, Space &, Crocat House, Incheon, KR

2026 *Simulacra & Simulation,* Adrián Ibáñez Galería, Bogotá, CO

2025 *Verdant Echoes: Martian Gardener Project* (solo), CICA Museum, Gimpo, KR

2017 *Sound of Light* (collaboration), Permanent Exhibition, National Gwangju Science Museum, Gwangju, KR

2017 *Buddha in the Heart* (collaboration), Special Exhibition, Gwangju National Museum, KR

2014 *Soribyeol* (collaboration), Design Playground, Dongdaemun Design Plaza, Seoul, KR

2012 *Living Photography* (collaboration), Hackerspace Seoul, Seoul, KR

2011 *Biomimetic Kinetic Orchestra*, Platoon Kunsthalle, Seoul, KR

2007 *Portals* (solo), List Art Center, Providence, RI, U.S.

ART FAIRS

2026 Breeze 2026, Seoul, KR (4.2026)

2025 *Nostalgia* (themed exhibition), Incheon Art Show 2025, Incheon, KR

AWARDS & HONORS

2014 Finalist, *SK Creative Challenge*

2014 Arts Grant, Imagination Incubator (pilot program), Seoul Art Space Geumcheon

2012 Science-Art Convergence Grant, Korea Foundation for the Advancement of Science & Creativity (KOFAC)

2011 Production Grant & Outstanding Works Showcase, KOFAC

2007 *Roberta Joslin Award of Excellence in Art*

SELECTED PROJECTS

ART & RESEARCH

2025- Injury Atlas: The Dossiers — performative image-making reenacting the translation of the body into a clinical construct (Seoul, KR)

2024- Martian Gardener Project — speculative ecology probing care and control at the human-nature-technology interface (Seoul, KR)

2019-2021 Chimeric Visions — dataset-trained 'animal brush' system generating hybrid anatomies (Pittsburgh, US)

2017-2019 Rediscovering Korea's Ancient Skies — VR navigation translating cultural cosmologies into 3D celestial simulations (Gwangju & Daejeon, KR)

2017-2018 Gaia VR+ — interactive 3D Milky Way exploration (Gwangju & Daejeon, KR)

2014-2015 Dynamics-Driven Immersive Freeform Modeling — immersive sculpting system integrating kinesthetic play as a driver of spatial form (Daejeon, KR)

2013-2014 AiRSculpt — bare-hand, gesture-based VR sculpting system (Daejeon, KR)

2014 Chimera — interactive kinetic sculpture that invites viewers into a symbiotic exchange with a hybrid creature (collaboration, Seoul, KR)

2012-2013 Living Photography — bio-art apparatus for 'living image' experiments with photo-responsive bacteria (incubator development, Seoul, KR)

2011-2012 Maemying — sound/kinetic series translating cicada biomechanics into an interactive sound engine (Seoul, KR)

RESEARCH & DEVELOPMENT

2017-2018 Sound of Light — interactive 3d hologram installation for the National Gwangju Science Museum (scenario · multi-user UI/UX, Gwangju, KR)

2017-2018 Intelligent Docent — HoloLens-based docent system (interaction design · prototyping, Gwangju & Seoul, KR)

2015-2016 Muru in Wonderland — 360° live-action VR tour (video/character integration · real-time interaction, Gwangju, KR)

2013-2014 Soribyeol (Sound Star) — permanent interactive installation at Dongdaemun Design Plaza (design · development, Seoul, KR)

COMMUNITY ACTIVITIES

2026- Found Ground — Co-founder and curator of artist network; Co-organizer of curatorial projects and community initiatives (Seoul & Incheon, KR)

2011-2013 Hackerspace Seoul — Chief of Operations & Treasurer of South Korea's first makerspace (Seoul, KR)

2011-2012 Iron Hack — Co-organizer of an improvisational fabrication competition utilizing everyday materials (Seoul, KR & Beijing, CN)

전시서문

음새: 밀물의 지우개, 감각의 잔상》은 온전히 남아 있지
것들에서 시작한다. 기억은 조각난 채 당도하고,
은 언어보다 먼저 수면 위로 떠오른다. 스쳐 가는 빛,
, 사물, 그리고 장소는 그것을 통과한 시간과 감각을
며 낯선 밀도를 얻는다. 이 전시는 세계를 고정된
지로 붙잡기보다, 사라짐의 가장자리에서 감각되고,
르고, 다시 형상을 얻는 것들에 머문다.

새는 단지 이어지는 지점이 아니다. 서로 다른
이 맞닿고, 팽팽히 맞서고, 어긋나며 흔적을 남기는
이기도 하다. 이 전시에서 이음새는 몸과 세계, 기억과
지, 과거와 현재, 사적인 감각과 공유된 공간 사이에서
난다. 포구의 역사와 매립, 재개발의 시간이 겹친 인천
의 크로캣하우스에서 이 긴장은 더욱 또렷해진다.
이 삼킨 것은 말끔히 사라지지 않는다. 다른 자리에
, 변형된 모습으로 계속 되돌아온다.

f
o

cronopioz.com | sung@cronopioz.com

파운드 그라운드

Found Ground에서의 땅은 처음부터
주어지지 않는다. 몸과 기억, 과거와 현재,
익숙하면서도 낯선 풍경이 작업 안에서 서로
닿고 밀리며 새로운 지면을 만든다.

전시 《이음새: 밀물의 지우개, 감각의
잔상》은 그 첫 장면이다. 동인천의
크로캣하우스를 좌표 삼아 여섯 작가의
작업이 펼쳐진다. 항구와 바다, 물류와
이동의 흔적이 남은 이 장소에서 작업들은
하나의 이야기로 묶이기보다, 각자의 긴장과
잔상을 남기며 열린다.

한 공간 안에 모인 작업들은 가까워지고,
겹쳐지고, 때로는 어긋난다. 이번 전시는
서로 다른 장소와 감각을 지나온 이들이
지금 이곳에 모여, 함께 머물 풍경의 윤곽을
찾아 나가는 시도다.