

Observed vs. Imputed Distributions: hispanic (9.0% imputed)


Observed Imputed

Density

0


1

hispanic




Observed vs. Imputed Distributions: stanmath (7.4% imputed)

■ Observed ■ Imputed ■ Combined



Normal Q-Q: stanmath



Observed vs. Imputed Distributions: probsolve (20.5% imputed)

Observed Imputed Combined

Density


0

20


40

60

probsolve




Normal Q-Q: probsolve




Distribution of hispanic Latent Variable


Density



Normal Q-Q: hispanic Latent Variable




Distribution of hispanic Residual




Distribution of probsolve Residual


Density




Normal Q-Q: probsolve Residual




Distribution of stanmath Residual



Normal Q-Q: stanmath Residual



Distribution of hispanic.0 Predicted Probability




Distribution of hispanic.1 Predicted Probability

Density


0.00 0.25 0.50 0.75 1.00

hispanic.1 Predicted Probability




Distribution of hispanic Random Intercept

Density



Normal Q-Q: hispanic Random Intercept



Distribution of probsolve Random Intercept

Density


-8

-4


0

4


probsolve Random Intercept



Normal Q-Q: probsolve Random Intercept



Distribution of stanmath Random Intercept



Normal Q-Q: stanmath Random Intercept

