A Minimal Book Example

John Doe

2024 - 03 - 15

Contents

1	About			
	1.1	Usage	5	
	1.2	Render book	10	
	1.3	Preview book	6	
2	Day1 -			
	2.1	rust	7	
	2.2	hellors	8	

4 CONTENTS

Chapter 1

About

This is a *sample* book written in **Markdown**. You can use anything that Pandoc's Markdown supports; for example, a math equation $a^2 + b^2 = c^2$.

1.1 Usage

Each **bookdown** chapter is an .Rmd file, and each .Rmd file can contain one (and only one) chapter. A chapter *must* start with a first-level heading: # A good chapter, and can contain one (and only one) first-level heading.

Use second-level and higher headings within chapters like: ## A short section or ### An even shorter section.

The index.Rmd file is required, and is also your first book chapter. It will be the homepage when you render the book.

1.2 Render book

You can render the HTML version of this example book without changing anything:

- 1. Find the **Build** pane in the RStudio IDE, and
- 2. Click on **Build Book**, then select your output format, or select "All formats" if you'd like to use multiple formats from the same book source files.

Or build the book from the R console:

```
bookdown::render_book()
```

To render this example to PDF as a bookdown::pdf_book, you'll need to install XeLaTeX. You are recommended to install TinyTeX (which includes XeLaTeX): https://yihui.org/tinytex/.

1.3 Preview book

As you work, you may start a local server to live preview this HTML book. This preview will update as you edit the book when you save individual .Rmd files. You can start the server in a work session by using the RStudio add-in "Preview book", or from the R console:

bookdown::serve_book()

Chapter 2

Day1 -

2.1 rust

```
Rust

curl --proto '=https' --tlsv1.2 https://sh.rustup.rs -sSf | sh

Rust is installed now. Great!

rustc --version
```

2.1.1

Rust

```
cargo --version
rustc --version
rustdoc --version
#> cargo 1.75.0 (1d8b05cdd 2023-11-20)
#> rustc 1.75.0 (82e1608df 2023-12-21)
#> rustdoc 1.75.0 (82e1608df 2023-12-21)
```

:

- 1. cargo Rust
- 2. rustc rust cargo
- 3. rustdoc rs rustdoc HTML cargo

2.2 hello.rs

```
mkdir tmp
cd tmp
#> mkdir: tmp: File exists

hello.rs

fn main() {
    println!("Hello, world!");
}

fn main()
println!

rustc hello.rs
./hello
#> Hello, world!
```