

● ROBINHOOD TESTNET · NOW LIVE

BLIPHOOD

SOLVE THE PUZZLE. CLAIM THE REWARD.

A decentralized, permissionless Proof-of-Work (PoW) puzzle mining protocol. Locate the correct nonce, solve the keccak256 zero-prefix hash puzzles, and mint BLIPHD tokens directly to your web3 wallet.

CONCEPT & MECHANISM

How BLIPHODD utilizes raw mathematical computation to achieve hyper-fair distribution of crypto-assets with zero pre-mine and zero middlemen.

KECCAK256 PROOF-OF-WORK

Nonce & Zero-Prefix

Miners compete globally to find a specific **Nonce** value. The concatenation of this Nonce with the active cryptographic Seed must produce a hash below the dynamic target threshold.

$$\text{keccak256Nonce} + \text{Seed} < \text{Target}$$

Adaptive Difficulty

The system automatically self-calibrates difficulty targets between **3 to 8 zero bytes**. This programmatic difficulty loop ensures block times are preserved safely across various hashing eras.

BLIPHD TOKEN HALVING ERAS

Halving Era	Reward / Solve	Activation Threshold (Mined Supply)	Network Status
Era 0	20,000 BLIPHD	0.0% Mined (Genesis State)	ACTIVE
Era 1	15,000 BLIPHD	Triggers at 200,000,000 BLIPHD supply	UPCOMING
Era 2	10,000 BLIPHD	Triggers at 300,000,000 BLIPHD supply	UPCOMING
Era 3	5,000 BLIPHD	Triggers at 400,000,000 BLIPHD supply	UPCOMING

LIVE MONITOR & STATE



Streaming SSE

A real-time, low-latency Server-Sent Events (SSE) pipe broadcasts incoming on-chain transactions and active puzzle states directly to connecting node Clients.



Active Seed

Every active puzzle relies on a randomized hexadecimal seed. Mining rigs dynamically poll this value to begin hashing processes.



Solve Rate Metrics

Calculates rolling averages of global block-solve speed to mathematically adjust target prefixes, ensuring distribution stability.

CORE DISTRIBUTION PARAMETERS

1B


MAX SUPPLY BLIPHD

Strict Maximum Supply

Total protocol emission is strictly capped at ****1,000,000,000 BLIPHD****.
Token allocation is programmatically limited through verifiable on-chain consensus.

No early venture investments, team reserves, or pre-allocated wallets exist. Every token is fairly generated via computational proof-of-work.

NETWORK MINT VOLUME (24H)



Daily network mint volume consistently flattens out, driven by the algorithmic adjustments of leading zero-byte difficulty targets.

SUPPLY ACCUMULATION CURVE



The long-term emission logic follows a strict logarithmic curve across programmed halving intervals to retain systemic utility value.

DEVELOPER & MINER ECOSYSTEM



Smart Contract Explorer: Audit protocol contract states, verify active mathematical parameters, and track emission events securely on the Robinhood Testnet Block Explorer.



Open-Source Repositories: Download pre-built terminal mining node clients and developer integration tools directly from github.com/bliphood/bliphood.



Active Community Channels: Connect with decentralized miners and core developers via dedicated Discord, Twitter, and Telegram communities to optimize hardware hash efficiency.