

ABN Lookup – Bulk Extract

Version 2.6

Table of Contents

1 Gett	ting started	3
1.1	What is ABN Lookup?	3
1.2	What is the ABN Lookup bulk extract?	3
1.3	Bulk extract files overview	3
1.4	ABN record Overview	4
1.5	XML data elements and attributes	5
1.6	Useful ABNs for test Scenarios	6
2 ABN	l Lookup Web Services	7
2.1	Why use the ABN Lookup web services?	7
APPEND	DIX A – Bulk Extract Schema	8
APPEND	DIX B – Entity type codes and descriptions	11
Table	e of Figures	
Figure 1	- Root node	8
Figure 2	- ABN and Entity type	8
Figure 3	- Main Entity and Legal Entity	9
Figure 4	– ACN	9
Figure 5	– GST	9
Figure 6	– DGR	10
Figure 7	- Other Entity	10

1 Getting started

The purpose of this document is to provide information about the ABN Lookup bulk extract service.

1.1 What is ABN Lookup?

ABN Lookup (http://abr.business.gov.au) contains the publicly available information provided by businesses when they register for an Australian Business Number (ABN). ABN Lookup is hosted by the Department of Industry on behalf of the Australian Business Register (ABR) – see http://abr.gov.au.

ABN Lookup contains current and historical information about an ABN.

As at November 2015, the ABN Lookup database held over 11.7 million ABNs and 26 million names.

1.2 What is the ABN Lookup bulk extract?

The ABN Lookup bulk extract is a snapshot of a subset of current ABN details. The extract is generated weekly and available in xml format.

The ABN details included in the snapshot are:

- ABN and current ABN status
- Current Goods and Services Tax (GST) registration
- Current Deductible Gift Recipient (DGR) fund registrations and fund names
- Australian Company Number (ACN)
- Current entity name
- Current registered business names
- Current trading names
- State and postcode of current main business location

The extract includes both active and cancelled ABNs.

1.3 Bulk extract files overview

The ABN Lookup bulk extract data is written across 20 files. Each file contains a single *TransferInfo* node and many node *ABR* nodes.

TransferInfo contains:

- The file sequence number (1 to 20)
- The number of ABN records in the file
- Date of extract

For information about the ABR node see 1.4 ABN record Overview below

As at November 2015, the ABN Lookup bulk extract files held a total of:

- 11.7 million ABNs
- 18 million names
- And contained 6 gigabytes of data (uncompressed)

The ABN Lookup bulk extract files are named:

```
yyyymmddPublic01.xml,yyyymmddPublic02.xmlyyyymmddPublic20.xml
```

where yyyymmdd is the year, month and day that the files were generated.

1.4 ABN record Overview

The format of the ABN Lookup Bulk Extract files XML is described by the schema - see *APPENDIX A – Bulk Extract Schema*.

In summary an ABN record has:

- one ABN
- one entity type
- zero or one GST status
- zero or one ASIC Number
- If the entity is an individual (EntityTypeInd = IND) the ABN record will have one LegalEntity otherwise it will have one MainEntity
- zero or more OtherEntity elements (
 - o OtherEntity hold registered business names and trading names
 - o There are examples where an ABN has in excess of 300 OtherEntity nodes
- zero or more DGR elements

1.5 XML data elements and attributes

The table below summaries the main data element and attributes (highlighted with an @) that make up an ABN record.

ABR @ recordLastUpdatedDate yyyymmdd Date ABN 11 Numeric @status 3 String @ABNStatusFromDate yyyymmdd Date EntityType	Element/attribute name	Max length/format	Туре
ABN 11 Numeric @status 3 String @ABNStatusFromDate yyyymmdd Date EntityType	ABR		
@status 3 String @ABNStatusFromDate yyyymmdd Date EntityType String String EntityTypeText 100 String MainEntity 100 String NonIndividualName 200 String NonIndividualNameText 200 String LegalEntity 1ndividualName 50 String LegalEntity 1ndividualName 50 String AsmeTitle 50 String String GivenName 100 String String ASICNumber 9 Numeric String ASICNumber 9 Numeric String @status 3 String @cstatusFromDate yyyymmdd Date DGR Date NonIndividualName String @type 3 String NonIndividualNameText 200 String NonIndividualNameText 200 String NonIndividualNameText<	@recordLastUpdatedDate	yyyymmdd	Date
@ABNStatusFromDate yyyymmdd Date EntityType EntityTypeInd 4 String EntityTypeText 100 String MainEntity NonIndividualName @type 3 String NonIndividualNameText 200 String LegalEntity IndividualName @type 3 String NameTitle 50 String GivenName 100 String FamilyName 50 String ASICNumber 9 Numeric GST @status 3 String @cSTStatusFromDate yyyymmdd Date DGR @ DGRStatusFromDate yyyymmdd Date NonIndividualName @type 3 String String OtherEntity NonIndividualName @type 3 String	ABN		Numeric
EntityType	@status	3	String
EntityTypeInd 4 String EntityTypeText 100 String MainEntity	@ABNStatusFromDate	yyyymmdd	Date
EntityTypeText	EntityType		
MainEntity NonIndividualName @type 3 String NonIndividualNameText 200 String LegalEntity IndividualName String @type 3 String NameTitle 50 String GivenName 100 String FamilyName 50 String ASICNumber 9 Numeric GST String String @status 3 String @csTstatusFromDate yyyymmdd Date DGR Date NonIndividualName @type 3 String NonIndividualNameText 200 String NonIndividualNameText 200 String NonIndividualNameText 200 String BusinessAddress AddressDetails State 3 String	EntityTypeInd	4	String
NonIndividualName @type	EntityTypeText	100	String
@type 3 String NonIndividualNameText 200 String LegalEntity	MainEntity		
NonIndividualNameText 200 String	NonIndividualName		
LegalEntity	@type	3	String
IndividualName	NonIndividualNameText	200	String
@ type 3 String NameTitle 50 String GivenName 100 String FamilyName 50 String ASICNumber 9 Numeric GST String String @status 3 String @GSTStatusFromDate yyyymmdd Date DGR Date Date NonIndividualName String @type 3 String OtherEntity NonIndividualName String @type 3 String NonIndividualNameText 200 String BusinessAddress BusinessAddress AddressDetails String	LegalEntity		
NameTitle 50 String GivenName 100 String FamilyName 50 String ASICNumber 9 Numeric GST String @status 3 String @GSTStatusFromDate yyyymmdd Date DGR Date Date NonIndividualName String @type 3 String NonIndividualNameText 200 String NonIndividualName String @type 3 String NonIndividualNameText 200 String BusinessAddress AddressDetails State 3 String	IndividualName		
GivenName 100 String FamilyName 50 String ASICNumber 9 Numeric GST @status 3 String @GSTStatusFromDate yyyymmdd Date DGR @ DGRStatusFromDate yyyymmdd Date NonIndividualName @type 3 String OtherEntity NonIndividualName @type 3 String NonIndividualNameText 200 String BusinessAddress AddressDetails State 3 String	@type	3	String
FamilyName 50 String ASICNumber 9 Numeric GST @status 3 String @GSTStatusFromDate yyyymmdd Date DGR @ DGRStatusFromDate yyyymmdd Date NonIndividualName @type 3 String NonIndividualNameText 200 String NonIndividualName @type 3 String NonIndividualNameText 200 String BusinessAddress AddressDetails State 3 String	NameTitle	50	String
ASICNumber GST @status 3 String @GSTStatusFromDate yyyymmdd Date DGR @ DGRStatusFromDate yyyymmdd Date NonIndividualName @type 3 String NonIndividualNameText 200 String OtherEntity NonIndividualName @type 3 String String OtherEntity NonIndividualName @type 3 String String OtherEntity NonIndividualName @type 3 String NonIndividualName String NonIndividualName 3 String NonIndividualNameText 200 String BusinessAddress AddressDetails State 3 String	GivenName	100	String
GST @status @GSTStatusFromDate DGR @DGRStatusFromDate yyyymmdd Date DGR @DGRStatusFromDate yyyymmdd Date NonIndividualName @type 3 String NonIndividualNameText 200 String OtherEntity NonIndividualName @type 3 String String OtherEntity NonIndividualName @type 3 String BusinessAddress AddressDetails State 3 String	FamilyName	50	String
@status 3 String @GSTStatusFromDate yyyymmdd Date DGR @ DGRStatusFromDate yyyymmdd Date NonIndividualName String WonIndividualNameText 200 String OtherEntity String String NonIndividualName String String NonIndividualNameText 200 String BusinessAddress AddressDetails String State 3 String	ASICNumber	9	Numeric
@GSTStatusFromDate yyyymmdd Date DGR @ DGRStatusFromDate yyyymmdd Date NonIndividualName @type 3 String NonIndividualNameText 200 String OtherEntity NonIndividualName @type 3 String NonIndividualName BusinessAddress AddressDetails State 3 String String	GST		
DGR @ DGRStatusFromDate yyyymmdd Date NonIndividualName @type 3 String NonIndividualNameText 200 String OtherEntity NonIndividualName @type 3 String NonIndividualName BusinessAddress AddressDetails State 3 String	@status	3	String
@ DGRStatusFromDate yyyymmdd Date NonIndividualName 3 String NonIndividualNameText 200 String OtherEntity 0 String NonIndividualName 5tring NonIndividualNameText 200 String BusinessAddress AddressDetails State 3 String	@GSTStatusFromDate	yyyymmdd	Date
NonIndividualName 3 String @type 3 String NonIndividualNameText 200 String OtherEntity NonIndividualName String @type 3 String NonIndividualNameText 200 String BusinessAddress AddressDetails String State 3 String	DGR		
@ type 3 String NonIndividualNameText 200 String OtherEntity	@ DGRStatusFromDate	yyyymmdd	Date
NonIndividualNameText 200 String OtherEntity NonIndividualName @type 3 String NonIndividualNameText 200 String BusinessAddress AddressDetails State 3 String	NonIndividualName		
OtherEntity NonIndividualName @type 3 String NonIndividualNameText 200 String BusinessAddress AddressDetails State 3 String	@type	3	String
NonIndividualName String @type 3 String NonIndividualNameText 200 String BusinessAddress AddressDetails State 3 String	NonIndividualNameText	200	String
@type 3 String NonIndividualNameText 200 String BusinessAddress	OtherEntity		
NonIndividualNameText 200 String BusinessAddress AddressDetails State 3 String	NonIndividualName		
BusinessAddress AddressDetails State 3 String	@type	3	String
AddressDetails State 3 String	NonIndividualNameText	200	String
State 3 String	BusinessAddress		
5	AddressDetails		
Postcode 50 String	State	3	String
1 coloude Othing	Postcode	50	String

Table 1 - ABN record data elements and attributes

See APPENDIX A – Bulk Extract Schema for a diagrammatic representation of the schema.

1.6 Useful ABNs for test Scenarios

The following ABNs provide useful examples of when testing your bulk extract load.

2 ABN Lookup Web Services

An alternative to the ABN Lookup Bulk extract is the ABN Lookup web services. Advantages of ABN Lookup web services include:

- The Bulk extract data is generated weekly whereas new ABNs are added and existing records updated at an average 150,000 transactions per week. The ABN Lookup Web Services returns the data from ABN Lookup in real time and therefore is up-to-date.
- The Bulk extract contains current information only. The ABN Lookup Web Services provides an option to include historical details.
- The size of the file makes it difficult to process and load the information in a timely manner:
- The ABN Lookup Web Services provide methods to search by Name as well as ABN.

2.1 Why use the ABN Lookup web services?

The ABN Lookup web services allow you to incorporate ABN information and search capabilities into your own applications. Furthermore, the web services provide more functionality and options than are available through the html interface at http://abr.business.gov.au. For example:

- The web service name search allows you to control the number of matching names returned by the search. As there is no upper limit, you are not restricted to the top 200 matching names imposed through the html interface.
- Additional search options include a search for all active ABNs within a selected postcode, new registrations, updated ABN etc.

Best of all, access to the web services is free of charge. To register, apply on-line at http://abr.business.gov.au/webservices.aspx.

APPENDIX A - Bulk Extract Schema




Figure 1 - Root node




Figure 2 - ABN and Entity type

ABN Lookup




Figure 3 - Main Entity and Legal Entity




Figure 4 - ACN




Figure 5 - GST

ABN Lookup




Figure 6 - DGR




Figure 7 - Other Entity

APPENDIX B – Entity type codes and descriptions

For a complete list of entity type codes and descriptions, please see http://abr.business.gov.au/Documentation/UserGuideReferenceData.aspx on the ABN Lookup web site.