


[13]:		CustomerID	Gender	Age	Annual Income (k\$)	Spending Score (1-100)
	0	1	Male	19	15	39
	1	2	Male	21	15	81
	2	3	Female	20	16	6
	3	4	Female	23	16	77
	4	5	Female	31	17	40

•[15]: #Univariate Analysis df.describe()


[15]:	CustomerID		Age	Annual Income (k\$)	Spending Score (1-100)
	count	200.000000	200.000000	200.000000	200.000000
	mean	100.500000	38.850000	60.560000	50.200000
	std	57.879185	13.969007	26.264721	25.823522
	min	1.000000	18.000000	15.000000	1.000000
	25%	50.750000	28.750000	41.500000	34.750000
	50%	100.500000	36.000000	61.500000	50.000000
	75 %	150.250000	49.000000	78.000000	73.000000
	max	200.000000	70.000000	137.000000	99.000000








[37]: <seaborn.axisgrid.PairGrid at 0x25f97f3fa70>





```
[83]: conters -pd.DataFrame(clustering2.cluster_centers_)
conters.columns - ['x','y']
```

```
plt.figure(figsize=(10,8))
plt.scatter(x=centers['x'],y=centers['y'],s=100,c='black',warker='*')
sns.scatterplot(data=df, x = 'Annual Income (k$)',y='Spending Score (1-100)',hue='Spending and Income Cluster',palette='tabl0')
plt.savefig('clustering_bivaraiate.png')
```

