Does OpenCode still work in a new window?

Name: _____ Neighbour: _____ About 20 minutes · stop at minute 25

This sheet is for you if OpenCode worked for you before (it made `hello.py` Wednesday or later). Never got it working? Join your instructor's setup group instead.

Your key stays yours. Never paste it into OpenCode, a chat or a screenshot. If OpenCode ever shows a line with KEY, TOKEN or PASSWORD in it, stop and raise your hand.

1. Window 1: start OpenCode the way that worked. Open your terminal as you did before (log in to agate if that's where OpenCode lives). Go to the folder where `hello.py` worked, for example `cd ~/cs450-oct21-b`. Type `opencode --version`.
   A number starting with 1? Go on. An error? Do what made it work last time, and write it here: _____
2. Still in Window 1: type `opencode`. Type `/models` and check a DeepThought Claude model is picked. Leave this window open.
3. Window 2: the test. Open a brand-new window (box on the right). Type nothing else first, only `opencode --version`.
   It printed: a number starting with `1` / an error (circle one). Exact error: _____
4. Back in Window 1: press Tab until the bottom of the screen says Plan. Paste or type this, filling in the two blanks:

   > In a brand-new terminal window, `opencode --version` printed: _____. Before OpenCode worked in this window I typed: _____ (or "nothing"). If it worked, explain why. If it failed, find the real cause; don't assume it's PATH. Check which shell a new window uses, where opencode is installed, and which startup files a new window reads. Change nothing. Don't read whole startup files: use grep to show only lines with PATH or opencode. Never show or search for keys, passwords or tokens. Don't run env, printenv or set. No sudo, administrator password or system settings. In plain words, tell me the cause, the one line to add and which file, and how to undo it.

   When OpenCode asks permission, use the box on the right.
5. Write its reason in one sentence:

   _____

   Step 3 printed a number? You're done. Help your neighbour, then start the barrier swap.
6. Step 3 printed an error: check its answer. Tick each one it gave you:
   □ the cause, in words you understand
   □ one file and one line to add
   □ how to undo it
   □ no sudo, no administrator password, no system settings
   Missing one? Ask it for that one. All four? Go on.
7. Approve. Press Tab until the bottom says Build. Paste or type:

   > I approve the change you explained. First copy that file to a backup with a new name, without overwriting an old backup. Then add only that line. Change nothing else, and tell me exactly what you changed.
8. Window 3: check it. Open another brand-new window. Type nothing else first, only `opencode --version`. A number starting with 1 means it's fixed.

My result (circle): already worked / fixed / not fixed yet
Neighbour checks: _____

A brand-new window means

- agate: a new Terminal or PowerShell window, then log in again: `ssh your-unh-username@agate.cs.unh.edu`
- Mac: Terminal, press Cmd+N.
- Windows: a new PowerShell from the Start menu.

Not Cursor's terminal, and not inside OpenCode.

When OpenCode asks permission

- To read a startup file (`.bashrc`, `.profile`, `.bash_profile`, `.bash_login`, `.zshrc`, `.zprofile`)? Choose Reject, then type: "Use grep to show only lines with PATH or opencode."
- To run a `grep` on one of those files? Allow once.
- In step 7, to change the one file it named? Allow once, never "always".
- Anything you don't understand? Reject, and ask what it's for.

If this happens

- It wants to change more than one thing, rewrite a file, or use sudo or an administrator password: don't approve. Raise your hand.
- Windows: it says to add a folder to your PATH: don't do step 7. Raise your hand; your instructor helps you with it.
- It says nothing needs changing (for example, you didn't log in to agate in Window 2): fix that and redo step 3.
- Window 3 still shows an error: paste it into Window 1: "This is what a new window says now. What does that tell you? Don't change anything yet." One more try at most.
- Still stuck, or OpenCode spins over a minute: stop and go to the barrier swap. Today, what you typed in step 1 still works. Email your instructor (mfm2@unh.edu): route, OS, last step that worked, the failing command and its exact output. Delete any key first.

Paste: right-click, or Ctrl+Shift+V on agate. Minute 25: stop wherever you are.

Barrier swap

Name: _____ Partner: _____ About 20 minutes · pairs

Use any chat AI you already use. You don't need OpenCode for this. No chat AI on your device? Share your partner's screen. Share only what you're comfortable sharing.

1. Your card. It's the last line of your "What's Really Stopping You?" post. No card yet? Write one now.
   I want to _____
   What's really stopping me is _____

2. Write your check first, before you see any advice. Example: "I could start it this week, in under 30 minutes, for free."
   I'd try it if _____

   _____

3. Swap cards. Your partner opens a fresh chat, pastes only your card line, and asks for one way past the barrier.

4. Judge it against your own check.
   The suggestion, in a few words:

   _____
   My verdict (circle): would try / nope Because: _____

5. If there's time: round 2. Add two sentences of context from your interview. Your partner reruns it in a new fresh chat.
   The two sentences I added:

   _____
   New suggestion:

   _____
   My verdict (circle): would try / nope Did that one change make the difference? yes / no

"Would try" is not "it works." Your check tells you the advice is worth trying, because you wrote the test before you saw it. Whether it works, you only find out by trying it and checking, like the new-window test.