Location API

Version

1.2.3

View With

Swagg

Location API

1.2.3 OAS 3.0

The Locations API provides access to all locations, chains, and departments that are owned by The Kroger Co.

Rate Limit

The Public Locations API has a **1,600 call a day per endpoint** rate limit.

For the Locations API, there are three endpoints that each have a 1,600 call per day rate limit. Since we enforce the rate limit by the number of calls the client makes to the endpoint and not individual operations, you can distribute the 1,600 calls across operations using the same endpoint as you see fit.

Pagination

The Locations API does not support pagination. Since the response has a default limit of ten results, the response is always one page. You can extend the total number of results for the page using the `filter.limit` parameter (200 maximum).

Note: The mile radius is set to a 10 mile default. If you extend the number of results using the `filter.limit` parameter, you may need to extend the mile radius using the `filter.radiusInMiles` parameter to get the correct number of results.

API Operations

The Locations API supports the following operations:

Name	Method	Description
Location list	GET	Returns a list of locations matching a given criteria.
Location details	GET	Returns the details of a specific location.

Location query	HEAD	Determines if a specific location exists.
Chain list	GET	Returns a list of all chains owned by The Kroger Co.
Chain details	GET	Returns the details of a specific chain.
Chain query	HEAD	Determines if a specific chain exists.
Department list	GET	Returns a list of all departments for a specific location.
Department details	GET	Returns the details of a specific department.
Department query	HEAD	Determines if a specific department exists.

Terms of service

API Support - Website

Send email to API Support

Servers

https://api.kroger.com - Production Environment

Authorize

Locations

GET `/v1/locations` Location list

GET `/v1/locations/{locationId}` Location details

HEAD `/v1/locations/{locationId}` Location query

GET `/v1/chains` Chain list

GET `/v1/chains/{name}` Chain details

HEAD /v1/chains/{name} Chain query

GET /v1/departments Department list

GET /v1/departments/{id} Department details

HEAD /v1/departments/{id} Department query

Schemas

APIError

APIError.departmentsId.badRequest

APIError.unauthorized

APIError.locations.serverError

APIError.noContent

APIError.notFound

locations.address

locations.chain

locations.chainResponse

locations.chainsResponse

locations.dailyHours

locations.departmentAtLocation

locations.department

locations.departmentResponse

locations.departmentsResponse

locations.geoLocation

locations.locationHours

locations.departmentHours

locations.location

locations.locationSearchResponse

locations.locationResponse

MetaModel

Invalid_locationId

Invalid_zipCode

Invalid_latLong

Invalid_radiusInMiles

Invalid_department

Invalid_limit