Buyer: Polo Ralph Lauren **Season : FA 26** **Fit: Custom- New length**	**Technical Sheet - Pre run** **Order No: PRLS-25/ 13168, 13169, 13297**	**Style:710968971 Z251SC19 Linen CU ESTBBPPCS** **Washing: Softener**
Special Instructions : SPI 18. Button cross stitch 8X8.		**Modified On:20th-Feb-2026** **Modified By : John**

Aesthetics comments (VMC- Muthu): 20-02-2026
1) Labels used actual
2) button used actual
3) PPs wash ok.

Since the tail shape changed into 2" Sealer is only valid for FA26.

Sample date : 20-02-2026
Board # 710968971-SC19-CUESTBBPPCS
Factory : LAGUNA CLOTHING
Type of Sample : PP Sample
Fit Model : Mannequin
Sealer no :

Fit comments:
- Shallow hem shirt tail depth should be 2" as per the latest update on 15th Feb 2026.
- All measurements within tolerance

Workmanship comments
-Observed slightly waviness at bottom hem. Please take care in while pressing.
-Noticed slightly waviness at sleeve placket. Do not stretch while ironing.

All trims actual except wash-care label
Non Fusible interlining used at Collar, cuff, neckband, and Both Front Placket- ME9013.

PPS is approved.

Buyer: Polo Ralph Lauren
Season : FA 26
Fit: Custom- New length

Technical Sheet - Pre run

Order No: PRLS-25/ 13168, 13169, 13297

Style:710968971 Z251SC19 Linen CU ESTBBPPCS

Washing: Softener

Special Instructions : SPI 18. Button cross stitch 8X8.

Modified On:20th-Feb-2026

Modified By : John

ROUND CUFF







17L-1 buttons

SLEEVE PLACKET



Pleat
depth - 1/2"

Blade size -3/8"
Stitches - 129





Small slv plkt width-1/2"



* Before Sleeve placket attaching
both side Sleeves , **5mm bite Over lock**

* Before cuff attaching
both side Sleeves, **8mm bite Over lock**

Interlining :-
Collar Skin-T60
Cuff -S64
Neck Band -P37
Both Front Placket- ME9013

Button(**)**

Front	**: 6, 17L**
N Band	**: 1, 17L**
Cuff	**: 1+1, 17L**
Slv Plkt	**: 1+1, 15L**
Spare	**: 1-17L, 1-15L,**

Button shanking S/B 2mm

Buyer: Polo Ralph Lauren
Season :FA 26
Fit: Custom- New length

Technical Sheet - Pre run

Order No: PRLS-25/ 13168, 13169, 13297

Style:710968971 Z251SC19 Linen CU ESTBBPPCS

Washing: Softener

Special Instructions : SPI 18. Button cross stitch 8X8.

Modified On:20th-Feb-2026

Modified By : John

COLLAR



Blade Size 1/2”

Stitches/ B Hole 151

Pick attach to be revers side
top neck Band to be fused





Bone width - 3/8"
Bone Length -2"



*B/H blade size according to btn size

ASSEMBLY



Shoulder 1 mm Top Stitch

Slv set ½” Gauge DNCS
Slv Top 1/2” Stitch SNLS

Side seam French Fell 1-5mm
French Fell 2-4mm
(Side seam stating frm slv side like jeager)
Left stitch on back right on frt



Bottom 3/16” hem SNLS



* Before Sleeve placket attaching
both side Sleeves , **5mm bite Over lock**

* Before cuff attaching
both side Sleeves, **8mm bite Over lock**



Pleat
depth - 1/2"





Interlining :-
Collar Skin-T60
Cuff -S64
Neck Band -P37
Both Front Placket- ME9013

Button(**)**

Front	**: 6, 17L**
N Band	**: 1, 17L**
Cuff	**: 1+1, 17L**
Slv Plkt	**: 1+1, 15L**
Spare	**: 1-17L, 1-15L,**

Thread details

Button shanking S/B 2mm

Buyer: Polo Ralph Lauren
Season : FA 26
Fit: Custom- New length

Technical Sheet - Pre run

Order No: PRLS-25/ 13168, 13169, 13297

Style:710968971 Z251SC19 Linen CU ESTBBPPCS

Washing: Softener

Special Instructions : SPI 18. Button cross stitch 8X8.

Modified On:20th-Feb-2026

Modified By : John

FRONT

EMB pos frm shoulder seam to center of Logo



Xxs - 7"
Xs-7 1/4"
S -7 1/2"
M - 7 3/4"
L - 8 "
Xl-8 1/4"
2xl -8 ½"
3xl - 8 3/4
4xl - 9

EMB pos frm center frt to center of Logo

Xxs - 3 3/4"
Xs -3 7/8"
S- 4"
M - 4 1/8"
L - 4 3/8"
Xl - 4 5/8"
Xxl- 4 7/8"
3xl - 5 1/8
4xl - 5 3/8

EMB Height 1 1/16'



* Spare button 17L,15L on Side seam

Lining to be stitched (5mm) with 1st layer and fused with top layer(Both front plackets).



Button shanking S/B 2mm

Interlining :-
Collar Skin-T60
Cuff -S64
Neck Band -P37
Both Front Placket- ME9013

Button(**)**

Front	**: 6, 18L**
N Band	**: 1, 18L**
Cuff	**: 1+1, 18L**
Slv Plkt	**: 1+1, 16L**
Spare	**: 1-18L, 1-16L**

Buyer: Polo Ralph Lauren
Season : FA 26
Fit: Custom- New length

Technical Sheet - Pre run

Order No: PRLS-25/ 13168, 13169, 13297

Style:710968971 Z251SC19 Linen CU ESTBBPPCS

Washing: Softener

Special Instructions : SPI 18. Button cross stitch 8X8.

Modified On:20th-Feb-2026

Modified By : John

SPLIT YOKE



Main lab-4-side stitch

Secondary lab-
2-side stitch

CUSTOM FIT

* Yoke attaching 10mm

*Label attaching Needle size -7

QR label

Size lab

*** When fabric is light color and label is dark color bobbin thread should be skala 360**

SPLIT BACK



size	XXS	XS	S	M	L	XL	XXL	3XL	4XL
Back pleat placement Raw Measurement	3	3 1/8	3 1/4	3 3/8	3 1/2	3 5/8	3 3/4	3 7/8	4
Back pleat placement Ready Measurement	2 3/4	2 7/8	3	3 1/8	3 1/4	3 3/8	3 1/2	3 5/8	3 3/4