

Special Instructions : Button Stitch Cross 8X8, SPI 18.

Modified On:20th-Dec-2025

Modified By : John

Sample date: 19-12-2025
Board # 710B22588-SC19-CUBDPPCS
Factory : LAGUNA CLOTHING
Type of Sample : PP Sample
Fit Model : Mannequin
Color : 6671/Power purple/white -003
Sealer no.: PP028989

Construction and Workmanship comments:

- Last button placement from bottom edge is short by 3/16". (BTS).
- Excess ease observed at wearer's right button-down. Factory must correct this.
- CF placket buttons must be centered to the buttonholes.
- Back hem shape is uneven. Please correct and ensure a symmetrical hem shape in bulk.

PPS Approved.

All trims actual except wash-care and QR labels
Non Fusible interlining used at Collar, cuff, neckband, and front placket.

Buyer: PRL
Season : PF 26
Fit: New Custom
Pressing: Semi crisp

Technical Sheet - Pre run

Order No: PRLS/25- 12737, 12733, 12734, 12736, 12732



Style:710B22588
CU BD PPC SPT
Washing: As approved

Special Instructions : Button Stitch Cross 8X8, SPI 18.


Modified On:20th-Dec-2025

Modified By : John

ROUND CUFF



SLEEVE PLACKET



Interlining
Collar Skin- T60
Cuff - S64
Neck Band - P37
Front Placket- T88MS

Button(****)

Front : 6, 17L
N Band : 1, 17L
Cuff : 1+1, 17L
Slv Plkt : 1+1, 15L
Spare : 1-17L, 1-15L, 1-13L
Collar points: 1+1, 13L

Button shanking S/B 2mm

Buyer: PRL
Season : PF 26
Fit: New Custom
Pressing: Semi crisp

Technical Sheet - Pre run

Order No: PRLS/25- 12737, 12733, 12734, 12736, 12732

Style:710B22588
CU BD PPC SPT
Washing: As approved



Special Instructions : Button Stitch Cross 8X8, SPI 18.

Modified On:20th-Dec-2025

Modified By : John

FRONT


EMB pos frm shoulder seam to center of Logo



* Spare Buttons 17L,15L,13L
@ Side seam

SPLIT YOKE

Main lab-4-side stitch



Secondary lab-
2-side stitch

CUSTOM FIT

QR label

Size lab





*Label attaching Needle size -7

* When fabric is light color and label is dark
color bobbin thread should be skala 360

SPLIT BACK YOKE

Inner view



* Yoke attaching 10mm

Interlining
Collar Skin- T60
Cuff - S64
Neck Band - P37
Front Placket- T88MS

Button(****)

Front : 6, 17L
N Band : 1, 17L
Cuff : 1+1, 17L
Slv Plkt : 1+1, 15L
Spare : 1-17L, 1-15L, 1-13L
Collar points: 1+1, 13L

Button shanking S/B 2mm

Buyer: PRL
Season : PF 26
Fit: New Custom
Pressing: Semi crisp

Technical Sheet - Pre run
Order No: PRLS/25- 12737, 12733, 12734, 12736, 12732


Style:710B22588
CU BD PPC SPT
Washing: As approved

Special Instructions : Button Stitch Cross 8X8, SPI 18.





Modified On:20th-Dec-2025

Modified By : John

COLLAR



ASSEMBLY



* Before Sleeve placket attaching both side Sleeves , Do 5mm bite Over lock

* Before cuff attaching both side Sleeves , Do 8mm bite Over lock

Interlining
Collar Skin- T60
Cuff - S64
Neck Band - P37
Front Placket- T88MS

Button(****)

Front : 6, 17L
N Band : 1, 17L
Cuff : 1+1, 17L
Slv Plkt : 1+1, 15L
Spare : 1-17L, 1-15L, 1- 13L
Collar points:1+1,13L

Button shanking S/B 2mm