

Buyer : Boss man(hugo boss)
Season: Winter-26
Fit : Slim
Wash : N/A

Laguna Clothing
 I LOVE MY SHIRT

Style : KASON-A-25- 50293691
Con No:HB-12853.1.2.3.4 &
 12947.1.2.3.4



Technical Sheet :Prerun

Special Instructions : Button Cross Stitch 10X10, If logo Btns, Btns Should be Readable


Modified On:13th-Jan- 2025
Modified By: Prabhakar/Latha

SQUARE CUFF

Stitches/cm 7




- * Be cautious to use Logo button(**Readable Btns**) on right cuff (towards cuff attaching)
- * The closing sttich of cuff top stitch should always come on button side.




SLEEVE PLACKET

Stitches/cm 7



Small Slv plkt btn from edge 4mm

- * Btn size-14L
- * Blade size-10mm



Pleat Depth
 20mm

*Small SLV placket full fold for white fabric as per PP comment

Interlining:

Front : N/A
 N Band : HB3050R
 Cuff : HB3030R
 Collar skin:HB3030R
 Collar Patch;HBSE310

Button

Front : 6,7, 16L
 N Band : 1, 16L(Logo)
 Cuff : 1+2 16L
 Right cuff:1 ,16L (Logo)
 Sleeve Placket :1+1,14L
 Spare : 1 16L,1 14L

* Thread information;

TOP stitching
 Running stitch
 Safety(chain stitch/Over lock)
 Double Lap Seam inside
 Double Lap Seam out side
 Brand Label inside
 Brand Label outside

7
 6
 6
 6
 6
 7
 7

st/cm
 180
 180
 180/360
 360
 180
 360
 360

TKT

Comment

Back yoke attach

Buyer : Boss man(hugo boss)
Season: Winter-26
Fit : Slim
Wash : N/A

Laguna Clothing

I LOVE MY SHIRT


Style : KASON-A-25- 50293691
Con No:HB-12853.1.2.3.4 &
12947.1.2.3.4

Technical Sheet :Prerun


Special Instructions : Button Cross Stitch 10X10, If logo Btns, Btns Should be Readable

Modified On:13th-Jan- 2025
Modified By: Prabhakar/Latha


COLLAR



After Fusing Inner View







Bone dimension
Lenght-50mm
Width-8mm





X (1=16L)

Stitches/ B hole = 136


ASSEMBLY



side seam lbl placement



Shoulder Joining Seam Allowance 8mm
Collar Attach Seam 7 mm



Interlining:

Front : N/A
N Band : HB3050R
Cuff : HB3030R
Collar skin:HB3030R
Collar Patch;HBSE310

Button

Front : 6,7, 16L
N Band : 1, 16L(Logo)
Cuff : 1+2 16L
Right cuff:1 ,16L (Logo)
Sleeve Placket :1+1,14L
Spare : 1 16L,1 14L

* Thread information;

TOP stitching
Running stitch
Safety(chain stitch/Over lock)
Double Lap Seam inside
Double Lap Seam out side
Brand Label inside
Brand Label outside

st/cm
7
6
6
6
6
7
7

TKT
180
180
180/360
360
180
360
360

Comment

Back yoke attach

Buyer : Boss man(hugo boss)
Season: Winter-26
Fit : Slim
Wash : N/A

Laguna Clothing
 I LOVE MY SHIRT



Style : KASON-A-25- 50293691
Con No:HB-12853.1.2.3.4 &
 12947.1.2.3.4

Technical Sheet :Prerun


Special Instructions : Button Cross Stitch 10X10, If logo Btns, Btns Should be Readable

Modified On:13th-Jan- 2025
Modified By: Prabhakar/Latha

FRONT




(6, 7 for longer sizes Btn-16L)



* Wash care label need to attached as per Production order, Item, Quality, Color, Size

STRAIGHT YOKE



Main label



4side stitch

Secondary lbl



No White Thread Visible on the Top(Label) Thread Ends Inside To be 2 to 3 mm O.k

*Label attach -Skala 360Tkt

Different Size label for 'A'Sizes



Made in india lbl use as per PO wise




1mm Distance from Size Lbl

Main Label & Fit Label Attach S/B center of Back Yoke

***Pls note made in india label Applicable for US & Canada only refer order sheet**

BACK



Yoke Attach: 8mm O/L with chain stitch(4 thread)

KASON-A-25-50293691:
 - Pick shape & collar point should match to pattern.
 - Tie space should be 5mm as required.
 - Small sleeve placket should be made full fold. Please amend in pattern.
 - Avoid hem roping

Interlining:

Front : N/A
 N Band : HB3050R
 Cuff : HB3030R
 Collar skin:HB3030R
 Collar Patch;HBSE310

Button

Front : 6,7, 16L
 N Band : 1, 16L(Logo)
 Cuff : 1+2 16L
 Right cuff:1, 16L (Logo)
 Sleeve Placket :1+1, 14L
 Spare : 1 16L, 1 14L

* Thread information;

st/cm

TKT

Comment

TOP stitching
 Running stitch
 Safety(chain stitch/Over lock)
 Double Lap Seam inside
 Double Lap Seam out side
 Brand Label inside
 Brand Label outside

7
 6
 6
 6
 6
 7
 7

180
 180
 180/360
 360
 180
 360
 360

Back yoke attach