Buyer: Tommy-Knitted Season :SUPF-26 Fit: Slim Fit	**Technical Sheet - Prerun** Order No:PVI/12879.1.3.4.5.6.7	Style: MW0MW41059 Performance interlock Washing: N/A
Special Instructions : Button stitch cross - 8X8, SPI 16.		Modified On: 20th-Feb- 2026 Modified By :*Latha*

Fit Comments

Jayalakshmi V Jan 12 7:40 PM

SVC COMMENTS

SEASON - Summer/Pre-Fall 2026

FACTORY - Laguna clothing pvt ltd

Pattern information - WOM-Slim fit-L/S

SAMPLE SIZE - M

DESIGN CALL OUTS

Ok as approved SMS

FIT & MEASUREMENTS

1. Fit is ok as approved block
2. All measurements are within tolerance

WORKMANSHIP & CONSTRUCTION

1.Noted all comments from FCFT

BOM COMMENTS

1.Ensure all trims as BOM.

FINISHING & HANDFEEL

1. Only steam press.

FINAL COMMENTS

pls proceed bulk

Buyer: Tommy-Knitted
Season :SUPF-26
Fit: Slim Fit

Technical Sheet - Prerun

Order No:PVI/12879.1.3.4.5.6.7

Style: MW0MW41059
Performance interlock
Washing: N/A

Special Instructions : Button stitch cross - 8X8, SPI 16.

Modified On: 20th-Feb- 2026

Modified By :*Latha*

FRONT



STRAIGHT YOKE



Body fab @ v patch



Heat Seal Label

STRAIGHT BACK

*Yoke attaching 8mm



Interlining
Collar Skin- Se310
Cuff -SE310
Neck Band -Se310
Outer N/B - SE310
Both Front Placket-SE310
Slv plkt Se310
Label patch - Ve35

Button(***)**
Front : 6,7 18L
N Band : 1, 18L
Cuff : 1+1, 18L
Slv Plkt : 1+1, 15L
Spare : 1-18L, 1-15L On w/c
Collar point:1+1,15L

*** THREAD DETAILS**

Button shanking S/B 2mm

Thread Details follow as per BOM

Buyer: Tommy-Knitted
Season :SUPF-26
Fit: Slim Fit

Technical Sheet - Prerun

Order No:PVI/12879.1.3.4.5.6.7

Style: MW0MW41059
Performance interlock
Washing: N/A

Special Instructions : Button stitch cross - 8X8, SPI 16.

Modified On: 20th-Feb- 2026

Modified By :*Latha*

CUFF





Basting stitching required for B/H

Blade size - 1/2"
Stitches - 136

Back tack(Joint stitch)@button side only

SLEEVE PLACKET

Basting stitching required for B/H



Blade size - 3/8"



15L Button
6mm frm edge

Small slv plkt width - 12mm

Interlining
Collar Skin- Se310
Cuff -SE310
Neck Band -Se310
Outer N/B - SE310
Both Front Placket-SE310
Slv plkt Se310
Label patch - Ve35

Button(***)**
Front : 6,7 18L
N Band : 1, 18L
Cuff : 1+1, 18L
Slv Plkt : 1+1, 15L
Spare : 1-18L, 1-15L On w/c
Collar point:1+1,15L

*** THREAD DETAILS**

Button shanking S/B 2mm

Thread Details follow as per BOM

Buyer: Tommy-Knitted
Season :SUPF-26
Fit: Slim Fit

Technical Sheet - Prerun

Order No:PVI/12879.1.3.4.5.6.7

Style: MW0MW41059
Performance interlock
Washing: N/A

Special Instructions : Button stitch cross - 8X8, SPI 16.

Modified On: 20th-Feb- 2026

Modified By :*Latha*

MODERN BD COLLAR



Basting stitching required for B/H

Blade Size 1/2"

Stitches/ B Hole 136

* Not visible see through at outside for white fabrics



Btn Dwn Placement





Btn down blade size- 3/8
Btn down btn size -15L

Felt grommet
required for btn down

ASSEMBLY

*Shoulder attaching 8mm
* Collar attaching - 7mm



Shoulder 1 mm Top Stitch

Slv set 3/8" Gauge DNCS
Slv top 10mm Stitch SNLS

Side seam 1/4" lapped seam
Feed of the Arm M/C (stitch on front)



Bottom 1/4" hem SNLS



Interlining
Collar Skin- Se310
Cuff -SE310
Neck Band -Se310
Outer N/B - SE310
Both Front Placket-SE310
Slv plkt Se310
Label patch - Ve35

Button(***)**
Front : 6,7 18L
N Band : 1, 18L
Cuff : 1+1, 18L
Slv Plkt : 1+1, 15L
Spare : 1-18L, 1-15L On w/c
Collar point:1+1,15L

*** THREAD DETAILS**

Button shanking S/B 2mm

Thread Details follow as per BOM