SM detailed validation

Filename issue; recorded event checks passed

SM_Build2.9_v2.9.0_Device-A_20261107T205513245Z_87095b6b-1053-4c55-977e-d1312783a336 (1).csv

CSV evidence only; Pass does not certify phone behavior or completeness of real-world recording.

All report entries

Pass	Fail	N/A	Inconclusive
119	2	5	89

Counts include individual checks and full-requirement coverage entries. One issue can appear in both.

CSV SHA-256: 1dbb2dbfdcf4cff63242e08a1be7865681a47b541a4f1b35b7bac5b97e41abe1
Validator 1.1.0 | Generated 2026-11-10T20:44:56.533143+00:00

Pass

UTF-8 without byte-order mark

CR32

CRLF line endings including final row

CR32

Unique headings, required core fields and consistent row widths

CR32

Core values populated

CR46

Provenance fields complete and constant

CR38

Tester label format

CR36

Export UUID format

CR35

Build and app version agree

CR38

Fields required by declared schema are present

CR39 B2-D05

Declared columns retain prescribed order

CR32 B2-D05

Selected baseline is constant and is 3, 5 or 7

CR01 CR05

Valid distinct event and session UUIDs

CR08 CR25

Export identity distinct from tracking identities

CR35

All event timestamps and prices have valid representations

CR02 CR28

Chronological instants in original row order

CR11 CR28

UTC instants used across midnight and offset changes; equal-second events remain distinct.

No event later than exported_at

CR13 CR34

Each session occupies one contiguous block

CR08 CR11

Session number follows counted completions

CR15 B2-M06 B2-D03 | CSV rows: [2, 3, 4, 5, 6, 7, 8, 9, 10]

Session bd1f36dc-fa46-4274-a329-6701fd654b8b; expected position 1.

Only the final session may remain active

CR08 | CSV rows: [2, 3, 4, 5, 6, 7, 8, 9, 10]

Start, Smoke, Pause, Resume and End transitions valid

CR08 CR09 CR16 CR17 CR18 | CSV rows: [2, 3, 4, 5, 6, 7, 8, 9, 10]

Session bd1f36dc-fa46-4274-a329-6701fd654b8b

Completed session has permitted cigarette count and End boundaries

CR13 CR14 B2-D03 | CSV rows: [2, 3, 4, 5, 6, 7, 8, 9, 10]

Zero-cigarette decision and active/completed/repeat outcome agree

B2-M09 B2-D03 B2-D05 | CSV rows: [2, 3, 4, 5, 6, 7, 8, 9, 10]

Pause fields empty on non-pause row

CR33 | CSV rows: [2]

Pause fields empty on non-pause row

CR33 | CSV rows: [3]

Pause fields empty on non-pause row

CR33 | CSV rows: [4]

Pause fields empty on non-pause row

CR33 | CSV rows: [5]

Pause fields empty on non-pause row

CR33 | CSV rows: [6]

Pause fields empty on non-pause row

CR33 | CSV rows: [7]

Pause fields empty on non-pause row

CR33 | CSV rows: [8]

Pause fields empty on non-pause row

CR33 | CSV rows: [9]

Pause fields empty on non-pause row

CR33 | CSV rows: [10]

Confirmation field empty on non-Smoke event

CR10 | CSV rows: [2]

Confirmation field empty on non-Smoke event

CR10 | CSV rows: [10]

Session phase agrees with baseline position

B2-M06 B2-D05 | CSV rows: [2, 3, 4, 5, 6, 7, 8, 9, 10]

Price history repeated consistently within session

B2-D01 B2-D05 | CSV rows: [2, 3, 4, 5, 6, 7, 8, 9, 10]

Price change identity, session, effective time and price valid

B2-D01 CR06 | CSV rows: [2]

Change 5371ef04-d884-42d9-a423-8635c6aadd1d

Price change identity, session, effective time and price valid

B2-D01 CR06 | CSV rows: [2]

Change 2ccb00b4-ba4e-49b0-a0f4-262579f72a23

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [3]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [4]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [5]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [6]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [7]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [8]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [9]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [10]

Session number follows counted completions

CR15 B2-M06 B2-D03 | CSV rows: [11, 12]

Session 67641305-2ac9-455d-8989-ae071ec2c9c9; expected position 2.

Only the final session may remain active

CR08 | CSV rows: [11, 12]

Start, Smoke, Pause, Resume and End transitions valid

CR08 CR09 CR16 CR17 CR18 | CSV rows: [11, 12]

Session 67641305-2ac9-455d-8989-ae071ec2c9c9

Completed session has permitted cigarette count and End boundaries

CR13 CR14 B2-D03 | CSV rows: [11, 12]

Zero-cigarette decision and active/completed/repeat outcome agree

B2-M09 B2-D03 B2-D05 | CSV rows: [11, 12]

Pause fields empty on non-pause row

CR33 | CSV rows: [11]

Pause fields empty on non-pause row

CR33 | CSV rows: [12]

Confirmation field empty on non-Smoke event

CR10 | CSV rows: [11]

Confirmation field empty on non-Smoke event

CR10 | CSV rows: [12]

Session phase agrees with baseline position

B2-M06 B2-D05 | CSV rows: [11, 12]

Price history repeated consistently within session

B2-D01 B2-D05 | CSV rows: [11, 12]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [12]

Session number follows counted completions

CR15 B2-M06 B2-D03 | CSV rows: [13, 14, 15, 16, 17]

Session b67a39e0-7a9e-49f1-a125-a966b14b2780; expected position 3.

Only the final session may remain active

CR08 | CSV rows: [13, 14, 15, 16, 17]

Start, Smoke, Pause, Resume and End transitions valid

CR08 CR09 CR16 CR17 CR18 | CSV rows: [13, 14, 15, 16, 17]

Session b67a39e0-7a9e-49f1-a125-a966b14b2780

Completed session has permitted cigarette count and End boundaries

CR13 CR14 B2-D03 | CSV rows: [13, 14, 15, 16, 17]

Zero-cigarette decision and active/completed/repeat outcome agree

B2-M09 B2-D03 B2-D05 | CSV rows: [13, 14, 15, 16, 17]

Pause fields empty on non-pause row

CR33 | CSV rows: [13]

Pause fields empty on non-pause row

CR33 | CSV rows: [14]

Pause fields empty on non-pause row

CR33 | CSV rows: [15]

Pause fields empty on non-pause row

CR33 | CSV rows: [16]

Pause fields empty on non-pause row

CR33 | CSV rows: [17]

Confirmation field empty on non-Smoke event

CR10 | CSV rows: [13]

Confirmation field empty on non-Smoke event

CR10 | CSV rows: [17]

Session phase agrees with baseline position

B2-M06 B2-D05 | CSV rows: [13, 14, 15, 16, 17]

Price history repeated consistently within session

B2-D01 B2-D05 | CSV rows: [13, 14, 15, 16, 17]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [14]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [15]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [16]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [17]

Session number follows counted completions

CR15 B2-M06 B2-D03 | CSV rows: [18, 19, 20, 21, 22]

Session d1ce8ad3-a767-4554-90c8-818339ee2238; expected position 4.

Only the final session may remain active

CR08 | CSV rows: [18, 19, 20, 21, 22]

Start, Smoke, Pause, Resume and End transitions valid

CR08 CR09 CR16 CR17 CR18 | CSV rows: [18, 19, 20, 21, 22]

Session d1ce8ad3-a767-4554-90c8-818339ee2238

Completed session has permitted cigarette count and End boundaries

CR13 CR14 B2-D03 | CSV rows: [18, 19, 20, 21, 22]

Zero-cigarette decision and active/completed/repeat outcome agree

B2-M09 B2-D03 B2-D05 | CSV rows: [18, 19, 20, 21, 22]

Pause fields empty on non-pause row

CR33 | CSV rows: [18]

Pause fields empty on non-pause row

CR33 | CSV rows: [19]

Pause fields empty on non-pause row

CR33 | CSV rows: [20]

Pause fields empty on non-pause row

CR33 | CSV rows: [21]

Pause fields empty on non-pause row

CR33 | CSV rows: [22]

Confirmation field empty on non-Smoke event

CR10 | CSV rows: [18]

Confirmation field empty on non-Smoke event

CR10 | CSV rows: [22]

Session phase agrees with baseline position

B2-M06 B2-D05 | CSV rows: [18, 19, 20, 21, 22]

Price history repeated consistently within session

B2-D01 B2-D05 | CSV rows: [18, 19, 20, 21, 22]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [19]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [20]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [21]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [22]

Session number follows counted completions

CR15 B2-M06 B2-D03 | CSV rows: [23, 24, 25, 26, 27, 28, 29]

Session 6231fdd7-b394-4b60-ab35-714a261723de; expected position 5.

Only the final session may remain active

CR08 | CSV rows: [23, 24, 25, 26, 27, 28, 29]

Start, Smoke, Pause, Resume and End transitions valid

CR08 CR09 CR16 CR17 CR18 | CSV rows: [23, 24, 25, 26, 27, 28, 29]

Session 6231fdd7-b394-4b60-ab35-714a261723de

Completed session has permitted cigarette count and End boundaries

CR13 CR14 B2-D03 | CSV rows: [23, 24, 25, 26, 27, 28, 29]

Zero-cigarette decision and active/completed/repeat outcome agree

B2-M09 B2-D03 B2-D05 | CSV rows: [23, 24, 25, 26, 27, 28, 29]

Pause fields empty on non-pause row

CR33 | CSV rows: [23]

Pause fields empty on non-pause row

CR33 | CSV rows: [24]

Pause fields empty on non-pause row

CR33 | CSV rows: [25]

Pause fields empty on non-pause row

CR33 | CSV rows: [26]

Pause fields empty on non-pause row

CR33 | CSV rows: [27]

Pause fields empty on non-pause row

CR33 | CSV rows: [28]

Pause fields empty on non-pause row

CR33 | CSV rows: [29]

Confirmation field empty on non-Smoke event

CR10 | CSV rows: [23]

60-second confirmation agrees with preceding Smoke

CR10 | CSV rows: [25]

Expected not_required; actual 'not_required'.

60-second confirmation agrees with preceding Smoke

CR10 | CSV rows: [26]

Expected yes; actual 'yes'.

60-second confirmation agrees with preceding Smoke

CR10 | CSV rows: [27]

Expected yes; actual 'yes'.

60-second confirmation agrees with preceding Smoke

CR10 | CSV rows: [28]

Expected yes; actual 'yes'.

Confirmation field empty on non-Smoke event

CR10 | CSV rows: [29]

Session phase agrees with baseline position

B2-M06 B2-D05 | CSV rows: [23, 24, 25, 26, 27, 28, 29]

Price history repeated consistently within session

B2-D01 B2-D05 | CSV rows: [23, 24, 25, 26, 27, 28, 29]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [24]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [25]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [26]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [27]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [28]

Captured price agrees with effective price history

CR06 B2-C02 | CSV rows: [29]

Fail

Export filename agrees with provenance

CR35

A renamed file fails naming only; its events are still checked.

Requirement coverage: Readable unique filename

CR35

Readable unique filename. Name a current export SM_<app_build>_v<app_version>_<tester_device_id>_<UTC-export-time>_<export-uuid>.csv. The timestamp token removes date and time separators, for example 20261029T234205381Z. Generate a new export UUID on every export; retained tracking events keep their original identities and values.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

N/A

Legacy cigarette confirmation

CR10 | CSV rows: [3]

No confirmation required by recorded interval.

Legacy cigarette confirmation

CR10 | CSV rows: [14]

No confirmation required by recorded interval.

Legacy cigarette confirmation

CR10 | CSV rows: [19]

No confirmation required by recorded interval.

Legacy cigarette confirmation

CR10 | CSV rows: [21]

No confirmation required by recorded interval.

Legacy cigarette confirmation

CR10 | CSV rows: [24]

No confirmation required by recorded interval.

Inconclusive

Legacy cigarette confirmation

CR10 | CSV rows: [4]

Confirmation was not recorded; no historical Yes is invented.

Legacy cigarette confirmation

CR10 | CSV rows: [5]

Confirmation was not recorded; no historical Yes is invented.

Legacy cigarette confirmation

CR10 | CSV rows: [6]

Confirmation was not recorded; no historical Yes is invented.

Legacy cigarette confirmation

CR10 | CSV rows: [7]

Confirmation was not recorded; no historical Yes is invented.

Legacy cigarette confirmation

CR10 | CSV rows: [8]

Confirmation was not recorded; no historical Yes is invented.

Legacy cigarette confirmation

CR10 | CSV rows: [9]

Confirmation was not recorded; no historical Yes is invented.

Legacy cigarette confirmation

CR10 | CSV rows: [15]

Confirmation was not recorded; no historical Yes is invented.

Legacy cigarette confirmation

CR10 | CSV rows: [16]

Confirmation was not recorded; no historical Yes is invented.

Legacy cigarette confirmation

CR10 | CSV rows: [20]

Confirmation was not recorded; no historical Yes is invented.

Independent totals withheld

CALC

Resolve failed CSV checks before using reconstructed calculations.

Historical preservation across exports

CR39 CR47 B2-C01 B2-D02

Supply --previous from the same program history to compare original records.

SM calculations compared with independent expected values

B2-M01 B2-M02 B2-M03 B2-M04 B2-M05 B2-M08 B2-F01 B2-F02 B2-F03 B2-F04 B2-F05 B2-F06 B2-F07

Raw CSV does not contain displayed totals. Supply --observed with manually recorded screen values and matching CSV SHA-256.

Requirement coverage: Explicit setup

CR01

Explicit setup. Require a positive USD price per pack and an explicit baseline choice of 3, 5, or 7 Days before Start. Do not preselect a baseline length. Use a fixed pack size of 20 cigarettes; no pack-size setting is provided.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Price validation

CR02

Price validation. Support USD prices to two decimal places. Reject missing, zero, negative, malformed, or excess-decimal prices. Do not impose a maximum pack price. Export valid prices with exactly two decimal places.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Setup screen

CR03

Setup screen. Place Price per pack before the 3/5/7 baseline selector. Save and continue opens Day in Progress after successful saving. Navigating to Setup or saving a price must not start, end, reset, or complete a Day.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Restored navigation

CR04

Restored navigation. A new or reset baseline opens on Setup. An existing saved baseline opens on Day in Progress. Setup remains accessible from the Day screen; reopening does not require Reset.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Baseline length lock

CR05

Baseline length lock. Lock the selected baseline length at the first accepted Start. Removing an empty Day does not unlock that selection. A new baseline selection requires the full Reset behavior in this document.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Prospective price changes

CR06

Prospective price changes. Allow a simple pack-price update during an active Day, including while paused. A successful durable save changes the price used by subsequently accepted events. Earlier events retain their own prices, IDs, timestamps, order, and Session association. Accepted action order governs even within the same second; an edited End timestamp does not retrospectively reprice an earlier event.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Price save boundaries

CR07

Price save boundaries. An invalid or cancelled price update leaves current price and history unchanged. Serialize price saves with other actions and preserve their recovery identity. A saved price update does not itself create a CSV event type or column, start another Day, or alter baseline progress.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Explicit Start

CR08

Explicit Start. Create a Day only after explicit Start with valid saved setup. Permit one active Session at a time. Create and save one random Session UUID and the Start event identity. Smoke cannot implicitly start a Day.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Intentional cigarette recording

CR09

Intentional cigarette recording. Create one cigarette record per explicitly accepted Smoke action in the active, unpaused Day. Never infer missing cigarettes. Preserve the original selection time at whole-second precision, discarding fractions; confirmation delay must not replace it with confirmation time.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Close cigarette confirmation

CR10

Close cigarette confirmation. Within the same Day, require Yes or No confirmation when Smoke is 60 seconds or less after the latest accepted cigarette. The first cigarette has no prior-cigarette comparison. No creates no record. Yes retains an intentional new event with its own identity, including same-second pairs, in original accepted order.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Chronology and session continuity

CR11

Chronology and session continuity. Reject action times before Start or the applicable latest accepted event boundary. Do not move recorded events backward or invent future events. Midnight, inactivity, phone locking, backgrounding, or elapsed duration must not automatically split, end, resume, or create a Day.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: End candidate and confirmation

CR12

End candidate and confirmation. Capture a fixed End candidate when the dialog opens. Allow editing of date and time through seconds, with an explicit applicable UTC offset. Always require confirmation. Save the selected candidate, not the later confirmation time. Cancelling an unsubmitted End leaves the active Day and saved records unchanged.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Valid nonempty End

CR13

Valid nonempty End. For a counted Day, require Start < End <= current time and End strictly after the latest cigarette, evaluated at second precision. End must not precede recorded Pause or Resume boundaries. Reject invalid End without closing the Day. A valid edited End may precede a later saved price action; keep effective time and accepted save order distinct.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Empty Day removal

CR14

Empty Day removal. After a confirmed valid End of a Day with no cigarettes, remove that empty Day without completion credit or duration contribution. Reuse its baseline position. The empty-removal exception permits End = Start; negative or future End remains invalid, and saved pause boundaries still constrain End. Do not create false completion or a replacement Day automatically.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence. Apply later Build 2 overrides: zero-cigarette outcomes, post-baseline sessions and pause-excluded timer; Build 1 wording alone is not acceptance criteria.

Requirement coverage: Completion exactly once

CR15

Completion exactly once. Count each valid completed Day once. At exactly the selected target, show Baseline complete and Day Y of Y and prevent another baseline Day. Save final End and completion together. A rejected, cancelled, failed, or unresolved End must not falsely advance progress; reopening restores the saved completed state.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence. Apply later Build 2 overrides: zero-cigarette outcomes, post-baseline sessions and pause-excluded timer; Build 1 wording alone is not acceptance criteria.

Requirement coverage: Pause without ending the Day

CR16

Pause without ending the Day. Pause saves a timestamped pause event in the current Session. Keep the Day number, Session UUID, cigarette count, baseline progress, and existing history. Pause does not record a cigarette or create an End. Support multiple Pause and Resume intervals within a Day.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Resume and restrictions

CR17

Resume and restrictions. While paused, disable Smoke in the interface and reject it in the data model. Resume saves its own event and reenables Smoke only after durable commit. It must not create another Day or cigarette. Retain paused state across reopening, inactivity, midnight, and normal app lifecycle changes.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Ending a paused Day

CR18

Ending a paused Day. End remains a separate explicitly confirmed action. A valid deliberate End closes the final open pause interval. It cannot precede a saved Pause or Resume. A Day with no cigarette receives no baseline completion credit, including when it contains pause activity.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Durable pause intervals

CR19

Durable pause intervals. Retain original Pause and Resume or End boundaries and reconstruct interval lengths from them after reopening. Use the same identity, serialized-save, pending-action, and recovery rules as other state changes. Do not reset history or create duplicate duration state to add the display.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Pause boundary display

CR20

Pause boundary display. Display the most recent pause in the current or just-completed Day. Show Pause started and Pause ended using phone-local MM/DD/YYYY and 12-hour time with seconds and AM/PM, followed by Total pause length. For an ongoing pause, show Still paused and update its length live. After Resume or End, display the saved ending boundary and fixed completed length.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Recorded date displays

CR21

Recorded date displays. Started shows the phone-local date as MM/DD/YYYY. Last cigarette shows the phone-local date and 12-hour time with seconds and AM/PM. Display conversion must not alter the recorded event timestamp, offset, order, ID, or price.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Time since last cigarette

CR22

Time since last cigarette. Show elapsed days when needed, hours, minutes, and seconds from the most recent saved cigarette. Refresh once per second while active and upon resume. Keep that reference after a Day ends or another begins until a newer cigarette is saved. With no recorded cigarette, show None recorded yet and no elapsed duration. A detected clock warning replaces the duration with a clock-check message.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence. Apply later Build 2 overrides: zero-cigarette outcomes, post-baseline sessions and pause-excluded timer; Build 1 wording alone is not acceptance criteria.

Requirement coverage: Pause exclusion boundary

CR23

Pause exclusion boundary. Time since last cigarette measures real elapsed time and includes pauses. Retain pause intervals so later smoking-rate calculations can exclude paused time, including a final interval closed by End. No smoking-rate calculation, cost total, or cessation countdown is introduced in Build 1.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence. Apply later Build 2 overrides: zero-cigarette outcomes, post-baseline sessions and pause-excluded timer; Build 1 wording alone is not acceptance criteria.

Requirement coverage: Durable phone state

CR24

Durable phone state. Save setup, current price, selected baseline length, tester label, Session and event records, paused status, and baseline progress locally. Reopening restores the saved idle, active, paused, or complete state. Committed cigarettes and completed Days have no ordinary history-editing control; full Reset remains the explicit deletion mechanism.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Stable action identity

CR25

Stable action identity. Assign a durable identity to each retained state-changing action. A retry or recovery of that same action retains its original identity and candidate time and cannot commit it twice. Separately accepted intentional Smoke actions keep distinct identities, including when timestamps match.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Pending action resolution

CR26

Pending action resolution. Before submission, cancellation changes nothing. After submission, resolve Saving to Committed, Confirmed-failed, or Outcome-unknown. Reconcile an unknown outcome by its original action identity before a conflicting retry or another state change commits. Do not treat a submitted action as a cancellable unsubmitted dialog.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Atomic results and feedback

CR27

Atomic results and feedback. Show saved success and changed counts only after durable commit. Save End and baseline progress atomically so recovery produces either the prior active state or one completed result. Block conflicting actions while confirmation, saving, or reconciliation is pending. Apply this contract to price, Pause, Resume, and Reset as well as capture.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Unambiguous event instants

CR28

Unambiguous event instants. Preserve original whole-second timestamps with their numeric UTC offsets. Compute elapsed intervals from unambiguous instants across daylight-saving changes. For manually entered End times, distinguish repeated fall-back times by offset and reject nonexistent spring-forward local times. Do not silently shift recorded history to repair time.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Foreground clock checking

CR29

Foreground clock checking. Compare wall-clock and monotonic elapsed time during foreground operation. When returning from sleep or background with no prior warning, start a fresh comparison interval so normal suspension does not falsely block recording. Preserve a previously detected warning and reject resumption below the last accepted time floor. Lifecycle handling must not create events or change saved timestamps.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Clock warning and limits

CR30

Clock warning and limits. Flag detected manual-clock changes and block affected Session actions until correction is verified. Local clocks cannot reliably distinguish a forward adjustment made entirely during suspension from ordinary elapsed time; backward checking uses the saved accepted-time floor. Do not claim universal time-tampering detection or add an external clock service or smoking-history upload.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Compatible saved history

CR31

Compatible saved history. Open older supported phone histories without Reset. Migrate retained setup, event and pending-action data as needed while preserving original IDs, timestamps, prices, order, counts, progress, and tester identity. Legacy fixed-price events retain that original price. Storage schema 3 and CSV schema 4 are separate version identifiers.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: CSV file bytes

CR32

CSV file bytes. Use UTF-8 without a byte-order mark, commas, one header row, and CRLF endings including the final row. Quote fields containing commas, quotes, or line breaks, and double internal quotes. Preserve original recorded row order, including distinct events within the same second. Do not sort tied events by UUID or merge them.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Pause duration calculation

CR33

Pause duration calculation. Derive each pause duration from its original boundaries. Export each interval once on its pause row; leave both pause fields empty on other event types. Reject negative, missing, mismatched, or incorrectly classified durations. Correct a clock earlier than an open pause start before exporting that duration, while preserving records.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Partial and complete exports

CR34

Partial and complete exports. Allow user-initiated exports before or after baseline completion, including committed events in an active or paused Day. Exporting must not create End, change count or progress, resume a pause, or complete a Day. Export raw accepted events, rather than treating app summary values as independent evidence.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Tester and device label

CR36

Tester and device label. Accept 1 to 32 ASCII letters, digits, hyphens, or underscores, beginning with a letter or digit. Ask the owner to choose a different label for each phone; local storage cannot enforce uniqueness across devices. Do not infer identity from an Expo account, transfer login, destination folder, or hardware identifier.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Label persistence and locking

CR37

Label persistence and locking. Allow a label before tracking. An existing unlabeled baseline may continue tracking and must obtain a saved label before its next export; labeling does not alter history. After saving that label, the owner taps Export CSV again. Once records and a label both exist, keep the label fixed until Reset; before tracking it may be edited.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Provenance meaning

CR38

Provenance meaning. Repeat tester, build, app version, CSV schema, export timestamp, and export ID on every event row, constant within that export. These identify the export generator and its format. They do not claim that legacy events were originally captured by the current app version.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Repeated exports and legacy compatibility

CR39

Repeated exports and legacy compatibility. Keep original event fields unchanged across exports. A previously open pause may have a later derived duration or completed status in a newer export. Accept valid original seven-column, schema 2, and schema 3 CSVs without adding invented legacy metadata or pause intervals. Permit additive fields; unfamiliar fields are not claimed as validated. Changes to existing field meanings need an explicit new schema contract.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Owner controlled saving

CR40

Owner controlled saving. Export CSV opens the native iPhone share sheet. The approved route is Save to Files > On My iPhone. Cancelling the sheet leaves tracking data, count, and active Day unchanged. Sheet dismissal alone must not claim a successful save. Remove temporary app export files after sheet closure and on reopening or Reset; deliberately saved external copies remain under owner control.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Manual Windows handoff

CR41

Manual Windows handoff. The owner may manually copy a saved CSV through Files > Connect to Server into a password-protected folder on the owner Windows laptop. Both devices use the same private home network, and the destination is outside cloud-synced locations. This permits owner-controlled local validation, not automatic transfer, cloud upload, or developer sharing.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Full Reset scope

CR42

Full Reset scope. After confirmed successful Reset, clear app setup and tracking: pack price, baseline selection, tester label, progress, Sessions, event boundaries, cigarettes, pause data, and any baseline values if present. Return to clean Setup with no active Day. Require setup and a separate explicit Start. Technical anonymous recovery receipts do not represent retained smoking history.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Exact Reset confirmation

CR43

Exact Reset confirmation. Require the text Reset all data? This cannot be undone. Cancelling an unsubmitted Reset changes nothing. Reset is available during an active or paused Day when no conflicting action is pending. It must not fabricate an End or completion credit. Submitted Reset follows the same durable-save and unresolved-outcome rules as other state changes.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Reset persistence and external files

CR44

Reset persistence and external files. Reopening after successful Reset must retain clean Setup and must not restore old app history or automatically Start. Reset does not erase CSV copies already saved or transferred outside SM. Export is not an import or restore feature; Build 1 does not restore a baseline from those CSVs.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Local privacy

CR45

Local privacy. Keep individual smoking history locally on each tester device. Do not require a developer-accessible cloud database or provide developer access to individual history. App updates must not require uploading smoking records. Future diagnostics, backup, synchronization, or other transmission needs a separately approved requirement; none may silently create history access.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Independent raw data checks

CR46

Independent raw data checks. Validate exported raw events independently using Python and pandas on the owner laptop. Check file format, required fields, identities, original row ordering, offsets, positive event prices, Session association, valid baseline progress, pause ordering and duration, and completion integrity. Do not substitute app-calculated summaries for raw evidence.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Preserve validation evidence

CR47

Preserve validation evidence. Copy selected handoff files without overwriting different existing files, verify identical bytes, preserve source CSVs, and keep validation results separate from requirements and defect logs. Compare shared event IDs across repeated exports to check original-field preservation. A structurally valid CSV alone does not prove that it matches the owner actions or displayed phone values.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Phone acceptance boundaries

CR48

Phone acceptance boundaries. Test actual iPhone behavior for capture, reopening, native saving and cancellation, completion, Reset, Pause and Resume, clock handling, and interrupted-save recovery. Record expected and actual outcomes by method and scope. Distinguish code checks, synthetic fixtures, owner confirmations, and independently inspected exports. Do not mark unperformed checks as passed.
Source: Build 1 requirements v0.02
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Captured cigarette cost

B2-M01

Captured cigarette cost. Calculate each cigarette’s cost from its captured pack price divided by the fixed pack size of 20. Later prices do not change earlier cigarette costs.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: USD display

B2-M02

USD display. Use USD and display monetary values with two decimal places. Retain full precision internally and round only the displayed result.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Total spending

B2-M03

Total spending. Show total money spent for each session and for the current program’s lifetime, including recorded cigarettes in an active session.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Average costs

B2-M04

Average costs. Show average cost per cigarette, per pack, and per completed session using the definitions below.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Session savings

B2-M05

Session savings. Show savings per session after baseline collection using the approved baseline rate, unpaused time, effective prices, and actual captured spending.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Baseline and later sessions

B2-M06

Baseline and later sessions. Use the selected first 3, 5, or 7 counted completed baseline sessions. A zero-cigarette Yes counts and contributes its unpaused time; No retains an excluded attempt and repeats the session number on the next explicit Start. Later sessions remain available after baseline completion.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Visible verification

B2-M07

Visible verification. Expose counts, prices, spending, baseline inputs, unpaused time, expected spending, savings, and price-change intervals in SM’s development interface.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Completed baseline summary

B2-M08

Completed baseline summary. Once the selected 3, 5, or 7 baseline Days are complete, display total baseline cigarettes; average cigarettes per Day (total baseline cigarettes divided by baseline Days); average unpaused Day length (total baseline unpaused time divided by baseline Days); and average cost per baseline Day (unrounded captured baseline cigarette spending divided by baseline Days). Include only those baseline sessions. Exclude all later cigarettes, sessions, time and price changes so the summary remains fixed until Reset. Display average cigarettes to two decimals, average length to the nearest second, and USD cost to two decimals. Do not show this summary before baseline completion. Counted zero-cigarette Yes sessions are included. No attempts are excluded even when they have a baseline session number.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Zero-cigarette confirmation

B2-M09

Zero-cigarette confirmation. Prompt at End whenever zero cigarettes were recorded. Offer Yes to count and advance, No to save the historical attempt and repeat the number, and Cancel to keep recording. Preserve the same decision through interrupted saves and reopening.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Time between cigarettes

B2-M10

Time between cigarettes. The displayed timer is scoped to the active Day. It stays at 0h 00m 00s before the first cigarette; Start Day alone must not start it. The first saved Smoke starts the timer, and every subsequent saved Smoke resets it to zero. A previous Day's cigarette must not start the new Day's timer.
Pause freezes the timer at its current value. Resume continues from that value without counting paused time. Exclude every paused interval since the latest cigarette. Pauses before that cigarette do not affect its timer. Multiple pauses and close/reopen must preserve the same elapsed unpaused time.
A saved End Day resets the timer to zero, including zero-cigarette Yes and No outcomes. It stays zero after reopening and until the new Day records its first cigarette. Cancelling End or an End that has not committed must not reset the active timer. Retain captured timestamps and historical records; this display rule does not rewrite session events, change the storage/CSV schemas, or replace existing clock validation.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Captured timestamps

B2-C01

Captured timestamps. Do not alter captured timestamps. Build 1’s End-time entry before confirmation remains subject to its original validation rules.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Captured cigarette price

B2-C02

Captured cigarette price. Do not alter the price per cigarette associated with a recorded smoking event. A newly saved pack price applies prospectively.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Currency

B2-C03

Currency. Do not change the currency type from USD.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Session and lifetime spending

B2-F01

Session and lifetime spending. Sum the unrounded captured costs of Smoke events only. Start, Pause, Resume, End, and price changes do not themselves add spending. Lifetime sums all baseline and later sessions in the current program.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Average cigarette and pack cost

B2-F02

Average cigarette and pack cost. Average cigarette cost = lifetime spending ÷ total recorded cigarettes. Average pack cost = the unrounded cigarette average × 20. Include an active session’s cigarettes. These are weighted by recorded cigarettes at each price.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Average session cost

B2-F03

Average session cost. Spending in counted completed sessions divided by counted completed sessions. Include zero-cigarette Yes sessions. Exclude active sessions and No repeat attempts from both terms. Missing averages remain unavailable.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Fixed baseline rate

B2-F04

Fixed baseline rate. Total cigarettes divided by total unpaused hours in the selected counted baseline sessions. Include zero-cigarette Yes sessions and exclude every No attempt. Freeze the baseline after completion. An all-zero count with positive unpaused time yields rate zero. If unpaused baseline time is zero, show rate and savings as unavailable; the completed baseline summary is still shown.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Expected spending

B2-F05

Expected spending. For each effective price interval, multiply the fixed baseline cigarettes per hour × unpaused hours in that interval × applicable price per cigarette. Sum the interval results. Paused time contributes no expected spending.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Session savings

B2-F06

Session savings. Expected spending – actual captured spending. Keep negative results negative. Show savings as unavailable during baseline collection. An active session’s savings is provisional. End fixes the duration, prices, and source records used for completed savings.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Rounding

B2-F07

Rounding. Use exact fractional cents for costs, averages, and savings. Display the final monetary result rounded to the nearest cent, with a half cent rounded away from zero. Displayed totals and subtotals may not sum exactly because each display rounds independently.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Effective price records

B2-D01

Effective price records. Save each new price change with its own identity, session association, original timestamp, and pack price. Retain changes made while paused. Save the price and its effective record atomically using the existing recovery workflow.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Historical stability

B2-D02

Historical stability. Later price changes, later sessions, reopening, and repeated exports must not change captured events, the fixed baseline, or completed session spending and savings. Calculations derive from preserved source records.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Zero-cigarette sessions

B2-D03

Zero-cigarette sessions. On End with zero cigarettes, ask Yes/No during and after baseline. Yes saves and counts the closed session and advances the next Start number. No saves every event, timestamp, price and price change in a closed historical attempt, excludes it from baseline calculations, completed-session averages and savings, and repeats that session number on the next Start. Cancel leaves the active session unchanged. Neither choice automatically starts a session. End must be later than Start and cannot precede a saved price change. Each attempt retains a distinct session identity.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Existing history

B2-D04

Existing history. Continue reading supported Build 1 storage without requiring Reset. Do not invent old price-change times. The owner chose to reset the Expo Go baseline for this fresh test run, so that run cannot itself prove migration of old phone history.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Export

B2-D05

Export. CSV schema 6 preserves all 17 schema 5 columns and appends session_outcome (active, completed or repeat) and zero_cigarette_decision (yes, no, legacy_counted or blank). Repeat attempts have distinct session_id values and can share baseline_session numbers. Older CSV exports remain readable. legacy_counted identifies zero-cigarette post-baseline sessions retained under earlier rules without inventing a historical Yes. JSON export remains deferred.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: Export validation separation

B2-D06

Export validation separation. Use the Build 1 phone export for Build 1 validation. Collect a separate Build 2 Expo Go export and compare it with Build 2 screen values and independent calculations. Build 1 results cannot pass Build 2 export checks.
Source: Build 2 requirements v0.07
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: From Build2.6: Savings this Day stays at zero until saved End, then equals final expected spending minus actual spending

B26-SAVINGS

From Build2.6: Savings this Day stays at zero until saved End, then equals final expected spending minus actual spending. Baseline and No attempts remain unavailable.
Source: Build 2 display validation, Tests B2-P08
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: From Build2.7: Expected baseline spending stays zero until the first saved Smoke, updates only through each saved Smoke, remains fixed through time, Pause/Resume, price changes and reopening, and finalizes the whole Day at saved End.

B27-EXPECTED

From Build2.7: Expected baseline spending stays zero until the first saved Smoke, updates only through each saved Smoke, remains fixed through time, Pause/Resume, price changes and reopening, and finalizes the whole Day at saved End.
Source: Build 2 display validation, Tests B2-P08
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Requirement coverage: From Build2.9 / CSV 7: persist close_smoke_confirmation atomically with each newly accepted Smoke: yes for a confirmed interval of 60 seconds or less from previous Smoke in the Day; not_required for first Smoke or greater than 60 seconds; unknown for legacy events without evidence

B29-CONFIRMATION

From Build2.9 / CSV 7: persist close_smoke_confirmation atomically with each newly accepted Smoke: yes for a confirmed interval of 60 seconds or less from previous Smoke in the Day; not_required for first Smoke or greater than 60 seconds; unknown for legacy events without evidence. Non-Smoke fields blank. No/Cancel creates no Smoke. Do not infer historical Yes.
Source: Build 2.9 close-cigarette confirmation decision
CSV evidence covers only part of this requirement; prompts, actual user intent, screens, persistence, rejected actions and recovery require separate evidence.

Build 3 business-rule coverage

BUILD3

No authoritative Build 3 requirements were found in this workspace. Build 3 behavior is not certified by Build 1/2 checks.

Independent expected values

Unavailable because failed input checks remain unresolved.