Question 1

Answer saved

Marked out of 4.00

⚑ Flag question

From the URL: https://webapps.tekstac.com/FormRegistration/StudentRegistration.html

Give the syntax to locate the 'input' element of 'fathername' using 'starts-with'

| // | input | [| starts-with | (| @id | , | fathername |) |

|] |

Drag and drop the answer.

Next page

Question 2

Answer saved

Marked out of 4.00

⚐ Flag question

From the URL: https://webapps.tekstac.com/FormRegistration/StudentRegistration.html

Identify whether the radio button is present using the elements whose both the conditions are true.

// | *[| @type | = 'radio' | and @name | = 'sex' |] |

Drag and drop the answer.

| or @name |

| = 'option' |

Previous page

Finish quiz ...

🔍 Type here to search

Question 1

Answer saved

Marked out of 3.00

⚑ Flag question

From the URL: https://webapps.tekstac.com/CommodityDetails/

Give the syntax to locate the label 'No of Commodity' using CSS Selector

#result > | table:nth-child(1) | > | tbody:nth-child(1) | > | tr:nth-child(1) | > | td:nth-child(1) |

Drag and drop the answer.

| tr:nth-child(2) | | td:nth-child(2) |

| tbody:nth-child(2) | | table:nth-child(2) |

Next page

Quiz

Question 2

Answer saved

Marked out of 1.00

⚑ Flag question

From the URL: https://webapps.tekstac.com/CommodityDetails/

Give the syntax to locate the 'add' submit button

| #add |

Drag and drop the answer.

| @add | | /add | | +add | | $add |

1

Finis

Previous page

Next page

Type here to search

Dashboard / Web UI, DataSource / Web UI - HTML / HTML-Xpath: CommodityDetails2

Question 3

Answer saved

Marked out of 4.00

⚑ Flag question

From the URL: https://webapps.tekstac.com/CommodityDetails/

Give the syntax to locate the first row with values in the table displayed after entering form values and clicking submit

| # | myTable | > | tbody | : | nth-child(1) | > | tr | : | nth-child(2) |

Drag and drop the answer.

| div | td | table |

nth-child(3)

Question 4

Answer saved

Marked out of 2.00

⚑ Flag question

From the URL: https://webapps.tekstac.com/CommodityDetails/

Give the syntax to locate the first row in the table displayed after entering form values and clicking submit

| # | myTable | > | tbody: | nth-child(1) |

Drag and drop the answer.

| table |

| tr. | div |

Previous page

Finish quiz ...

🌐 Dashboard / Web UI, DataSource / Web UI - HTML / HTML-Xpath: CommodityDetails1

Question 1

Answer saved

Marked out of 3.00

🏴 Flag question

From the URL: https://webapps.tekstac.com/CommodityDetails/

Find the direct child of the table '#myTable'

#myTable > | tbody: | nth-child(1)

Drag and drop the answer.

| nth-child(3) | tr: | | table: | nth-child(2) |

Next page

Dashboard / Web UI, DataSource / Web UI - HTML / HTML-Xpath: CommodityDetails1

Question 2

Answer saved

Marked out of 2.00

⚑ Flag question

From the URL: https://webapps.tekstac.com/CommodityDetails/

What will match the give CSS selector "body > *:first-child"

< [div align="center"] >

Drag and drop the answer.

table align="center" id="myTable" cellspacing="15px"

h2

div id="result"

body onload="clear()"

Quiz

Finish

BACK TO LEARNING PATH   ECLIPSE PLUGIN ▾   HANDBOOK

🎓 Dashboard / Web UI, DataSource / Web UI - HTML / HTML-Xpath: CommodityDetails1

Question 3

Answer saved

Marked out of 1.00

⚑ Flag question

From the URL: https://webapps.tekslac.com/CommodityDetails/

Give the syntax to choose the input field after 'name' using CSS selector

\# | name | + | input |

Drag and drop the answer.

| class | | id |

Quiz navigati

| 1 | 2 | 🅁 |

Finish quiz ...

Previous page   **Finish quiz ...**

🔍 Type here to search

Question
1

Answer saved

Marked out of
3.00

⚑ Flag
question

From the URL https://webapps.tekstac.com/FormRegistration/StudentRegistration.html

Give the syntax to locate 'reset' button using only partial value 'res'.

//*[contains(@type,'res')]

Drag and drop the answer.

| //*[contain(@type,'res')] | //*[contains(#type,'res')] | | //*[contains(type(),'res')] |
| //*[contain(type(),'res')] | //*[contain(#type,'res')] | | |

Next page

Question 2

Answer saved

Marked out of 3.00

⚑ Flag question

Quiz

Finish

From the URL: https://webapps.tekstac.com/FormRegistration/StudentRegistration.html

Give the syntax to locate 'submit' button using only partial value 'sub'.

`//*[contains(@type,'sub')]`

Drag and drop the answer.

`//*[contain(#type,'sub')]`   `//*[contain(@type,'sub')]`   `//*[contains(type(),'sub')]`

`//*[contains(#type,'sub')]`   `//*[contain(type(),'sub')]`

Type here to search

Dashboard / Web UI, DataSource / Web UI - HTML / HTML-Xpath: AddressBook

Question 1

Answer saved

Marked out of 2.00

⚑ Flag question

From the URL: https://webapps.tekstac.com/AddressBook/

By using a function in Xpath expression, find the input type element whose id dynamically changes and starts with "radio"

Xpath= //input[starts-with(@id,'radio')]

Drag and drop the answer.

| //input[start-with(@id,'radio')] | //input[starts-with(#id,'radio')] | //input[start-with(#id,'radio')] |

| //input[starts-with[@id,'radio]] | //input[start-with[@id,'radio]] |

Next page

Dashboard / Web UI, DataSource / Web UI - HTML / HTML-Xpath: AddressBook

Question 2

Answer saved

Marked out of 1.00

⚑ Flag question

From the URL: https://webapps.tekstac.com/AddressBook/
Find the id for the parent <div> of the input element nickname

| t1 |

Drag and drop the answer.

| table |

| nickname | | xxx | | div |

Previous page

Next page

Question 3

Answer saved

Marked out of 6.00

⚑ Flag question

Navigate to https://webapps.tekstac.com/AddressBook/

From the URL, write a script by using XPath expression to find the web element with type as button and id as delete.

Xpath= | //input | | [| | @type = | | 'button' | | and @id= | | 'delete' | |] |

Drag and drop the expression in correct order.

| submit |

| or @id= |

Qui

Fini

Question 1

Answer saved

Marked out of 1.00

⚑ Flag question

From the URL: https://webapps.tekstac.com/Cargo_Shipping_Cost/

Identify how many input tagnames are there in the given URL

| 4 |

Drag and drop the answer.

| 6 | 1 | 2 | | 5 | 3 |

Next page

Question 2

Answer saved

Marked out of 1.00

⚑ Flag question

From the URL: https://webapps.tekstac.com/Cargo_Shipping_Cost/

Give the syntax for locating "input" using tagname

By.tagName("input")

Drag and drop the answer.

| By.TagName("input") | By.tagName="input" | By.tagName["input"] |

By.tagName.input

Previous page

Next page

Question 3

Answer saved

Marked out of 2.00

⚑ Flag question

From the URL: https://webapps.tekstac.com/Cargo_Shipping_Cost/

Give the syntax for locating the table

| /html | /body | /center | /table |

Drag and drop the answer.

| /td |

| /tr |

Previous page

Next page

Question 4

Not yet answered

Marked out of 4.00

⚑ Flag question

Navigate to https://webapps.tekstac.com/Cargo_Shipping_Cost/

From this URL, Give the syntax for locating the label 'Transport Mode' using CSS selector

body > | center | : | nth-child(3) | > | table | : | nth-child(2) | > | tbody | :

| nth-child(1) | > | tr:nth-child(2) | > | td:nth-child(1) |

Drag and drop the answer.

| tr:nth-child(1) |

Previous page

Finish quiz ...

Question 1

Answer saved

Marked out of 1.00

🏴 Flag question

From the URL : https://webapps.tekstac.com/Cargo_Shipping_Cost/

Give the syntax for locating the weight 'input' element using CSS selector

#weight

Drag and drop the answer.

@weight weight() Sweight

Next page

Question 2

Answer saved

Marked out of 4.00

⚑ Flag question

Quiz n

From the URL : https://webapps.tekstac.com/Cargo_Shipping_Cost/

Give the syntax for locating the table using CSS selector

body > [center] : [nth-child(3)] > [table] : [nth-child(2)]

Drag and drop the answer.

[nth-child(5)]   [nth-child(4)]

1

Finish q

Previous page   **Next page**

Type here to search

Question 3

Answer saved

Marked out of 2.00

Flag question

From the URL : https://webapps.tekstac.com/CommodityDetails/

Give the syntax to select the Input box of 'Total Weight' element without using a class or an id of the element.

input | [| name | = | 'total' |]

Drag and drop the answer.

id

class | 'totalweight'

Previous page

Next page

Question 4

Answer saved

Marked out of 1.00

⚑ Flag question

From the URL : https://webapps.tekstac.com/Cargo_Shipping_Cost/

Give the syntax for locating the label 'calculate' button using CSS selector

#calculate

Drag and drop the answer.

$calculate | @calculate

calculate()

Quiz navigat

| 1 | 2 | 3 |

Finish quiz ...

Previous page

Finish quiz ...

Type here to search

Question 1

Answer saved

Marked out of 1.00

⚑ Flag question

From the URL : https://webapps.tekstac.com/Cargo_Shipping_Cost/

Give the syntax for locating the weight 'input' element using CSS selector

#weight

Drag and drop the answer.

@weight | weight() | Sweight

Next page

Drag and drop the answer.

Correct

Mark 4.00 out of
4.00

⚑ Flag
question

From the URL: https://webapps.tekstac.com/FormRegistration/StudentRegistration.html

Identify the button using the elements whose single or both the conditions are true.

// input [✔ | @type ✔ | = | 'submit' ✔ | or ✔ | @name ✔ | = | 'btnLogin' ✔

] ✔

Drag and drop the answer.

#name | #type

and

Your answer is correct.

The correct answer is:

From the URL: https://webapps.tekstac.com/FormRegistration/StudentRegistration.html