

# *Quiz 7 Reflection*

SCIE 001 Physics

Noah Virjee  
45515863

April 1, 2026

## **Contents**

|                                    |   |
|------------------------------------|---|
| 1. A Potential Landscape .....     | 2 |
| 1.1. Specify Question .....        | 2 |
| 1.2. Diagnosis Phase .....         | 2 |
| 1.3. Correction Phase .....        | 2 |
| 2. A Conductor with a Cavity ..... | 2 |
| 2.1. Specify Question .....        | 2 |
| 2.2. Diagnosis Phase .....         | 2 |
| 2.3. Correction Phase .....        | 2 |
| 3. Comparing Surface Charges ..... | 2 |
| 3.1. Specify Question .....        | 2 |
| 3.2. Diagnosis Phase .....         | 2 |
| 3.3. Correction Phase .....        | 2 |


1. A Potential Landscape

1.1. Specify Question

Question 6: A potential landscape

The following diagram shows several equipotentials due to some source charges, which are not shown. Consider the labeled points (i.e. the small white circles) and complete the following sentence:

► Hint #1



"Point B ✖ 0% has zero electric field, while point D ✓ 100% has the largest magnitude of electric field of the four points."

Correct answer

"Point A has zero electric field, while point D has the largest magnitude of electric field of the four points."

1.2. Diagnosis Phase

I knew that electric field is equal to the gradient of the electric potential.

However, I incorrectly thought that this results in the greatest magnitude of electric field being where the equipotential lines were closest, and the least magnitude of electric field being where they were furthest apart.

This logic fails for saddle points, where the gradient is 0, but the equipotential lines are close.

When reading the graph, I forgot to consider the saddle point between two charges (seeing the equipotential lines so close together), and instead chose the next best option with far equipotential lines (B).

Words: 98

1.3. Correction Phase

Looking at the graph correctly we see:

Point D has the greatest slope, and therefore the greatest electric field.

Point C is not a saddle point, because it is between two charges of opposite signs (one positive, one negative), and therefore has some electric field.

Point B, while having a small magnitude, has some electric field.

And finally point A is a saddle point between two charges, having 0 electric field.

Therefore Point A has zero electric field, and point D has the largest magnitude of electric field.


Words: 88

2. A Conductor with a Cavity

2.1. Specify Question

Question 9: A conductor with a cavity

As shown below, a point charge  $q_1 = 10\text{ nC}$  is fixed in an otherwise empty cavity that was carved out of a solid conducting object.



a) If the conducting object has a net charge of  $Q = -20\text{ nC}$ , how much charge is on its outer surface?

$Q_{\text{outer}} =$

0 nC

?

✖ 0%

b) How does the magnitude of the surface charge density rank at the various points labeled above?

☐  $\sigma_C > \sigma_B > \sigma_A$

☐  $\sigma_C < \sigma_B < \sigma_A$

☐ None of the other options.

☐  $\sigma_A = \sigma_B = \sigma_C$

☒  $\sigma_A > \sigma_C > \sigma_B$  ✓

☐  $\sigma_A < \sigma_C < \sigma_B$

✓ 100%

Correct answer

$Q_{\text{outer}} = -10\text{ nanocoulomb}$

$\sigma_A > \sigma_C > \sigma_B$

2.2. Diagnosis Phase

I knew that because the object was a conductor, the charge it held was free to redistribute itself within the object. However I did not make the connection between this property and gauss’s law, causing me to become confused when the object was charged.

I knew that if q1 was 10 nC and the object was neutral, the inner surface would have -10nC of charge, and the outer surface would carry 10 nC of charge.  $-10\text{ nC} + 10\text{ nC} = 0\text{ nC}$

I guessed 0 nC because I pictured all the -20 nC of electrons rushing towards the positive q1, leaving no charge on the outside.

Words: 99

2.3. Correction Phase

To solve this, we can be more smart about the properties of conductors. Since we know they are free charge carriers, in an electric field, their electrons must rearrange, generating an equal and opposite opposing field.

Therefore conductors (at equilibrium) must have no internal electric field, and hence constant electric potential.

Imagine a gaussian surface within the object around its centre, since  $E = 0$  in a conductor, all charge enclosed must add to 0. Therefore its inner surface must have:

$$q_{\text{Particle}} + q_{\text{Inner Surface}} = 0$$
$$q_{\text{Inner Surface}} = -q_{\text{Particle}}$$
$$q_{\text{Inner Surface}} = -10\text{ nC}$$

But, the charge of the object must be -20 nC, therefore its inner and out surface must sum to this value.

$$q_{\text{Inner Surface}} + q_{\text{Outer Surface}} = -20\text{ nC}$$
$$q_{\text{Outer Surface}} = -20\text{ nC} - q_{\text{Inner Surface}}$$
$$q_{\text{Outer Surface}} = -20\text{ nC} - (-10\text{ nC})$$
$$\therefore q_{\text{Outer Surface}} = -10\text{ nC}$$


Words: 99

3. Comparing Surface Charges

3.1. Specify Question

Question 10: Comparing surface charges

As shown below, a large conducting plate of some finite thickness is held above and parallel to a thin plane of charge with surface density  $\sigma$ . You can assume that both objects are infinite in extent. Rank the magnitude of the surface charge densities.



☐  $\sigma = \sigma_A = \sigma_B$

☐  $\sigma > \sigma_A > \sigma_B$

☐  $\sigma < \sigma_A < \sigma_B$

☒  $\sigma = \sigma_A > \sigma_B$  ✖

☐  $\sigma > \sigma_A = \sigma_B$

✖ 0%

Correct answer

$\sigma > \sigma_A = \sigma_B$

3.2. Diagnosis Phase

Words: 0

3.3. Correction Phase

Words: 0