

Does Syntactic Structure Make Language Models More Robust to Noise?

LSTM vs. RNNG Subject–Verb Agreement Under Training-Data Corruption

Anonymous ACL submission

001	Abstract	A Reproducibility Details	037
002		B Additional Figures	038
003	1 Introduction		
004	2 Background and Related Work		
005	3 Methods		
006	3.1 Data and Noise Injection		
007	3.2 Leak-Free Evaluation Protocol		
008	3.3 Minimal Pairs		
009	3.4 Models		
010	3.5 Metrics		
011	4 Experimental Setup		
012	5 Results		
013	6 Discussion		
014	7 Conclusion		
015	Limitations		
016	References		
017	Chris Dyer, Adhiguna Kuncoro, Miguel Ballesteros,		
018	and Noah A. Smith. 2016. Recurrent neural network		
019	grammars. In <i>Proceedings of NAACL-HLT</i> .		
020	Kristina Gulordava, Piotr Bojanowski, Edouard Grave,		
021	Tal Linzen, and Marco Baroni. 2018. Colorless green		
022	recurrent networks dream hierarchically. In <i>Proceed-</i>		
023	<i>ings of NAACL-HLT</i> .		
024	Adhiguna Kuncoro, Chris Dyer, John Hale, Dani Yo-		
025	gatama, Stephen Clark, and Phil Blunsom. 2018.		
026	LSTMs can learn syntax-sensitive dependencies well,		
027	but modeling structure makes them better. In <i>Pro-</i>		
028	<i>ceedings of ACL</i> .		
029	Tal Linzen, Emmanuel Dupoux, and Yoav Goldberg.		
030	2016. Assessing the ability of LSTMs to learn syntax-		
031	sensitive dependencies. <i>Transactions of the Associ-</i>		
032	<i>ation for Computational Linguistics (TACL)</i> , 4:521–		
033	535.		
034	Rebecca Marvin and Tal Linzen. 2018. Targeted syntac-		
035	tic evaluation of language models. In <i>Proceedings of</i>		
036	<i>EMNLP</i> .		