DESIGN AND IMPLEMENTATION OF AN ONLINE FOOD ORDERING SYSTEM

BY

GBADAMOSI OLUWASEYI EMMANUEL
(16/52HL028)

SUBMITTED TO DR ADEDOYIN

ON THE 5TH OF JANUARY

## Table of Content

1. TASK ONE

1.1 INTRODUCTION

The online food ordering system is one of the latest servicers most fast food restaurants in the western world are adopting. With this method, food is ordered online and delivered to the customer. This is made possible through the use of electronic payment system. Customers pay with their credit cards, although credit card customers can be served even before they make payment either through cash or cheque. So, the system designed in this project will enable customers go online and place order for their food. Due to the great increase in the awareness of internet and the technologies associated with it, several opportunities are coming up on the web. So many businesses and companies now venture into their business with ease because of the internet. One of such business that the internet introduced is an online food ordering system. In today's age of fast food and take out, many restaurants have chosen to focus on quick preparation and speedy delivery of orders rather than offering a rich dining experience. Until recently, most of this delivery orders were placed over the phone, but there are many disadvantages to this system.

1.2 ANALYSIS OF EXISTING SYSTEM

1.2.1 Jumia Food

Jumia Food is a convenient online site for ordering and delivery of food. The site connects you with many restaurants in Nigeria and. Enjoy different cuisines and flavors delivered to your door step, we are sure you will find what you want.

Jumia food provides delivery services as well as marketing and order services, allowing it to provide food from restaurants that do not normally provide delivery services. It makes the site much easier for users to use. In another word, it has a good usability. It also allow users to choose from the list of the country that are available it satisfys the principle of availability. jumia food as a created a content that can guide the users to be more efficiently to have their food make it more efficient and as a very good user interface. The website also as a very responsive layout for mobile user making it also accessible to mobile users.

1.2.2   THE KITCHEN

Is an online food store that is dedicated to delivering delicious healthy and already cooked meals the platform makes planning and holding a catered event easy. The designers design a slider to let users see and order from food without having to go to the menu to order from, which makes it more efficient to operate, this is the best application of the principle of efficiency

The website give room to chat with customer support and it as more than enough food items to choose from make it efficient to some extent .The kitchen does not have any such filtering and quick sorting,. This may result in inefficient user ordering. From the principle of efficiency, this design should be improve

1.2.3   DOMINO'S PIZZA

Domino's Pizza, Inc., branded as Domino's, is an American multinational pizza restaurant chain founded in 1960. The corporation is headquartered at the Domino's Farms Office Park in Ann Arbor, Michigan

Domino's home page is quite easy to navigate and making it easy to make order. At the top right hand corner of the site, the words "Hello Pizza Lover" suggest that the website is aimed at attracting customers towards the site. The site has a lot of graphic content and animation, which makes it attractive to potential clients. The site also contains sample pictures of pizzas, which are displayed in an attractive manner. The site also contains various advertisement posts that are aimed at promoting the company's pizzas. For instance, the animations "Go the Whole Hog," stuff it! Try your famous "Fresh Dough Stuffed Crusts" are displayed on of the pizza pictures. These animations are intended to show the various products on offer in a more graphical manner.

1.3   SPECIFICATION OF PROPOSED SYSTEM

### 1.3.1 Functional requirements

Food Ordering is having many modules, which make the software more efficient and user friendly. The modules make the maintenance of the database easier. Every module is divided on the basis of the scenarios .The main two scenarios are:

1.   Admin
2.   Customer

Use case diagram

Admin

Authenticate   Add items   Add types   Add areas   Add sub areas   view order

Customer

1.**3.2** Usability

1. Accessibility - the design of products, devices, services, or environments for people who have some flaws

2. Efficiency - how quickly and accurately users can perform tasks • Memorability - whether users can remember how to operate it after their first encounter

3. Learnability - the ease with which users are able to learn to complete basic tasks successfully

4. Errors - It refers to the possibility of making mistakes while using the application due to the unreasonable design of the application. This index should be control as small as possible.

1.4   HARDWARE AND SOFTWARE REQUIREMENT SPECIFICATIONS.

1.4.1   Hardware requirement

1. Processor: 800MHz Intel Pentium III or equivalent or new

2. Disk Space: 50 MB or more 2.7

1.4.2   Software requirement

1. Operating System: No particular OS required because PHP is platform independent.

2. Software: XAMPP, MySQL,

3. Browser: chrome and opera mini

4. Vs code
5. Ms-office

1.5   CHOICE OF PROGRAMMING LANGUAGE

So many programming languages were put into consideration in the cause of designing this software, below are the list of programming languages used:

1. Bootstrap
2. CSS
3. Jquery
4. Raw PHP
5. MYSQL

2 TASK TWO

2.1 Database design
Admin Table

Name of Attributes	Length	Data type	Null	Key
Aid	11	INT	NO	Primary
name	155	VARCHAR	NO	
username	155	VARCHAR	NO	
pass	155	VARCHAR	NO	
Timestamp		Datetime	NO	

Customer Table

Name of Attributes	Length	Null	Data type	Key
Id	11	NO	INT	Primary
c_name	150	NO	VARCHAR	
email	255	NO	VARCHAR	
password	155	NO	VARCHAR	
Contact_no	255	NO	VARCHAR	
Timestamp		NO	DATETIME	
address	255	NO	VARCHAR	

Order Table

Name of Attributes	Length	Null	Data type	Key
order_id	11	NO	INT	Primary
quantity	5	NO	INT	
Items_id	11	NO	INT	Foreign (Items)
Id	11	NO	INT	Foreign (Customer)
Sub_id	11	NO	INT	Foreign (Sub_area)
Contact_no	11	NO	VARCHAR	

delivery_address	255	NO	VARCHAR	
order_date		NO	Date	

Area Table

Name of Attributes	Length	Null	Data type	Key
area_id	11	NO	INT	Primary
Timestamp		NO	DATETIME	
area_name	155	NO	VARCHAR	

Sub_area Table

Name of Attributes	Length	Null	Data type	Key
sub_id	11	NO	INT	Primary
Area_id	11	NO	INT	Foreign
Timestamp			DATETIME	
Sub_name	155	NO	VARCHAR	

Cart table

Name of Attributes	Length	Null	Data type	Key
cart_id	11	NO	INT	Primary
id	11	NO	INT	Foreign
items_id	11	NO	INT	Foreign
qty	2	NO	INT	
cart_date	10	NO	DATE	
status	0,1	NO	ENUM	

employee table

Name of Attributes	Length	Null	Data type	Key
emp_ic	11	NO	INT	Primary
fname	155	NO	VARCHAR	
lname	155	NO	VARCHAR	
jobtile	155	NO	VARCHAR	
email	155	NO	DATE	
address	155	NO	TEXT	
phonenumber	11	NO	int	
timestamp		NO	DATETIME	

2.2 DATA VALIDATIONS AND CONSTRAINTS

1. **Required Data Fields:** There are many fields in many forms in which user have to put some data. If you just give any entry or any text in some kind of fields then it won't allow because of that, our data is stored very neatly and all the required fields of database won't be blank.

2. **No Digits allowed:** There are many fields in which user won't be allowed to store the digits in some fields. Like many forms having the field like names, in which user won't be allowed to store any digits in that given fields.

3. **No Alphabets allowed**: There are many fields in the application which user won't be able to store any kind of alphabets. Like in the mobile number field, user won't be allowed to store any kind of alphabets, they just have to enter only numbers.

4. **User Validation:** There is validation for username, over here, we are just validating the username. If similar kind of user found out in the database, then application won't allow the same name of username.

5. **Password Validation:** Whenever user wants change the password then he/she must enter the password in between 5 to 15.

6. **Email Validation:** Whenever application will ask for any email, then he/she must have to enter proper email.

7. **Mobile number Validation:** Whenever user is entering the mobile number then he/she must have to enter proper mobile number.

2.3   USER INTERFACE DESIGN

Home page

About us

Indian Restaurant is a food ordering and delivery company based out of West Bengal, India. Indian Restaurant was inspired by the thought of providing a complete food ordering and delivery solution from the best neighbourhood restaurants to the urban foodie. A single window for ordering from a wide range of restaurants, we have our own exclusive fleet of delivery personnel to pickup orders from restaurants and deliver it to customers. Having our own fleet gives us the flexibility to offer customers a no minimum order policy on any restaurant and accept online payments for all partner restaurants that we work with. Our delivery personnel carry one order at a time which ensures we get reliable and fast deliveries

Services page

Services

Our mission is to ensure nobody has a bad meal.

Helping people discover great places around them

Our team gathers information from every restaurant on a regular basis to ensure our data is fresh. Our vast community of food lovers share their reviews and photos, so you have all that you need to make an informed choice.

Building amazing experiences around dining

Starting with information for over 1 million restaurants (and counting) globally, we're making dining smoother and more enjoyable with services like online ordering and table reservations.

Enabling restaurants to create

Customer login page

F⚲⚲dy

Hi, Guest ☰

Customer Login

seyi@gmail.com

••••••

Sign In

New User? **Register** here!

Home   Menu   Contact

Follow Us

Customer registration

Menu page

Food Details

Starters

There are many variations

There are many variations of passages of Lorem Ipsum available, but the majority have suffered alteration in some form, by injected humour , or randomised words which don't look even slightly believable.There are many variations by injected humour. There are many variations of passages of Lorem Ipsum available.

Chiken Seekh Kabbab

Spicy : Low

Price : 40

Qantity [1]   Add to Cart 🛒

Event page

At vero eos et

There are many variations of passages of Lorem Ipsum available, but the majority have suffered alteration There are many variations of passages of Lorem Ipsum available, but the majority have suffered alteration There are many variations of passages of Lorem Ipsum available, but the majority have suffered alteration

Read More

At vero eos et

There are many variations of passages of Lorem Ipsum available, but the majority have suffered alteration There are many variations of passages of Lorem Ipsum available, but the majority have suffered alteration There are many variations of passages of Lorem Ipsum available, but the majority have suffered alteration

Read More

View Order page

F☠☠dy   Hi, sam ☰

Product	Name	Price	Quantity	Total
	Chicken Satay [6pcs]	₦150	14	₦2100.00
	Chicken Satay [6pcs]	₦150	1	₦150.00
	Chicken Fingers [6pcs]	₦100	3	₦300.00
	Chicken Cutlet [1pc]	₦30	3	₦90.00

Cart item page

F☠☠dy   Hi, sam ☰

Product	Name	Price	Quantity	Subtotal
	Chicken Fingers [6pcs]	₦100	3	₦300
	Chicken Cutlet [1pc]	₦30	3	₦90
	Cream Cake	₦70	6	₦420
	Chicken Satay [6pcs]	₦150	1	₦150

‹ Continue Shopping   Total--₦960   Checkout ›

Check out page

F⚲⚲dy   Hi, sam ☰

<u>Order Details</u>

<u>Billing Address :</u>

oppsite fgggc
Area -
Sub Area -

<u>Delivery Address :</u>

oppsite fgggc
Area -
Sub Area -

<u>Order Details</u>

Total Shopping	₦420.00
Delivery Charge	₦30.00
(CGST+SGST) 18%	₦21.00

Total   ₦471.00

[Place Order]

Place order page

F⚲⚲dy   Hi, sam ☰

Delivery Details

sam

sam@gmail.com

0908879696

oppsite fgggc

Select Area ▾

Empty cart page

F⚇⚇dy   Hi, sam ☰

Your Cart is Empty

Home   Menu   Contact   **Follow Us**

Connect with us in Social Media, for various
new menus, discount, etc.

C⚇⚇kery   Hi, sam ☰

Thank You !

Your order has been taken.
Please wait while we prepare your order.

Home   Menu   Contact   **Follow Us**

Connect with us in Social Media, for various
new menus, discount, etc.

Admin login page

Admin Dashboard

Ordered Food page

- 📊 Dashboard
- 📅 Order
- 📈 Category
- 📈 Items
- 📈 Area
- 📈 Deliver Locations

Dashboard / Order Page

Order

Order ID ⬍	Quantity ⬍	Item ID ⬍	ID ⬍	Sub ID ⬍	Contact No. ⬍	Delivery Address ⬍	Order Date ⬍
1244	2	13	19	19	8100132482	Station Road, Tanke	2020-01-04 18:43:28
1245	1	8	19	1	8100132482	Station Road, Oke-odo	2020-01-04 18:43:28
1246	1	1	19	1	8100132483	41/1, Bagha Jatin Road, Tanke	2020-01-04 18:43:28
1247	1	37	19	1	8100132483	41/1, Bagha Jatin Road,Oke-odo	2020-01-04 18:43:28
1248	14	4	21	3	123456	oppsite fgggc	2020-01-05 00:00:00
1249	1	4	21	9	123456	oppsite fgggc	2020-01-05 00:00:00

All items page

- 📊 Dashboard
- 📅 Order
- 📈 Category
- 📈 Items
- 📈 Area
- 📈 Deliver Locations

Dashboard / Items

All Items

Add New Item

Sr. No.	Name of the Item	Spicy	Price	Item Image	Type	Update	Delete
1	Kakori Kebabs [6pcs]	Low	110		Starters[Non-Veg]	✏	✕
2	Stir Fried Chilli Chicken	Medium	120		Starters[Non-Veg]	✏	✕
3	Chicken Satay [6pcs]	Low	150		Starters[Non-Veg]	✏	✕
4	Chicken Wings [6pcs]	Low	120		Starters[Non-Veg]	✏	✕
5	Tangri Kebabs [4pcs]	Low	140		Starters[Non-Veg]	✏	✕
6	Fried Chicken [6pcs]	Low	150		Starters[Non-Veg]	✏	✕

Add new item page

- 🏠 Dashboard
- 📅 Order
- 📊 Category
- 📊 Items
- 📊 Area
- 📊 Deliver Locations

Dashboard / Items / Add New

Add New Items

Select Category

-Select- ▾

Item Name

Select spicy type

-Select Spicy- ▾

Item Price

Select Item Image

Choose File No file chosen

Add Item

Copyright © Foody

All Category page

- 🏠 Dashboard
- 📅 Order
- 📊 Category
- 📊 Items
- 📊 Area
- 📊 Deliver Locations

Dashboard / Category

All Category

Add New Category

Type ↓ᴀᴢ	Category ↓ᴀᴢ	Update	Delete
Veg	Rice-Roti	🖊	✖
Veg	Main Course	🖊	✖
Veg	Dessert	🖊	✖
Non-Veg	Starters	🖊	✖
Non-Veg	Main Course	🖊	✖

Copyright © Foody

Add new category

- 🎨 Dashboard
- 📋 Order
- 🖼 Category
- 🖼 Items
- 🖼 Area
- 🖼 Deliver Locations

Dashboard / Category / Add New

Add New category

Enter Name of the Type

--Select Type-- ▾

Enter Name of the Category

[   ]

Add New

‹

Copyright © Foody

All Areas page

- 🎨 Dashboard
- 📋 Order
- 🖼 Category
- 🖼 Items
- 🖼 Area
- 🖼 Deliver Locations

Dashboard / Area

Area

Add

All Areas

Area Name ⇅	Update	Delete
GRA	✏	✖
Oke-odo	✏	✖
Tanke	✏	✖
Unilorin	✏	✖

Back

‹

Add new area

- 🕸 Dashboard
- 📅 Order
- 📈 Category
- 📈 Items
- 📈 Area
- 📈 Deliver Locations

Dashboard / Area / Add New

Add New Area

Enter The Name of the Area

[   ]

Add Area

Back

Delivery location page

- 🕸 Dashboard
- 📅 Order
- 📈 Category
- 📈 Items
- 📈 Area
- 📈 Deliver Locations

Dashboard / Delivery Locations

Delivery Locations

Add New Location

Select Area   ---Select Area--- ▼   **Search**

Sr No.	Name of the Area	Name of the Location	Update	Delete
1	Oke-odo	Station	🖉	✕
2	Oke-odo	Boys School	🖉	✕
3	Oke-odo	Police Station	🖉	✕
4	Oke-odo	Municipality	🖉	✕

Add new location page

Admin Panel   👤 Welcome seyi   ➡ Logout

- 🎛 Dashboard
- 🗓 Order
- 📊 Category
- 📊 Items
- 📊 Area
- 📊 Deliver Locations

Dashboard / Delivery Locations / Add New

Add New Location

---Select---   ▼

Enter The Name of the Location

[   ]

Add Location

Back

Copyright © Foody

<

3   THE IMPLEMENTATION OF THE SYSTEM USING HTML, PHP AND MYSQL

3.1   Sample code

- **Index page**

```html
<!DOCTYPE html>
<html>
<meta http-equiv="content-type" content="text/html;charset=UTF-8" />
<head>
<title>Foody</title>
<link rel="icon" href="images/favicon5.ico" style="width: 32px; height: 32px">
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
<!-- jQuery (necessary for Bootstrap's JavaScript plugins) -->
<script src="js/jquery.min.js"></script>
<!-- Custom Theme files -->
<!--theme-style-->
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!--//theme-style-->
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<meta name="keywords" content="Foody Responsive web template, Bootstrap Web
Templates, Flat Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG,
SonyEricsson, Motorola web design" />
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){
window.scrollTo(0,1); } </script>
<!---->
<link
href='http://fonts.googleapis.com/css?family=Raleway:400,200,100,300,500,600,700,
800,900' rel='stylesheet' type='text/css'>
<link
href='http://fonts.googleapis.com/css?family=Open+Sans+Condensed:300,300italic,70
0' rel='stylesheet' type='text/css'>
<!-- start-smoth-scrolling -->
        <script type="text/javascript" src="js/move-top.js"></script>
        <script type="text/javascript" src="js/easing.js"></script>
        <script type="text/javascript">
            jQuery(document).ready(function($) {
                $(".scroll").click(function(event){
                    event.preventDefault();
                    $('html,body').animate({scrollTop:$(this.hash).offset().top},
1000);
                });
            });
        </script>
```

```html
    <!-- start-smoth-scrolling -->
<link href="css/styles.css" rel="stylesheet">
    <link rel="stylesheet" type="text/css" href="css/component.css" />
    <!-- animation-effect -->
<link href="css/animate.min.css" rel="stylesheet">
<script src="js/wow.min.js"></script>
<script>
 new WOW().init();
</script>
<!-- //animation-effect -->

</head>
<body>
<body>
 <div class="header">
    <div class="container">
        <div class="logo animated wow pulse" data-wow-duration="1000ms" data-wow-
delay="500ms">
            <h1 style="float: left"><a href="index.php"><span>F</span><img
src="images/oo.png" alt=""><img src="images/oo.png" alt="">dy </a>
        </div>
        <?php require("header_menu.php") ?>
    <div class="clearfix"></div>
    </div>
    <!-- start search-->
        <div class="banner">
            <p class="animated wow fadeInLeft" data-wow-duration="1000ms" data-
wow-delay="500ms">WE ARE ALL ABOUT FOOD</p>
            <label></label>
            <h4 class="animated wow fadeInTop" data-wow-duration="1000ms" data-
wow-delay="500ms">Hello And Welcome To Food</h4>
            <a class="scroll down" href="#content-down"><img
src="images/down.png" alt=""></a>
        </div>
</div>
<!--content-->
<div class="content" id="content-down">
    <div class="content-top-top">
        <div class="container">
            <div class="content-top">
                <div class="col-md-4 content-left animated wow fadeInLeft" data-
wow-duration="1000ms" data-wow-delay="500ms">
                    <h3>About</h3>
                    <label><i class="glyphicon glyphicon-menu-up"></i></label>
                    <span>What and how we do?</span>
```

```html
                </div>
                <div class="col-md-8 content-right animated wow fadeInRight"
data-wow-duration="1000ms" data-wow-delay="500ms">
                    <p>Indian Restaurant is a food ordering and delivery company
based out of West Bengal, India. Indian Restaurant was inspired by the thought of
providing a complete food
                    ordering and delivery solution from the best neighbourhood
restaurants to the urban foodie. A single window for ordering from a wide range
of
                    restaurants, we have our own exclusive fleet of delivery
personnel to pickup orders from restaurants and deliver it to customers. Having
our own
                    fleet gives us the flexibility to offer customers a no
minimum order policy on any restaurant and accept online payments for all partner
restaurants
                    that we work with. Our delivery personnel carry one order at
a time which ensures we get reliable and fast deliveries</p>
                </div>
                <div class="clearfix"> </div>
            </div>
            <div class="content-mid">

                <div class="col-md-4 food-grid animated wow fadeInUp" data-wow-
duration="1000ms" data-wow-delay="500ms">
                    <div class=" hover-fold">
                      <h4>No minimum order</h4>
                      <div class="top">
                        <div class="front face"></div>
                        <div class="back face">
                        <p></p>
                        </div>
                      </div>
                      <div class="bottom"></div>
                    </div>
                </div>
                <div class="col-md-4 food-grid animated wow fadeInLeft" data-wow-
duration="1000ms" data-wow-delay="500ms">
                    <div class=" hover-fold">
                      <h4>Delicious & Healthy</h4>
                      <div class="top">
                        <div class="front face front1"></div>
                        <div class="back face">
                        <p></p>
                        </div>
                      </div>
```

```html
                    <div class="bottom bottom1"></div>
                </div>
            </div>
            <div class="col-md-4 food-grid animated wow fadeInDown" data-wow-
duration="1000ms" data-wow-delay="500ms">
                <div class=" hover-fold">
                    <h4>Affordable prices</h4>
                    <div class="top">
                        <div class="front face front2"></div>
                        <div class="back face">
                        <p></p>
                        </div>
                    </div>
                    <div class="bottom bottom2"></div>
                </div>
            </div>
            <div class="clearfix"></div>
        </div>
    </div>
</div>
</div>
<!--services-->

<div class="services">
    <div class="container">
        <div class="services-top">
            <div class="col-md-8 services-right animated wow fadeInLeft" data-
wow-duration="1000ms" data-wow-delay="500ms">

            </div>
            <div class="col-md-4 services-left animated wow fadeInRight" data-
wow-duration="1000ms" data-wow-delay="500ms">
                <h3>Services</h3>
                <label><i class="glyphicon glyphicon-menu-up"></i></label>
                <span>Our mission is to ensure nobody has a bad meal.</span>
            </div>
            <div class="clearfix"> </div>
        </div>
        <div class="service-top">
            <div class="col-md-5 service-top animated wow fadeInLeft" data-wow-
duration="1000ms" data-wow-delay="500ms">
                <div class=" service-grid">
                    <div class="col-md-6 service-grid1">
                        <div class="hi-icon-wrap hi-icon-effect-5 hi-icon-effect-
5a">
```

```html
                                <a href="#" class="hi-icon hi-icon-mobile glyphicon
glyphicon-leaf"></a>
                            </div>
                        </div>
                        <div class="col-md-6 service-grid1">
                            <div class="hi-icon-wrap hi-icon-effect-5 hi-icon-effect-
5a">
                                <a href="#" class="hi-icon hi-icon-mobile glyphicon
glyphicon-star-empty"></a>
                            </div>
                        </div>
                        <div class="clearfix"> </div>
                </div>
                <div class=" service-grid">
                        <div class="col-md-6 service-grid1">
                            <div class="hi-icon-wrap hi-icon-effect-5 hi-icon-effect-
5a">
                                <a href="menu.php" class="hi-icon hi-icon-mobile
glyphicon glyphicon-folder-open"></a>
                            </div>
                        </div>
                        <div class="col-md-6 service-grid1">
                            <div class="hi-icon-wrap hi-icon-effect-5 hi-icon-effect-
5a">
                                <a href="#" class="hi-icon hi-icon-mobile glyphicon
glyphicon-home"></a>
                            </div>
                        </div>
                        <div class="clearfix"> </div>
                </div>

        </div>
        <div class="col-md-7 service-bottom animated wow fadeInRight" data-
wow-duration="1000ms" data-wow-delay="500ms">
                <div class=" service-bottom1">
                        <div class=" ser-bottom">
                            <img src="images/sa.jpg" class="img-responsive" alt="">
                        </div>
                        <div class="ser-top ">
                            <h5>Helping people discover great places around them</h5>
                            <p>Our team gathers information from every restaurant on
a regular basis to ensure our data is fresh. Our vast community of food lovers
share
                            their reviews and photos, so you have all that you need
to make an informed choice.</p>
```

```html
                    </div>
                    <div class="clearfix"> </div>
                </div>
                <div class=" service-bottom1">
                    <div class=" ser-bottom">
                        <img src="images/sa1.jpg" class="img-responsive" alt="">
                    </div>
                    <div class="ser-top ">
                        <h5>Building amazing experiences around dining</h5>
                        <p>Starting with information for over 1 million
restaurants (and counting) globally, we're making dining smoother and more
enjoyable with services
                        like online ordering and table reservations.</p>
                    </div>
                    <div class="clearfix"> </div>
                </div>
                <div class=" service-bottom1">
                    <div class=" ser-bottom">
                        <img src="images/sa2.jpg" class="img-responsive" alt="">
                    </div>
                    <div class="ser-top ">
                        <h5>Enabling restaurants to create amazing
experiences</h5>
                        <p>With dedicated engagement and management tools, we're
enabling restaurants to spend more time focusing on food itself, which translates
directly
                        to better dining experiences.</p>
                    </div>
                    <div class="clearfix"> </div>
                </div>
            </div>
            <div class="clearfix"> </div>
        </div>
    </div>
</div>
<!--//services-->

<!--news-->

</body>
<?php require("footer.php") ?>
</html>
```

Login page

```html
<!DOCTYPE html>
<html>
<meta http-equiv="content-type" content="text/html;charset=UTF-8" />
<head>
<title>Foody</title>
<link rel="icon" href="images/favicon5.ico" style="width: 32px; height: 32px">
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
<!-- jQuery (necessary for Bootstrap's JavaScript plugins) -->
<script src="js/jquery.min.js"></script>
<!-- Custom Theme files -->
<!--theme-style-->
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!--//theme-style-->
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<meta name="keywords" content="Foody Responsive web template, Bootstrap Web
Templates, Flat Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG,
SonyEricsson, Motorola web design" />
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){
window.scrollTo(0,1); } </script>
<!---->
<link
href='http://fonts.googleapis.com/css?family=Raleway:400,200,100,300,500,600,700,
800,900' rel='stylesheet' type='text/css'>
<link
href='http://fonts.googleapis.com/css?family=Open+Sans+Condensed:300,300italic,70
0' rel='stylesheet' type='text/css'>
<link href="css/styles.css" rel="stylesheet">
<!-- animation-effect -->
<link href="css/animate.min.css" rel="stylesheet">
<script src="js/wow.min.js"></script>
<script>
 new WOW().init();
</script>
<!-- //animation-effect -->

</head>
<body>

<body>
<div class="header head">
```

```html
    <div class="container">
        <div class="logo animated wow pulse" data-wow-duration="1000ms" data-wow-
delay="500ms">
            <h1><a href="index.php"><span>F</span><img src="images/oo.png"
alt=""><img src="images/oo.png" alt="">dy</a></h1>
        </div>
        <?php require("header_menu.php") ?>
    <div class="clearfix"></div>
    </div>
    <!-- start search-->

</div>
<!--content-->
<!---728x90--->
<div class="blog">
    <div class="container">
        <div class="col-md-12">
        <center>
        <div class="leave">
            <h3>Customer Login</h3>
            <form action="login_code.php" role="form" method="post"
name="cust_login" id="cust_login">
                    <div class="single-grid wow fadeInLeft animated" data-wow-
delay=".5s">

                            <input type="email" id="textbox1" name="email"
placeholder ="E-mail" onfocus="this.placeholder='';" onblur="if
(this.placeholder == '') {this.placeholder = 'E-mail';}" required class="form-
control">
                            <br><br>
                            <input type="password" id="textbox2" name="password"
placeholder="Password" onfocus="this.placeholder='';" onblur="if
(this.placeholder == '') {this.placeholder = 'Password';}" required class="form-
control">
                            <br>
                        <label class="hvr-rectangle-out">
                                <input type="submit" value="Sign In">
                        </label>
                </div>
                </form>
                <br>
                <h4 class="text-danger text-center" style="font-weight: bolder;">
                <?php
                if(isset($_GET['msg'])){
```

```php
                        echo '<div class="animated wow fadeInUp" data-wow-
duration="1000ms" data-wow-delay="1000ms">'.$_GET["msg"].'</div>';
                    }
                    ?>
                    <br>
                    <div class="animated wow fadeInLeft" data-wow-duration="1000ms">
                        <h4 class="text-center text-muted" style="font-weight:
bolder">New User? <a href="register.php">Register</a> here!</h4>
                    </div>
                    </h4>
                    <script type="text/javascript">
                        document.getElementById('textbox1').style.height="40px";
                        document.getElementById('textbox2').style.height="40px";
                        document.getElementById('textbox1').style.fontSize="20px";
                        document.getElementById('textbox2').style.fontSize="20px";
                    </script>
            </div>
                </center>
            <!--content-->
<div class="single">
</div>
<!---->
<!--//content-->
</div>
        <div class="clearfix"> </div>
    </div>
</div>
<!--//content-->
<!--footer-->
    <?php require("footer.php") ?>
    <!--//footer-->

</body>
</html>
```

Register page

```html
<!DOCTYPE html>
<html>
<meta http-equiv="content-type" content="text/html;charset=UTF-8" />
<head>
<title>Foody</title>
<link rel="icon" href="images/favicon5.ico" style="width: 32px; height: 32px">
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
<!-- jQuery (necessary for Bootstrap's JavaScript plugins) -->
```

```html
<script src="js/jquery.min.js"></script>
<!-- Custom Theme files -->
<!--theme-style-->
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!--//theme-style-->
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<meta name="keywords" content="Foody Responsive web template, Bootstrap Web
Templates, Flat Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG,
SonyEricsson, Motorola web design" />
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){
window.scrollTo(0,1); } </script>
<!---->
<link
href='http://fonts.googleapis.com/css?family=Raleway:400,200,100,300,500,600,700,
800,900' rel='stylesheet' type='text/css'>
<link
href='http://fonts.googleapis.com/css?family=Open+Sans+Condensed:300,300italic,70
0' rel='stylesheet' type='text/css'>
<link href="css/styles.css" rel="stylesheet">
<!-- animation-effect -->
<link href="css/animate.min.css" rel="stylesheet">
<script src="js/wow.min.js"></script>
<script>
 new WOW().init();
</script>
<!-- //animation-effect -->
    <style type="text/css">
            input[type=number]::-webkit-inner-spin-button, input[type=number]::-
webkit-outer-spin-button
            {
                    -webkit-appearance: none;
                    -moz-appearance: none;
                    appearance: none;
                    margin: 0;
            }
    </style>
</style>
</head>
<body>
<script src='ajax.googleapis.com/ajax/libs/jquery/1.10.2/jquery.min.js'></script>
<!--<script src="m.servedby-buysellads.com/monetization.js"
type="text/javascript"></script>-->
```

```html
<script>
(function(){
    if(typeof _bsa !== 'undefined' && _bsa) {
        // format, zoneKey, segment:value, options
        _bsa.init('flexbar', 'CKYI627U', 'placement:w3layoutscom');
    }
})();
</script>
<script>
(function(){
if(typeof _bsa !== 'undefined' && _bsa) {
    // format, zoneKey, segment:value, options
    _bsa.init('fancybar', 'CKYDL2JN', 'placement:demo');
}
})();
</script>
<script>
(function(){
    if(typeof _bsa !== 'undefined' && _bsa) {
        // format, zoneKey, segment:value, options
        _bsa.init('stickybox', 'CKYI653J', 'placement:w3layoutscom');
    }
})();
</script><script>
  (function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]||function(){
  (i[r].q=i[r].q||[]).push(arguments)},i[r].l=1*new Date();a=s.createElement(o),
  m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,m)
  })(window,document,'script','www.google-analytics.com/analytics.js','ga');
ga('create', 'UA-30027142-1', 'w3layouts.com');
  ga('send', 'pageview');
</script>
<body>
<div class="header head">
    <div class="container">
        <div class="logo animated wow pulse" data-wow-duration="1000ms" data-wow-
delay="500ms">
            <h1><a href="index.php"><span>F</span><img src="images/oo.png"
alt=""><img src="images/oo.png" alt="">dy</a></h1>
        </div>
        <?php require("header_menu.php") ?>
    <div class="clearfix"></div>
    </div>
    <!-- start search-->

</div>
```

```html
<!--content-->
<!---728x90--->
<div class="blog">
    <div class="container">
        <div class="col-md-12">
        <center>
        <div class="leave">
            <h3>Customer Registration</h3>
            <form action="register_code.php" role="form" method="post"
name="cust_login" id="cust_login">
                    <div class="single-grid wow fadeInLeft animated" data-wow-
delay=".5s">
                        <input type="text" id="textbox1" name="name"
placeholder    ="Name" onfocus="this.placeholder='';" onblur="if
(this.placeholder == '') {this.placeholder = 'Name';}" required class="form-
control">
                        <br><br>
                        <input type="email" id="textbox2" name="email"
placeholder  ="E-mail" onfocus="this.placeholder='';" onblur="if
(this.placeholder == '') {this.placeholder = 'E-mail';}" required class="form-
control">
                        <br><br>
                        <input type="number" id="textbox3" name="contactNo"
placeholder="Mobile No." onfocus="this.placeholder='';" onblur="if
(this.placeholder == '') {this.placeholder = 'Mobile No.';}" required
class="form-control" maxlength="10" min="0">
                        <br><br>
                        <input type="password" id="textbox4"
name="confirmPassword" placeholder="Password" onfocus="this.placeholder='';"
onblur="if (this.placeholder == '') {this.placeholder = 'Password';}" required
class="form-control">
                        <br><br>
                        <input type="password" id="textbox5" name="password"
placeholder="Confirm Password" onfocus="this.placeholder='';" onblur="if
(this.placeholder == '') {this.placeholder = 'Confirm Password';}" required
class="form-control">
                        <br><br>
                        <input type="text" id="textbox6" name="address"
placeholder="Address" onfocus="this.placeholder='';" onblur="if (this.placeholder
== '') {this.placeholder = 'Address';}" required class="form-control">
                        <br><br>
                    <label class="hvr-rectangle-out">
                            <input type="submit" value="Register"
style="border-radius: 20px; letter-spacing: 3px">
                    </label>
```

```php
                    </div>
                </form>

                <br><br>
                <h4 class="text-danger text-center" style="font-weight: bolder;">
                <?php
                if(isset($_GET['msg']) && strcmp($_GET['msg'], "User Already
Exists !")==0 or isset($_GET['msg']) && strcmp($_GET['msg'], "Password Doesn't
Match !")==0){
                            echo '<div class="animated wow fadeInUp" data-wow-
duration="1000ms" data-wow-delay=".5s">'.$_GET["msg"].'</div>';
                        ?>
                            <br><br>
                            <label class="hvr-rectangle-out">
                                <a href="login.php" class="btn btn-warning btn-lg wow
animated fadeInLeft" data-wow-delay="1s" data-wow-duration="750ms" style="font-
weight: bolder">Log In</button></a>
                            </label>
                    <?php }
                    elseif(isset($_GET['msg'])){
                        echo '<div class="animated wow fadeInUp" data-wow-
delay="1000ms">'.$_GET["msg"].'</div>';
                    }
                    else;
                    ?>
                    </h4>
                    <script type="text/javascript">
                        document.getElementById('textbox1').style.height="40px";
                        document.getElementById('textbox2').style.height="40px";
                        document.getElementById('textbox3').style.height="40px";
                        document.getElementById('textbox4').style.height="40px";
                        document.getElementById('textbox5').style.height="40px";
                        document.getElementById('textbox6').style.height="40px";
                        document.getElementById('textbox1').style.fontSize="18px";
                        document.getElementById('textbox2').style.fontSize="18px";
                        document.getElementById('textbox3').style.fontSize="18px";
                        document.getElementById('textbox4').style.fontSize="18px";
                        document.getElementById('textbox5').style.fontSize="18px";
                        document.getElementById('textbox6').style.fontSize="18px";
                    </script>
            </div>
            </center>
        <!--content-->
<div class="single">
</div>
```

```html
<!---->
<!--//content-->
</div>
        <div class="clearfix"> </div>
    </div>
</div>
<!--//content-->
<!--footer-->
    <?php require("footer.php") ?>
    <!--//footer-->
</body>
</html>
```