A Simple Protocol for the Inference of RNA Global Pairwise Alignments

Felix Karg

18. Januar 2019

University of Freiburg



Content

 $\mathsf{Loc}\mathsf{ARNA}$

Content

LocARNA

 Extensive Caching (Dynamic Programming) + Pruning

- Extensive Caching (Dynamic Programming) +
 Pruning
- Runtime $O(n^4)$

- Extensive Caching (Dynamic Programming) + Pruning
- Runtime $O(n^4)$
- **Space** $O(n^4)$

- Extensive Caching (Dynamic Programming) + Pruning
- Runtime $O(n^4)$
- Space $O(n^4)$
- Web Interface

- Extensive Caching (Dynamic Programming) + Pruning
- Runtime $O(n^4)$
- Space $O(n^4)$
- Web Interface
- Developed at the University of Freiburg

Where can arcs happen? And how likely are they?


- Where can arcs happen? And how likely are they?
- Building own likely secondary structures

- Where can arcs happen? And how likely are they?
- Building own likely secondary structures
- Aligning between secondary structures


- Where can arcs happen? And how likely are they?
- Building own likely secondary structures
- Aligning between secondary structures
- Using one relative path Matrix

- Where can arcs happen? And how likely are they?
- Building own likely secondary structures
- Aligning between secondary structures
- Using **one** relative path Matrix
- Last: 'looking up' optimal alignment


LocARNA - Where can arcs happen? And how likely are they?




LocARNA - Where can arcs happen? And how likely are they?




LocARNA - Where can arcs happen? And how likely are they?




LocARNA - Where can arcs happen? And how likely are they?




LocARNA - Matrices



LocARNA - Matrices



LocARNA - Matrices




Cases:

Base match

- Base match
- Base insertion

- Base match
- Base insertion
- Base deletion

- Base match
- Base insertion
- Base deletion
- Base **pair** match



LocARNA - **Example**

