PANAMA CANAL V2 · CONNECTION GUIDE

Getting connected

Text through a read-only GitHub mirror, bytes through one S3 bucket, and one page of rules for your agents.

> **FIRST HOUR**
> **1.** Accept the GitHub invite and clone the mirror. **2.** Add the credentials Kyle shares to AWS and rclone. **3.** Download one round and run `verify_round.py`. **4.** Add the rules import to your `CLAUDE.md`.

SECTION 01

What changes

From today you get the project through two channels instead of Google Drive.

WHAT	WHERE	HOW FRESH
Text: notes, scripts, decisions, graphs, the ledger, the rules	GitHub `being-human-studio/panama-console` (read only)	Updated from our repo every 15 minutes
Bytes: delivery rounds, generated-shot masters, your returns	S3 bucket `bh-panama-exchange-610140802195` (us-west-2)	When we publish a round

This replaces the 27 GB repo bundle and the Drive `deliveries/` folder for you. Both stay on Drive for now, but they are no longer the source.

SECTION 02

Credentials

Kyle sends two credential blocks through a password-manager share. Do not paste them anywhere else.

KEY	FOR	CAN DO
`panama-brynley`	binc-PC	List the bucket. Read `rounds/`, `masters/`, `plates/`, `returns/`. Write `returns/` only. Delete nothing.
`panama-pod`	The RunPod pod (Lucas sets it up)	The same as yours, as a separate key, so one can be revoked without the other
`panama-lucas`	Lucas's own machine	Read only: `rounds/`, `masters/`, `plates/`, `returns/`. No write.

Each block contains a ready `[panama]` section for `~/.aws/credentials` and one for `~/.config/rclone/rclone.conf`.

SECTION 03

The text mirror

1. Accept the GitHub invitation for `being-human-studio/panama-console` (Brynley: `bincvfx`, already active; Lucas: `bcdevlucas`, invited 28 Oct).
2. Clone it: `git clone https://github.com/being-human-studio/panama-console.git ~/panama-console`
3. Keep it current every 15 minutes (cron on binc-PC): `*/15 * * * * git -C $HOME/panama-console pull --ff-only -q`
4. It is read only for you. Never commit to it; the next export would overwrite your change.

The mirror holds `START-HERE.md`, `AGENTS.md`, every shot's notes, `decisions/`, the scripts and the cost ledger. It holds no media.

SECTION 04

Delivery rounds

Rounds sit under `rounds/<round>/`, exactly as the folders you had on Drive. Available now (the three rounds already sent to you on Drive):

ROUND	SHOTS
`brynley-comfy-2026-10-20`	archival-071, cgi-042, creature-266
`brynley-comfy-2026-10-22`	archival-071, cgi-042, creature-266
`brynley-comfy-2026-10-23`	archival-085, archival-102, archival-103, archival-104, archival-123

List and download:

```
rclone lsd panama:bh-panama-exchange-610140802195/rounds/
rclone copy --transfers 8 \
  panama:bh-panama-exchange-610140802195/rounds/brynley-comfy-2026-10-23 \
  ~/panama-rounds/brynley-comfy-2026-10-23
```

Then verify before anything reads it:

```
python3 ~/panama-console/scripts/panama-gen/migration/verify_round.py \
  ~/panama-rounds/brynley-comfy-2026-10-23
```

It checks every file against the round's `MANIFEST.json` (sha256 and size) and prints `OK` or the exact failures.

SECTION 05

Generated-shot masters

Every generated shot's approved outputs (masters, chain elements, proxies, stereo where it exists) are in the bucket under `masters/`, laid out exactly like the repo below the film folder. A path a graph names as `shots/<shot>/05-outputs/…` is the key `masters/shots/<shot>/05-outputs/…`. 28 shots so far (about 33 GB); more appear as shots are approved.

```
rclone copy --transfers 8 \
  panama:bh-panama-exchange-610140802195/masters/shots/archival-123 \
  ~/panama-masters/shots/archival-123
```

Corrosion and new-footage plates are not on S3: you already hold them.

SECTION 06

Claude Code on binc-PC

Rules. Add one line to your operator's `CLAUDE.md`:

```
@~/panama-console/docs/PARTNER-AGENT-RULES.md
```

That file is one page: shot ids, read-only rounds, refusal instead of guessing, colour and bit depth, returns. Do not import our whole `AGENTS.md`. It is written for our own sessions, and loading it would add to the confusion you described.

Project lookup (`panama` MCP, read only). Your agent can ask about any shot, graph, note or round:

```
cd ~/panama-console/tools/panama-mcp && bun install
claude mcp add panama \
  -e PANAMA_REPO=$HOME/panama-console \
  -e PANAMA_DELIVERIES=$HOME/panama-rounds \
  -- bun run $HOME/panama-console/tools/panama-mcp/server.ts
```

Live console (`panama-console` MCP). Shot stages and step reporting. Follow `~/panama-console/docs/MCP-CONNECT-GUIDE-BRYNLEY.md`: sign in at the console, create a key on `/connect`, run the command it shows.

SECTION 07

Returns

Write each finished job to `returns/<round>/<shot>/`, with a `RETURN-MANIFEST.json` in the `bh-return-1` format. Template: `~/panama-console/scripts/panama-gen/delivery-templates/RETURN-MANIFEST.example.json`.

```
rclone copy ./out/creature-266 \
  panama:bh-panama-exchange-610140802195/returns/brynley-comfy-2026-10-20/creature-266/
```

We ingest with `scripts/panama-gen/ingest-brynley-return.py`, which checks every hash against your manifest. Your keys cannot delete. If you upload something by mistake, upload the corrected file over it (the bucket keeps the previous version for 14 days) and tell Kyle.

SECTION 08

New-footage plates

Not uploaded yet. The format is still open: DPX as delivered (543 GB, 53 MB a frame) or a smaller format that keeps 16 bits. They will appear under `plates/` once we agree it with you.

SECTION 09

Please send back to Kyle

1. "Accepted" for the GitHub invite, and the `OK` line from `verify_round.py` on one round.
2. One run where your agent got confused: the manifest it read and what it did.
3. Your corrosion folder numbers mapped to our ids (your 111 and 159 against our corrosion-060 and corrosion-157).
4. Which `comfy-mcp` package you run.
5. Whether the DPX you purged on 24 Oct included anything that was the only copy of a return we have not received.