BLUE FAIRY DEVELOPMENT

BlueFairy Recipes

Recipes, filterable archives, writer pages and Recipe rich results for WordPress

Version 1.0.0 · GPL-2.0-or-later · WordPress 6.7+ · PHP 8.1+
bluefairydevelopment.com

BlueFairy Recipes — Features Guide

What BlueFairy Recipes 1.0.0 does, setting by setting and page by page. The names, defaults, limits, roles and hooks quoted here are checked against the code by the plugin's own test suite (`tests/Unit/DocsTest.php`), so a renamed setting or a changed limit fails the build until this guide follows.

Recipes

Garden Vegetable Soup

By Sam Sample October 28, 2026


Prep 15 min **Cook** 35 min **Total** 50 min **Servings** 6

Meal Type: Lunch

Diet: Vegan

Season: Summer

Cuisine: Mediterranean



A big pot of soup from whatever the garden gives: leeks, carrots, courgettes and beans in a tomato broth.

It keeps for three days and freezes well. Add the greens at the end so they stay bright.


Ingredients

- **2 tbsp** olive oil
- **2** leeks, sliced
- **3** carrots, diced
- **2** courgettes, diced

- **1 can** cannellini beans, drained
- **1 can** chopped tomatoes
- **1.2 l** vegetable stock
- **2 handfuls** spinach or chard

Method

A recipe page: writer, timings, servings, filter tags, photo and ingredients



The recipe editor: Ingredients, Steps and Nutrition panels

A recipe is a post of type `bfrc_recipe`, edited in the block editor. The post title, content (introduction), excerpt (short description), featured image (recipe photo) and author (writer) are WordPress's own. The recipe fields:

Field	Values	Notes
Media type	Image or Video	default Image
Video URL	a YouTube or Vimeo video URL (an unlisted Vimeo link keeps its hash)	any other URL is not stored; the stored value is the canonical watch URL
Prep time, Cook time	whole minutes, 0–6000	0 = not shown
Servings min, Servings max	0–999	
Featured	yes/no	
Ingredients	up to 200 rows of measure (≤ 64 characters) and label (≤ 255)	a row without a label is dropped
Steps	up to 200 numbered steps	post-safe HTML allowed
Nutrition	calories (kcal), fat, saturated fat, carbohydrates, sugar, fiber, protein (g), sodium (mg)	numbers up to 100,000 with two decimals; `12,5` is read as 12.5 but `1,200` is refused as ambiguous; an empty field is not shown
Servings		max is never below min: on save, a minimum above the maximum raises the maximum (the panel shows what you typed until the page reloads); through the REST API whichever value was written last wins and the other follows

Editing a recipe

The recipe fields are edited in five panels on the recipe screen, in both the block editor and the classic editor: **Recipe Details** (times, servings, Featured), **Recipe Video** (photo or video, and the video URL), **Ingredients**, **Steps** and **Nutrition**. Ingredient and step rows can be added, removed, moved with the arrow buttons or dragged by their handle into order; a recipe can hold up to 200 of each, and a new recipe starts with one blank row so it can be filled even without JavaScript. Servings are checked together as you typed them when the recipe is saved: a minimum above the maximum raises the maximum, and the panel shows your value until the page reloads. Times and servings are whole numbers; a decimal is rounded down. A video URL that is not a YouTube or Vimeo video is not saved: the block editor shows a warning under the field as soon as the save finishes, the classic editor shows it after the page reloads, and either way the warning names the URL that was refused. Fields are saved only by the recipe form itself: a quick edit, an autosave or a request that did not post the panels never clears them, and a panel that did not reach the server in full keeps its previous values. **Featured** is a curation flag: Recipe Managers and Administrators set it, and Editors while the "grant core roles" setting is on (in the panel, by bulk action, or through the REST API); writers see it read-only, their saves never change it, and restoring an older revision never changes it either. In the block editor the panels keep showing what you typed until the page is reloaded, even where the server rounded or clamped a value; the video URL is the one field checked back straight after saving.

Very long recipes: a web server accepts a limited number of form fields per request (PHP's `max_input_vars`, usually 1000). A recipe of 200 ingredients and 200 steps fits within that default; the

editor warns before the form outgrows the limit, and a panel that was cut off keeps its previous values instead of being emptied.

The Recipes list

The list shows the photo, prep and cook time, servings and a featured star for each recipe, plus a column for every filter type. Above the list you can filter by any filter type that has terms and by featured or not, and sort by the Featured column (recipes that were never marked sort as not featured). Curators get two bulk actions, **Mark featured** and **Unmark featured**, which apply to the recipes they may edit and report how many recipes actually changed.

Writer profiles

Every user who can edit recipes has a **Recipe writer profile** section on their profile screen: a profile photo and a header image from the media library (shown to users who may upload files), an About paragraph (basic formatting kept, up to 5000 characters), a website and YouTube, Facebook, Instagram and Snapchat links (http or https with a host; anything else is cleared), and **List this writer on the public writers page**, which is on by default for the Recipe Writer role and off for everyone else. Only an image you uploaded yourself, or may edit, is accepted as a photo; any other choice keeps the previous image. Only someone who may edit that user can save the section.

On the site

- **Recipe archive** at `/{archive slug}/` (default `/recipes/`): a card grid (photo, title, prep and cook time, servings, writer, short description) with a filter panel above it: one dropdown per filter type that has terms, a title keyword search, Filter, and Reset once something is filtered. A changed dropdown or a pause in typing applies the filters after a moment and puts the keyboard focus back on the control you used; the Filter button applies them at once, and the form works without JavaScript. A writer's own page lists all their recipes and takes no filters. A password-protected recipe's card shows its title, photo and writer only. Pages follow your "Recipes per page" setting. Each filter type also has its own page, `/recipes/meal-type/dinner/` and so on, with the same panel.
- **Recipe page**: title, writer and date, timings and servings, the filter-type tags, the photo or the embedded video (YouTube or Vimeo, loaded without cookies), the short description, your text, Ingredients, Method, Nutrition (per serving; only the values you entered), share buttons (Facebook, X, Pinterest with the recipe photo) and a Print button. The print layout keeps the recipe, its title and timings, and drops the site's header, footer, navigation, filters and buttons. A password-protected recipe shows the password form and nothing else until it is unlocked.
- **Writer pages**: `/recipes/chef/` lists every public writer (name order, 24 per page, photo or Gravatar, recipe count, a line of their About text); `/recipes/chef/{nicename}/` (the user's URL name, normally their username) shows a writer's header image, photo, About, links and their recipes, with a feed at `/recipes/chef/{nicename}/feed/`. Each page names its own canonical address, and the query-string spellings of the same page redirect to it (with Yoast, Rank Math or All in One SEO active, the plugin hands that address to the SEO plugin's canonical instead of printing a second one; another SEO plugin that prints its own canonical on these pages should take the writer URL from the plugin, `Templates::canonical_url()`, and may return an empty string from `bfrc_writer_canonical` to silence the plugin's own tag). A writer has a public page only when they are listed (Recipe Writers by default; anyone else by switching it on in their profile) and have at least one published recipe. Everyone else's writer URL is a 404, and their recipes show the name without a

link. "Browse recipe writers" appears on the archive while the listing is on. Note that a listed writer's display name and username appear in public URLs, as on any WordPress author page, and that switching the listing off hides a writer from these pages and from the users sitemap, not from WordPress's own author archive.

- **Themes**: block themes get three templates (Single Recipe, Recipes Archive, Recipe Writers) you can arrange in the Site Editor; the recipe block inside them renders on the site and, on WordPress 7.0 or newer, previews in the editor: the Single Recipe template previews your newest published recipe that has no password (or a short note until one is published), the Recipes Archive template previews the filter panel and a grid of your newest recipes, both styled as on the site (older WordPress versions show a placeholder: leave it in place). The writer pages use the Recipe Writers template, which previews the writers list, so a theme's own recipes-archive template never catches them. Classic themes get the plugin's templates, which you can override by copying them to `{your theme}/bluefairy-recipes/single-recipe.php` or `archive-recipe.php`, or by shipping your own `single-bfrc_recipe.php` / `archive-bfrc_recipe.php` (the writer pages use the plugin's archive template, or your `bluefairy-recipes/archive-recipe.php`). Inserting the Single Recipe or Recipes Archive block into a recipe's own text renders nothing there, and in the post editor it shows a note saying so instead of another recipe's page or a grid. A password-protected recipe keeps its ingredients, method and nutrition out of the REST API as well as off the page until it is unlocked.
- With the plugin **disabled**, every recipe URL, filter-type page and writer page is a 404.

Filter types (taxonomies)

Recipes

Browse recipe writers

Meal Type: All Meal Types | Diet: All Diets | Season: All Seasons

Cuisine: All Cuisines | Search by title: Recipe title | Filter


Summer Tomato Bruschetta

Prep 10 min **Cook** 5 min

Servings 4–6

By Alex Morgan

Ripe cherry tomatoes and basil on garlic-rubbed sourdough toast. Ready in fifteen minutes.




Blueberry Oat Pancakes

Prep 10 min **Cook** 20 min


Servings 3–4

By Sam Sample

Thick, fluffy pancakes with oats in the batter and blueberries dropped onto each one as it cooks.



Garden Vegetable Soup



Lemon Herb Roast



The recipe archive with one filter per filter type and a title search

Recipes are browsed by four filter types, each a taxonomy under the recipe archive:


Filter type	Taxonomy	URL	Starter terms (seeded once, on activation, only into an empty taxonomy)
Meal Types	`bfrc_meal_type`	`/recipes/meal-type/…`	Breakfast, Lunch, Dinner, Dessert, Snack
Diets	`bfrc_diet`	`/recipes/diet/…`	Vegetarian, Vegan, Gluten-Free, Dairy-Free
Seasons	`bfrc_season`	`/recipes/season/…`	Spring, Summer, Autumn, Winter
Cuisines	`bfrc_cuisine`	`/recipes/cuisine/…`	Italian, Mexican, Asian, American, Mediterranean

Each can be switched off and reordered in Settings. A switched-off filter type keeps its terms, its admin screen and its column in the Recipes list, but has no public archive, no select in the filter form and no filter on the plugin's REST endpoint; its terms stay readable through WordPress's own taxonomy route (`/wp/v2/bfrc_season`), which the recipe editor's taxonomy panel uses. The Recipe Manager role manages terms; writers assign them. A filter type's name may not be a route under the archive (`chef` , `page` , a feed name).

SEO

Every recipe page with a photo carries Recipe JSON-LD for Google (name, image, writer, dates, description, times, servings, meal types, cuisines, keywords, diets, ingredients, steps, nutrition, and the video for a video recipe), unless Rich snippets is off or the recipe is password-protected. A recipe without a photo gets none: Google requires an image. Recipes and the filter-type pages are in the site's sitemap while the plugin is enabled.

Settings




Recipes → Settings, General tab

Stored in one option, `bfrc_settings`, edited at Recipes → Settings (General, Listing, Writers and Data tabs; the Pro add-on adds its own). The values below are the defaults the plugin installs.

Setting	Default	Notes
Enabled	On	Off: recipes, the archive and the filter archives return 404 (previews too; with pretty permalinks), recipes leave search, the sitemap and the public REST API; the admin and the editor keep working
Rich snippets	On	
Archive slug	`recipes`	Changing it flushes rewrite rules on the next page load. Routes WordPress owns (`feed` , `page` , `wp-json` , a year, …) are refused
Archive title	Recipes	
Recipes per page	12	1–100
Social share	On	Facebook, X and Pinterest each have their own switch
Writer listing	On	
Grant core roles	On	Authors can write recipes and Editors can manage them; turning it off takes those capabilities back. Administrators can always do everything
Delete all data on uninstall	Off	
Sample recipes	not installed	The Data tab installs three sample recipes (drafts, with illustrative placeholder images) by a sample writer, and removes them again. Installing creates the writer account, so it needs the right to create users (a leftover sample writer account from an earlier install is reused; an account with that name that is not the plugin's own is refused); removing deletes it (unless you renamed or promoted it), so it needs the right to delete users (on a network, to remove users), and it deletes the sample recipes permanently even if you edited or published them. Deleting all data on uninstall removes the sample images and the account too (unless you renamed or promoted it)

The settings live at Recipes → Settings in four tabs (General, Listing, Writers, Data). Each tab saves on its own. The General tab also switches each filter type on or off and orders them. The plugins row carries a Settings link and a "Get Pro" link; the Get Pro link and a note at the foot of the settings page name what BlueFairy Recipes Pro adds, and both disappear when the add-on is active.

Roles



A writer page: profile, About text and the writer's recipes

Role	Can
Recipe Writer (`bfrc_writer`)	create, edit, publish and delete their own recipes; assign terms; upload files
Recipe Manager (`bfrc_recipe_manager`)	everything a writer can, for every recipe; manage the recipe taxonomies; change settings

Administrators can always change settings.

Blocks and shortcodes

Block	Shortcode	What it shows
Recipe List	`[bfrc_recipes per_page="12" show_filters="1" show_pagination="1" diet="vegan"]`	A page of recipes with the filter form and pagination. Recipes per page 0 (or absent) uses the setting. A fixed filter (one attribute per filter type: `meal_type`, `diet`, `season`, `cuisine`, …) narrows the list and removes that select from the form. Changing a filter, or pausing while typing, updates the list without a reload (600 ms); the page's address follows, so a reload or a shared link opens the same list. Without JavaScript the form and the page links work as plain links
Recipe Filters	—	The filter form alone, for a Recipe List block placed elsewhere on the page (set that list's "Show the filter form" off). A select for a filter type that list fixes hides itself once the page scripts run
Featured Recipes	`[bfrc_featured title="Featured recipes" mode="featured" count="4"]`	The featured recipes, or with `mode="recent"` the newest ones, 1 to 12 cards. Shows nothing when there is nothing to show
Recipe Card	—	One recipe as a card, chosen by title in the block settings
Recipe Writers (template)	`[bfrc_writers]`	The writers listing; on a page it is paged by `?bfrc_page=N` of that page

A shortcode renders exactly the markup of its block (less the block's wrapper element). One list per page is the one the filters update without a reload: the first rendered, which is a Recipe List block before any `[bfrc_recipes]` shortcode in the same content, whatever their order on the page; another list shows the page's address with a plain form and plain links. A Recipe Filters block placed above the list it drives hides a fixed filter's select only once the page scripts run; place it after the list, or use the list's own form, if visitors without JavaScript matter. The browser's Back button does not step through filter changes (the address is updated in place). A list on page 2 or later of a post split with "Page break" is not supported. A password-protected recipe is a locked card (title, photo, writer) in every list.

REST API

`GET /wp-json/bfrc/v1/recipes` is public and read-only. Arguments: `s` (title keyword, up to 100 characters), `page` (1–1000), `per_page` (1–100; 101 is refused), `filter[diet]=vegan` (one term slug per filter type; any other key under `filter`, such as `filter[page]`, is refused). Each item carries `id`, `title`, `url`, `thumb`, `writer`, `times`, `excerpt` and `html` (the card). Totals are in the `X-WP-Total` and `X-WP-TotalPages` headers. Anonymous responses may be cached for 60 seconds. While the plugin is disabled the list is empty.

Extending

Hook	Kind	Purpose
`bfrc_loaded`	action	Fired once the settings exist and before the content model is wired; the Pro add-on attaches its filters here
`bfrc_booted`	action	Fired after every subsystem is wired
`bfrc_is_pro`	filter	Return true when a Pro add-on is running
`bfrc_filter_taxonomies`	filter	Add filter types (code ⇒ label, singular, sort order)
`bfrc_ingredient_types`	filter	Add ingredient row types beyond `plain`
`bfrc_ingredient_row_fields`	filter	Extra fields, with sanitisers, for an ingredient row type
`bfrc_reserved_slugs`	filter	More recipe slugs to refuse
`bfrc_recipe_meta_boxes`	action	Add your own panels to the recipe edit screen (receives the post)
`bfrc_ingredient_type_labels`	filter	Name your ingredient row types in the editor
`bfrc_ingredient_row_field_labels`	filter	Label the extra fields of an ingredient row type
`bfrc_recipe_saved`	action	The recipe form was saved; receives the post id and every value written
`bfrc_schema_data`	filter	The Recipe JSON-LD before it is printed (add `aggregateRating`, say)
`bfrc_settings_tabs`	filter	Add a settings tab (label and a render callback)
`bfrc_settings_page_footer`	action	Print below the settings form, on every tab
`bfrc_settings_saved`	action	A settings tab was saved; receives the stored settings and the raw form values
`bfrc_admin_menu_items`	filter	Add submenus under Recipes
`bfrc_archive_query`	action	The public recipe list query, after per-page, search and filters are applied
`bfrc_list_query_args`	filter	The query arguments of a list that is not the archive page: the REST endpoint, the Recipe List block, `[bfrc_recipes]` (receives the arguments, the normalised request and the context)
`bfrc_ingredient_label_html`	filter	The label markup of one ingredient row on the recipe page
`bfrc_render_ingredient_actions`	action	After the ingredient list on the recipe page
`bfrc_single_after_steps`	action	After the method (also when a recipe has no steps)
`bfrc_single_after_nutrition`	action	After the nutrition facts (also when there are none)
`bfrc_single_footer`	action	At the end of the recipe page

Hook	Kind	Purpose
`bfrc_writer_canonical`	filter	The canonical address of a writer page or the writers listing before it is printed (an empty string prints none) or, with Yoast, Rank Math or All in One SEO active, before it is handed to that plugin (an empty string hands the SEO plugin its own value back)

The four recipe-page actions (`bfrc_render_ingredient_actions` , `bfrc_single_after_steps` , `bfrc_single_after_nutrition` , `bfrc_single_footer`) receive the recipe id; whatever the callback prints is placed at that point of the page.

Differences from the Magento extension

BlueFairy Recipes is the WordPress half of the same product as the BlueFairy Recipes extension for Magento 2. The two share the recipe model, the four filter types, writer pages, Recipe JSON-LD, sharing and the featured block. Where WordPress already does the job, the plugin leaves it to WordPress:

- **No "Show in navigation menu" setting.** WordPress menus belong to you: add the recipe archive to a Navigation block with a custom link to `/recipes/` (or your archive slug); a theme with a menu screen also lists a "Recipe Archives" item under Appearance → Menus → Recipes once a recipe is published.
- **No ".html" URL postfix setting.** The archive slug is configurable (default `recipes`); recipe addresses follow WordPress's permalink structure, and WordPress's own old-slug redirect takes over the 301 a changed URL key needed in Magento.
- **No per-recipe meta title, meta description or meta keywords fields.** An SEO plugin owns the page head; without one, a recipe gets WordPress's own title tag (recipe title and site name) and nothing more. The Recipe JSON-LD is printed by the plugin either way.
- **Writer "Name" and "Nickname" are the WordPress display name**, and the writer "Info text colour" is left to the theme. There is no "Admin user" link on a writer: a writer is a user.
- **No images on filter options** (the Magento storefront did not render them either) and **no recipe-to-product sort order** (the Pro add-on's product links render in the order they were linked).
- **No Instagram share button.** Instagram has no web share address; the Magento toggle rendered a profile link, not a share. A writer's own Instagram link stays on their profile.
- **No store-view scope.** On a multisite network each site is its own recipe site, with its own settings and recipes: network-activate the plugin or activate it on each site that needs it, and a site created later is set up on its own.