

Def. Let X_i ($i \in I$) be Topological spaces with Topology $\mathcal{A}_i$, respectively.
 Define a product subbasis on $\prod_{i \in I} X_i$ as:

$$S_p := \{ p_i^{-1}[U_i] \mid i \in I, U_i \in \mathcal{A}_i \}$$

The Topology $\mathcal{A}_p$ generated by S_p is called a Product Topology on $\prod_{i \in I} X_i$.

Clearly, the product Topology is the smallest Topology s.t. all Projections are Continuous.
 Moreover, on the Product Space, all Projections are Continuous open onto map.

Thm. Let X, Y_i ($i \in I$) be Topological Spaces. Define a map

$$f: X \rightarrow \prod_{i \in I} Y_i : x \mapsto (f_i(x))_{i \in I} \quad \text{where } f_i: X \rightarrow Y_i$$

Then, f is Continuous if and only if for all $i \in I$, f_i is Continuous.

Proof If f is continuous, then $f_i = p_i \circ f$ is continuous, being composition of Continuous.
 Conversely, let $B \in \beta_p$ be an base element of $\mathcal{A}_p$. Then, by definition,

$$B = \bigcap_{i=1}^n p_i^{-1}[U_i] \quad \text{for some } U_i \in \mathcal{A}_i, i=1, \dots, n.$$

Now,

$$f^{-1}[B] = f^{-1}\left[\bigcap_{i=1}^n p_i^{-1}[U_i]\right] = \bigcap_{i=1}^n (f^{-1} \circ p_i^{-1})[U_i] = \bigcap_{i=1}^n (p_i \circ f)^{-1}[U_i] = \bigcap_{i=1}^n f_i^{-1}[U_i].$$

□

Thm. Let X_i ($i \in I$) be Topological spaces, $A_i \subset X_i$. Then

$$1) \overline{\prod_{i \in I} A_i} = \prod_{i \in I} \overline{A_i}$$

$$2) \left(\prod_{i \in I} A_i \right)^{\circ} \subseteq \prod_{i \in I} A_i^{\circ}, \text{ the equality holds when the product is finite.}$$

$$\text{Proof. } (x_i) \in \overline{\prod_{i \in I} A_i} \Leftrightarrow \forall \mathcal{U} \in \beta_p \text{ with } (x_i) \in \mathcal{U}, \mathcal{U} \cap \prod_{i \in I} A_i \neq \emptyset$$

$$\Leftrightarrow \forall \mathcal{U} \in \beta_p \text{ with } (x_i) \in \mathcal{U}, \prod_{i \in I} \pi_i[\mathcal{U}] \cap \prod_{i \in I} A_i = \prod_{i \in I} \pi_i[\mathcal{U}] \cap A_i \neq \emptyset$$

$$\Leftrightarrow \forall i \in I, \forall \mathcal{U}_i \in \beta_i \text{ with } x_i \in \mathcal{U}_i, \mathcal{U}_i \cap A_i \neq \emptyset$$

$$\Leftrightarrow (x_i) \in \prod_{i \in I} \overline{A_i}$$

(I finite)

$$(x_i) \in \left(\prod_{i \in I} A_i \right)^{\circ} \stackrel{(*)}{\Leftrightarrow} \exists \mathcal{U} \in \beta_p \text{ s.t. } (x_i) \in \mathcal{U} \subseteq \prod_{i \in I} A_i$$

$$\Leftrightarrow \forall i \in I, x_i \in \pi_i[\mathcal{U}] \subseteq A_i$$

$$\Leftrightarrow \forall i \in I, x_i \in A_i^{\circ}.$$

But, if I is Not finite, $(*)$ is broke.