COMPENDIUM
OF LESSER KNOWN HOMEOPATHIC MEDICINES



From

BOERICKE'S NEW MANUAL OF HOMOEOPATHIC MATERIA MEDICA
WITH REPERTORY

Written by

Dr. Meghna Bisaria

Dr. Pragya Sharma

Guided by

Dr. Ashwini Nair

COMPENDIUM

of

LESSER KNOWN HOMOEOPATHIC MEDICINES

from

BOERICKE'S NEW MANUAL

OF

HOMOEOPATHIC MATERIA MEDICA

WITH REPERTORY

Written by

Dr. Meghna Bisaria

BHMS, PG Scholar, MD Batch-2020
Department of Homoeopathic
Materia Medica
Bakson Homoeopathic Medical
College and Hospital
meghnabisaria94@gmail.com

Dr. Pragya Sharma

BHMS, PG Scholar, MD Batch-2020
Department of Homoeopathic
Materia Medica
Bakson Homoeopathic Medical
College and Hospital
pragsharma21@gmail.com

Guided by

Prof. (Dr.) Ashwini Nair

DHMS, DI Hom (London), NAHI, MD (Hom)
HOD, Department of Homoeopathic Materia Medica,
Post Graduate Incharge, Member Secretary Institutional Ethics Committee
Bakson Homoeopathic Medical College and Hospital
ashraj1974@gmail.com

Compendium of Lesser Known Homoeopathic Medicines from Boericke's New Manual of Homoeopathic Materia Medica with Repertory

E-book: 2024

Note: *No part of this book may be reproduced or transmitted in any form or by any means without the prior permission of all the authors.*

Published by

Bakson Homoeopathic Medical College and Hospital
Greater Noida, Uttar Pradesh, India
Website: https://baksonhmc.com/ebook/

ACKNOWLEDGEMENT

This is a great opportunity to express our gratitude to all those who have encouraged and inspired us in accomplishment of this significant work. First and foremost, we thank **almighty God** for the wisdom he bestowed upon us, the strength, peace of mind and good health in order to finish this work.

We would like to pay our tribute to **Dr. C.F.S. Hahnemann** & **William Boericke** for sharing their knowledge and experiences to the world for the benefit of the suffering humanity.

We express our sincerest gratitude to **Dr. S.P.S. Bakshi**, CMD of Bakson Group, for his blessings and efforts for the promotion of Homoeopathy, uplifting & motivating budding Homoeopaths.

We are incredibly grateful to **Dr. Bindu Sharma**, Editor in Chief-Homoeopathic Links, Former Assistant Director-CCRH, who has critically analyzed and appraised this work and her expertise and wisdom have been indispensable in shaping the outcome of this work.

We also express our heartfelt gratitude to **Dr. Divya Taneja**, Reaearch Officer (Homoeopathy), Central council for Research in Homoeopathy, New Delhi, whose invaluable guidance and feedback helped us flawlessly to proceed & complete this work.

Also, we like to acknowledge **Dr. C.P. Sharma**, Principal, Bakson Homoeopathic Medical College and Hospital, for fostering an environment of learning within our college.

This endeavor would not have been possible without the unwavering guidance and significant support of our guide **Prof. (Dr.) Ashwini Nair,** HOD, Department of Homoeopathic Materia Medica, Bakson Homoeopathic Medical College and Hospital, who took keen interest in shaping this work and guided us all along till its completion. She was always active and helpful in getting the resources which we needed to publish this work.

A special thanks to **Mr. Akash Bhardwaj**, Head of Software & Website designing company, Code Sparrow, for his contribution in designing the cover of this e-book.

Lastly, words are not sufficient to express our deepest gratitude to our cherished **family members** for supporting us, without their encouragement and support we would have not reached this stage. We are extremely grateful to our **parents and siblings** for their valuable advice and guidance, in choosing the right profession and inspiration at every stage of our educational career.

~ By the author's pen

FROM THE DESK OF

Dr. S.P.S. Bakshi

D.H.M.S.

Former President:
- Central Council of Homoeopathy
- Homoeopathic Medical Association of India

CMD, Bakson Group

Former Vice Chairman:
Board of Homoeopathic System of Medicine

FOREWORD

Dr. S.P.S. Bakshi
CMD, Bakson Group

I extend my heartfelt congratulations to the authors for their pioneering efforts in launching the first e-book on behalf of Bakson Homoeopathic Medical College and Hospital, hosted on Bakson's website. This initiative represents a visionary step, as it brings together the contents of William Boericke's Lesser Known Remedies of Homoeopathic Materia Medica along with a comprehensive analysis for future research.

As a clinical researcher, I find this book particularly valuable. Its innovative organization of numerous Lesser Known Medicines and their indications in one place simplifies understanding and facilitates further exploration. The broader scope of research on Materia Medica will undoubtedly benefit clinicians, researchers, PhD scholars, and postgraduate students alike.

May this work contribute significantly to the advancement of the profession.

My best wishes and blessings to all the authors for their future accomplishments.

Dr. S.P.S. Bakshi

BAKSON

Bakson Drugs & Pharmaceuticals Pvt. Ltd.
Works:
Unit-I: Shillu Kala, Parwanoo-173 220 (HP) INDIA
Ph.: 01792-280032
www.buybakson.com

Unit-II: Plot No.6, Sec.-1, Distt. Solan Parwanoo-173 220 (HP) INDIA

Unit-II: Vill. Chouli Shahbuddinpur Pargana Bhagwanpur, The. Roorkee - 247 667 Distt. Haridwar, INDIA

Corporate Office:
A-51, South Extension,
New Delhi - 110049.
Ph.: 011-41646562, 41647156
Email : drbakshi@bakson.net

Dr. Bakshi Bakson's Homoeopathy
Delhi: South Extension, Dwarka, Hargobind Enclave, Janakpuri, Patel Nagar, Pitampura, Shakti Nagar
NCR: Noida, **Ghaziabad** - Indirapuram, Raj Nagar
Gurugram: MG Road & Sohna Road
Haryana: Panipat, Sonipat & Faridabad
Bangalore: Indira Nagar, Jaya Nagar, **Rajasthan:** Jaipur
www.baksonshomoeopathy.com

Bakson Homoeopathic Medical College & Hospital
Bakson Multispeciality Hospital (Allopathy)
Plot No. 36 B, Knowledge Park, Ph.-I
Greater Noida - 201306 (UP)
Gautam Budh Nagar. Ph. 0120-2321369 70
e-mail: college@bakson.net
www.baksonhmc.com

FOREWORD

Dr Bindu Sharma, MD (Hom)
Editor in Chief, Homoeopathic Links
Former Assistant Director,
Central Council for Research in Homoeopathy
Under Ministry of AYUSH
New Delhi, India

In the vast and intricate world of homoeopathic medicine, the quest for healing transcends the boundaries of the known and ventures into the realms of the lesser explored. It is with great pleasure and a profound sense of responsibility that we present this compilation, focusing on the lesser-known homoeopathic medicines from Boericke's Materia Medica. This endeavor seeks not only to shed light on the hidden gems within William Boericke's monumental work but also to bridge the gap between historical wisdom and contemporary therapeutic needs.

William Boericke's Materia Medica has long been a cornerstone for practitioners and students of homoeopathy. Within its pages lies a wealth of knowledge, a testament to the depth and breadth of homoeopathic science. However, amidst the well-trodden paths of frequently used remedies, there exist lesser-known medicines whose potential and applications have yet to be fully explored and integrated into daily practice. This compilation aims to bring these overlooked remedies to the forefront, offering new avenues for healing and understanding.

Each entry in this compilation has been meticulously selected and researched, ensuring that practitioners and enthusiasts alike are provided with a comprehensive and insightful look into the potentials of these lesser-known substances. By diving deep into Boericke's Materia Medica, we have endeavored to bring forth the essence and nuances of each remedy, hoping to inspire a renewed appreciation and curiosity within the homoeopathic community.

As we journey together through the pages of this compilation, let us approach with an open mind and a willing heart. May this work serve as a beacon, guiding us towards broader horizons in our practice and study of Homoeopathy. Let us honor the legacy of William Boericke by continuing to explore, learn, and heal, keeping alive the spirit of innovation and compassion that is at the heart of homoeopathic medicine.

I extend deepest gratitude to the scholars whose tireless efforts have made this compilation possible. Their dedication to uncovering and documenting the therapeutic potential of these lesser-known medicines is a true service to the field of homoeopathy.

In the spirit of discovery and healing, we invite you to delve into the pages that follow, ready to explore the rich tapestry of remedies that await. Together, let us expand the boundaries of our knowledge and practice, embracing the full spectrum of healing possibilities that homoeopathy has to offer.

With warm regards,

Dr Bindu Sharma March 1, 2024

FOREWORD

Dr. C.P. Sharma
Principal – Professor
Bakson Homoeopathic Medical College and Hospital

I offer my hearty commendations to all the authors for their dedicated contributions in shaping this invaluable work for our homoeopathic community. This endeavor sheds light on the Lesser-Known remedies often bypassed, thereby enriching the realm of homoeopathic practice.

This book is an earnest attempt to gather Lesser-Known remedies from the widely referred and esteemed text "Boericke's New Manual of Homoeopathic Materia Medica with Repertory". It is sure to spark a wave of interest among emerging homoeopaths and established practitioners, urging them to incorporate this wisdom into their clinical practice.

I trust that your efforts will be of immense benefit to us all. I eagerly await more such insightful works from the students and faculties of Bakson Homoeopathic Medical College and Hospital.

Best wishes to the authors for their future endeavors.

Dr. C.P. Sharma

PREFACE

This work as its title suggests is a compilation of Lesser Known remedies from **"Boericke's New Manual Of Homoeopathic Materia Medica with Repertory"** – Third revised and augmented edition based on ninth edition.

Research on Homoeopathy is constantly evolving, and compilations such as these can provide researchers new insights and kindle interest in future homoeopaths and researchers, who can then implement in clinical practice.

Homoeopathic Knowledge presented to the profession in the form of this literary document, is an attempt to elaborate the knowledge of Lesser Known Homoeopathic drugs (whose action and efficiency are less known), in a new innovative dimension. This book presents a groundbreaking concept in Materia Medica, a part that has not been thoroughly explored by many readers. Writing this e-book was one of the most challenging and laborious task, as it required seeking out and assembling these remedies in one place.

This work contains a section 'Conspectus of lesser known remedies' which contains **524 lesser known remedies** in total. It will further give a perspective to researchers as well as viewers reading the unexplored aspect of William Boericke's book which will help in conducting research oriented studies in future. Further, in vitro and in vivo researches as well as clinical trials, reproving of drugs or clinical verification to verify old symptoms as well as clinically observed symptoms, etc can be conducted so as to know their range of action and their clinical utility in the practice.

We hope that the presentation of this compilation will allow readers to easily comprehend the various Lesser Known Remedies and their indications in one location and create interest in readers as well.

~ By the author's pen ✐

CONTENTS

Acknowledgement…….. *i*

Foreword……. *ii –v*

Preface……. *vi*

- Introduction to William Boericke…… 1
- Introduction of Homoeopathic Materia Medica by William Boericke… 2-5
- Purpose of this work……. 6
- Conspectus of Lesser Known Medicines…….. 7-80
- Bibliography…….. 81

INTRODUCTION OF WILLIAM BOERICKE[1]



William Boericke was an eminent homoeopath in U.S. who was born on November 26, 1849, in Austria. In 1880, he graduated from the Hahnemann Medical College in Philadelphia. He worked as a Homoeopath for more than fifty years in San Francisco.In 1881, he was Co-founder of the *Pacific Homoeopathic Medical College* of San Francisco and *Hahnemann Hospital*. He was the first Professor of Homoeopathic Materia Medica and Therapeutics in University of California for thirty years. He published *Homoeopathic Materia Medica, in 1901 and* a Repertory was added to the book by his brother Oscar. E. Boericke in 1906. Other Works of Boericke are **Regionals of Boericke** and **Analogy of Pain**. He died due to a massive heart attack at age of 80 years on April 1, 1929.

INTRODUCTION OF HOMOEOPATHIC MATERIA MEDICA BY WILLIAM BOERICKE[2]

Boericke Materia Medica is the most preferred and commonly used book in curriculum as well as referred by students and physicians in regular practice. There are various editions of this book. Information regarding first three editions were found, later editions till ninth edition could not be found.

Editions of Homoeopathic Maeria Medica by William Boericke:

- First edition – 1901
- Second edition by Homoeopathic publishing co. – 1903
- Third edition by Boericke and Runyon, which contained a repertory by William's brother Oscar– 1906
- Ninth edition – 1927.
    - First revised and augmented edition of ninth edition– 1998
    - Second revised & re-augmented edition of ninth edition – 2000
    - 47th impression, third revised and augmented edition of ninth edition – 2021)

❖ This work is based on 'Third revised and augmented edition based on ninth edition'.

❖ This work throws light upon lesser known medicines mentioned under relationship part of medicines rather than just focusing on the preview of the book.

❖ The book begins with Publisher's note to Third Revised and Augmented edition published in January 2007, New Delhi; Preface to the Ninth edition by William Boericke, M.D. (San Francisco, June 1927) and Preface to the Repertory by Oscar E. Boericke, M.D. (Philadelphia, Pa., June, 1927).

❖ The features of this edition are different from those of other editions, which are listed below.

- **Features of 'Third revised and augmented edition based on ninth edition' are:**
  - Well known verified characteristic symptoms of all medicines are contained in this book along with other less important symptoms which helps in the selection of the similimum remedy.
  - All the new medicines and essentials of the published clinical experience of the school have been added.
  - Two fonts are used in this edition i.e. Roman and italics.
  - The author has mentioned clinical tips given by different authors/reliable sources with the references, at the bottom of the page in some remedies.
  - Footnotes are given at the bottom of the page which explain and elaborate the corresponding symptom, along with the name of the source book. For example: In *Abies Canadensis*: Footnote is mentioned as- [1]Feels womb is soft & feeble, as if it would cause an abortion(Clarke- Dictionary of Practical Materia Medica)
  - To maintain the high standard, all abbreviations and remedy names have been derived from the 'Synthesis repertory'.
  - Tinctures are mentioned in this edition.
  - Section on Rare and uncommon remedies are added.
  - Indian drugs are also added with more information.
  - A special section on some commonly used nosodes and sarcodes is also added.
  - Nosological terms in the symptomatology and therapeutic index are also included.
  - A separate index with list of common names of remedies is also given. Details of which is explained below.

- **IF WE SEE THE CONTENTS OF THIS BOOK WE FIND THE FOLLOWING SECTIONS (Along with their page numbers):**
  1. Materia medica (Pharmaceutical or latin names are given) – medicines starting from *Abies canandensis to Zizia aurea*. (Page no. – 1- 604)
  2. Repertory – Chapters are arranged in anatomical order. It has 25 chapters arranged from Mind to modalities. (Page no. – 605-923)

3. Index to the repertory – Number within square brackets shows the page number of repertory. For e.g. Abortion [773]. (Page no. – 925-953)
4. Therapeutic index (Page no. – 955-968)
5. Some Indian drugs– [*Abroma augusta* to *Vernonia anthelmintica*] (Page no. – 969-1003)
6. Some important Nosodes and Sarcodes – [*Aviaire* to *V.A.B.*] (Page no. – 1005-1040)
7. Some important Mother tinctures – [*Abroma augusta* to *Zincum valerianicum*] (Page no. – 1041-1100)
8. Rare and uncommon remedies. [Here, we are not mentioning page nos. as rare remedies mentioned in this work are scattered throughout the book (page no. 1-605)]
9. Relationship of remedies– This is an interesting section in this book which can help the practitioners in second prescription. It is given by Dr. R. Gibson Miller, Glasgow, Scotland.

   The relationship section is given by authorities of different stalwarts which includes:

   - Hering's Guiding Symptoms and Condensed Materia Medica
   - J.T. Kent's Lectures on Materia Medica
   - Guernsey's Key-notes to Materia Medica
   - Boenninghausen's Manual

   This part is presented in a tabular form under six sub-headings.

Remedy	Complementary remedies	Remedies that follows well	Inimicals	Antidotes	Duration

   This is given as a separate section from Page number 1101-1117 and another relationship part is given under each medicine, and our compilation work has been based on this relationship section given under each respective medicine.

10. The sides of the body and drug affinities (From Boenninghausen's Lesser writings) is another interesting section mentioned as follows:
    - The sides of the body(1119 -1130)

- Drug affinities(1131-1137)

The four different kinds of font type used here are in accordance to the Synthesis:

i. Common type like: Agar., Alum., Ang., Ant-t., etc., indicate the lowest degree of action.
ii. *Italics*, such as: *Acon*., *Ammc*., etc. indicate the second degree, which has been pretty thoroughly verified and confirmed by experience.
iii. Bold type, such as: **Ambr., Ammc., Anac.,** etc. indicates the next higher degree of action
iv. Bold capitals such as: **BROM., SEP.,** etc., highest and most distinguished degree.

11. List of abbreviations (Page no. are mentioned in roman numbers – i-1vi) are also given in this materia medica.

PURPOSE OF THIS WORK

- William Boericke has listed many rare drugs below the heading 'Relationship', under various drugs. Their indications are available as one liner or elaborate form. The data therefore, is scattered and difficult to refer in the time of need. We have attempted to compile this data and tried to make it available as a ready reckoner for students and professionals alike.

- Organizations which are actively conducting drug proving and clinical verifications will be able to directly refer to this work as the list of these lesser known drugs are not given at one place & also an attempt has been made to present this work in a simplified form giving the references of drugs under which these drugs are given.

- Scope of Research on Materia Medica will be broadened as this work will help PG and PhD scholars for their further research work.

CONSPECTUS OF LESSER KNOWN MEDICINES[3]

- Below given table contains list of the lesser known medicines which has been compiled from the relationship section given below each medicine explained in the Materia medica. Only those lesser known medicines are selected which are not separately explained as individual medicine.
- The table comprises of four columns:
    1. Serial numbers
    2. Name of lesser known medicines along with their common names – mentioned in Bold black font in bracket (common names of some medicines were not found and hence not mentioned)
    3. Indications of those lesser known medicines along with their page numbers
    4. In relationship section of main medicine.
- Whatever indications are given in the source book has been mentioned as it is in this work and no indications have been changed or modified.
- Relationship section in most of the remedies by Boericke comprises of the following headings-
    - Compare
    - Complementary
    - Antidote
- Majority of the lesser known medicines are given under compare section, few lesser known medicines are directly given under relationship section and very few medicines are mentioned as complementary or antidote.
- Under certain lesser known medicines few indications are given and under certain medicines only single word or indication in single sentence is mentioned.
- Some points have been observed while compilation of this work:

- Clinical conditions in which these medicines can be used are mentioned in relationship section. For e.g. *Calotropis or Madura album* in leprosy. *Stibium sulphuratum rubrum* in Bronchitis.
- Pharmacological action has also been mentioned of few medicines. For e.g. *Cantharidinum*
- Sphere of action, sensations, modalities, active principles, alkaloids are also mentioned.
- Also various potencies, repetition & dosage and mode of application of some medicines have been mentioned .
- Prophylactic use of few medicines are also given.
- Boericke has mentioned indications by different stalwarts like Clarke, Burnett, Rabe, Cooper, Stonham, Varney, Cowperthwaite, etc.
- Cross references are given in some medicines as 'See'. For e.g. In *Carbo animalis*, see *Thymolum* is mentioned to refer *Carboneum tetrachloridum*.
- Page numbers of few medicines are not mentioned in index of Homoeopathic materia medica by Boericke. For e.g. *Strontium iodatum*, *Ammonium vanadinicum.*
- Page numbers of few medicines in index are mentioned incorrectly. For e.g. *Thymus gland extract*.

Note:

COMPARE – NOT HIGLIGHTED (Name of medicine – ***Blue font***)

RELATIONSHIP DIRECT HEADING – YELLOW

COMPLEMENTARY – GREEN

ANTIDOTE – RED

ALKALOIDS AND ACTIVE PRINCIPLES - PINK

*P – Page number; Common names of some medicines are also given – **Bold black font in bracket**

S.NO	NAME OF LESSER KNOWN MEDICINE	INDICATIONS	IN RELATIONSHIP SECTION OF
1.	***JEQUIRITOL*** **(ROSARY PEA)**	In cases of trachoma and pannus to engraft a new purulent inflammation. The proteid poisons in Jequirity seeds are almost identical in their physiological and toxic properties to those found in snake venom. (P-03)	**ABRUS PRECATORIUS – JEQUIRITY**
2.	***AMMONIUM ACETICUM*** **(SPIRIT OF MINDERERUS)**	Abundant saccharine in urine, patient is bathed in sweat. (P-07)	**ACETICUM ACIDUM**
3.	***BENZOIN ODERIFERUM*** **(SPICE-WOOD)**	Night sweats. (P-07)	**ACETICUM ACIDUM**
4.	***ACONITINUM*** **(VENUS CHARIOT OR WOLFSBANE)**	Heavy feeling as of lead; pain in the supraorbital nerve; ice-cold sensations creep up; symptoms of hydrophobia. Tinnitus aurius, 3x. Tingling sensation. (P-10)	**ACONITUM NAPELLUS**
5.	***ACONITUM LYCOCTONUM*** **(GREAT YELLOW WOLFSBANE)**	Swelling of glands; Hodgkin's disease. Diarrhoea after eating pork.Itching in nose, eyes, anus and vulva.Skin of nose cracked; taste of blood. (P-10,135)	**ACONITUM NAPELLUS** **CALCAREA IODATA**
6.	***ACONITUM CAMMARUM*** **(HELMET FLOWER)**	Headache with vertigo and tinnitus.Cataleptic symptoms. Formication of tongue, lips and face. (P-10)	**ACONITUM NAPELLUS**
7.	***ACONITUM FEROX*** **(INDIAN ACONITE)**	More violent in its actions than Acon.It is more diuretic and less antipyretic. It has proved valuable in cardiac dyspnoea, neuralgia, and acute gout. Dyspnoea. Must sit up. Rapid respiration. Anxiety, with suffocation, as if respiratory muscles are paralysed. Cheyne-Stokes breathing. (P-10)	**ACONITUM NAPELLUS**

8.	***ACHYRANTHES CALEA*** **(A MEXICAN DRUG)**	Very similar to Acon. in fevers, but has a larger range, also adapted to typhoidal states and intermittent fevers. Muscular rheumatism. A great diaphoretic. Use 6x. (P-10)	**ACONITUM NAPELLUS**
9.	***AGROSTIS ALBA*** **(RED TOP)**	Acts like Aconite in fever and inflammations. (P-10)	**ACONITUM NAPELLUS**
10.	***ERANTHIS HYMNALIS*** **(WINTER ACONITE)**	Acts on solar plexus and works upwards causing dyspnoea. Pain in occiput and neck. (P-10)	**ACONITUM NAPELLUS**
11.	***ADONIDINUM***	A cardiac tonic and diuretic. Quarter grain daily, or two to five grains of first decimal trituration. Increases arterial pressure and prolongs the diastole, favoring emptying of engorged veins. Is an excellent substitute for Digitalis and is not cumulative in action. (P-12)	**ADONIS VERNALIS**
12.	***AESCULUS GLABRA*** **(OHIO-BUCKEYE)**	Proctitis. Very painful, dark purple, external hæmorrhoids, with constipation, vertigo and portal congestion. Speech thick, tickling in throat, impaired vision, paresis. (P-15)	**AESCULUS HIPPOCASTANUM**
13.	***NEGUNDIUM AMERICANUM*** **(BOX-ELDER)**	Engorgements of rectum and piles with severe pain, ten drop doses of tincture, every two hours. (P-15)	**AESCULUS HIPPOCASTANUM**
14.	***AETHIOPS ANTIMONALIS*** **(HYDRARGYRUM STIBIATO SULFURATUM)**	Often more effective than Aethiops mineralis in scrofulous eruptions, glandular swellings, otorrhoea and *scrofulous eye affections*, corneal ulcers.Third trituration. (P-16)	**AETHIOPS MINERALIS**
15.	***ATHAMANTHA OREOSELINUM*** **(GRUNDHEIL)**	Confused head, vertigo better lying down, bitter taste and saliva. Hands and feet icy cold. (P-18)	**AETHUSA CYNAPIUM**
16.	***MUSCARINUM*** **(ALKALOID OF AGARICUS)**	It has much power over secretions, increasing lachrymal, salivary, hepatic secretions but diminishes renal secretions; probably neurotic in origin, stimulating the terminal fibers of the secretory nerves of all these structures,	**AGARICUS MUSCARIUS**

		hence *salivation, lachrymation and excessive perspiration.* *Atropinum* exactly opposes *Muscarinum*. Resembles *Pilocarpinum* in action. (P-20)	
17.	***AMANITA VERNA*** **(SPRING MUSHROOM)**	A variety of Agar Phalloides-Death cup-active principle is Phallin, active like Muscarinum. (P-20)	**AGARICUS MUSCARIUS**
18.	***TAMUS COMMUNIS*** **(BLACK BRYONY)**	Chilblains and freckles. (P-21)	**AGARICUS MUSCARIUS**
19.	***DITAINUM***	Active principle, is anti-periodic, like quinine, but without unpleasant effects. (P-29)	**ALSTONIA SCHOLARIS**
20.	***ALUMINIUM CHLORIDUM*** **(ALUMINIUM TRICHLORIDE)**	Pains of loco-motor ataxia. Lower triturations in water. (P-32)	**ALUMINA**
21.	***ALUMINIUM SILICO-SULPHO CALCITE 3X*** **(SLAG)**	Anal itching, piles, constipation, flatulent distention. (P-32) Great itching of parts. (P-284)	**ALUMINA** **HECLA LAVA**
22.	***ALUMINIUM ACETICUM SOLUTION*** **(BUROW'S SOLUTION)**	Externally a lotion for putrid wounds and skin infections. Arrests haemorrhage from inertia of uterus. Parenchymatous hemorrhage from various organs 2-3 % solution. Hemorrhage following tonsillectomy is controlled by rinsing out nasopharynx with a 10 % sol. (P-32)	**ALUMINA**
23.	***OLEUM SUCCINUM*** **(OIL OF AMBER)**	Hiccough. (P-35)	**AMBRA GRISEA**
24.	***AMYGDALA AMARA*** **(BITTER ALMOND)**	Pains in the tonsils, throat dark (hyperemic), dysphagia, vomiting, cough with a sore chest. (P-43)	**AMYGDALUS PERSICA**
25.	***ANACARDIUM OCCIDENTALE*** **(CASHEW NUT)**	Erysipelas, vesicular facial eruptions, anaesthetic variety of leprosy; warts, corns, ulcers, cracking of the skin on soles of feet. (P-46)	**ANACARDIUM ORIENTALE**

26.	***BRUCEA ANTIDYSENTRICA*** **(BARK OF NUX VOMICA OR ANGUSTURA FALSA)**	Tetanic spasms with undisturbed consciousness, worse noise, liquids, paralyzed lower extremities, worse least touch, cries for fear of being touched. Painful jerking of legs; cramp-like pain in the knees; rigid and lame limbs of paralytics. For pain, during the passing of calculus. (P-48)	**ANGUSTURA VERA**
27.	***ANTIMONIUM CHLORIDUM*** **(BUTTER OF ANTIMONY)**	A remedy for cancer. Mucous membranes destroyed. Abrasions. Skin cold and clammy. Great prostration of strength. Dose: third trituration. (P-53)	**ANTIMONIUM CRUDUM**
28.	***ANTIMONIUM IODATUM*** **(TERIODIDE OF ANTIMONY)**	Uterine hyperplasia; humid asthma. Pneumonia and bronchitis; loss of strength, and appetite, yellowish skin, sweaty, dull and drowsy. In sub-acute and chronic colds which have extended downwards and have affected the bronchial tubes as a hard, croupy cough with a decided wheeze and an inability to raise the sputum, especially in the aged and weak patients (Bacmeister). Stage of resolution in pneumonia, slow and delayed. (P-53)	**ANTIMONIUM CRUDUM**
29.	***STIBIUM SULPHURATUM RUBRUM*** **(KERMES MINERAL)**	Bronchitis. (P-53)	**ANTIMONIUM CRUDUM**
30.	***APIUM VIRUS***	Auto-toxemia, with pus products. (P-58)	**APIS MELLIFICA**
31.	***CYMARINUM*** **(ACTIVE PRINCIPLE OF APOCYNUM)**	Lowers pulse rate and increases blood-pressure. (P-60)	**APOCYNUM CANNABINUM**
32.	***ARALIA HISPIDA*** **(WILD ELDER)**	A valuable diuretic. Useful in dropsy of the cavities, due to hepatic or renal disease with constipation. Urinary disorders, especially with dropsy. Scudder advises, a dose of five to thirty drops in sweetened cream of	**APOCYNUM CANNABINUM**

		tartar Solution. (P-60)	
33.	***PECTEN JACOBAEUS*** **(SCALLOP)**	Humid asthma. Quick, labored breathing. Constriction of chest, especially right side. Asthma preceded by coryza and burning in throat and the chest. Attack ends with copious expectoration of tough, frothy mucus. Worse at night. (P-62)	**ARALIA RACEMOSA**
34.	***TELA ARANEARUM*** **(SPIDER'S WEB)**	Cardiac sleeplessness, increased muscular energy. Excitement and nervous agitation in febrile states. Dry asthma, harassing coughs; periodic headaches with extreme nervous erethism. Obstinate intermittent fever. Acts immediately on the arterial system, pulse full, strong, compressible. Lowers pulse rate frequency. Marked periodical diseases, hectic, broken down patients. Symptoms come on suddenly with cool, clammy skin. Numbness of hands and legs when at rest. Continued chills. (P-64) Nervous asthma and sleeplessness. (P-556)	**ARANEA DIADEMA** **TARAXACUM OFFICINALE**
35.	***ARANEA SCINENCIA*** **(GREY SPIDER)**	Constant twitchings under eyelids. Sleepiness. Worse in a warm room. (P-64)	**ARANEA DIADEMA**
36.	***ARGENTUM IODATUM*** **(IODIDE OF SILVER)**	Throat disorders, hoarseness, glands affected. (P-69)	**ARGENTUM NITRICUM**
37.	***ARGENTUM CYNATUM*** **(SILVER CYANIDE)**	Angina pectoris, asthma ,spasm of esophagus. (P-69)	**ARGENTUM NITRICUM**
38.	***PROTARGOL*** **(SILVER PROTEINATE)**	Gonorroea after acute stage,2 percent solution; syphilitic mucous patches, chancres and chancroids, 10 percent solution applied twice a day; ophthalmia neonatorum, 2 drops of 10 percent solution. (P-69)	**ARGENTUM NITRICUM**
39.	***ARGENTUM PHOSPHORICUM*** **(SILVER PHOSPHATE)**	An excellent diuretic in dropsy. (P-69)	**ARGENTUM NITRICUM**

40.	***ARGENTUM OXYDATUM*** **(SILVER OXIDE)**	Chlorosis with menorrhagia and diarrhea. (P-69)	**ARGENTUM NITRICUM**
41.	***ARISTOLOCHIA SERPENTARIA*** **(VIRGINIA SNAKE ROOT)**	Symptoms of intestinal tract; colliquative diarrhoea, meteorism. Flatulent dyspepsia. Cerebral congestion. Distention and cutting pains in the abdomen. Symptoms like those of Poison-Oak. (P-69)	**ARISTOLOCHIA MILHOMENS**
42.	***VITEX TRIFOLIA*** **(INDIAN ARNICA)**	Sprains and pains, headache in temples, pain in joints, abdomen, and testicles. (P-72)	**ARNICA MONTANA**
43.	***ARSENICUM STIBIATUM 3X***	Chest inflammations in children, restlessness with thirst and prostration, loose mucoid, cough, oppression, hurried respiration, creps and rales. (P-75)	**ARSENICUM ALBUM**
44.	***EPILOBIUM PALUSTRE*** **(WILLOW HERB)**	Intractable diarrhoea of typhoid. (P-75) Chronic diarrhoea with tenesmus and mucous discharges; ptyalism, dysphagia; wasting of the body and marked debility; cholera infantum. (P-75)	**ARSENICUM ALBUM** **MERCURIUS SOLUBILIS**
45.	***LEVICO WATER*** **(LEVICO AQUA)**	Containing Ars., Iron and Copper of South Tyrol. (chronic and dyscratic skin diseases, chorea minor and spasms in scrofulous and anaemic children.Favors assimilation and increases nutrition. Debility and skin diseases, especially after the use of higher potencies where progress seems suspended. Dose: Ten drops in wine glass of warm water 3 times a day after meals. Burnett). (P-75)	**ARSENICUM ALBUM**
46.	***ARSENICUM SULPH URATUM RUBRUM***	Influenza with intense catarrhal symptoms, great prostration and high temperature, purulent discharges, psoriasis, acne, and sciatica.Chilly, even before a fire. Itching in various parts. Pellagra. (P-78)	**ARSENICUM SULPHURATUM FLAVUM**

47.	***ARUM ITALICUM*** **(ITALIAN LILY)**	Brainfag, with headache in the occipital region. (P-79)	**ARUM DRACONTIUM**
48.	***ARUM MACULATUM*** **(CUCKOO-PINT)**	Inflammation and ulceration of mucous membranes. Nasal irritation with polypus. (P-79)	**ARUM DRACONTIUM**
49.	***ANTHOXANTHUM*** **(SWEET VERNAL GRASS)**	A popular medicine for hay fever and coryza. (P-81)	**ARUNDO MAURITANICA**
50.	***ASARUM CANADENSE*** **(WILD GINGER)**	Colds, followed by amenorrhoea and gastroenteritis. Suppressed colds. (P-83)	**ASARUM EUROPAEUM**
51.	***ASCLEPIAS VINCETOXICUM*** **(SWALLOW-WART.—CYNANCHUM)**	A gastro-intestinal irritant, producing vomiting and purgation. Useful in dropsy, diabetes, great thirst, profuse urination. (P-84)	**ASCLEPIAS SYRIACA (CORNUTI)**
52.	***ASCLEPIAS INCARNATA*** **(SWAMP MILK WEED)**	Chronic gastric Catarrh and leucorrhoea. Dropsy with dyspnoea. (P-84)	**ASCLEPIAS TUBEROSA**
53.	***PERIPLOCA GRAECA*** **(ONE OF THE ASCLEPIADES)**	Cardiac tonic, acts on circulation and respiratory center, accelerating respiration in a ratio disproportionate to pulse. (P-84)	**ASCLEPIAS TUBEROSA**
54.	***ALTHAEA OFFICINALIS*** **(MARSHMALLOW)**	Contains asparagin; irritable bladder, throat and bronchi. (P-84)	**ASPARAGUS OFFICINALIS**
55.	***BOMBYX PROCESSONEA*** **(CATERPILLAR)**	Itching of whole body (Urticaria). (P-84)	**ASTACUS FLUVIATILIS**
56.	***AURUM ARSENICUM***	Chronic aortitis; lupus, phthisis, in syphilitic headaches; also in anæmia and chlorosis. It causes rapid increase of appetite. (P-89)	**AURUM METALLICUM**
57.	***AURUM BROMATUM*** **(GOLD [III] BROMID)**	In headaches with neurasthenia, migraine, terrors, valvular diseases. (P-89)	**AURUM METALLICUM**

58.	***AURUM MURIATICUM*** **(CHLORIDE OF GOLD)**	Burning, yellow, acrid leucorrhoea; heart symptoms, glandular affections; warts on the tongue and genitals; sclerotic and exudative degeneration of the nervous system. Multiple sclerosis. Morvan's disease. Second trituration. Aur-m.is a sycotic remedy, causing suppressed discharges to reappear.Valuable in climacteric hæmorrhages from the womb. Diseases of frontal sinus. Stitching pain in left side of forehead. Weariness, aversion to all work. Drawing feeling in stomach. Cancer of tongue, hard as leather; induration after glossitis. (P-90)	**AURUM METALLICUM**
59.	***AURUM MURIATICUM KALINATUM*** **(DOUBLE CHLORIDE OF POTASSIUM AND GOLD)**	In uterine induration and haemorrhage. (P-90)	**AURUM METALLICUM**
60.	***AURUM IODATUM*** **(IODIDE OF GOLD)**	Chronic pericarditis, valvular diseases, arterio-sclerosis, ozæna, lupus, osteitis, ovarian cysts, myomata uteri, are pathological lesions, that offer a favorable ground for the action of this powerful drug. Senile paresis. (P-90)	**AURUM METALLICUM**
61.	***AURUM SULPHURATUM*** **(AURIC SULPHIDE)**	Paralysis agitans; constant nodding of the head; affections of mammae; swelling, pain, cracked nipples with lancinating pains. (P-90)	**AURUM METALLICUM**
62.	***BACILLINUM TESTIUM*** **(TUBERCULINUM TESTIUM)**	Acts especially on the lower half of body. (P-92)	**BACILLINUM BURNETT**
63.	***BALSAMUM TOLUTANUM*** **(THE BALSAM OF MYROXYLON TOLUIFERA)**	Chronic bronchitis with profuse expectoration. (P-94)	**BALSAMUM PERUVIANUM**

64.	***OLEUM CARYOPHYLLATUM*** **(OIL OF CLOVES)**	In profuse septic expectoration-3 to 5 minims in milk or capsules. (P-94)	**BALSAMUM PERUVIANUM**
65.	***BAPTISIA CONFUSIA*** **(AUSTRALIAN BAPTISIA)**	Pain in right jaw and oppression in left hypochondrium, producing dyspnoea and a necessity to assume an erect position. (P-96)	**BAPTISIA TINCTORIA**
66.	***HOITZIA COCCINEA*** **(LOESELIA COCCINEA OR HOITZIA MEXICANA)**	A Mexican drug, similar in action to Bell. Useful in fever, scarlatinal eruption, measles, urticaria, etc. High fever with eruptive fevers. Dry mouth and throat, red face, injected eyes, delirium. (P-103)	**BELLADONNA**
67.	***SANGUISORBA OFFICINALIS*** **(GREAT BURNET)**	2x-6x, a member of the Rosaceae family, (*Profuse, long-lasting* menses, especially in nervous patients with congestive symptoms to head and limbs. Passive hæmorrhages at climacteric. Chronic metritis. Hæmorrhage from lungs. Varices and ulcers. (P-103) Venous congestion and passive hæmorrhages; varices of lower extremities; dysentery. *Long lasting profuse menses* with congestion to head and limbs in sensitive, irritable patients.*Climacteric* haemorrhages. Use 2x attenuation. (P-499)	**BELLADONNA** **SABINA**
68.	***BENZINUM*** **(PETROLEUM ETHER)**	Not as pure a compound as Benzene (Benzol). It is the same, but with a mixture of hydrocarbons. It seems to exercise a special influence on the nervous system and on the blood. Oxyhemoglobinemia. Physical weakness, cramps, exaggeration of knee jerks, nausea, vomit, dizziness, heaviness and coldness of limbs. Tremor of eyelids and tongue. (P-105)	**BENZOLUM**

69.	***BENZINUM DINITRICUM*** **(DINITROBENZOL-D.N.B.)**	The most obvious results of poisoning by skin absorption are changes in the red blood corpuscles and liver degeneration: in amblyopia, color-blindness, retinitis.Field of vision contracted. Black urine. (P-105)	**BENZOLUM**
70.	***BENZINUM NITRICUM*** **(ARTIFICIAL OIL OF BITTER ALMONDS)**	Dark, black blood, coagulates with difficulty; venous hyperaemia of the brain and general venous engorgement. Burning taste in mouth. Blue lips, tongue, skin, nails and conjunctiva (cyanosed).. Cold skin, pulse small, weak, breathing slow and irregular, unconsciousness, symptoms of apoplectic coma. Rolling of the eyeballs in their vertical axis; pupils dilated. Nystagmus. Respiration very slow, difficult, sighing). (P-105)	**BENZOLUM**
71.	***TROPAEOLUM MAJUS (GARDEN NASTURTIUM)***	Fetid urine. (P-107)	**BENZOICUM ACIDUM**
72.	***IPOMEA BONA-NOX--CONVOLVULUS DURATINUS*** **(MORNING GLORY)**	Pain in the left lumbar muscles on stooping. Kidney disorders with pain in the back.Marked abdominal flatulence. Aching on top of the right shoulder; renal colic; aching in the lumbar region and extremities. (P-109)	**BERBERIS VULGARIS**
73.	***XANTHORRHOEA ARBOREA*** **(GRASS TREE)**	Severe pain in kidneys, cystitis and gravel. Pain from ureter to bladder and testicles; Pain in the lumbar region returns from least chill or dampness. (P-109)	**BERBERIS VULGARIS**
74.	***XANTHORIZA APIFOLIA*** **(SHRUB YELLOW ROOT)**	Contains Berberine. Dilatation of stomach and intestines, atony, enlarged spleen. (P-109)	**BERBERIS VULGARIS**

75.	***AGARICINUM*** **(ACTIVE CONSTITUENT OF POLYPORUS OFFICINALE)**	Phthisical and other enervating nightsweats 1-4 to 1-2 gr.doses; also in chorea, in dilatation of heart with pulmonary emphysema, fatty degeneration, profuse perspiration and erythema. (P-112)	**BOLETUS LARICIS—POLYPORUS OFFICINALE**
76.	***BOLETUS LURIDUS*** **(LURID BOLETE)**	Violent pain in the epigastrium, urticaria tuberose. (P-112)	**BOLETUS LARICIS – POLYPORUS OFFICINALE**
77.	***BOLETUS SATANUS*** **(DEVIL'S BOLETE)**	Dysentery, vomiting, great debility, cold extremities, spasm of extremities and face. (P-112)	**BOLETUS LARICIS – POLYPORUS OFFICINALE**
78.	***TOXICOPHIS PUGNAX*** **(MOCCASIN SNAKE)**	Pain and fever recur annually, after a bite from this snake and sometimes change location with disappearance of first symptoms. An unusual dryness of the skin follows the bite. Edematous swellings and periodical neuralgia. Pain travels from one part to another. (P-115)	**BOTHROPS LANCIOLATUS**
79.	***TRACHINUS DRASO*** **(STINGFISH)**	Intolerable pains, swelling, acute blood poisoning, gangrene. (P-115)	**BOTHROPS LANCEOLATUS**
80.	***HYDROBROMICUM ACIDUM*** **(BROMICUM ACIDUM)**	Throat dry and puckering; constriction in pharynx and chest; waves of heat over face and neck; pulsating tinnitus with great nervous irritability (Houghton); vertigo, palpitation; arms heavy; seems as if parts do not belong to him. Seems to have a specific effect on the inferior cervical ganglion, increasing the tonic action of the sympathetic nerves, thus promoting vaso-constriction. Relieves headache, tinnitus and vertigo, especially in vaso-motor stomach disturbance. Dose, 20 minims. (P-118)	**BROMIUM**
81.	***ILLECEBRUM VERTICILLATUM*** **(A MEXICAN DRUG)**	Fever with catarrhal symptoms, gastric and typhoid fever symptoms. (P-121)	**BRYONIA ALBA**

82.	***SALAMANDRA MACULATA*** **(FIRE SALAMANDER)**	Epilepsy and softening of brain. (P-122)	**BUFO RANA**
83.	***CADMIUM BROMATUM*** **(CADMIUM BROMIDE)**	Pain and burning in stomach, and vomiting. (P-125)	**CADMIUM SULPHURATUM**
84.	***CADMIUM IODATUM*** **(CADMIUM IODIDE)**	Itching in anus and rectum during the day only; constipation, frequent desire, tenesmus, abdomen bloated. (P-125)	**CADMIUM SULPHURATUM**
85.	***AQUA CALCAREA*** **(LIME-WATER)**	1/2 Teaspoonful in milk; as injection for oxyuris vermicularis. (P-132)	**CALCAREA CARBONICA**
86.	***CALCAREA CAUSTICUM*** **(SLAKED LIME)**	Pain in back and heels, jaws and malar bones; also symptoms of influenza. (P-132)	**CALCAREA CARBONICA**
87.	***CALCAREA BROMATA*** **(BROMIDE OF CALCIUM)**	Removes inflammatory products from uterus; children of lax fiber, nervous and irritable, with gastric and cerebral irritation. Tendency to brain disease. Insomnia and cerebral congestion. Give 1x trituration. (P-132)	**CALCAREA CARBONICA**
88.	***CALCAREA CALCINATA*** **(CALCINED OYSTER-SHELL)**	A remedy for warts. Use 3d trituration. (P-132)	**CALCAREA CARBONICA**
89.	***OVA TOSTA OR TOSTA PRAEPARATA*** **(TOASTED EGGSHELLS ORROASTED EGG-SHELLS)**	Backache and leucorrhoea. Sensation as if back was broken in two; tired feeling. Also effective in controlling suffering from cancer. (P-132, 437)	**CALCAREA CARBONICA** **OVI GALLINAE PELLICULA**
90.	***CALCAREA LACTICA*** **(CALCIUM LACTICUM)**	Anaemias, haemophilia, urticaria, where the coagulability of blood is diminished; nervous headache with oedema of eyelids, lips or hands; 15 grains, three times a day, but low potencies often equally effective. (P-132)	**CALCAREA CARBONICA**

91.	***CALCAREA LACTICA PHOSPHORICA***	5 grains, 3 times a day in cyclic vomiting and migraine. (P-132)	**CALCAREA CARBONICA**
92.	***CALCAREA MURIATICA – CALCIUM CHLORATUM*** **(RADEMACHER'S LIQUOR)**	1 part to 2 of distilled water, of which take 15 drops in half a cup of water, five times daily. Boils. Porrigo capitis. Vomiting of all food and drink, with gastric pain. Impetigo, glandular swellings, angioneurotic edema. Pleurisy with effusion. Eczema in infants. (P-132)	**CALCAREA CARBONICA**
93.	***CALCAREA SULPHURATA*** **STIBIATA**	Acts as an haemostatic and absorptive in uterine myoma. (P-135)	**CALCAREA FLUORICA**
94.	***CALCAREA HYPOPHOSPHOROSA*** **(HYPOPHOSPHITE OF LIME)**	Is preferred when it seems necessary to furnish the organism with liberal doses of phosphorus as a consequence of continued abscesses which reduce the vitality. Give first and second decimal triturations. Loss of appetite, rapid debility, night sweats; Acne pustulosa.--Pallor of skin, habitually cold extremities. Phthisis-diarrhaea and cough; acute pains in chest. Mesenteric tuberculosis. Bleeding from lungs; angina pectoris; asthma; affection of arteries. Veins stand out like whipcords. Attacks of pain occurring two hours after meals (relieved by a cup of milk or light food). (P-137)	**CALCAREA PHOSPHORICA**
95.	***CHEIRANTHUS CHEIRI*** **(WALL FLOWER)**	Effects of cutting wisdom teeth (P-137) Deafness, otorrhoea, nose stopped up at night from irritation of cutting wisdom teeth. (P-369)	**CALCAREA PHOSPHORICA** **MAGNESIUM CARBONICUM**
96.	***CALCAREA RENALIS*** **(LAPIS RENALIS)**	Arthritic nodosities. Rigg's disease; lessens tendency to accumulation of tartar on teeth; gravel and renal calculi. (P-137)	**CALCAREA PHOSPHORICA**

97.	***CONCHIOLINUM*** **(METER PERLARUM – MOTHER OF PEARL)**	Osteitis; has a wide range of action in bone affections, especially when the growing ends are affected. Petechiae. (P-137) Diaphysis of bone affected; parts extremely sensitive to touch. (P-284)	**CALCAREA PHOSPHORICA** **HECLA LAVA**
98.	***LUFFA ACTANGULA*** **(ANGLED LOOFAH)**	Whole body ice-cold, with a restlessness and anxiety; burning thirst. (P-142)	**CAMPHORA**
99.	***CAMPHORICUM ACIDUM*** **(CAMPHORIC ACID)**	A prophylactic against catheter fever; cystitis 15 grains three times a day; also for prevention of night sweats. (P-142)	**CAMPHORA**
100	***HEDYSARUM ILDEFONSIANUM*** **(BRAZILIAN BURDOCK)**	Gonorrhoea and inflammation of penis. (P-146)	**CANNABIS SATIVA**
101	***CANTHARIDINUM***	Glomerular nephritis. The immediate pharmacological action of Cantharidinum is irritability of the capillaries, rendering the passage of nutritive fluids through them less difficult. This is most marked in the capillaries of the kidneys. The increase of blood sugar coincident with the glomerular nephritis appears to be a valuable observation. (P-148)	**CANTHARIS VESICATORIA**
102	***VESICARIA COMMUNIS*** **(BLADDERPOD)**	Urinary and kidney remedy. Smarting, burning sensation along urethra and in the bladder with frequent desire to void urine, often with strangury. Cystitis, irritable bladder. Tincture, 5-10 drop doses. (P-148)	**CANTHARIS VESICATORIA**
103	***ANDROSACE LACTEA*** **(MILKWHITE ROCK JASMINE)**	Urinary problems, diuretic; dropsy. (P-148)	**CANTHARIS VESICATORIA**
104	***CENTAUREA TAGANA*** **(WILLD)**	Surging of blood; homesickness; intermittent fever. (P-149)	**CAPSICUM ANNUUM**

105	***CARBONEUM TETRACHLORIDUM*** **(CARBON TETRACHLORIDE)**	Is said to cause fatty liver. Paralysis of interosseus muscles of feet and hands. Wonderful clinical results in the treatment of Hook worm disease. (P-151)	**CARBO ANIMALIS**
106	***CARBONEUM*** **(LAMPBLACK)**	Spasms commencing in the tongue, extending down the trachea and extremities. Tingling sensation. (P-153)	**CARBO VEGETABILIS**
107	***GUANO AUSTRALIS*** **(BAT)**	Violent headache as if from a band around the head. Itching in the nostrils, back, thighs, genitals. Symptoms like hay fever. (P-154)	**CARBOLICUM ACIDUM**
108	***POTASS XANTATE***	Similar in action. Acts on the cortical substance; loss of memory, marked blood degeneration; impotence and senility. (P-156)	**CARBONEUM SULPHURATUM**
109	***CARDUUS BENEDICTUS*** **(HOLY THISTLE)**	Strong action on eyes, and sensation of contraction in many parts; stomach symptoms similar. (P-158)	**CARDUUS MARIANUS**
110	***TINOSPORA CORDIFOLIA*** **(GUDUCHI)**	A Hindu medicine for chronic cases of fever with enlarged spleen. (P-164)	**CEANOTHUS AMERICANUS**
111	***POLYMNIA UVEDALIA-HELLEBORUS FOETIDUS*** **(BEARSFOOT)**	Acute splenitis with tenderness over left hypochondriac region; spleen enlarged, ague cake. Vascular atony, tissues sodden, flabby and non-elastic. Enlarged glands; influences all ductless glands. (P-164) Acts especially on the spleen (Ceanothus); also rectum and sciatic nerve. Splenic pains extend to scapula, neck and head, worse left side and evening; chronic ague cake; hypertrophied uterus; glandular enlargements; hair and nails fall off; skin peels. (P-285)	**CEANOTHUS AMERICANUS** **HELLEBORUS NIGER**

112	***CEANOTHUS THRYSIFLORUS*** **(CALIFORNIA LILAC)**	Pharyngitis, tonsillitis, nasal catarrh, diphtheria. Tincture internally and as a gargle. (P-164)	**CEANOTHUS AMERICANUS**
113	***CLOTHO ARIETANS*** **(PUFF ADDER)**	Should have a great sphere of usefulness in many conditions where excessive swelling is a leading feature (John H. Clarke, M. D). (P-165)	**CENCHRIS CONTORTRIX**
114	***CEREUS SERPENTINUS*** **(CEREUS GRANDIFLORUS)**	Very irritable with tendency to swear; wild anger and low morals. Disturbance in speech; while writing, leaves the last syllable. Paralyzed feeling. Pain in heart, dwindling of sexual organs. Emissions, followed by pain in the testicles. (P-46,165)	**CEREUS BONPLANDII** **ANACARDIUM ORIENTALE**
115	***INGLUVIN*** **(MADE FROM GIZZARD OF A FOWL)**	Vomiting of pregnancy; gastric neurasthenia. Infantile vomiting and diarrhea. 3x trituration. (P-166)	**CERIUM OXALICUM**
116	***RUBUS VILLOSUS*** **(BLACKBERRY)**	Diarrhœa of infancy; stools watery and clay colored. (P-168)	**CHAMOMILLA**
117	***CHELIDONINUM***	Spasm of smooth muscles everywhere, intestinal colic, uterine colic, bronchial spasm, tachycardia, etc. (P-169)	**CHELIDONIUM MAJUS**
118	***BOLDO*** **(BOLDOA FRAGRANS)**	Bladder atony; cholecystitis and biliary calculus. Bitter taste, no appetite; constipation, hypochondriasis, languor, congestion of liver; burning weight in liver and stomach. Painful hepatic diseases. Disturbed liver following malaria. (P-169)	**CHELIDONIUM MAJUS**
119	***ELEMUY GAUTERIA***	Stones in kidneys and bladder; grain doses of powdered bark in water or 5 drops of tincture. Pellagra. (P-169)	**CHELIDONIUM MAJUS**
120	***CHIMAPHILLA MACULATA*** **(SPOTTED WINTERGREEN)**	Intense gnawing hunger; burning fever; sensation of swelling in arm pits. (P-172)	**CHIMAPHILA UMBELLATA**

121	***FERRUM CITRICUM*** **(FERRUM CITRICUM OXYDATUM)**	In nephritis with great anaemia; acid dyspepsia in chlorosis. Morbus maculosus Werlhoffii. (P-173)	**CHININUM ARSENICOSUM**
122	***CHININUM MURIATICUM*** **(MURIATE OF QUININE)**	In severe neuralgic pains around the eyes, with chills; exaggerated sensitiveness to alcohol and tobacco; prostration and restlessness. (P-173)	**CHININUM ARSENICOSUM**
123	***MACROZAMIA SPIRALIS*** **(BURRAWANG)**	Extreme debility after illness; collapse. (P-173) Extreme debility after severe illness; collapse. Weariness from no assignable cause, no pains. Boring pain at vertex; vomiting and retching all night; impossible to open eyes, giddiness and cold. (P-335)	**CHININUM ARSENICOSUM** **KALIUM PHOSPHORICUM**
124	***CHININUM SALICYLICUM*** **(SALICYLATE OF QUININE)**	Deafness, tinnitus, and Meniere's disease. (P-174)	**CHININUM SULPHURICUM**
125	***CAMPHORA MONO-BROMATA*** **(MONOBROMIDE OF CAMPHORA)**	Is said to intensify the action of Quinine and render it more permanent. (P-174)	**CHININUM SULPHURICUM**
126	***BAJA***	An East Indian drug, said to be almost infallible in intermittent fever, quartan type; pulsating headache, injected eyes, flushed face. Liver and spleen enlarged. oedema. (P-174)	**CHININUM SULPHURICUM**
127	***PAMBOTANO***	Mexican remedy for intermittent and tropical fevers. (P-174)	**CHININUM SULPHURICUM**
128	***VERONAL*** **(BARBITAL)**	A dangerous drug made by the action of alcohol upon urea, contains the same radical that alcohol does. Makes a man just as drunk as pure alcohol. Staggers, cannot stand up (Dr. Varney). Confluent reddish spots; dermatitis, itching of glans and prepuce; circumscribed dermatitis patch on first metacarpal phalangeal joint. (P-175)	**CHLORALUM HYDRATUM**

129	***LUMINAL*** **(PHENOBARBITAL)**	Sleeplessness with skin symptoms in migraine; lethargy like epidemic encephalitis (Dr. Royal). (P-175)	**CHLORALUM HYDRATUM**
130	***ETHERUM*** **(ETHYL OXIDE)**	Post-operative bronchitis (Prof. Bier). (P-176)	**CHLOROFORMIUM**
131	***SPIRITUS AETHERIS COMPOSITUS*** **(HOFFMAN'S ANODYNE)**	Flatulence; angina pectoris. Dose; 5m to 1 dram in water. (P-176)	**CHLOROFORMIUM**
132	***NATRIUM TAUROCHOLICUM*** **(SODIUM TAUROCHOLATE)**	*Taurocholate of soda* in Homeopathy.--Dr. I. P. Tessier, in an interesting study of the action of bile and its salts, in hepatic affections, analyzes a number of experiments by leading authorities, with the object of determining this action, and concludes that in the *Taurocholate of Soda*, homeopathy has a useful remedy against certain forms of hypoglobular anaemia. The claim that its pathogenesis and toxicology clearly indicate its value, and that it should also serve us as a remedy in cases of hypertrophy of the spleen and ganglia. He calls our attention to the fact, that it produces dyspnoea, the Cheyne-Stokes rhythm, acute pulmonary oedema, and intense exaggeration of the cardiac pulsations, offering a good field for clinical studies and experimentation of great interest, which may give fruitful and important results. (P-177)	**CHOLESTERINUM**
133	***CHROMIUM SULPHURICUM***	In locomotor ataxia, goitre, prostatic hypertrophy. Herpes preputialis. Wry neck. Also inexophthalmic goitre, inhibits the vagus relieving tachycardia. Acts like a nerve tonic where there is lack of nervous tone. Fibroid tumors. Infantile paralysis. Dose for adults, 3 to 5 grains after meals and at bedtime. (P-178)	**CHROMICUM ACIDUM**

134	***CICUTA MACULATA*** **(WATER HEMLOCK)**	Effects very similar; the most prominent symptoms being; Falls unconscious, tetanic or clonic convulsions. Body covered with sweat. Consider in epilepsy and tetanus. Tincture and lower potencies. (P-180)	**CICUTA VIROSA**
135	***DERRISPINNATA*** **(INDIAN BEECH TREE)**	Neuralgic headaches of rheumatic origin. (P-181) Of great service in neuralgic headaches of rheumatic origin. (P-338)	**CIMICIFUGA RACEMOSA** **KALMIA LATIFOLIA**
136	***MACROTINUM*** **(RESINOID FROM CIMICIFUGA RACEMOSA)**	Especially for lumbago. (P-182)	**CIMICIFUGA RACEMOSA**
137	***HELMINTHOCHORTOS*** **(WORM-MOSS)**	Acts very powerfully on intestinal worms, especially the lumbricoids. (P-183)	**CINA MARITIMA**
138	***QUINIDINUM*** **(ISOMERIC METHOXIN COMPOUND)**	Paroxysmal tachycardia and auricular fibrillation. Heart is slowed, and the auriculo-ventricular conduction time is lengthened. Dose 1/2 grain t.i.d. (P-185) Restores normal rhythm in auricular fibrillation, often supplements the action of Dig. Two doses of 3 grains each, three hours apart-if no symptoms of cinchonism develop, 4 doses 6 grs. each daily (C. Harlan Wells). Paroxysmal tachycardia. Establishes normal heart rhythm at least temporarily, less in valvular lesions. (P-225)	**CHINA OFFICINALIS** **DIGITALIS PURPUREA**
139	***CEPHALANTHUS OCCIDENTALIS*** **(BUTTON BUSH)**	Intermittent fever, sore throat, rheumatic symptoms, vivid dreams. (P-185)	**CHINA OFFICINALIS**
140	***CYDONIA VULGARIS*** **(QUINCE)**	Supposed to be of use to strengthen the sexual organs and stomach. (P-185)	**CHINA OFFICINALIS**

141	***AURANTIUM*** **(ORANGE)**	Neuralgic and skin symptoms. Itching, redness and swelling of hands. Diseases of the aged with coldness and chilliness. Boiled, dried orange peel excites the intestine in a manner similar to other forms of cellulose or agar. There is an increased flow of bile which continues for hours. It unites both, a cholagogue action with a mechanical stimulus to peristalsis. (P-188)	**CITRUS VULGARIS**
142	***CITRUS LIMONUM*** **(SCORBUTUS)**	Sore throat and cancer pains; checks excessive menstruation. (P-189)	**CITRUS VULGARIS**
143	***CITRICUM ACIDUM*** **(LEMON JUICE)**	Useful in scurvy, chronic rheumatism and haemorrhages. All forms of Dropsy are benefited with Citric acid and lemon juice, tablespoonful every 3-4 hours. Pain from cancer of tongue. Used as a local application and mouth wash, one dram to 8 ozs of water. For cancer pains generally, often effective. (P-189)	**CITRUS VULGARIS**
144	***CITRUS DECUMANA*** **(GRAPE FRUIT)**	Tinnitus, noises in the head and ringing in ears. Sensation of pressure in the temporal region. (P-188)	**CITRUS VULGARIS**
145	***CLEMATIS VITALBA*** **(OLD MAN'S BEARD)**	Varicose and other ulcers. (P-190)	**CLEMATIS ERECTA**
146	***STOVAIN*** **(BRAND NAME FOR THE LOCAL ANAESTHETIC AMYLOCAINE)**	An analgesic, a vasomotor dilator. Antidote to disagreeable effects occasionally resulting from injection of cocaine into skin or gums, drop doses of nitro-glycerine 1 % sol. (P-192)	**COCAINUM HYDRO-CHLORICUM**
147	***PICROTOXINUM*** **(ALKALOID OF COCCULUS)**	Epilepsy, attacks in the morning on leaving horizontal position, hernia, locomotor ataxia, night-sweats. (P-194)	**COCCULUS INDICUS**

148	***COFFEA TOSTA*** **(COFFEE)**	Roasting develops certain vitamin-like substances (P. T. Mattei). Pigeons who have developed "deficiency" neuritis and paralysis on a diet of polished rice lost their disabilities on the addition of 8 cc to a 5 % infusion of coffee to their food. Unroasted coffee was useless. (P-197)	**COFFEA CRUDA**
149	***CAFFEINUM*** **(A CRYSTALLINE ALKALOID)**	It is a direct heart stimulant and diuretic. Dropsy depending on cardiac insufficiency. Myocardial degeneration. Cardiac insufficiency in pneumonia and other infectious diseases. Raises the blood pressure, increases pulse rate and stimulates the heart muscle; hence, a support in extreme weakness or threatened failure. Stimulates the respiratory center, nerve centers and increases diuresis. One of the best stimulants of the vaso-motor centers. Acute pulmonary oedema. Brachialgia and other neuralgias characterized by nocturnal exacerbations. Jousset uses equal parts of caffeine and sacchar l. 3 grains taken in divided doses every other day. Hypodermically, 1/4 grain. Excruciating facial neuralgia from decayed teeth. (P-198)	**COFFEA CRUDA**
150	***COLCHICINUM*** **(ALKALOID OF COLCHICUM AUTUMNALE)**	Intestinal catarrh with shreddy membranes; convulsive jerkings of the right hand; rheumatic fever, gout, endo and pericarditis, pleurisy, arthritis, deformans in early stages; intense pain of rheumatism, 3x trituration. (P-199)	**COLCHICUM AUTUMNALE**
151	***LOBELIA ERINUS*** **(EDGING LOBELIA)**	Violent cork-screw-like pains in abdomen. (P-202) Malignant growths, extremely rapid development; colloid cancer of the omentum; cork-screw-like pains in abdomen; great dryness of skin, nasal and buccal mucous membranes; distaste for brandy; dry, eczematous patches covering points of first	**COLOCYNTHIS**

		fingers. Malignant disease of the face. Epithelioma. (P-359)	**LOBELIA INFLATA**
152	***DIPODIUM PUNCTATUM*** **(BLOTCHED HYACINTH-ORCHID)**	Writhing. Twitching like a dying snake. Intractable insomnia. (P-202)	**COLOCYNTHIS**
153	***SCIRRHINUM*** **(CANCER NOSODE)**	Cancerous diathesis; enlarged glands; cancer of breast; worms. (P-204)	**CONIUM MACULATUM**
154	***SANTALUM*** **(EAST INDIAN SANDALWOOD)**	Aching in kidneys. (P-206)	**COPAIVA OFFICINALIS**
155	***CORNUS ALTERNIFOLIA*** **(SWAMP WALNUT)**	Weak and tired; disturbed sleep, fever, restlessness, eczema; skin cracked; chest feels cold, as if full of ice. (P-208)	**CORNUS CIRCINATA**
156	***CORNUS FLORIDA*** **(BENTHAMIDIA FLORIDA)**	Chronic malaria; indigestion and distressing acid heartburn; general debility from loss of fluids and night sweats; neuralgic pains in arms, chest, and trunk, and sensation as if broken in two; intermittent fever, with drowsiness; feels cold, but is warm to touch; great exhaustion in intervals; general clammy sweat. Chill is preceded by drowsiness, heat is associated with drowsiness. Headache after quinine. (P-208)	**CORNUS CIRCINATA**
157	***BUNG*** **(KRAIT)**	Poliomyelitis. (P-213)	**CROTALUS HORRIDUS**
158	***MOMORDICA CHARANTIA*** **(HAIRY MORDICA) INDIAN VARIETY**	Has marked drastic properties, producing colic, nausea, vomiting, and cholera-like symptoms, abdomen seems full of fluid discharged explosively, thin, watery, yellow. Great thirst. (P-214) More severe symptoms-intestines full of yellow watery fluid, discharged explosively-cramps, thirst, prostration. Cholera like symptoms. (P-395)	**CROTON TIGLIUM** **MOMORDICA BALSAMICA**

159	***TYPHA LATIFOLIA*** **(CAT-TAIL FLAG)**	Dysentery, diarrhoea and summer complaint in children. Tincture and first attenuation. (P-216, 312)	**CUPHEA VISCOSISSIMA** **IPECACUANHA**
160	***COTO*** **(PARA-COTO BARK)**	Intestinal catarrh,; chronic, copious, exhausting diarrhea and dysentery; colliquitive sweats of phthisis and chronic diarrhea. (P-216)	**CUPHEA VISCOSISSIMA**
161	***CUPRUM SULPHURICUM*** **(SULPHATE OF COPPER)**	Burning at vertex; incessant, spasmodic cough; worse at night; tongue and lips bluish; locally, Cuprum-s.in 1-3 per cent sol in inoperable sarcoma. (P-219)	**CUPRUM METALLICUM**
162	***CUPRUM CYANATUM***	Meningitis basilaris. (P-219)	**CUPRUM METALLICUM**
163	***CUPRUM OXYDATUM NIGRUM 1X***	All kinds of worms, including tapeworms and trichinosis according to Zopfy's 60 years' experience. (P-219)	**CUPRUM METALLICUM**
164	***CYTISINUM*** **(SOPHORINE)**	Motor paralysis. (P-220)	**CURARE – WOORARI**
165	***CYSTINUM***	Produces motor paralysis resembling that of curare and death through respiratory paralysis. (P-222)	**CYTISUS LABURNUM**
166	***DIGITOXINUM*** **(CARDIAC GLYCOSIDE)**	Digitalis dissolved in Chloroform; which has yellow vision very marked, and distressing nausea, aggravated by champagne and aerated waters. (P-216)	**DIGITALIS PURPUREA**
167	***DIPHTHEROTOXIN*** **(CAHIS)**	Chronic bronchitis with rales. Cartier suggests it in the vago-paralytic forms of Bronchitis of the aged or in toxic bronchitis after influenza. (P-228)	**DIPHTHERINUM**
168	***FLUOROFORMIUM*** **(AQUEOUS SOLUTION OF FLUOROFORM GAS)**	2 per cent watery solution, 2-4 drops, after paroxysms, considered specific for whooping-cough. (P-229)	**DROSERA ROTUNDIFOLIA**

169	***QUABAIN*** **(ARROW POISON)**	From leaves of Carissa schimperi. Respiratory spasm-Whooping cough is cut short in the first stage and reduced in frequency of attacks and hastens convalescence. (P-229)	
170	***DUBOISIN SULPHATE***	1-100 gr. sedative in mania. 2-4 milligrams a day. Hystero-epilepsy. Motor restlessness in insane. Has been used as a substitute for Atropia in doses of 1-20 of a grain hypodermically. (P-230)	**DUBOISINUM**
171	***PIMPINELLA SAXIFRAGA*** **(BIBERNELL)**	Respiratory mucous membrane sensitive to draughts, pain and coldness in the occiput and nape. Whole body weak; heavy head and drowsiness; lumbago and stiff neck; pain from the nape to shoulder; chilliness. (P-232)	**DULCAMARA**
172	***KINO*** **(FROM PTEROCARPUS ERINACEUS)**	Haemoptysis and haemorrhage from intestines. (P-235) Otorrhœa, with stitches in the right ear. (P-331)	**ELAPS CORALLINUS** **KALIUM MURIATICUM**
173	***EUCALYPTUS ROSTRATA*** **(RED RIVER GUM)**	Offensive dark discharge from right ear. (P-235)	**ELAPS CORALLINUS**
174	***FAGU*** **(BEECH-NUTS)**	Headache and salivation; swelling in the mouth; dread of water. (P-236)	**EPIPHEGUS VIRGINIANA – OROBANCHE**
175	***OLEUM EUCALYPTUS*** **(OIL OF EUCALYPTUS)**	Produces remarkable physical exhaustion, no desire for any motion, unable to do any real mental work, study, etc. The volatile oil possesses, in common with other terpenes, the property of converting water, in the presence of air and sunlight, into hydrogen peroxide, or to convert oxygen into ozone, which is the explanation usually given for its deodorizing and antiseptic properties (Merrel). Locally, in catarrhal affections, especially when of a suppurating or putrid nature. (P-240)	**EUCALYPTUS GLOBULUS**
176	***EUCALYPTUS TERETICORIS*** **(FOREST RED GUM)**	Menstrual cough and prostration. (P-240)	**EUCALYPTUS GLOBULUS**

177	***EUCALYPTOLUM*** **(CINEOLE)**	Depresses temperature of healthy body more than Quinine; acts on the kidneys like Terebinth. (P-240)	**EUCALYPTUS GLOBULUS**
178	***ANGOPHORA*** **(RED GUM)**	Dysentery, pains, tenesmus; better lying flat on the face; obstinate constipation.(P-241)	**EUCALYPTUS GLOBULUS**
179	***EUGENIA CHEKUN*** **(MYRTUS CHEKAN)**	Chronic Bronchitis. (P-241)	**EUGENIA JAMBOS**
180	***EUONYMUS EUROPAEA*** **(SPINDLE-TREE)**	Liver disorders, biliousness, lumbago, gastric derangements with albuminuria. Cutting pains in malar bones, tongue, penis up to the bladder. (P-242)	**EUONYMUS ATROPURPUREA**
181	***LAPSANA COMMUNIS*** **(NIPPLE-WORT)**	Useful in sore nipples and piles. (P-242)	**EUPATORIUM AROMATICUM**
182	***EUPHORBIA PROSTATA*** **(PROSTRATE SPURGE)**	Used by Indians as an infallible remedy against bites of poisonous insects and snakes, especially the rattle-snake. (P-245)	**EUPHORBIA POLYCARPA**
183	***PLUMERIA CELLINUS***	Tincture internally and locally every 15 minutes for snake poisoning (Dr. Correa). (P-245)	**EUPHORBIA POLYCARPA**
184	***MICANIA GUACO*** **(CLIMBING HEMP WEED)**	A Brazilian snake cure. (P-245)	**EUPHORBIA POLYCARPA**
185	***SELAGINELLA APUS***	Macerate in milk, locally and internally for bites of snakes and spiders. (P-245)	**EUPHORBIA POLYCARPA**
186	***GYMNEMA SYLVESTRE*** **(GURMAR)**	Will abolish the taste of bitter things; sense of taste altered; powdered root for snake-bite. (P-245)	**EUPHORBIA POLYCARPA**
187	***SISYRINCHIUM GALAXOIDES*** **(BLUE-EYED GRASS)**	Ten to fifteen drop doses of tincture (rattlesnake bites). (P-245)	**EUPHORBIA POLYCARPA**

188	***EUPHORBIA AMYGDALOIDES*** **(WOOD SPURGE)**	Pain in the antrum, illusion of smell, odor of mice. Sense of taste blunted. Diarrhœa; stools difficult, with painful anal spasm. (P-246)	**EUPHORBIUM OFFICINARUM**
189	***EUPHORBIA COROLLATA*** **(LARGE FLOWERING SPURGE)**	A diaphoretic expectorant and cathartic of the old school in gastro-enteric disturbances, with deathly nausea. Vomiting of food, water, and mucus, copious evacuations. Attacks recur after short intermissions. Sensation of clawing in stomach; cold sweat. (P-246)	**EUPHORBIUM OFFICINARUM**
190	***EUPHORBIA MARGINATA*** **(SNOW ON THE MOUNTAIN)**	Honey from the flowers is poisonous, detected by the hot, acrid taste. The milky juice produces skin symptoms like Rhus tox. (P-246)	**EUPHORBIUM OFFICINARUM**
191	***EUPHORBIA PILULIFERA*** **(PILLBEARING SPURGE)**	Humid asthma, cardiac dyspnœa, hay-fever, and bronchitis. Urethritis with intense dysuria and much urging. Acrid leucorrhœa; worse least movement. Hæmorrhages from sunstroke and traumatism. (P-246)	**EUPHORBIUM OFFICINARUM**
192	***PSORALEA*** **(A COLUMBIAN PLANT)**	Pain of cancer, ulcers. Leucorrhœa fetid. Pruritus. Uterine tumors. (P-246)	**EUPHORBIUM OFFICINARUM**
193	***HYDROPHYLLUM VIRGINICUM*** **(BURR –FLOWER)**	Catarrhal inflammation of the eyes; hot lachrymation with itching, swollen lids, dull headache; also for effects of Poison-Oak. (P-248)	**EUPHRASIA OFFICINALIS**
194	***CALCULOBILI***	Triturate Gall stones-10-12x (Gall stones). (P-250)	**FEL TAURI**
195	***FERRUM ACETICUM*** **(ACETATE OF IRON)**	Alkaline urine in acute diseases. Pain in right deltoid. Epistaxis; especially adapted to thin, pale, weak children who grow rapidly and are easily exhausted; varices of the feet; copious expectoration of greenish pus; asthma; worse, sitting still and lying; phthisis, constant cough, vomiting of food after eating, haemoptysis. (P-252)	**FERRUM METALLICUM**

196	***FERRUM ARSENICOSUM*** **(ARSENITE OF IRON)**	Enlarged liver and spleen, with fever; lienteria; albuminuria. Simple and pernicious anaemia, chlorosis. Skin dry. Eczema, psoriasis, impetigo. Use 3x trituration. (P-253)	**FERRUM METALLICUM**
197	***FERRUM BROMATUM*** **(BROMIDE OF IRON)**	Sticky, excoriating leucorrhoea; uterus heavy and prolapsed, scalp feels numb. (P-253)	**FERRUM METALLICUM**
198	***FERRUM CYANATUM*** **(IRON CYANIDE)**	Neuroses with irritable weakness and hypersensitiveness, especially of a periodical character; *epilepsy*; cardialgia; with nausea, flatulence, constipation, alternating with diarrhoea; chorea. (P-253) Epilepsy; neuroses, with irritable weakness and hyper-sensitiveness, especially of a periodical character. (P-524)	**FERRUM METALLICUM** **SILICEA TERRA**
199	***FERRUM MAGNETICUM*** **(LOADSTONE)**	Small warts on the hands. (P-253)	**FERRUM METALLICUM**
200	***FERRUM MURIATICUM*** **(FERROUS CHLORIDE)**	Arrested menstruation; tendency to seminal emissions or copious micturition at puberty; very dark, watery stools; diphtheria; phlegmonous erysipelas; pyelitis; haemoptysis of dark, clotted blood; dysparunia; pain in right shoulder, right elbow, and a marked tendency to cramps and round red spots on cheeks; bright crystals in urine. Anaemia, 3x, after meals. Tincture 1-5 drops, 3 times daily in chronic interstitial nephritis. (P-253)	**FERRUM METALLICUM**
201	***FERRUM SULPHURICUM*** **(SULPHATE OF IRON)**	Watery and painless stools; menorrhagia, pressing, throbbing between periods with rush of blood to the head. Basedow's disease. Erethism. Pain in the gall-bladder; toothache; acidity; eructation of food in mouthfuls. (P-253)	**FERRUM METALLICUM**

202	***FERRUM PERNITRICUM* (PERNITRATE OF IRON)**	Cough, with florid complexion. (P-253)	**FERRUM METALLICUM**
203	***FERRUM TARTARICUM* (TARTRATE OF IRON)**	Cardialgia; heat at the cardiac orifice of stomach. (P-253)	**FERRUM METALLICUM**
204	***FERRUM PROTOXALATUM***	Anaemia. Use 1x trituration. (P-253)	**FERRUM METALLICUM**
205	***FERRUM PYROPHOSPHORICUM* (PYROPHOSPHATE OF IRON)**	Congestion of brain and headache following great loss of blood. (P-255) Tarsal cysts. (P-536)	**FERRUM PHOSPHORICUM** **STAPHYSAGRIA**
206	***ASPIDIUM PANNA* (PANNA)**	3 doses, 2 grammes each, in half hour, fasting, in a glass of milk. Tasteless and will remove tape worm. (P-256)	**FILIX MAS – ASPIDIUM**
207	***AMMONIUM FORMALDEHYDUM* (KNOWN COMMERCIALLY AS CYSTOGEN)**	Dose, five to seven grains, two to four times daily, dissolved in hot water, after meals. Prevents the decomposition of urine in the bladder, kidneys, and ureters. Turbid urine rendered clear and non-irritating; phosphatic deposits dissolved, and growth of pyogenic bacteria arrested. (P-258)	**FORMALINUM**
208	***UROTROPINUM***	A diuretic and solvent of uric acid concretions; relieves cystitis associated with putrefaction. Three to five grains well diluted. When administered invariably appears in the cerebro-spinal fluid andis therefore advised in threatened meningeal infection. (P-258)	**FORMALINUM**
209	***FORMICICUM ACIDUM***	Chronic myalgia. Muscular pains and soreness. Gout and articular rheumatism, which appear suddenly. Pains usually worse on right side, motion and better from pressure. *Failing vision*. Increases muscular strength and resistance to fatigue. Feels stronger and more "fit". Marked diuretic effect, greater elimination of products of	**FORMICA RUFA**

		disassimilation, particularly urea. *Tremor*. Tuberculosis, chronic nephritis and carcinoma, lupus, etc, have been treated successfully with injections of Form-ac., of a dilution corresponding to the 3d and 4th centesimal. In prescribing it for varicose veins, polypi, catarrh, Dr. J. H. Clarke orders an ounce or two of a solution of Form-ac. in the proportion of one part of the acid to eleven of distilled water. Of this one teaspoonful is taken in a tablespoonful of water after food once or twice daily. Pain in aponeurosis and muscles of head, neck and shoulders before a snowstorm. *Dulc.*, *Urtica* and *Juniperus* contain *Form-ac.*), *Wood alcohol*, when taken as a constituent of a beverage so common in these prohibition days, is not eliminated easily and is slowly converted into *Formic acid*, attacking the brain and causes death or blindness. Dr. Sylwestrowicz of the Hering Research Laboratory of Hahnemann College, Philadelphia contributes his experience with *Formic Acid*, as follows: "The best field for the form-ac. treatment are cases of atypical gout. Under this classification are to be mentioned disturbances in the muscles such as myositis, periostitic processes of the bones in form of doughy swellings, changes of the fascias such as Dupyutren's contraction, skin troubles such as chronic eczema, psoriasis and loss of hair, kidney disturbances such as subacute and chronic nephritis. In these cases *form-ac.* in 12x and 30x, hypodermically 1 cc is indicated at intervals of 2-4	

		weeks. Eight to twelve days after the first injection an aggravation is often noticed. In acute rheumatic fever and acute gonorrhoeic arthritis f*ormic acid* 6x, every six days 1 cc, sometimes 12x in sensitive patients shows often splendid results in abolishing the pains and preventing reoccurrence. Chronic arthritis needs a special discussion. Clinical experiments in the Hering research Laboratory of the Hahnemann Medical College of Philadelphia in a great number of cases of arthritis with *form-ac.* showed that it acts preferably on the ligaments, capsula and bursa of the joints. Such kind of cases respond very readily to treatment. The prognosis depends to a large extent upon the etiology of the case. The most satisfactory cases are chronic arthritis in connection with gouty diathesis. Chronic arthritis following an attack of acute rheumatic fever also shows remarkable results although often pains of a neuralgic character persist in certain spots stubbornly. Finally, chronic arthritis of traumatic nature can be cured by formic acid. In the latter case *form-ac.* 6x showed quicker and better results than 12x or 30x which are indicated in the previous cases. In general the disappearance, of the stiffness of the joint is the first sign of improvement. Then the pain and swelling cease gradually in 1-6 months time. The prognosis of the form-ac. treatment is not so favorably in chronic arthritis in which deformans processes have already taken place on	

		the articular surfaces. Such processes in the beginning can be checked completely, advanced cases frequently show an improvement. But there is always the possibility that this improvement is only temporary. This is particularly to be expected in the cases of the so called arthritis deformans in which even the inflammations on the ligaments and capsula are of a very progressive character".(P-259) Tuberculosis, chronic nephritis, malignant tumors; pulmonary tuberculosis, not in the third stage, however; lupus; carcinoma of breast and stomach; Dr. Krull uses injections of solutions corresponding to the third centesimal potency; these must not be repeated before six months. (P-577)	**TUBERCULINUM**
210	***FRAXINUS EXCELSIOR*** **(EUROPEAN ASH)**	Gout; rheumatism. Infusion of ash-leaves. Rademacher. (P-262)	**FRAXINUS AMERICANA**
211	***GALEGA OFFICINALIS*** **(GOAT'S RUE)**	Backache; debility; anaemia and impaired nutrition. Increases the quantity and quality of the milk in nursing women, also the appetite. (P-262)	**FRAXINUS AMERICANA**
212	***METHYLIUM SALICYLICUM*** **(ARTIFICIAL GAULTHERIA OIL)**	For rheumatism, especially when the salicylates cannot be used. Pruritus and epididymitis, locally. (P-265)	**GAULTHERIA PROCUMBENS**
213	***GENTIANA QUINQUEFLORA*** **(GALL OF THE EARTH)**	Intermittent fever; dyspepsia, cholera infantum, weakness. (P-268)	**GENTIANA LUTEA**
214	***GENTIANA CRUCIATA*** **(CROSS-LEAVED GENTIAN)**	Throat symptoms in addition to similar stomach symptoms; dysphagia; vertigo with headache; sensation as if eyes pressing inwards, constricted throat and head and abdomen. Distention, fullness and tightness of the abdomen. Creeping sensation all over body, as if from fleas. (P-268)	**GENTIANA LUTEA**

215	***GERIN. 1X***	Constant hawking and spitting in elderly people. (P-269)	**GERANIUM MACULATUM**
216	***ERODIUM CICUTARIUM*** **(HEMLOCK – STORK'S BILL)**	A popular haemostatic in Russia, and especially used for metrorrhagia and menorrhagia. (P-269)	**GERANIUM MACULATUM**
217	***PELLETIERINUM*** **(ALKALOID IN THE ROOT BARK OF THE POMEGRANATE TREE)**	One of its constituents -an anthelminitic, especially for tapeworm. (P-274)	**GRANATUM**
218	***GUAIACOLUM/GUAJA COLUM*** **(LIGNUM VITAE)**	In the treatment of gonorrhoeal epididymitis, 2 parts to 30 vaseline, locally. (P-280) Is the principal constituent of Kreosote, and similar in action. Used in pulmonary tuberculosis. Dose 1 to 5 m. (P-30)	**GUAIACUM OFFICINALE** **KREOSOTUM**
219	***AMPHISBAENA VERMICULARIS*** **(SNAIL-LIKE LIZARD/SNAKE LIZARD)**	Great affinity for the jaw bones, worse by air and dampness. (P-284) Right jaw swollen and painful, lancinating pains; headaches, lancinating pains. Eruption of vesicles and pimples. (P-345)	**HECLA LAVA** **LACHESIS MUTUS**
220	***HELLEBORUS ORIENTALIS*** **(LENTEN ROSE)**	Salivation. (P-285)	**HELLEBORUS NIGER**
221	***LACERTA AGILIS*** **(GREEN LIZARD)**	Skin eruptions. Vesicles under tongue. Increased mental acumen. Dysphagia. Constant accumulation of saliva in the mouth. Nausea; violent pressure in the stomach. (P-286)	**HELODERMA**
222	***AGRIMONIA EUPATORIA*** **(COCKLEBURR)**	Painful kidneys, impaired digestion and menstrual difficulties; Bronchorrhoea and catarrh of bladder. Cough with profuse expectoration attended with expulsion of urine. Tincture 1-10 gtt. (P-287) Pain in region of kidneys. (P-528)	**HELONIAS DIOCA** **SOLIDAGO VIRGAUREA**

223	***MUCOTOXINUM***	Cahis' preparation with the micrococcus catarrhalis. Friedlander's Bacillus of Pneumonia and the micrococcus tetragenius for acute and chronic mucous catarrhs in children and old people. (P-291)	**HIPPOZAENINUM**
224	***CALOTROPIS OR MADURA ALBUM***	Leprosy; livid and gangrenous tubercles; thickening of the skin. (P-293)	**HURA BRASILIENSIS**
225	***GEUM*** **(WATER AVENS)**	Severe jerking pains from deep in the abdomen to end of urethra; affections of bladder, with pain in penis; worse, eating; relaxed mucous membranes, with excessive and depraved secretions; imperfect digestion and assimilation. (P-293)	**HYDRANGEA ARBORESCENS**
226	***MANZANITA*** **(MADRONO)**	Diarrhœa, gonorrhœa, gleet, leucorrhœa, catarrhal conditions. (P-295)	**HYDRASTIS CANADENSIS**
227	***HYDRASTINUM MURIATICUM*** **(MURIATE OF HYDRASTIA)**	Locally, in aphthous sore mouth, ulcers, ulcerated sore throat, ozæna, etc. Internally, third decimal trituration. Is a uterine hæmostatic and vasoconstrictor; metrorrhagia, especially from fibroid tumors; haemorrhages; in dilatation of the stomach, and chronic digestive disorders. (P-295)	**HYDRASTIS CANADENSIS**
228	***HYDRASTININ SULPHURICUM 1X***	Haemorrhage from the bowels in typhoid. (P-295)	**HYDRASTIS CANADENSIS**
229	***MARRUBIUM ALBUM*** **(HOARHOUND)**	A stimulant to mucous membranes, especially laryngeal and bronchial; chronic bronchitis, dyspepsia, and hepatic disorders; colds and coughs. (P-295)	**HYDRASTIS CANADENSIS**
230	***ELAEIS*** **(SOUTH AMERICAN PALM)**	Scleroderma, elephantiasis, leprosy, skin thickened, itching and hardened. Anaesthesia. (P-296)	**HYDROCOTYLE ASIATICA**

231	***HYOSCYAMINUM HYDROBROATUM*** **(SCOPOLAMINE BROMHYDRICUM)**	Paralysis agitans; tremors of disseminated sclerosis. Sleeplessness and nervous agitation. Dry cough in phthisis. Similar in its effects to alcohol, both recent and remote. Corresponds to the effects of strong poisons introduced into or generated within the body. Symptoms of uraemia and acute nervous exhaustion. A remedy for shock. Third and fourth decimal trituration. In physiological dosage (1-200 gr) mania and chorea; insomnia. (P-298)	**HYOSCYAMUS NIGER**
232	***SCOPOLA*** **(JAPANESE BELLADONNA)**	Chemically identical with Hyoscine. Joyous delirium, licking of lips and smacking of mouth; sleepless; tries to get out of bed; sees cats, picks imaginary hairs, warms hands before imaginary fire, etc. (P-298)	**HYOSCYAMUS NIGER**
233	***PANACEA ARVENSIS*** **(POOR MAN'S MERCURY)**	Sensitiveness over gastric region with hunger but an aversion to food. (P-304)	**IGNATIA AMARA**
234	***ILEX PARAGUARIENSIS*** **(YERBA MATE)**	Persistent epigastric pain; sense of dryness in the mouth and pharynx, anorexia, pyrosis, nervous depression, neurasthenia. Somnolence; incapacity for work, diminution of urinary secretion, headache and pruritus. Migraine. Renal colic. Is said to be of use as a prophylactic against sunstroke, being a safe stimulant to the circulation, to diaphoresis and dieresis. (P-304)	**ILEX AQUIFOLIUM**
235	***ILEX VOMITORIA*** **(YAUPON)**	Emetic properties-Possesses tonic and digestive qualities, free from sleepless effects. Has an active principle said to act as a powerful diuretic-employed in nephritis and gout. (P-305)	**ILEX AQUIFOLIUM**
236	***ILEX CASSINE*** **(CHRISTMAS BERRY TEA)**	Excellent diuretic and substitute for tea. (P-305)	**ILEX AQUIFOLIUM**

237	***OESTRUS CAMELI***	An Indian medicine for epilepsy. (P-305)	**INDIGO TINCTORIA**
238	***EMETINUM*** **(PRINCIPAL ALKALOID OF IPECAC)**	A powerful amoebicide, but is not a bactericide. Specific for amćbiasis; of remarkable value in treatment of amoebic dysentery; also as a remedy in pyorrhea, 1/2 gr daily for three days, then less. Emetin, 1/2 gr hypodermically, in Psoriasis. Emetin hydrocin. 2x, diarrhoea with colicky, abdominal pains and nausea. Emetin for entamoebic dysentery. In physiological doses must be carefully watched. May produce hepatization of lungs, rapid heart action, tendency for the head to fall forward and lobar pneumonia. (P-312)	**IPECACUANHA**
239	***GELATIN*** **(HYDROLYZED COLLAGEN)**	Has a marked effect on the coagulability of the blood. Hypodermically or orally, a 10 percent jelly, about 4 oz, three times a day. (P-312)	**IPECACUANHA**
240	***EUPHORBIA HYPERICIFOLIA (GARDEN SPURGE)***	Very similar to Ipecac. Irritation of the respiratory and gastro-intestinal tracts and female organs. (P-312)	**IPECACUANHA**
241	***CONVOLVULUS*** **(MORNING GLORY)**	Colic and diarrhea. (P-312)	**IPECACUANHA**
242	***LIPPIA MEXICANA***	Persistent dry, hard, bronchial cough asthma and chronic bronchitis. (P-312)	**IPECACUANHA**
243	***IRIDIUM MURIATICUM***	Produces salivation and stiffness of the jaws followed by head and nervous symptoms. Congestion of nares and bronchi. Dragging pain in the lower back. Headache worse right side, heavy feeling as of liquid lead. (P-313)	**IRIDIUM METALLICUM**
244	***IRIS FLORENTINA*** **(ORRIS-ROOT)**	Delirium, convulsions, and paralysis. (P-314)	**IRIS VERSICOLOR**
245	***IRIS FACTISSIMA*** **(ROAST-BEEF PLANT)**	Headache and hernia. (P-314)	**IRIS VERSICOLOR**

246	***IRIS GERMANICA*** **(BLUE GARDEN IRIS)**	Dropsy and freckles. (P-314)	**IRIS VERSICOLOR**
247	***IRIS TENAX*** **(IRIS MINOR)**	Dry mouth; deathly sensation at a point of stomach, pain in ileo-caecal region; appendicitis. Pain from adhesions after. (P-314)	**IRIS VERSICOLOR**
248	***PANCREATINUM*** **(EXTRACT OF PANCREATIC AND SALIVARY GLANDS OF OX OR SHEEP)**	A combination of several enzymes — Indicated in intestinal indigestion; pain an hour or more after eating. Lienteric diarrhœa. Dose.--3-5 grains;, better not given during the active period of gastric digestion. (P-314)	**IRIS VERSICOLOR**
249	***PEPSINUM*** **(PEPSIN)**	Imperfect digestion with pain in the gastric region. Marasmus of children who are fed on artificial foods. Diarrhœa due to indigestion. Dose.— 3-4 grains. Diseases of pancreas, gout, diabetes. (P-314)	**IRIS VERSICOLOR**
250	***PILOCARPINUM MURIATICUM*** **(HYDROCHLORATE OF PILOCARPINE)**	Meniere's disease, rapidly progressive phthisis, with free haemorrhages, profuse sweating, 2x trituration. Atropine is the antagonist to Pilocarpin, in dose of one one-hundredth grain for one-sixth of Pilocarpin. (P-315)	**JABORANDI**
251	***JACARANDA GUALANDAI***	In syphilitic symptoms, especially of theeye and throat. Chancroids; atonic ulcers. Dark, painless diarrhoea. (P-316)	**JACARANDA CAROBA**
252	***JATROPHA URENS*** **(SPONGE NETTLE)**	Edema and cardiac paresis. (P-317)	**JATROPHA CURCAS**
253	***JUGLANDIN***	Duodenal catarrh; bilious diarrhea. (P-318)	**JUGLANS CINEREA**
254	***JUNIPERUS VIRGINIANUS*** **(RED CEDAR)**	Violent cystitis. Persistent dragging in the back; hyperaemia of the kidneys; pyelitis and cystitis; dropsy in the aged with suppressed urine. Dysuria, burning, cutting pain in the urethra while micturating. Constant urging apoplexy, convulsions, strangury, uterine haemorrhage. (P-319)	**JUNIPERUS COMMUNIS**

255	***KALI SALICYLICUM* (POTASSIUM SALICYLATE)**	Vomiting, especially of pregnancy; arteriosclerosis, with chronic rheumatism. (P-327)	**KALIUM CARBONICUM**
256	***KALIUM SILICICUM* (SILICATE OF POTASH)**	Gouty nodosities. (P-327)	**KALIUM CARBONICUM**
257	***KALIUM ACETICUM* (ACETATE OF POTASH)**	Diabetes, diarrhoea, dropsy, alkaline urine, very much increased in quantity. (P-327)	**KALIUM CARBONICUM**
258	***KALIUM CITRICUM* (CITRATE OF POTASH)**	Bright's disease-1 gr to a wine-glass of water. (P-327)	**KALIUM CARBONICUM**
259	***KALIUM FERROCYANATUM* (PRUSSIAN BLUE)**	Physical and mental prostration following infection. Inability to sustained routine work. Neuralgic affections depending on impoverished blood supply and exhausted nerve centers, especially spinal. Fatty and functional heart troubles. Pulse weak, small, irregular. Uterine symptoms, like Sepia, bearing-down sensation and gastric sinking; profuse, pus-like leucorrhoea and passive haemorrhage; use 6x. (P-327)	**KALIUM CARBONICUM**
260	***KALIUM OXALICUM* (SALTS OF SORREL)**	Lumbago, convulsions. (P-327)	**KALIUM CARBONICUM**
261	***KALIUM PICRO-NITRICUM AND KALIUM PICRICUM* (POTASSIUM PICRATE)**	Jaundice, violent eructations. (P-327)	**KALIUM CARBONICUM**
262	***KALIUM TARTARICUM* (TARTRATE OF POTASH)**	Paraplegia. (P-327)	**KALIUM CARBONICUM**
263	***KALIUM TELLURICUM* (POTASSIUM TELURATE)**	Garlicky odor of breath, salivation, swollen tongue. (P-327)	**KALIUM CARBONICUM**
264	***CHOPHEENEE***	A Hindu remedy for syphilitic eruptions, ulcerations and bone-pains. Used in tincture. (P-330)	**KALIUM HYDRIODICUM**

265	***GUN-POWDER*** **(BLACK GUNPOWDER 3X)**	Nitre with sulphur and charcoal 2x trituration. "Blood poisoning." Septic suppuration. Protective against wound infection. Antidote to Ivy and Primula rash (Clarke) Herpes facialis; crops of boils. Carbuncles. Osteo-myelitis. (P-333) Abscesses, boils, carbuncles, limb purple. Wounds that refuse to heal; accident from bad food or water:Clarke. (P-524)	**KALIUM NITRICUM** **SILICEA TERRA**
266	***KALIUM HYPO-PHOSPHORICUM***	Debility with wasting of muscular tissue. Phosphaturia with general anaemia or leucocythemia. Effects of excessive tea drinking. Chronic bronchitis where the expectoration is thick and fetid, sometimes scanty and tough. Dose; 5 grains of crude to 3x. (P-335)	**KALIUM PHOSPHORICUM**
267	***GENISTA TINCTORIA*** **(DYER'S WEED)**	Contains scopolamin; frontal headache and vertigo, worse motion, better open air and eating. Dry throat, wakes up with waterbrash. Itching eruption on elbows, knees and ankles. Promotes diuresis in dropsical conditions. (P-335)	**KALIUM PHOSPHORICUM**
268	***KALIUM SULPHURICUM CHROMICUM*** **(ALUM OF CHROME-3X)**	Produces in the nasal passages very fine threads from the septum to external wall; affections of nasal fossae and hay-fever. Chronic colds. Sneezing, red, watery eyes, irritation of mucous membrane. (P-337)	**KALIUM SULPHURICUM**
269	***MALLOTUS PHILIPPINENSIS*** **(KAMALA)**	An efficient remedy for tapeworm in 30-60 minims of tincture taken in cinnamon water. (P-339)	**KOUSSO – BRAYERA**
270	***ARTANTHE ELONGATA OR PIPER AUGUSTIFOLIA***	Gonorrhoea, haemorrhage from the lungs; catarrhal conditions of genito-urinary organs and gastro-intestinal tract. Topically a hæmostatic. Difficult, dry, deep, winter cough. Use tincture. (P-341)	**KREOSOTUM**

271	***LACTIS VCCINI FLOS*** **(CREAM)**	Diptheria , leucorrhoea, menorrhagia, dysphagia. (P-342)	**LAC CANINUM**
272	***COLOSTRUM*** **(THE MILK FIRST SECRETED AFTER CHILD BIRTH)**	Diarrhoea in infants. The whole body smells sour. Colic. (P-342)	**LAC DEFLORATUM**
273	***FEL***	Pain in the nape of the neck, and great tension there. (P-345)	**LACHNANTHES TINCTORIA**
274	***NABALUS SERPENTARIUS – PRENANTHES SERPENTARIUS*** **(RATTLESNAKE ROOT – WHITE LETTUCE)**	Similar to lactuca. Chronic diarrhoea, worse after eating, nights and towards morning. Pain in abdomen and rectum; emaciation. Constipation and somnolence; susceptible to the aura of others. Dyspepsia, with acid burning eructation. Craving for acid food. Leucorrhoea with throbbing in uterus. (P-347)	**LACTUCA VIROSA**
275	***PETIVERIA TETANDRA*** **(A SOUTH AMERICAN PLANT)**	Paralysis; paraplegia with numbness. Sensation of internal coldness. (P-349)	**LATHYRUS SATIVUS**
276	***AGROSTEMA GITHAGO*** **(CORN-COCKLE)**	Burning sensations, in the stomach, through oeophagus into the throat, in lower abdomen and anus; nausea, bitter vomiting, impaired locomotion; difficulty in remaining erect; vertigo and *headache, burning from the lower jaw to vertex*. (P-349) Active constituent is *Saponinum*, which causes violent sneezing and sharp burning taste; burning in stomach, extends to oesophagus, neck and breast; (vertigo, headache, difficult locomotion, burning sensation). (P-513)	**LATHYRUS SATIVUS** **SECALE CORNUTUM**
277	***LATRODECTUS HASSELTI*** **(NEW SOUTH WALES BLACK SPIDER)**	Long lasting effects seem to indicate it in "chronic" blood poisoning. Arrests intense pain in pyaemia. Great œdema in neighborhood of a wound; paralysis of limbs, with great wasting of muscles. Violent, darting, burning pains preceding paralysis; vertigo, tendency to fall forward; septicaemic	**LATRODECTUS MACTANS**

		conditions; constant delusion of flying. Loss of memory. Roaring noises. (P-349)	
278	***LATRODECTUS KATIPO*** **(NEW ZEALAND SPIDER)**	Lymphangitis and nervous twitchings, scarlet burning eruption. (P-350)	**LATRODECTUS MACTANS**
279	***TRIATEMA*** **(KISSING BUG)**	Swelling with violent itching of fingers and toes. Smothering sensation and difficult respiration succeeded by fainting and a rapid pulse. (P-350)	**LATRODECTUS MACTANS**
280	***LINUM CATHARTICUM*** **(PURGING FLAX)**	Similar respiratory symptoms, but also colic and diarrhoea. (P-357)	**LINUM USITATISSIMUM**
281	***LITHIUM MURIATICUM*** **(LITHIUM CHLORIDE)**	*S*ymptoms of cinchonism, viz., *Dizzy* head, full, *blurring of vision* Ringing in ears; marked tremors; *general weakness*; marked muscular and general prostration; no gastro-intestinal effects. Nose sore, heartburn, pain in teeth. (P-358)	**LITHIUM CARBONICUM**
282	***LITHIUM LACTICUM*** **(LACTATE OF LITHIA)**	Rheumatism of shoulder, and small joints relieved by moving about; worse, resting. (P-358)	**LITHIUM CARBONICUM**
283	***LITHIUM BROMATUM*** **(BROMIDE OF LITHIUM)**	Cerebral congestion, threatened apoplexy, insomnia and epilepsy. (P-358)	**LITHIUM CARBONICUM**
284	***LITHIUM BENZOICUM*** **(BENZOATE OF LITHIUM)**	Deep-seated pains in loins; in small of back; uneasiness in bladder. Cystitis. Gallstones. Frequent desire. Diminishing uric acid deposit. (P-358)	**LITHIUM CARBONICUM**
285	***LOBELIA SYPHILITICA OR COERULEA*** **(GREAT BLUE LOBELIA)**	Gives a perfect picture of sneezing influenza, involving the posterior nares, palate, and fauces. Very depressed. Pain in the forehead over eyes; pain and gas in bowels, followed by copious watery stools with tenesmus and soreness of the anus. Pain in knees. Prickling in soles. Great oppression in lower part of chest, as if air could not reach there. Pain in chest under the short ribs of left side. Dry, hacking cough. Breathing difficult. Dull, aching pain over the root of	**LOBELIA INFLATA**

		nose. Eustachian catarrh. Pain in posterior part of spleen. (P-359)	
286	***LOBELIA CARDINALIS*** **(CARDINAL FLOWER)**	Debility, especially of lower extremities; oppressed breathing, pleurisy, sticking pain in the chest on taking a long breath. Pain in left lung, intermitting, pricking during the day. (P-360)	**LOBELIA PURPURASCENS**
287	***LONICERA PERICLYMENUM*** **(HONEYSUCKLE)**	Irritability of temper, with violent outbursts. (P-361)	**LONICERA XYLOSTEUM**
288	***PLUMBAGO LITTORALIS*** **(A BRAZILIAN PLANT)**	Costive with red urine, pain in kidneys and joints and the body generally; milky saliva, ulcerated mouth. (P-366) Eczema of vulva. (P-491)	**LYCOPODIUM CLAVATUM** **RHUS TOXICODENDRON**
289	***EPHEDRA VULGARIS*** **(TEAMSTER'S TEA)**	In exophthalmic goitre; eyes feel pushed out with tumultuous action of heart. (P-366)	**LYCOPUS VIRGINICUS**
290	***XANTHIUM SPINOSUM*** **(COCKLE)**	Said to be specific for hydrophobia and is recommended for chronic cystitis in women. (P-367)	**LYSSINUM**
291	***NASTURTIUM EQUATICUM*** **(WATER-CRESS)**	Useful in scorbutic affections and constipation, related to strictures of the urinary apparatus; supposed to be aphrodisiacal in its action. Is also antidotal to tobacco narcosis and sedative in neurotic affections, eurasthenia, hysteria. Cirrhosis of liver and dropsy. (P-370)	**MAGNESIUM MURIATICUM**
292	***COLLOIDAL MANGANESE***	Boils and other staphylococcal infections. (P-376)	**MANGANUM ACETICUM**
293	***MANGANUM MURIATICUM*** **(CHLORIDE OF MANGANESE)**	Painful ankles, bone-pains (P-376)	**MANGANUM ACETICUM**
294	***MANGANUM OXYDATUM*** **(NATIVE BLACK OXIDE OF MANGANESE)**	Pain in tibia, dysmenorrhoea, colic, and diarrhea. Easily fatigued and heated; sleepy. Stolid, mask-like facies; low monotonous voice "Economical Speech". Muscular twitching (chorea), cramps in calves;	**MANGANUM ACETICUM**

		stiff leg muscles; occasional uncontrollable laughter. Peculiar slapping gait. Similar symptoms to paralysis agitans, progressive lenticular degenerations and pseudo sclerosis. (P-376)	
295	***MANGANUM BINOXIDE***	Workers are frequently affected with bulbar paralysis. Use 3x homoeopathically. (P-376)	**MANGANUM ACETICUM**
296	***MANGANUM SULPHURICUM*** **(SULPHATE OF MANGANESE)**	Liver affections, excess of bile; a powerful intestinal stimulant. (P-376)	**MANGANUM ACETICUM**
297	***MELILOTUS ALBA*** **(WHITE CLOVER)**	Practically the same action. Haemorrhages, congestive headaches, engorged blood vessels, spasms. (P-380)	**MELILOTUS OFFICINALIS**
298	***MENTHA PULEGIUM*** **(EUROPEAN PENNYROYAL)**	Pain in bones of the forehead and extremities. (P-381)	**MENTHA PIPERITA**
299	***MENTHA VIRIDIS*** **(SPEARMINT)**	Scanty urine with frequent desire. (P-381)	**MENTHA PIPERITA**
300	***CAPPARIS CORIACCEA*** **(CAPERBUSH)**	Polyuria, glandular affections, mucous diarrhoea; influenza. (P-386)	**MERCURIUS SOLUBILIS**
301	***MERCURIUS ACETICUS*** **(SUBACETATE OF MERCURY)**	Congestion with stiffness, dryness and heat of parts affected. Eyes inflamed, burn and itch. Lack of moisture. Throat dry, talking difficult. Pressure in lower part of sternum; chancre in urethra; tenia capitis favosa, margin of ulcers painful. (P-386) Cutting in urethra when last drop is flowing out. (P-391)	**MERCURIUS SOLUBILIS** **MERCURIUS SULPHURICUS**
302	***MERCURIUS AURATUS***	Psoriasis and syphilitic catarrh; brain tumors; lues of nose and bones; ozaena; swelling of testicles. (P-386)	**MERCURIUS SOLUBILIS**
303	***MERCURIUS BROMATUS*** **(MERCUROUS BROMIDE)**	Secondary syphilitic skin affection. (P-386)	**MERCURIUS SOLUBILIS**

304	***MERCURIUS NITROSUS*** **(NITRATE OF MERCURY)**	Especially in pustular conjunctivitis and keratitis; gonorrhoea and mucous patches, with sticking pains; syphilides. (P-386)	**MERCURIUS SOLUBILIS**
305	***MERCURIUS PHOSPHORICUS*** **(HYDRARGYRUM PHOSPHORICUM)**	Nervous diseases from syphilis; exostoses. (P-386)	**MERCURIUS SOLUBILIS**
306	***MERCURIUS PRECIPITATUS RUBER*** **(RED OXIDE OF MERCURY)**	Suffocative attacks at night on lying down while on the point of falling asleep, obliged to jump up suddenly which relieves; gonorrhoea;urethra felt as a hard string; chancroid; phagedenic ulcer and bubo; pemphigus, mucous patches, eczema with rhagades and fissures, barber's itch; blepharitis, internally and externally; leaden heaviness in occiput, with otorrhoea. (P-386)	**MERCURIUS SOLUBILIS**
307	***MERCURIUS TANNICUS***	Syphilides in patients with gastro-intestinal diseases, or, if very sensitive, to ordinary mercurial preparations. (P-386)	**MERCURIUS SOLUBILIS**
308	***ERYTHRINUS*** **(SOUTH AMERICAN RED MULLET FISH)**	In pityriasis rubra and syphilis; red rash on chest; pityriasis. (P-386)	**MERCURIUS SOLUBILIS**
309	***LOLIUM TEMULENTUM*** **(DARNEL)**	In trembling of hands and legs. (P-386)	**MERCURIUS SOLUBILIS**
310	***MERCURIUS CUM KALI***	Inveterate colds, acute facial paralysis. (P-386)	**MERCURIUS SOLUBILIS**
311	***HEUCHERA AMERICANA*** **(ALUM ROOT)**	Gastro-enteritis nausea, vomiting of bile and frothy mucus; stools watery, profuse, slimy, tenesmus, never-get-done feeling. Dose, 2 to 10 drops of tincture. (P-386)	**MERCURIUS SOLUBILIS**

312	***LEONURUS CARDIAC*** **(MOTHER-WORT)**	Influences pelvic organs, allays spasm and nervous irritability, promotes secretion and reduces febrile excitement. Valuable in suppressed menses and lochia; dysentery; vomiting, frightfulpains in abdomen, violent thirst. Tongue dry and cracked. (P-388)	**MERCURIUS CORROSIVUS**
313	***MONSONIA OVATE***	An African plant belonging to Geraniaceae used for dysentery in material doses. (P-388)	**MERCURIUS CORROSIVUS**
314	***DIRCA PALUSTRIS*** **(LEATHER WOOD)**	A gastro-intestinal irritant inducing salivation, emesis and purgation; cerebral hyperaemia; neuralgic pains, with depression, palpitation, and dyspnoea.(P-393)	**MEZEREUM**
315	**FICUS VENOSA** **(PAKUR)**	Haemorrhage from bowels and lungs.(P-394)	**MILLEFOLIUM**
316	***HELX*** **(SNAIL)**	In haemoptysis, diseases of the chest, consumption. (P-394)	**MILLEFOLIUM**
317	***MYRTUS CHEKAN***	Chronic bronchitis with dense, yellowish sputum, difficult to detach. Copious expectoration, distressing the patient and cough. (P-402) Chronic bronchitis, cough of phthisis, emphysema, with gastric catarrhal complications and thick, yellow difficult sputum. Old persons with weakened power of expectoration. (P-534)	**MYRTUS COMMUNIS** **STANNUM METALLICUM**
318	***BUNGARUS FASCIATUS*** **(BANDED KRAIT)**	This venom produces a condition like an acute polioencephalitis and myelitis, both symptomatically and histologically. (P-403)	**NAJA TRIPUDIANS**
319	***TERPIN-HYDRAS*** **(TERPIN HYDRATE)**	Whooping cough, hay asthma and bronchial affections. 1-2 grain doses. (P-404)	**NAPHTHALINUM**
320	***SODII BICARBONAS*** **(SODIUM BICARBONATE)**	In vomiting of pregnancy with acetonuria, 30 grains in water spread over twenty-four hours. (P-406)	**NATRIUM CARBONICUM**

321	***NATRIUM CACODYLICUM*** **(CACODYLATE OF SODA)**	Foul breath and mouth with bad odor. Dry dermatitis of the abdominal skin. Malignant growths. In phthisis, 5 centigrams hypodermically, daily. Increase number of red blood corpuscles to double. Also in *malignant disease*. (P-406) Tumours. (P-134)	**NATRIUM CARBONICUM** **CALCAREA FLUORICA**
322	***ARSYNAL*** **(DISODIUM METHYLARSENATE)**	Introduced by M. A. Gautier, for phthisis in the second stage 4 to 6 centigrammes per day for one week followed by a week's intermission. But much smaller doses, i.e, 1x to 3x are followed by improvement, lower fever, night sweat and hemoptysis ceasing. (P-407)	**NATRIUM CARBONICUM**
323	***HELIOTROPIUM PERUVIANUM*** **(CHERRY- PIE)**	Uterine displacement, with active bearing-down sensation and aphonia; membranous dysmenorrhoea. (P-407)	**NATRIUM HYPOCHLOROSUM**
324	***AQUA MARINA*** **(ISOTONIC PLASMA)**	Marine plasma is a sea water taken some miles from the shore and at some depth, below surface, filtered and diluted with twice as much pure fresh water. It acts primarily on the blood, as in intoxications, scrofulous conditions, enteritis. It disintoxicates in cancer, administered subcutaneously in the treatment of skin, kidneys and intestinal diseases, gastroenteritis, and tuberculosis. *Scrofulous affection of children*. Lymphadenitis. Lupus, eczema, varicose ulcers. A great "blood purifier and vitalizer." Potentized sea-water is indicated in weakness, lack of reaction; symptoms worse seaside. Goitre. (P-410)	**NATRIUM MURIATICUM**

325	***SAL MARINUM*** **(SEA SALT)**	Indicated in chronic enlargements of glands, especially cervical. Suppurating glands. It appears likely to become a most useful remedy as an auxiliary, if not as a principal, in the treatment of diseases in patients of a strumous diathesis. Also useful in constipation. (P-410)	**NATRIUM MURIATICUM**
326	***NATRIUM SELENICUM*** **(SELENATE OF SODIUM)**	Laryngeal phthisis with expectoration of small lumps of bloody mucus and slight with hoarseness. (P-410) Chronic laryngitis and laryngeal phthisis; hoarseness of singers, expectorate small lumps of mucus with frequent clearing of throat. (P-412)	**NATRIUM MURIATICUM** **NATRIUM PHOSPHORICUM**
327	***NATRIUM SILICUM*** **(SODIUM SILICATE)**	Hemophilia; scrofulous bone affections; given intravenously every 3 days for *senile pruritus*. (P-410)	**NATRIUM MURIATICUM**
328	***NATRIUM LACTICUM*** **(SODIUM LACTATE)**	Rheumatism and gout; gouty concretions, rheumatism with diabetes. (P-412)	**NATRIUM PHOSPHORICUM**
329	***NATRIUM NITROSUM*** **(NITRITE OF SODIUM)**	Angina pectoris. Cyanosis, fainting, copious liquid stools at night; throbbing and fullness; faintness, nervous pains in the head, nausea, eructations, blue lips. (P-412)	**NATRIUM PHOSPHORICUM**
330	***NATRIUM SILICOFLUORICUM*** **(SALUFER)**	A cancer remedy; tumors, bone affection, caries, lupus, ethmoiditis. Must be used carefully. (P-412)	**NATRIUM PHOSPHORICUM**
331	***NATRIUM SULPHUROSUM*** **(SULPHITE OF SODIUM)**	Diarrhea, with *yeasty stools*. (P-412)	**NATRIUM PHOSPHORICUM**
332	***NATRIUM SULPHOCARBOLICUM***	Pyemia; purulent pleurisy, 3 to 5 grains every three hours. (P-412)	**NATRIUM PHOSPHORICUM**
333	***NATRIUM TELLURICUM*** **(SODIUM TELLURITE)**	Breath has odor of garlic; night sweats of phthisis. (P-412)	**NATRIUM PHOSPHORICUM**

334	***PYRUS MALUS*** **(CRAB APPLE TREE)**	Labyrinthine vertigo (Dr. Cooper). (P-413)	**NATRIUM SALICYLICUM**
335	***NATRIUM SUCCINICUM***	5 gr. every 3 hours. Catarrhal jaundice. (P-415)	**NATRIUM SULPHURICUM**
336	***MALARIA OFFICINALIS*** **(DECOMPOSED VEGETABLE MATTER)**	Has power to cause the disappearance of the plasmodium of malaria. Malarial cachexia. General sense of weariness. Splenic affections. Malaria and rheumatism. Functional hepatic diseases. Sixth potency and higher. (P-415)	**NATRIUM SULPHURICUM**
337	***NATRIUM CHOLEINICUM*** **(FEL TAURI DEPURATUM)**	Constipation; chronic gastric and intestinal catarrh; cirrhosis of the liver; diabetes; *pain in nape of neck; tendency to sleep after eating*; flatus; ascites. (P-415)	**NATRIUM SULPHURICUM**
338	***PULMO VULPIS*** **(WOLF'S LUNG)**	Persistent shortness of breath causing a paroxysm of asthma on the slightest motion. Strong, sonorous bubbling rales. 1x trituration. (P-415)	**NATRIUM SULPHURICUM**
339	***PEUMUS BOLDUS*** **(BOLDO)**	Atonic states of stomach and intestinal canal; liver states following malaria. Burning weight in the region of liver and stomach, bitter taste, languor; abscess of liver; asthma, bronchitis, catarrh, Edema of lungs. (P-415)	**NATRIUM SULPHURICUM**
340	***NATRIUM IODATUM*** **(IODIDE OF SODIUM)**	Incipient rheumatic endocarditis; chronic bronchitis, rheumatism and tertiary syphilis. Chronic catarrhal affections, arteriosclerosis. Here various symptoms, such as*angina pectoris*, vertigo, dyspnoea become less marked after it continuous use of 6-10 grs, 3 times a day. (P-415)	**NATRIUM SULPHURICUM**
341	***NATRIUM HYPOSULPHUROSUM***	Liver-spots, locally and internally. (P-415)	**NATRIUM SULPHURICUM**
342	***NYMPHAEA ODORATA*** **(SWEET WATER LILY)**	Early morning diarrhœa, backache; acrid leucorrhœa, offensive ulcers; bronchorrhœa; ulcerative sore throat. (P-420)	**NUPHAR LUTEUM**

343	***OLEUM MYRISTICAE* (OIL OF NUTMEG)**	As a remedy for boils, felons, poisonous ulcers, it has been used in the 2x potency. (P-421)	**NUX MOSCHATA**
344	***ORNITHOGALUM***	*Flatulence*, swollen feeling across lower chest; whenever she turns in bed, *feels as if a bag of water* also turned; gastric ulcer and cancer. (P-421)	**NUX MOSCHATA**
345	***GADUS MORRHUA* (COD)**	Frequent breathing, with flapping of alae nasi; rush of blood to chest; pain in the lungs and cough; dry heat in palms. (P-429)	**OLEUM JECORIS ASELLI**
346	***ORCHITINUM* (TESTICULAR EXTRACT)**	After ovariotomy, sexual weakness, senile decay. (P-431)	**OOPHORINUM**
347	***FERULA GLAUCA* (BOUNAFA)**	In violent sexual excitement in women; icy coldness in the occiput. (P-435)	**ORIGANUM MAJORANA**
348	***CICER ARIETINUM* (CHICK-PEA)**	Lithiasis, jaundice, liver affections; diuretic. (P-438)	**OXALICUM ACIDUM**
349	***SCOLOPENDRA MORSITANS* (CENTIPEDE)**	Terrible pains in the back and loins, extending down the limbs; return periodically, commencing in the head, extending to the toes. Angina pectoris. Inflammation, pain and gangrene. Pustules and abscesses. (P-438)	**OXALICUM ACIDUM**
350	***CAESIUM METALLICUM* (CAESIUM)**	Pain in the lumbar region and testicle. Headache, darting through the temples. Diarrhaea and colic. Languor. (P-438)	**OXALICUM ACIDUM**
351	***CALCAREA OVORUM* (CALCAREA OVA TOSTA)**	Leucorrhoea and backache. Sensation as if the spine was broken and wired, or tied together with a string. Pain of cancer. Warts. Also *Egg Vaccine for Asthma*. A lot of interest is shown in Dr. Fritz Talbot's method of curing asthma in children by the use of an egg vaccine. Asthma due to susceptibility of the protein substance in eggs can be cured by immunizing against egg poisons by repeated doses of egg white. After the skin has been cleansed with soap and alcohol, the	**OVI GALLINAE PELLICULA**

		egg-white is rubbed into a slight scratch. (P-437)	
352	***CEREFOLIUM SATIVUM***	Dropsy, Bright's disease, cystitis. (P-438)	**OXYDENDRON ARBOREUM**
353	***GLECHOMA HEDERACEA*** **(GROUND IVY)**	Haemorrhoids with rectal *irritation* and bleeding. Diarrhœa. Anus feels raw and sore. Cough with laryngeal and tracheal irritation. Glandula sub-mentalis inflamed. (P-283) Rectal symptoms. (P-440)	**HEDEOMA PULEGIOIDES** **PAEONIA OFFICINALIS**
354	***PASTINACA SATIVA*** **(PARSNIP)**	Loquacity; delirium tremens; illusions of vision; intolerance on milk; roots used dietetically, cooked in water or as broth or as salad for consumptives and "kidney stones". (P-443)	**PARIS QUADRIFOLIA**
355	***PARIETARIA OFFICINALIS*** **(PELLITORY-OF-THE-WALL)**	Renal calculi; nightmare, patient dreams of being buried alive. (P-442)	**PAREIRA BRAVA**
356	***APIOLUM*** **(THE ACTIVE PRINCIPLE OF PARSLEY)**	In dysmenorrhoea. (P-447)	**PETROSELINUM SATIVUM**
357	***OENOTHERA BIENNIS*** **(EVENING PRIMROSE)**	Effortless diarrhoea with nervous exhaustion. Incipient hydrocephalus. (P-173) Effortless diarrhoea with nervous exhaustion. Incipient hydrocephalus. Whooping-cough and spasmodic asthma. (P-450) Exhausting, watery diarrhoea; cholera infantum; hydrocephalus. (P-470)	**CHININUM ARSENICOSUM** **PHOSPHORICUM ACIDUM** **PRIMULA VERIS**
358	***NECTRANDA AMARA***	Watery diarrhoea, dry tongue, colic, bluish ring around sunken eyes, restless sleep. (P-450)	**PHOSPHORICUM ACIDUM**
359	***SANGUISUGA OFFICINALIS*** **(LEECH)**	Persistent haemorrhages, effects of use of leeches. (P-454) Haemorrhages especially bleeding from anus. Use 6x. (P-499) Haemorrhages, bleeding fromthe anus. (P-573)	**PHOSPHORUS** **SABINA** **TRILLIUM PENDULUM**

360	***PHOSPHORUS PENTACHLORATUS*** **(PHOSPHORUS PENTACHLORIDE)**	Great soreness of the mucous membrane of eyes and nose, throat and chest sore. (P-454)	**PHOSPHORUS**
361	***PHOSPHORUS HYDROGENATUS*** **(PHOSPHORETTED HYDROGEN)**	Crumbling teeth; hyperaesthesia; locomotor ataxia. (P-454)	**PHOSPHORUS**
362	***AMPHISBAENA VERMICULARIS*** **(SNAIL-LIKE LIZARD)**	Great affinity for the jaw bones, worse by air and dampness. (P-284) Right jaw swollen and painful, lancinating pains; headaches. Eruption of vesicles and pimples. (P-345) Right jaw swollen and painful. (P-454)	**HECLA LAVA** **LACHESIS MUTUS** **PHOSPHORUS**
363	***ESERINUM*** **(THE ALKALOID OF PHYSOSTIGMA)**	Slows action of heart and increases arterial tension; in ciliary spasm and spasmodic*astigmatism* due to irregular action of ciliary muscles; blepharo-spasms; *pupils contracted*. Twitching of lids, soreness of eyeballs, blurring of vision *after using the eyes*, pains around eyes and head. Used locally to contract the pupil. *Eserinum* contracts the pupils dilated by *Atropinum*, but not those dilated by *Gelsemium*. Internally 6x. (P-456)	**PHYSOSTIGMA VENENOSUM**
364	***ESERINUM SALICYLICUM***	Post-operative intestinal paralysis; meteorism. Hypodermically 1/60-1/40 gr. (P-456)	**PHYSOSTIGMA VENENOSUM**
365	***THEBAINUM*** **(TODEINE METHYL ENOL ETHER)**	Tetanus (P-456)	**PHYSOSTIGMA VENENOSUM**
366	***PIPERAZINUM*** **(DIETHYLENE-DIAMINE)**	Uric acid conditions. Pruritus. Gout and urinary calculi. *Constant backache*. Skin dry, urine scanty. Rheumatic arthritis. Give one grain daily in carbonated water. First and second decimal trituration three times a day. (P-456)	**PHYSOSTIGMA VENENOSUM**
367	***PHYTOLACCA BERRY***	Tincture. Sore throats and in the treatment of obesity. (P-458)	**PHYTOLACCA DECANDRA**

368	***ZINCUM PICRICUM*** **(PICRATE OF ZINC)**	Facial palsy and paralysis agitans. (P-459) Facial paralysis; Brain fag, headache in Bright's disease; seminal emissions; loss of memory and energy. (P-602)	**PICRICUM ACIDUM** **ZINCUM METALLICUM**
369	***CALCAREA PICRICA*** **(PICRATE OF CALCIUM)**	Boils in and around ears. (P-459) Peri-follicular inflammation; a remedy of prime importance in *recurring or chronic boils*, particularly when located on parts thinly covered with muscle tissue, as on shinbones, coccyx, *auditory canal*, dry, scurfy accumulation and exfoliation of epithelial scales, etc, styes, phlyctenules. (P-132)	**PICRICUM ACIDUM** **CALCAREA CARBONICA**
370	***PINUS LAMBERTINA*** **(SUGAR PINE)**	Constipation, amenorrhoea, abortion. *Pinus Lambertina* sap is a decided carthartic. Delayed and painful menstruation. (P-460)	**PINUS SILVESTRIS**
371	***CHAULMOOGRA*** **(TARAKTOGENOS)**	The oil and its derivatives are to a certain extent effective in the treatment of *leprosy*, especially in early cases. (P-296,460)	**PIPER METHYSTICUM** **HYDROCOTYLE ASIATICA**
372	***BIXA ORELLANA*** **(A SOUTH AMERICAN PLANT RELATED TO CHAULMOOGRA)**	Recommended for leprosy, eczema and elephantiasis. (P-460)	**PIPER METHYSTICUM**
373	***PITUITRINUM***	Is a vaso-constrictor and parturient. Used chiefly for its action on the uterus either to aid in childbirth or to check bleeding after delivery. In doses of 1 c.c.m. intravenously to stimulate labor pains, expulsive period only. Contra indicated in myocarditis, nephritis and arteriosclerosis. A watery solution made from the posterior portion of the gland is put up in ampules containing about 15 minims each and is considered as the hypodermic dose. No effect per os. (P-461) Dilated os, little pain, no progress. Dose, 1/2 c.c, repeat in half hour, if	**PITUITARIA GLANDULA** **SECALE CORNUTUM**

		necessary. Hypodermically contra-indicated in the first stage of labor, valvular lesions or deformed pelvis. (P-513)	
374	***PLATINUM MURIATICUM*** **(CHLORIDE OF PLATINUM)**	This remedy has achieved beneficial results after Iodide of Potash failed to cure in syphilitic affection; violent occipital headaches, dysphagia, and syphilitic throat and bone affections; caries in bones of feet. (P-464)	**PLATINUM METALLICUM**
375	***PLATINUM MURIATICUM NATRONATUM*** **(CHLOROPLATINATE OF SODIUM)**	Polyuria and salivation. (P-464)	**PLATINUM METALLICUM**
376	***PLUMBUM ACETICUM*** **(ACETATE OF LEAD)**	Painful cramps in paralyzed limbs; severe pain and muscular cramps in gastric ulcer; locally, as an application (non-homeopathic) in moist eczema, and to dry up secretions from mucous surfaces. Care must be used, as sufficient lead can be absorbed to produce lead poisoning, one to two drams of the *liquor plumbi subacetatis* to the an ounce of water; also in pruritus pudendi, equal parts of the *liquor plumbi* and *glycerin.* (P-466)	**PLUMBUM METALLICUM**
377	***PLUMBUM IODATUM*** **(IODIDE OF LEAD)**	In mammary tumours. (P-390) Has been used empirically in various forms of paralysis, sclerotic degenerations, especially of spinal cord, atrophies, arterio-sclerosis, pellagra. *Indurations of mammary glands, especially when a tendency to become inflamed appears; sore and painful*. Indurations of great hardness and associated with a very dry skin. Lancinating pains of *Tabes.* (P-466)	**MERCURIUS IODATUS FLAVUS** **PLUMBUM METALLICUM**
378	***PLECTRANTHUS FRUTICOSUS*** **(GICHT-BAUM)**	Paralysis, spastic, spinal form. (P-466)	**PLUMBUM METALLICUM**

379	***PLUMBUM CHROMICUM* (CHROMATE OF LEAD)**	Convulsions, with terrible pains; pupils greatly dilated; retracted abdomen. (P-466)	**PLUMBUM METALLICUM**
380	***PLUMBUM PHOSPHORICUM***	Loss of sexual power; *locomotor ataxia*. (P-466)	**PLUMBUM METALLICUM**
381	***MANDRAGORA OFFICINARUM* (ALSO CALLED MANDRAKE)**	A narcotic of the ancients-Restless excitability and physical weakness. Desire for sleep. Has antiperiodic properties like China and Aranea. Useful in epilepsy and hydrophobia, also *Cetoniaaurata* (A. E. Lavine). (P-103) Must not be confounded with *Podoph*. Great desire for sleep; exaggeration of sounds and enlarged vision. Bowels inactive; stools large, white and hard. (P-467)	**BELLADONNA** **PODOPHYLLINUM**
382	***PRUNELLA VULGARIS* (SELF-HEAL)**	Colitis (P-467)	**PODOPHYLLINUM**
383	***POLYGONUM PERSICARIA***	Renal colic and calculi; *gangrene*. (P-468)	**POLYGONUM PUNCTATUM**
384	***POLYGONUM SAGITATUM* (ARROW-LEAVED TEAR-THUMB)**	2x for *nephritic colic*; suppurative nephritis; lancinating pains along spine; itching of hard palate; burning inner side of right foot and ankle (C. M. Boger). (P-468)	**POLYGONUM PUNCTATUM**
385	***POLYGONUM AVICULARE* (KNOT-GRASS)**	In material doses of tincture, found useful in phthisis pulmonalis and intermittent fever, and especially in *arterio-sclerosis*. Erythema. (P-468) Has been found useful in phthisis, when given in material doses of the mother tincture. (P-525)	**POLYGONUM PUNCTATUM** **SILPHIUM LACINATUM**
386	***HUMEA ELEGANS* (INCENSE PLANT)**	Similar skin symptoms. (P-470)	**PRIMULA OBCONICA**
387	***PRIMULA FARINOSA* (WILD PRIMROSE)**	Dermatitis, especially on index fingers and thumb. (P-470)	**PRIMULA VERIS**

388	***CHENOPODIUM VULVARIA*** **(STINKING GOOSEFOOT)**	The plant has an odour of decaying fish and contains a large amount of Propylamine. Weakness is lumbar and lower dorsal region. (P-471)	**PROPYLAMINUM**
389	***PRUNUS PADUS*** **(BIRD CHERRY)**	Sore throat, pressure behind sternum and sticking pain in the rectum. (P-472)	**PRUNUS SPINOSA**
390	***PRUNUS VIRGINIANA*** **(WILD CHERRY)**	H*eart tonic*; relieves the flagging and distended ventricle; irritable heart; dilatation of right heart; *cough, worse at night on lying down*; weak digestion, especially in elderly people; chronic bronchitis; increases muscular tone. (P-472)	**PRUNUS SPINOSA**
391	***PYRUS AMERICANA*** **(MOUNTAIN ASH)**	Irritation of eyes; constriction around waist; spasmodic pains in uterus, bladder, heart, sensation of cold water in stomach, coldness extends up the oesophagus; neuralgic and gouty pains. (P-472)	**PRUNUS SPINOSA**
392	***PEDICULUS CAPITIS*** **(HEAD-LOUSE)**	Psoric manifestations in children. Eruptions on dorsum of hands, feet, neck. Prurigo; pellagra. Unusual aptitude for study and work. Pediculus transmits typhus and trench fever – cooties. (P-473)	**PSORINUM**
393	***ATRIPLEX HORTENSIS*** **(GARDEN ORACHE)**	Uterine symptoms, amenorrhoea; hysteria, coldness between shoulders, dislike of warm food, craves strange foods, palpitation, sleeplessness. (P-478)	**PULSATILLA PRATENSIS**
394	***PULSATILLA NUTTALIANA*** **(PASQUE FLOWER-AMERICAN)**	Identical effects to pulsatilla prantensis. (P-478)	**PULSATILLA PRATENSIS**
395	***PIMENTA OFFICINALIS*** **(ALLSPICE)**	One-sided neuralgias, parts of body hot and cold. (P-478)	**PULSATILLA PRATENSIS**
396	***ANAGYRIS FOETIDA*** **(STINKING BEAN TREFOIL)**	Headache, amenorrhœa. (P-478)	**PULSATILLA PRATENSIS**

397	***SEPSINUM*** **(TOXIN OF PROTEUS VULGARIS)**	A toxin of Proteus vulgaris, prepared by Dr. Shedd, same symptoms as Pyrogen, of which it is the main constituent. (P-479)	**PYROGENIUM**
398	***ANGELICA ATROPURPUREA*** **(MASTERWORT)**	In tincture, five drops, three times daily, produces disgust for liquor; also for atony of different organs, dyspepsia, nervous headache, etc; chronic bronchitis to increase expectoration. (P-480)	**QUERCUS GLANDIUM SPIRITUS**
399	***RANUNCULUS ACRIS*** **(TALL BUTTERCUP)**	Pain in the lumbar muscles and joints by bending and turning body. (P-483)	**RANUNCULUS BULBOSUS**
400	***RANUNCULUS GLACIALIS*** **(REINDEER FLOWER CARLINA)**	Pulmonary affections; broncho-pneumonical Influenza, enormous weight in the head with vertigo and sensation as of impending apoplexy; night sweats, more on thighs. (P-483)	**RANUNCULUS BULBOSUS**
401	***RANUNCULUS REPENS*** **(CREEPING BUTTERCUP)**	Crawling sensation in the forehead and scalp in the evening in bed. (P-483)	**RANUNCULUS BULBOSUS**
402	***RANUNCULUS FLAMMULA*** **(LESSER SPEARWORT)**	Ulceration; gangrene of arm. (P-483)	**RANUNCULUS BULBOSUS**
403	***SILICO-SULPHOCALCITE OF ALUMINA; SLAG*** **(BLAST IRON FURNACE CINDER)**	Anal itching, piles, and constipation; housemaid's knee; abdominal flatulent distension and lumbago. (P-485)	**RATANHIA PERUVIANA**
404	***MUCUNA PRURIENS – DOLICHOS PRURIENS*** **(MONKEY TAMARIND)**	Piles, with burning; haemorrhoidal diathesis. (P-485)	**RATANHIA PERUVIANA**
405	***RHAMNUS CATHARTICA OR RHA MNUS FRANGULA*** **(EUROPEAN BUCKTHORN)**	A rheumatic remedy. Abdominal symptoms, colic, diarrhoea; hæmorrhoids, especially chronic. (P-486)	**RHAMNUS CALIFORNICA**
406	***AMPELOPSIS*** **(VIRGINIA CREEPER)**	Hydrocele and renal dropsy. (P-488)	**RHODODENDRON FERRUGINEUM**

407	***AMPELOPSIS TRIFOLIATA*** **(THREE-LEAF WOODBINE)**	Toxic dermatitis due to vegetable poisons-30 and 200. Very similar to Rhus poisoning. Desensitizing against Ivy poisoning by the using the ascending doses of the tincture by mouth or by hypodermic injections is recommended by the old school authorities, but is not as effective as the homeopathic remedies especially *Rhus-t* 30 and 200 and *Anac.*, *etc*. (P-491)	**RHUS TOXICODENDRON**
408	***RHUS RADICANS*** **(POISON IVY)**	Almost identical action; characteristics are burning in tongue, tip feels sore, pains are often semilateral and in various parts, often remote and successive. Many symptoms are better after a storm has thoroughly set in, especially after an electric storm. Has pronounced *yearly* aggravation (*Laches*). It has headache in *occiput* even pain in nape of neck and from there pains draw over the head *forwards*. (P-491)	**RHUS TOXICODENDRON**
409	***RHUS DIVERSILOBA*** **(CALIFORNIA POISON OAK)**	Antidote to Rhus-t, violent skin symptoms, with frightful itching; marked swelling of face, hands and genitals; skin very sensitive; eczema and erysipelas, great nervous weakness, tired from the least effort; goes to sleep from sheer exhaustion. (P-491) It is identical to Rhus veneneta. (P-492)	**RHUS TOXICODENDRON** **RHUS VENENATA**
410	***MIMOSA HUMILIS*** **(SENSITIVE PLANT)**	Rheumatism, knee stiff, lancinating pains in back and limbs. Swelling of ankles Legs tremble. (P-492)	**RHUS TOXICODENDRON**
411	***RESORCINUM*** **(RHAMNUS)**	Summer complaints with vomiting; destroys organic germs of putrefaction. (P-493)	**RICINUS COMMUNIS**

412	***CHOLAS TERRAPINA***	Cramps in calves and feet; rheumatism, with cramp-like pains. (P-219) Cramps of muscles. (P-493) Cramps in calves. (P-587)	**CUPRUM METALLICUM** **RICINUS COMMUNIS** **VERATRUM ALBUM**
413	***OREXINE TANNATE***	Hyperchlorhydria; deficient acid and slow digestion. 14 hourly doses. (P-493)	**ROBINIA PSEUDACACIA**
414	***PHLEUM PRETENSE*** **(TIMOTHY GRASS)**	Hay-fever with asthma; watery coryza, itching in the nose and eyes; frequent sneezing, dyspnoea. Use 6-30 potency – Rabe. (P-494) Hay fever. Potentized 12, specific to many cases and evidently acts in a desensitizing manner. Rabe. (P-497)	**ROSA DAMASCENA** **SABADILLA**
415	***RUMEX ACETOSA*** **(SHEEP SORREL)**	Gathered in June and dried, used locally for Epithelioma of theface (Cowperthwaite). Dry, unremitting short cough, and violent pains in the bowels; uvula elongated; inflammation of the oesophagus; also cancer. (P-495)	**RUMEX CRISPUS**
416	***RUMEX OBTUSIFOLIUS-LAPATHUM*** **(BROAD-LEAF DOCK)**	Epistaxis and headache following; pain in kidneys; leucorrhoea. (P-495)	**RUMEX CRISPUS**
417	***CUMARINUM***	Hay fever. (P-497)	**SABADILLA**
418	***ROSMARINUS OFFICINALIS*** **(ROSEMARY)**	Menses too early; violent pains followed by uterine haemorrhage. Head heavy, drowsy. Chilly with icy coldness of lower extremities without thirst, followed by heat. Memory deficient. (P-499)	**SABINA**
419	***SACCHARUM LACTIS*** **(SUGAR OF MILK-LACTOSE)**	Diuresis; amblyopia; *cold pains*, as if produced by fine, icy cold needles with tingling, as if frost bitten; great physical exhaustion. *Sugar of milk* in large doses to develop the Bacillus acidophilus to correct putrefactive intestinal conditions and also constipation. (P-500)	**SACCHARUM OFFICINALE – SUCROSE**

420	***SACCHARINUM*** **(SACHARIN)**	Hinders both the salivary and peptic ferment actions with consequent dyspepsia. Prof. Lewin believes its action to be on the secretory cells themselves and it has causes pain (right hypogastrium), loss of appetite, diarrhoea and wasting. (P-500)	**SACCHARUM OFFICINALE – SUCROSE**
421	***SALOLUM*** **(SALOL)**	Rheumatic pain in joints, with soreness and stiffness, headache over the eyes; urine violet smelling. (P-501)	**SALICYLICUM ACIDUM**
422	***CHRYSANTHEUM LEUCANTHEMUM*** **(OX-EYE DAISY)**	Has sa pecific action on sudoriparous glands. Quiets nervous system like *Cypripedium pubessens*. Right sided tearing pain in bones of jaw and temple. Pain in teeth and gums, worse touch, better warmth. Irritable and tearful. Here use 12x. *Insomnia and night-sweats*. For colliquative sweating and hyperaesthesia of nervous system. Material doses of tincture. (P-502)	**SALVIA OFFICINALIS**
423	***SALVIA SCLEREA*** **(CLARY SAGE)**	Tonic influence on the nervous system; dose, teaspoonful to one pint on hot water, as inhalent for sponging. (P-502) Tickling cough. (P-525)	**SALVIA OFFICINALIS** **SILPHIUM LANCINATUM**
424	***RUBIA TINCTORUM*** **(MADDER)**	A remedy for the spleen. (*Ceanothus*). Chlorosis and amenorrhœa; tuberculosis. Anæmia; undernourished conditions; splenic anæmia. Dose, 10 drops of tincture. (P-502)	**SALVIA OFFICINALIS**
425	***SANGUINARINUM TARTARICUM*** **(TARTRATE OF SANGUINARIAN)**	Exopthalmos; mydriasis, dim vision. (P-505)	**SANGUINARINUM NITRICUM**
426	***SAPONINUM*** **(SAPONIN)**	A glucosidal principle found in Quillaya, Yucca, Senega, Dioscorea and other plants. Tired, indifferent. *Pain in the left temple, eye*, photophobia, hot stitches deep in the eye. Facialnerve affections.	**SAPONARIA OFFICINALIS**

		Migraine. severe pain *before* the menstrual flow; severe sore throat, worse right side; tonsils swollen, worse in a warm room. Sharp burning taste and violent sneezing. (P-507)	
427	***SAURURUS*** **(LIZARD'S TAIL)**	Irritation of kidneys, bladder, prostate and urinary passages. Painful and difficult micturition; cystitis with strangury. (P-507)	**SARSAPARILLA OFFICINALIS**
428	***ERGOTINUM*** **(ALKALOID OF SECALE CORNUTUM)**	Beginning arteriosclerosis progressing rather rapidly. Increased blood pressure: 2x trit. Œdema, gangrene and purpura hæmorrhagia: when Secale, though indicated, fails. (P-513)	**SECALE CORNUTUM**
429	***PEDICULARIS CANADENSIS*** **(COMMON LOUSEWORT)**	Symptoms of locomotor ataxia; spinal irritation. (P-513)	**SECALE CORNUTUM**
430	***BRASSICA NAPUS*** **(RAPE-SEED)**	Dropsical swellings, scorbutic mouth, voracious appetite, tympanitis, dropping of nails, gangrene. (P-513)	**SECALE CORNUTUM**
431	***MUCUNA URENS*** **(HORSE-EYE)**	Haemorrhoidal diathesis and diseases dpendinf thereon. (P-513)	**SEDUM ACRE**
432	***SEDUM TELPHIUM*** **(FROG'S- STOMACH)**	Uterine haemorrhages, also of bowels and rectum;*menorrhagia,especially at climacteric.* (P-513)	**SEDUM ACRE**
433	***SEDUM REPENS – SEDUM ALPESTRE***	*Cancer*; specific action on abdominal organs; pain, loss of strength. (P-513)	**SEDUM ACRE**
434	***OXALIS ACETOSELLA*** **(WOOD SORREL)**	The inspissated juice used as a cautery to remove cancerous growths of the lips. (P-515)	**SEMPERVIVUM TECTORUM**
435	***FICUS CARICA*** **(FEIGENBAUN)**	The milky juice of the freshly broken stalk applied to warts; causes their disappearance. (P-515)	**SEMPERVIVUM TECTORUM**

436	***SENECIO JACOBAEA*** **(COMMON RAGWORT)**	Cerebro-spinal irritation, rigid muscles, chiefly of neck and shoulders; also, in cancer. (P-516)	**SENECIO AUREUS**
437	***NAPETA CATARIA*** **(CATNIP)**	To break up a cold; infantile colic; hysteria. (P-517)	**SENEGA**
438	***ASPERULA ODORATA*** **(NACENT OXYGEN)**	Distilled water charged with the gas (leucorrhœa of young girls and uterine catarrh). (P-520)	**SEPIA OFFICINALIS**
439	***OZONE*** **(NASCENT OXYGEN)**	*Sacral* pain; tired feeling through pelvic viscera and perineum. (P-520)	**SEPIA OFFICINALIS**
440	***DICTAMNUS ALBUS*** **(BURNING BUSH)**	Soothes labor pains; metrorrhagia, leucorrhœa, and constipation; also somnambulism. (P-520)	**SEPIA OFFICINALIS**
441	***LAPATHUM ACUTUM*** **(COMMON DOCK)**	Leucorrhœa with constriction and expulsive effort through womb and pain in kidneys. (P-520)	**SEPIA OFFICINALIS**
442	***NATRIUM SILICATE*** **(SODIUM SILICATE)**	Tumors, hemophilia, arthritis; dose, three drops three times daily, in milk. (P-524)	**SILICEA TERRA**
443	***SILICA MARINA*** **(SEA SAND)**	Silica and Natrum-m symptoms. *Inflamed glands* and commencing of suppuration. Constipation. Use for some time 3x trituration. (P-524)	**SILICEA TERRA**
444	***VITRUM*** **(CROWN GLASS)**	Pott's disease, after Silicea, necrosis, discharge thin, watery, fetid. Severe pain, fine *grinding*and *grating* like grit. (P-524)	**SILICEA TERRA**
445	***ARUNDO DONAX*** **(SPANISH CANE)**	Acts on excretory and generative organs; suppuration, especially chronic, and where the ulceration is fistulous, especially in long bones. Itching eruption on chest, upper extremities and behind ears. (P-524)	**SILICEA TERRA**
446	***SILPHION CYRENAICUM***	Phthisis pulmonum with incessant cough, profuse night sweats, emaciation, etc. (P-525)	**SILPHIUM LANCINATUM**

447	***SINAPIS ALBA*** **(WHITE MUSTARD)**	Throat symptoms marked, especially *pressure and burning, with obstruction in the oesophagus*; sensation of a lump in the oesophagus behind the Manubrium Sterni and with several eructation; similar symptoms of the rectum. (P-525)	**SINAPIS NIGRA**
448	***MUSTARD OIL*** **(SARSON OIL)**	By inhalation it acts on the sensory nerve endings of the trigeminal. Relieves pain in middle ear disease and in painful conditions of the nose, nasal cavities, and tonsils. (P-525)	**SINAPIS NIGRA**
449	***SAXONITUM***	Appears to have remarkable cleansing, deodorizing and soothing properties for the skin – Cowperthwaite. Eczema, scalds, burns, sores and haemorrhoids. (P-525)	**SKOOKUM – CHUCK**
450	***SOLAUM CAROLINENSE*** **(HORSE-NETTLE)**	Conclusions and epilepsy, twenty to forty-drop doses; is of great value in grand mal of idiopathic type, where the disease has begun beyond age of childhood; hystero-epilepsy, also in whooping-cough. (P-527)	**SOLANUM NIGRUM**
451	***SOLANUM MAMMOSUM*** **(APPLE OF SODOM)**	Pain in the left hip joint. (P-527)	**SOLANUM NIGRUM**
452	***SOLANUM OLERACEUM*** **(JUQUERIOBA)**	Swelling of the mammary glandwith profuse secretion of milk. (P-527)	**SOLANUM NIGRUM**
453	***SOLANUM ACETICUM***	Threatening paralysis of the lungs in the course of bronchitis in the aged and children must cough a long time before able to raise expectoration. (P-527)	**SOLANUM NIGRUM**
454	***SOLANUM TUBEROSUM*** **(POTATO BERRIES)**	Cramps in the calves and contraction of fingers; spitting through closed teeth. (P-527)	**SOLANUM NIGRICUM**
455	***SOLANUM PSEUDOCAPSICUM*** **(JERUSALEM CHERRY)**	Acute pains, in lower abdomen. (P-527)	**SOLANUM NIGRICUM**

456	***SOLANUM TUBEROSUM AEGROTANS*** **(DISEASED POTATO)**	Prolapse of the rectum, patulous anus; offensive breath and odor of body; tumors of rectum look like decayed potato; dreams of pools of blood. (P-527)	**SOLANUM NIGRICUM**
457	***SPIGELIA MARYLANDICA*** **(CAROLINA PINKROOT)**	Maniacal excitement, paroxysmal laughing and crying, loud, disconnected talking, vertigo, dilated pupils, congestions. (P-530)	**SPIGELIA ANTHELMIA**
458	***STANNUM IODATUM 3X*** **(IODIDE OF TIN)**	Valuable in chronic chest diseases characterized by plastic tissue changes. Persistent inclination to cough, excited by a tickling dry spot in the throat, apparently at root of tongue. Dryness of throat. Trachial and bronchial irritation of smokers. Pulmonary symptoms; cough, loud, hollow, ending with expectoration (Phellandrium). State of purulent infiltration.*Advanced* phthisis sometimes when Stann-i.has not taken effect, an additional dose of Iodine in milk caused the drug to have its usual beneficial effect (Stonham). (P-534)	**STANNUM METALLICUM**
459	***BOUGMANICA***	Cannot concentrate thoughts; brain floats in thousands of problems and grand ideas. Floating sensation as if, ideas were floating outside of brain. Headache, heartburn. Burning sensation around cardiac and of stomach, extending to the oesophagus with sense of constriction. Heat and fullness over liver region. (P-538)	**STICTA PULMONARIA**
460	***CETRARIA*** **(ICELAND MOSS)**	Chronic diarrhoea, phthisis, bloody expectoration. Is used as a decoction and boiled with milk as an expectorant and nutrient in bronchorrhoea, catarrh, etc. (P-538)	**STICTA PULMONARIA**
461	***SHUCKS***	As a decoction used for chronic malaria, teaspoonful doses freely. Dr. E. C. Lowe, England. (P-538)	**STIGMATA MAYDIS**

462	***STRONTIUM IODATUM* (IODIDE OF STRONTIUM)**	Arteriosclerosis. (P-541)	**STRONTIUM CARBONICUM**
463	***STRONTIUM BROMATUM* (BROMIDE OF STRONTIUM)**	Often gives excellent results where a bromide is indicated. Vomiting of pregnancy. Nervous dyspepsia. It is anti-fermentative and neutralizes excessive acidity. (P-541)	**STRONTIUM CARBONICUM**
464	***STRONTIUM NITRICUM* (NITRATE OF STRONTIUM)**	Morbid cravings; headache and eczema behind ears. (P-541)	**STRONTIUM CARBONICUM**
465	***STRYCHNINUM ARSENICOSUM***	Paresis in the aged, relaxed musculature. Prostration. Psoriasis; chronic diarrhoea with paralytic symptoms; compensatory hypertrophy of heart with beginning of fatty degeneration; marked dyspnoea on lying down; oedema of lower extremities, urine scanty, high specific gravity, heavily loaded with glucose. Diabetes. 6x trituration. (P-543)	**STRYCHNINUM PURUM**
466	***STRYCHNINUM ET FERRI CITRAS***	Chlorotic and paralytic conditions; dyspepsia with vomiting of ingesta; 2x and 3x trituration. (P-543)	**STRYCHNINUM PURUM**
467	***STRYCHNINUM NITRICUM* (NITRATE OF STRYCHININE)**	2x and 3x. Said to remove craving for alcohol. Use for two weeks. (P-543)	**STRYCHNINUM PURUM**
468	***STRYCHNINUM SULPHURICUM* (NORMAL SULPHATE OF STRYCHININE)**	Gastric atony. (P-543)	**STRYCHNINUM PURUM**
469	***STRYCHNINUM VALRERIANICUM* (VALERIANATE OF STRYCHININE)**	Exhaustion of brain-power; women of high nervous erethism.(P-543)	**STRYCHNINUM PURUM**
470	***SUCCINICUM ACIDUM***	Hay-fever. Paroxysmal sneezing, dropping of watery mucus from nostrils; asthma. Inflammation through respiratory tract; causing asthma, chest pains, etc; itching of eyelids and canthi and nose worse	**SUCCINUM**

		drafts. Use 6 to 30th potency. (P-544)	
471	***TRIONAL*** **(METHYLSULFONAL)**	Insomnia associated with physical excitement; vertigo, loss of equilibrium, ataxia, nausea, vomiting, diarrhoea, stertorous breathing, cyanosis, tinnitus, hallucinations. (P-544)	**SULFONALUM**
472	***PYRARARA*** **(CATFISH)**	A fish caught in the Amazon, clinically used for various skin affections. Lepra, tuberculides, syphilides, varicosities, etc. (P-548)	**SULPHUR**
473	***SULPHUR HYDROGENISATUM*** **(SULPHURETTED HYDROGEN)**	Delirium, mania, asphyxia. (P-548)	**SULPHUR**
474	***SULPHUR TEREBINTHINATUM*** **(TEREBINTHINATED SULPHUR)**	Chronic rheumatic arthritis; chorea. (P-548)	**SULPHUR**
475	***MAGNES ARTIFICIALIS***	Great hunger in the evening, profuse sweat on face, bruised pain in joints, rectal constriction after stool. (P-548)	**SULPHUR**
476	***NICOTINUM*** **(AN ALKALOID FROM NICOTIANA TABACUM)**	Alternate tonic and clonic spasms, followed by general relaxation and trembling; nausea, cold sweat, and speedy collapse; head drawn back, contraction of eyelids and masseter muscles; muscles of neck and back rigid (tetanus); hissing respiration from spasm of laryngeal and bronchial muscles. (P-555)	**TABACUM**
477	***CHOLINUM*** **(A CONSTITUENT OF TARAXACUM ROOT)**	It has given encouraging results in the treatment of cancer. Cholinum is closely related to *Neurinum*, it is the "Cancronie" of Prof. Adamkiewicz (E. Schlegel). (P-556)	**TARAXACUM OFFICINALE**

478	***TETRADYMITUM* (TELLURIC BISMUTH)**	Crystals from Georgia and North Carolina containing *Bismuth, Tellurium* and *Sulphur*(coccygodynia, ulceration of nails; pains in hands, in small spots, ankles, heels, and tendo-Achilles). (P-559)	**TELLURIUM METALLICUM**
479	***TEREBENUM 1X***	Chronic bronchitis and winter coughs; subacute stages of inflammation of the respiratory tract. Loosens secretion, relieves the tightened feeling, makes expectoration easy. *Neurotic coughs*. Huskiness in public speakers, and singers. Cystitis when urine is alkaline and offensive. (P-560)	**TEREBINTHINIAE OLEUM**
480	***ONONIS SPINOSA* (REST HARROW)**	Diuretic, Lithontriptic. Chronic nephritis; diuretic effects like *Juniper*; calculus nosebleed, worse washing face. (P-560)	**TEREBINTHINIAE OLEUM**
481	***TEUCRIUM SCORODONIA* (WOODSAGE)**	In tuberculosis with muco-purulent expectoration; dropsy; orchitis and *tuberculous epidymitis; especially* in young, thin individuals with tuberculosis of lungs, glands; bones and urogenitals, 3x. (P-561)	**TEUCRIUM MARUM VERUM**
482	***CUPRESSUS AUSTRALIS***	Sharp, prickling pain; general feeling of warmth; rheumatism and gonorrhoea. (P-567)	**THUJA OCCIDENTALIS**
483	***CUPRESSUS LAWSONIANA***	Painful indigestion (P-02) Acts like Thuja; *terrible pains in the stomach.* (P-567)	**ABIES NIGRA** **THUJA OCCIDENTALIS**
484	***CARBONEUM TETRACHLORIDUM* (CARBON TETRA CHLORIDE)**	It is said to cause fatty liver (*Phosphorus; Arsenic; Chloroform*). Paralysis of interosseus muscles of feet and hands. Wonderful clinical results in the treatment of Hook worm disease. (P-151) A remedy for Hookworms, according to Dr. Lambert, Suva, Fiji who employed it in 50,000 cases. “1. Carbon-tm.is a vermifuge and vermicide of great potency, and has shown itself to be the best vermifuge	**CARBO ANIMALIS**

		in the treatment of hookworm in a country where the disease predominates. “2. It gives little discomfort to the patient, is palatable, required no preparation of the patient, and even when in the pure is apparently not toxic-all of which features are of advantage in a popular campaign. “W. G. Smillie, and S. B. Pessoa, of Sao Paulo, Brazil, also have found carbon-tm.to be extremely efficient in removing hookworms. A single dose of 3 c.c., given to adults has removed 95 percent of all the hookworms harbored.”(P-567)	**THYMOLUM**
485	***IODOTHYRINUM***	The active principle isolated from the thyroid gland, a substance rich in Iodine and nitrogen, affects metabolism, reducing weight, may produce glycosuria. Use cautiously in obesity, for a fatty heart may not be able to maintain the accelerated rhythm. Milk contains the internal secretion of the thyroid. (P-569)	**THYROIDINUM**
486	***THYMUS GLAND EXTRACT***	Arthritis deformans; metabolic osteoarthritis, 5-grain tablets 3 times daily. High potencies very efficient in exophthalmic goitre. (P-569)	**THYROIDINUM**
487	***TRIFOLIUM REPENS*** **(WHITE CLOVER)**	Prophylactic against mumps, sensation of congestion in the salivary glands, pain and hardening, especially submaxillary; *worse, lying down*. Mouth filled with watery saliva, worse lying down. Taste of blood in the mouth and throat. Sensation as if heart would stop, with great fear, better sitting up or moving about; worse, when alone, with cold sweat on the face. (P-572)	**TRIFOLIUM PRATENSE**
488	***TRILLIUM CERNUUM*** **(NODDING TRILLIUM)**	Eye symptoms; everything looks bluish; greasy feeling in the mouth. (P-573)	**TRILLIUM PENDULUM**

489	***TRADESCANTIA DIURETICA***	Haemorrhage from ear and upper air passages; dysuria, urethral discharge; scrotum inflamed. (P-575)	**TRITICUM REPENS –AGROPYRON REPENS**
490	***POLYTRICHUM JUNIPERINUM*** **(HAIRCAP MOSS - GROUND MOSS)**	According to Dr. A. M. Cushing in mother tincture or infusion for enlarged prostate-prostatitis. (P-293) Dysuria in old people; dropsy, urinary obstruction and suppression. (P-575)	**HYDRANGEA ARBORESCENS** **TRITICUM REPENS-AGROPYRON REPENS**
491	***KOCH'S LYMPH***	A*cute and chronic parenchymatous nephritis*; produces pneumonia, broncho-pneumonia, and congestion of the lungs in tuberculous patients, is a remarkably efficacious remedy in lobular pneumonia, *broncho-pneumonia.* (P-577)	**TUBERCULINUM**
492	***AVIARE*** **(TUBERCULIN FROM BIRDS)**	Acts on the apices of the lungs; has proved to be an excellent remedy in influenzal bronchitis; symptoms similar to tuberculosis; relieves the debility, diminishes the cough, improves the appetite, and braces up the whole organism; acute broncho-pulmonary diseases in children; itching of palms and ears; *cough*, acute, inflammatory, irritating, incessant, and tickling; loss of strength and appetite. (P-577)	**TUBERCULINUM**
493	***KALAGUA***	Tuberculosis; garlicky odor of all secretions and breath. (P-577)	**TUBERCULINUM**
494	***TUSSILAGO FRAGRANS*** **(FRAGRANT TUSSILAGE)**	Pylorus pain, plethora and corpulency. (P-578)	**TUSSILAGO PETASITES**
495	***TUSSILAGO FARFARA*** **(COLTSFOOT)**	Coughs; as an intercurrent medicine in phthisis pulmonalis.(P-578)	**TUSSILAGO PETASITES**
496	***UPAS ANTIARIS*** **(RESINOUS EXUDATION OF ANTIARUS TOXICARIA)**	A deadly poison for the muscular system. It suspends both voluntary muscular action and that of the heart without causing convulsions. Used in Java as an arrow poison (Merrell). Differs in producing *clonic spasms*, violent vomiting, diarrhoea, great prostration. (P-579)	**UPAS TIEUT**

497	***PHLORIZINUM***	A glucosidal principle obtained from the bark of the root of the apple and other fruit trees. Produces diabetes and fatty degeneration of the liver; intermittent fever. Daily doses, 15 grains. Phlorizin causes glycosuria. No hyperglycemia results. It compels the secretory epithelium of the kidney to break down serum albumin into sugar. There is no increase in blood sugar. (P-580)	**URANIUM NITRICUM**
498	***URICUM ACIDUM*** **(URIC ACID)**	Gout, gouty eczema, rheumatism, lipoma.(P-580)	**UREA PURA**
499	***URINUM***	Acne, boils, scurvy, dropsy.(P-580)	**UREA PURA**
500	***ZEA ITALICA*** **(CORN SILK)**	Possess curative properties in skin diseases, particularly in psoriasis and eczema rubrum. Mania for bathing. Impulse for suicide, particularly by drowning. Easily angered. Appetite increased, voracious, alternating with disgust for food. Pyrosis, nausea, vomiting, better drinking wine. (P-582)	**USTILAGO MAYDIS**
501	***ARBUTINUM***	A crystallized glucoside of Uva; found also in Kalmia, Gaultheria and other genera of the family of *Eriaceae*; given in doses of 3 to 8 grains with sugar three times a day. Used as anurinary antiseptic and diuretic. (P-582)	**UVA URSI**
502	***ARCTOSPHYLOS MANZANITA*** **(WHITELEAF MANZANITA)**	Acts on renal and reproductive organs. Gonorrhoea, vesical catarrh, diabetes menorrhagia. Tincture of leaves. (P-582)	**UVA URSI**
503	***VACCINUM MYRTILLUS*** **(HUCKLEBERRIES)**	Dysentery; typhoid, keeps intestines aseptic and prevents absorption and reinfection. (P-582)	**UVA URSI**
504	***AMMONIUM VANADINICUM***	Fatty degeneration of liver. (P-584)	**VANADIUM METALLICUM**

505	***VERATRINUM*** **(ALKALOID FROM SEEDS OF SABADILLA)**	Alkaloid from seeds of Sabadilla, not of verat. Locally in neuralgias, and for removal of dropsy. Five grains to two drams Lanolin, rubbed on inside of thighs, causes diuresis. (P-497) Electric pains, electric shocks in muscles, fibrillary twitching. Increased vascular tension. It relaxes it and stimulates the elimination of toxins by skin, kidneys, and liver. (P-587)	**SABADILLA** **VERATRUM ALBUM**
506	***AGARICUS EMETICUS*** **(A SMALL ACRID SPECIES,FOUND IN WOODS IN EUROPE)**	Severe vertigo; all symptoms *better, cold water; longing for ice cold water*; gastritis, cold sweat, vomiting, sensation as if stomach was suspended by a string. (P-21) Vertigo; longing for ice-cold water; burning pains in stomach. (P-587)	**AGARICUS MUSCARIUS** **VERATRUM ALBUM**
507	***AGARICUS PHALLOIDES*** **(DEATH CUP)**	Active principle is phallin, active like muscarinum. The poison is a toxalbumin, resembling the poison of the rattle snake and the poison excreted by the cholera and diphtheria germs. It acts on the red blood corpuscles, dissolving them so that blood escapes into the alimentary canal and the entire system is drained. The amount of this toxic principle is small, even handling of specimens and breathing of spores can be harmful to affect some people. The effects of poison develops slowly. Even 12 to 20 hours after taking it, the patient feels all right, but vertigo, violent cholera-like symptoms with rapid loss of strength and death by the second or third day, preceded by stupor and spasms occur. Fatty degeneration of liver,heart and kidneys, haemorrhages in the lungs, pleura and skin (Dr. J. Schier). Vomiting and purging. Continuous urging to stool, but no gastric, abdominal or rectal pain. Intense thirst for cold water, dry skin. Lethargic but mentally clear. Sharp changes from rapid to slow and from	**AGARICUS MUSCARIUS**

		slow to rapid breathing, extreme collapse, suppressed urine, but no cold extremitiesor cramps. (P-20) Cholera, cramps in stomach, cold extremities, urine suppressed. (P-587)	**VERATRUM ALBUM**
508	***SPHINGURUS MARTINI*** **(TREE PORCUPINE)**	Falling out of hair from beard; pain in the jaw joint and zygoma. (P-567) Pain in zygoma. (P-589)	**THUJA OCCIDENTALIS** **VERBASCUM THAPSUS**
509	***SCORPIO EUROPAEUS*** **(COMMON EUROPEAN SCORPION)**	Salivation; strabismus; tetanus. (P-590)	**VESPA CRABRO**
510	***VIRBURNUM PRUNIFOLIUM*** **(BLACK HAW)**	Habitual miscarriage; *after-pains*; cancer of the tongue; obstinate hiccough; supposed to be a uterine tonic. Morning sickness; menstrual irregularities in sterile females with uterine displacements. (P-591)	**VIBURNUM OPULUS**
511	***ULMUS*** **(ELM TREE)**	Formication in feet, numb, creeping pain in legs and feet; rheumatic pains above wrists; numbness, tingling, and full soreness where gastrocnemius gives off its tendon. (P-592)	**VIOLA ODORATA**
512	***PELIUS BERUS*** **(ADDER)**	Prostration and fainting, faltering pulse, skin yellow, *pain about navel*. Swelling of arm, tongue, right eye; giddiness, nervousness, faintness, sickness, compression of chest, can not breathe properly or take a deep breath; aching and stiffness of limbs, joints stiff, collapsed feeling, great thirst. (P-593)	**VIPERA BERUS**

513	***HEDERA HELIX*** **(COMMON IVY)**	Delirium and chronic convulsions. Chronic hydrocephalus Rhinorrhea, cerebro-spinalis. Cataract. Acts on blood vessels, menorrhagia. (P-283) Intercranial pressure (P-594)	**HEDEOMA PULEGIOIDES** **VISCUM ALBUM**
514	***GUIPSINE***	Active principle. Exalts the hypotensive properties of Viscum. (P-594)	**VISCUM ALBUM**
515	***PISCIDIA ERYTHMIA*** **(WHITE DOGWOOD)**	A nerve sedative. *Insomnia due* to worry, nervous excitement, spasmodic coughs; pains of irregular menstruation; regulates the flow. Neuralgic and spasmodic affections. Use tincture in rather material doses. (P-596)	**XANTOXYLUM FRAXINEUM**
516	***ZINCUM ACETICUM*** **(ACETATE OF ZINC)**	Effects of night-watching and erysipelas; brain feels sore. *Rademacher's solution*, five drop doses three times a day in water, *for those who are compelled to work, on an insufficient amount of sleep*. (P-602)	**ZINCUM METALLICUM**
517	***ZINCUM BROMATUM*** **(BROMIDE OF ZINC)**	Dentition, chorea, hydrocephalus. (P-602)	**ZINCUM METALLICUM**
518	***ZINCUM OXYDATUM*** **(OXIDE OF ZINC)**	Nausea and sour taste. Sudden vomiting in children. Vomiting of bile and diarrhoea. Flatulent abdomen. Watery stools with tenesmus. Debility after influenza. Fiery red face, *great drowsiness* with dream-like, unrefreshing sleep. Effects Similar effects of night watching. Mental and physical exertion – Rademacher. Used locally as an astringent and stimulant, for application to unhealthy ulcers, fissures, intertrigo, burns, etc. (P-602)	**ZINCUM METALLICUM**

519	***ZINCUM SULPHURICUM*** **(WHITE VITRIOL)**	Not repeated frequently (high potency) will clear up opacities of the cornea (McFarland). Corneitis; granular lids; tongue paralyzed; cramps in arms and legs; trembling and convulsions. Hypochondriasis due to masturbation; nervous headaches. (P-602)	**ZINCUM METALLICUM**
520	***ZINCUM CYANATUM*** **(CYANIDE OF ZINC)**	As a remedy for meningitis and cerebro-spinal meningitis, paralysis agitans, chorea, and hysteria, it has received some attention. (P-602)	**ZINCUM METALLICUM**
521	***ZINCUM ARESENICOSUM***	Chorea, anaemia, *profound exhaustion* on slight exertion. Depression and marked involvement of lower extremities. (P-602)	**ZINCUM METALLICUM**
522	***ZINCUM CARBONICUM*** **(CARBONATE OF ZINC)**	Post-gonorrhoeal throat affections, tonsils swollen, bluish superficial spots. (P-602)	**ZINCUM METALLICUM**
523	***ZINCUM MURIATICUM*** **(CHLORIDE OF ZINC)**	Disposition to pick the bedclothes; sense of smell and taste perverted; bluish-green tint of skin; cold and sweaty. (P-602)	**ZINCUM METALLICUM**
524	***ZINCUM PHOSPHORICUM*** **(PHOSPHIDE OF ZINC)**	Neuralgia of head and face; lightning-like pains in locomotor ataxia, brain fag, nervousness, and vertigo; sexual excitement and sleeplessness. Herpes zoster 1x. (P-602)	**ZINCUM METALLICUM**

BIBLIOGRAPHY

1. William Boericke – biographies Par Valrie Dayraud. Available at: http://www.homeoint.org/biograph/boericke.htm
2. Winston J. The Heritage of Homoeopathic Literature. First printing ed. Tawa, New Zealand: Great Auk Publishing; 2001.
3. Boericke W. Boericke's new manual of homoeopathic materia medica with repertory: Including Indian Drugs, Nosodes, Uncommon Rare Remedies, Mother Tinctures, Relationships, Sides of the Body, Drug Affinities & List of Abbreviations, 3rd Revised and augmented edition based on 9th ed. 47th impression. New Delhi: B. Jain Publishers (P) LTD; 2021.