

Maritime Safety Queensland

Queensland Tide Tables Standard Port Tide Times 2026

Includes:

- Highest tides for the year
- Tidal notes and definitions
- Tidal datum details
- Tidal planes
- Sun and moon tables

Copyright and disclaimer



This work is licensed under a Creative Commons Attribution 4.0 Australia licence.

<https://creativecommons.org/licenses/by/4.0/>

© The State of Queensland (Department of Transport and Main Roads) 2025

Tide station data for tide predictions is collected by the Department of Transport and Main Roads (Maritime Safety Queensland); Queensland port authorities and corporations; the Department of Environment, Tourism, Science and Innovation; the Australian Maritime Safety Authority (Leggatt Island) and the Australian Hydrographic Service (Bugatti Reef).

The Queensland Tide Tables publication is comprised of tide prediction tables from the Bureau of Meteorology and additional information provided by Maritime Safety Queensland. The tidal prediction tables are provided by the National Tidal Centre, Bureau of Meteorology. Copyright of the tidal prediction tables is vested in the Commonwealth of Australia represented by the National Tidal Centre, Bureau of Meteorology.

The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights. The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.

Information in addition to the tide prediction tables is provided by the Department of Transport and Main Roads (Maritime Safety Queensland).

The Department of Transport and Main Roads gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights. The Department of Transport and Main Roads liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.

Conditions for reproducing the Queensland Tide Tables

The Queensland Tide Tables publication is comprised of tide prediction tables from the Bureau of Meteorology and additional information provided by Maritime Safety Queensland. To publish or create new products, you must apply the following conditions.

For the Queensland Tide Tables publication

You may freely publish, reproduce, add to or repackage in part or in whole, for private or commercial purposes, the Queensland Tide Tables publication provided that you include in any whole or part, the copyright, acknowledgements and disclaimers found on the inside cover of the Queensland Tide Tables.

For individual tide prediction tables


To publish or create new products of only individual tide prediction tables within the Queensland Tide Tables (or within any of the downloads available on this page) you must follow the "Conditions of Use" for acknowledgment, copyright and disclaimers as shown on the Bureau of Meteorology website:

<http://www.bom.gov.au/oceanography/projects/ntc/ntc.shtml>

For information other than tide prediction tables

To individually publish information shown in the Queensland Tide Tables other than individual tide prediction tables, you must acknowledge the Department of Transport and Main Roads (Maritime Safety Queensland) and also show the following disclaimer:

The Department of Transport and Main Roads gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights. The Department of Transport and Main Roads liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.



Hammond Rock.....	84	Sun and Moon Rise and Set Tables.....	157
Goods Island.....	88	Sunrise and Sunset Tables.....	159
Booby Island.....	91	Moon Rise and Set: Brisbane.....	165
Weipa (Humbug Point).....	94	Gladstone.....	169
Amrun (Boyd Point).....	97	Mackay.....	173
Karumba.....	100	Townsville.....	177
Mornington Island.....	103	Cairns.....	181
Extra tides.....	106	Weipa.....	185
Highest tides.....	112	Karumba.....	189
Mean sea level used for the tidal predictions.....	115		
Tidal Notes and Definitions.....	117		
Guide to tidal planes.....	123		
Semidiurnal tidal planes.....	125		
Diurnal tidal planes.....	140		
Tide calculations.....	144		
Conversion - metres to feet.....	149		
Standard tidal curves.....	150		
Calculation of overhead clearance..	151		
Phases and apsides of the moon....	155		
Seasons and apsides of the earth...	155		

Users of these tables should be aware that the heights and stream velocities shown in this publication are predictions only and that the actual water level and height and stream velocity may vary due to meteorological conditions (including barometric pressure, wind effect and storm surges) and seasonal variations.

GOLD COAST SEAWAY – QUEENSLAND

LAT 27° 56' S LONG 153° 25' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0615 1.76 TH 1254 0.32 1829 1.14		16 0653 1.59 FR 1334 0.43 1859 1.05		1 0103 0.17 SU 0754 1.91 1428 0.21 2015 1.25		16 0058 0.31 MO 0745 1.73 1413 0.32 1955 1.26		1 0007 0.32 SU 0652 1.81 1326 0.29 1919 1.29		16 0634 1.66 MO 1302 0.38 1854 1.29		1 0128 0.32 WE 0743 1.65 1355 0.26 2014 1.57		16 0054 0.35 TH 0706 1.66 1318 0.19 1939 1.70	
2 0014 0.14 FR 0709 1.87 1350 0.23 1928 1.15		17 0033 0.33 SA 0731 1.65 1410 0.37 1938 1.09		2 0152 0.13 MO 0839 1.93 1508 0.18 2059 1.30		17 0135 0.25 TU 0819 1.78 1443 0.27 2030 1.33		2 0057 0.24 MO 0736 1.84 1402 0.25 2000 1.37		17 0035 0.36 TU 0710 1.72 1332 0.29 1930 1.41		2 0208 0.33 TH 0815 1.58 1422 0.27 2046 1.63		17 0141 0.30 FR 0746 1.63 1353 0.15 2019 1.82	
3 0106 0.11 SA 0801 1.94 1442 0.17 2022 1.16		18 0113 0.28 SU 0808 1.70 1443 0.33 2015 1.14		3 0237 0.13 TU 0919 1.89 1545 0.19 2140 1.33		18 0214 0.21 WE 0852 1.81 1515 0.22 2107 1.41		3 0142 0.20 TU 0815 1.82 1435 0.23 2038 1.44		18 0115 0.29 WE 0745 1.76 1402 0.22 2006 1.52		3 0247 0.36 FR 0847 1.50 1448 0.29 2118 1.66		18 0229 0.27 SA 0829 1.56 1430 0.16 2103 1.90	
4 0157 0.09 SU 0852 1.96 1530 0.15 2114 1.18		19 0149 0.24 MO 0844 1.74 1515 0.30 2050 1.18		4 0319 0.18 WE 0957 1.80 1620 0.23 2219 1.34		19 0253 0.21 TH 0926 1.79 1546 0.20 2146 1.47		4 0223 0.21 WE 0850 1.76 1507 0.23 2114 1.49		19 0157 0.25 TH 0819 1.76 1434 0.18 2044 1.63		4 0327 0.41 SA 0919 1.40 1513 0.33 2151 1.66		19 0320 0.29 SU 0914 1.45 1508 0.21 2149 1.92	
5 0246 0.11 MO 0940 1.93 1616 0.16 2201 1.18		20 0227 0.22 TU 0919 1.77 1548 0.27 2128 1.21		5 0401 0.27 TH 1030 1.67 1652 0.28 2259 1.34		20 0335 0.25 FR 1000 1.72 1619 0.20 2227 1.52		5 0303 0.26 TH 0923 1.67 1535 0.26 2148 1.51		20 0240 0.24 FR 0856 1.71 1507 0.17 2124 1.71		5 0406 0.47 SU 0952 1.31 1539 0.39 2225 1.64		20 0416 0.34 MO 1002 1.33 1549 0.29 2240 1.90	
6 0334 0.16 TU 1025 1.85 1700 0.21 2249 1.18		21 0304 0.22 WE 0953 1.76 1623 0.26 2207 1.25		6 0443 0.39 FR 1103 1.53 1721 0.33 2339 1.33		21 0420 0.32 SA 1036 1.61 1654 0.24 2311 1.54		6 0342 0.34 FR 0954 1.56 1601 0.30 2223 1.52		21 0326 0.27 SA 0934 1.62 1542 0.19 2206 1.75		6 0448 0.54 MO 1026 1.22 1606 0.45 2301 1.60		21 0518 0.41 TU 1058 1.21 1635 0.39 2336 1.83	
7 0421 0.25 WE 1107 1.73 1742 0.26 2337 1.17		22 0345 0.26 TH 1028 1.73 1658 0.25 2249 1.28		7 0528 0.52 SA 1134 1.38 1749 0.39		22 0510 0.42 SU 1115 1.47 1730 0.30		7 0422 0.44 SA 1024 1.43 1626 0.35 2259 1.51		22 0415 0.34 SU 1015 1.49 1617 0.26 2252 1.75		7 0534 0.60 TU 1103 1.13 1637 0.53 2345 1.53		22 0629 0.47 WE 1206 1.11 1732 0.49	
8 0509 0.37 TH 1146 1.59 1820 0.32		23 0429 0.33 FR 1103 1.66 1734 0.26 2335 1.30		8 0024 1.32 SU 0618 0.63 1209 1.24 1821 0.45		23 0001 1.54 MO 0610 0.53 1200 1.30 1812 0.38		8 0504 0.54 SU 1055 1.30 1652 0.42 2337 1.48		23 0512 0.43 MO 1100 1.33 1657 0.35 2345 1.71		8 0631 0.66 WE 1149 1.05 1716 0.60		23 0043 1.74 TH 0746 0.51 1330 1.06 1847 0.57	
9 0028 1.16 FR 0600 0.49 1224 1.43 1858 0.37		24 0517 0.41 SA 1142 1.55 1813 0.28		9 0119 1.31 MO 0726 0.72 1253 1.10 1901 0.51		24 0102 1.53 TU 0728 0.62 1300 1.14 1905 0.46		9 0552 0.63 MO 1129 1.18 1721 0.49		24 0618 0.53 TU 1154 1.18 1743 0.45		9 0039 1.47 TH 0745 0.70 1257 0.99 1813 0.67		24 0155 1.67 FR 0901 0.50 1456 1.08 2013 0.61	
10 0126 1.17 SA 0700 0.61 1303 1.28 1937 0.40		25 0029 1.33 SU 0615 0.51 1225 1.41 1855 0.31		10 0229 1.31 TU 0900 0.76 1359 1.00 1959 0.56		25 0221 1.52 WE 0908 0.64 1433 1.03 2023 0.51		10 0022 1.43 TU 0652 0.71 1213 1.07 1759 0.57		25 0048 1.65 WE 0743 0.59 1313 1.06 1848 0.55		10 0150 1.42 FR 0907 0.68 1431 0.98 1935 0.71		25 0308 1.63 SA 1005 0.47 1610 1.17 2133 0.59	
11 0232 1.21 SU 0814 0.69 1352 1.15 2022 0.43		26 0131 1.37 MO 0727 0.59 1318 1.27 1945 0.35		11 0346 1.34 WE 1040 0.71 1533 0.95 2117 0.58		26 0345 1.57 TH 1046 0.58 1616 1.02 2150 0.50		11 0124 1.38 WE 0820 0.75 1320 0.98 1855 0.64		26 0209 1.61 TH 0917 0.59 1457 1.02 2018 0.60		11 0307 1.43 SA 1012 0.62 1555 1.04 2111 0.69		26 0413 1.60 SU 1057 0.42 1709 1.28 2243 0.55	
12 0340 1.27 MO 0942 0.71 1455 1.05 2114 0.44		27 0245 1.43 TU 0857 0.63 1431 1.13 2048 0.38		12 0453 1.40 TH 1148 0.63 1700 0.97 2234 0.55		27 0500 1.65 FR 1155 0.47 1734 1.09 2306 0.42		12 0244 1.36 TH 0958 0.72 1504 0.95 2021 0.68		27 0331 1.61 FR 1036 0.53 1625 1.08 2147 0.56		12 0412 1.48 SU 1100 0.54 1654 1.14 2224 0.61		27 0507 1.58 MO 1138 0.37 1757 1.39 2341 0.50	
13 0438 1.35 TU 1106 0.66 1609 0.99 2210 0.44		28 0400 1.52 WE 1035 0.58 1603 1.06 2159 0.37		13 0546 1.49 FR 1234 0.54 1759 1.03 2333 0.48		28 0600 1.74 SA 1245 0.37 1832 1.19		13 0405 1.40 FR 1109 0.65 1635 1.00 2200 0.64		28 0443 1.65 SA 1133 0.45 1730 1.19 2300 0.49		13 0503 1.55 MO 1139 0.44 1740 1.27 2319 0.52		28 0552 1.54 TU 1212 0.34 1837 1.50	
14 0529 1.43 WE 1209 0.58 1717 0.99 2303 0.41		29 0508 1.64 TH 1156 0.47 1725 1.06 2308 0.32		14 0630 1.58 SA 1310 0.46 1843 1.10				14 0507 1.48 SA 1155 0.56 1733 1.08 2305 0.56		29 0541 1.69 SU 1217 0.37 1820 1.30 2357 0.40		14 0546 1.61 TU 1213 0.34 1820 1.41		29 0030 0.46 WE 0631 1.50 1243 0.31 1914 1.59	
15 0613 1.51 TH 1256 0.50 1813 1.01 2351 0.37		30 0609 1.75 FR 1256 0.36 1831 1.11		15 0018 0.39 SU 0710 1.66 1343 0.39 1920 1.18				15 0554 1.57 SU 1230 0.47 1816 1.18 2354 0.46		30 0628 1.71 MO 1254 0.32 1901 1.41		15 0008 0.43 WE 0627 1.65 1245 0.25 1900 1.56		30 0114 0.44 TH 0707 1.44 1311 0.30 1946 1.66	
		31 0009 0.25 SA 0703 1.85 1345 0.27 1927 1.18								31 0045 0.34 TU 0708 1.69 1326 0.28 1939 1.50					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

GOLD COAST SEAWAY – QUEENSLAND

LAT 27° 56' S LONG 153° 25' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0155 0.43 0741 1.38 FR 1337 0.30 2019 1.71		16 0129 0.33 0719 1.45 SA 1316 0.15 1959 1.94		1 0303 0.44 0830 1.17 MO 1405 0.36 2104 1.75		16 0315 0.23 0855 1.23 TU 1430 0.18 2128 2.04		1 0323 0.39 0852 1.15 WE 1426 0.33 2123 1.74		16 0348 0.17 0937 1.27 TH 1513 0.14 2200 1.95		1 0359 0.27 0947 1.27 SA 1527 0.28 2204 1.70		16 0430 0.20 1041 1.39 SU 1629 0.32 2245 1.53	
2 0235 0.43 0815 1.32 SA 1404 0.32 2051 1.73		17 0223 0.29 0809 1.38 SU 1359 0.17 2046 2.01		2 0342 0.45 0909 1.15 TU 1440 0.39 2141 1.73		17 0409 0.23 0952 1.22 WE 1524 0.22 2220 2.00		2 0359 0.39 0930 1.15 TH 1502 0.34 2159 1.73		17 0433 0.19 1027 1.28 FR 1602 0.22 2244 1.84		2 0432 0.26 1028 1.30 SU 1608 0.34 2238 1.63		17 0501 0.26 1125 1.38 MO 1716 0.45 2318 1.36	
3 0315 0.44 0851 1.26 SU 1432 0.36 2124 1.73		18 0319 0.28 0901 1.31 MO 1444 0.21 2137 2.02		3 0421 0.46 0948 1.13 WE 1515 0.42 2219 1.70		18 0502 0.26 1049 1.20 TH 1617 0.29 2312 1.90		3 0434 0.39 1010 1.16 FR 1541 0.37 2234 1.70		18 0515 0.24 1115 1.28 SA 1651 0.34 2325 1.68		3 0506 0.27 1111 1.33 MO 1653 0.42 2313 1.53		18 0532 0.33 1212 1.36 TU 1810 0.58 2355 1.20	
4 0354 0.47 0928 1.21 MO 1502 0.41 2200 1.71		19 0417 0.30 0958 1.23 TU 1532 0.28 2231 1.97		4 0501 0.49 1030 1.11 TH 1554 0.47 2259 1.66		19 0555 0.30 1147 1.19 FR 1714 0.39		4 0511 0.39 1053 1.17 SA 1622 0.42 2310 1.65		19 0557 0.29 1207 1.28 SU 1744 0.47		4 0542 0.29 1159 1.36 TU 1745 0.51 2353 1.40		19 0605 0.39 1305 1.34 WE 1918 0.67	
5 0435 0.51 1005 1.15 TU 1534 0.46 2237 1.66		20 0518 0.34 1100 1.17 WE 1627 0.37 2329 1.90		5 0545 0.50 1115 1.09 FR 1637 0.52 2341 1.61		20 0601 1.78 0646 0.34 SA 1247 1.19 1813 0.49		5 0549 0.38 1140 1.19 SU 1709 0.49 2348 1.58		20 0604 1.51 0635 0.35 MO 1302 1.29 1842 0.59		5 0621 0.31 1256 1.39 WE 1851 0.59		20 0642 1.06 0646 0.46 TH 1411 1.32 2051 0.70	
6 0520 0.56 1046 1.10 WE 1610 0.52 2319 1.60		21 0621 0.38 1207 1.13 TH 1729 0.46		6 0631 0.51 1209 1.09 SA 1728 0.57		21 0650 1.63 0735 0.38 SU 1351 1.22 1918 0.59		6 0630 0.38 1233 1.22 MO 1802 0.56		21 0645 1.34 0715 0.40 TU 1404 1.30 1954 0.69		6 0643 1.26 0709 0.35 TH 1403 1.43 2015 0.63		21 0150 0.95 0745 0.51 FR 1527 1.34 2226 0.66	
7 0612 0.60 1134 1.05 TH 1652 0.59		22 0029 1.79 0725 0.41 FR 1318 1.12 1837 0.54		7 0027 1.56 0720 0.49 SU 1313 1.11 1828 0.62		22 0141 1.47 0821 0.41 MO 1457 1.27 2032 0.67		7 0030 1.50 0712 0.37 TU 1333 1.28 1908 0.62		22 0132 1.19 0757 0.43 WE 1511 1.34 2122 0.72		7 0151 1.13 0808 0.37 FR 1519 1.50 2155 0.59		22 0323 0.92 0902 0.52 SA 1634 1.39 2330 0.57	
8 0009 1.54 0711 0.62 FR 1236 1.03 1747 0.64		23 0130 1.68 0825 0.43 SA 1430 1.16 1951 0.60		8 0117 1.52 0809 0.45 MO 1419 1.18 1939 0.65		23 0232 1.34 0906 0.41 TU 1600 1.35 2151 0.69		8 0120 1.39 0759 0.35 WE 1439 1.36 2027 0.65		23 0234 1.07 0847 0.46 TH 1615 1.40 2249 0.68		8 0323 1.05 0919 0.36 SA 1631 1.60 2319 0.49		23 0445 0.95 1017 0.49 SU 1729 1.46	
9 0107 1.50 0814 0.60 SA 1354 1.04 1900 0.68		24 0230 1.58 0919 0.43 SU 1539 1.24 2106 0.63		9 0213 1.47 0857 0.40 TU 1522 1.29 2056 0.65		24 0330 1.23 0949 0.41 WE 1653 1.44 2305 0.66		9 0221 1.29 0850 0.33 TH 1545 1.48 2153 0.62		24 0349 1.01 0945 0.46 FR 1709 1.46 2353 0.60		9 0447 1.06 1030 0.31 SU 1735 1.72		24 0015 0.48 0541 1.01 MO 1116 0.42 1814 1.54	
10 0211 1.48 0911 0.55 SU 1507 1.10 2020 0.68		25 0329 1.49 1007 0.41 MO 1638 1.34 2218 0.62		10 0310 1.42 0943 0.34 WE 1619 1.43 2211 0.61		25 0427 1.16 1032 0.40 TH 1740 1.53		10 0333 1.21 0945 0.31 FR 1646 1.62 2315 0.53		25 0459 1.00 1042 0.44 SA 1757 1.53		10 0022 0.36 0556 1.11 MO 1135 0.23 1831 1.84		25 0050 0.40 0624 1.08 TU 1202 0.34 1852 1.61	
11 0312 1.49 1000 0.47 MO 1608 1.21 2137 0.64		26 0422 1.41 1047 0.38 TU 1727 1.44 2322 0.60		11 0410 1.38 1029 0.28 TH 1713 1.59 2321 0.53		26 0005 0.61 0520 1.12 FR 1114 0.39 1821 1.60		11 0447 1.17 1044 0.27 SA 1745 1.75		26 0040 0.52 0556 1.03 SU 1133 0.40 1839 1.60		11 0113 0.25 0653 1.18 TU 1232 0.15 1923 1.92		26 0121 0.33 0700 1.15 WE 1242 0.27 1927 1.67	
12 0407 1.51 1041 0.38 TU 1659 1.36 2243 0.57		27 0510 1.34 1123 0.36 WE 1809 1.54		12 0508 1.35 1115 0.23 FR 1802 1.75		27 0054 0.54 0610 1.11 SA 1154 0.37 1859 1.65		12 0024 0.42 0555 1.17 SU 1141 0.22 1840 1.88		27 0118 0.45 0642 1.07 MO 1218 0.35 1917 1.65		12 0157 0.17 0744 1.25 WE 1324 0.08 2010 1.95		27 0151 0.27 0735 1.22 TH 1318 0.22 1959 1.70	
13 0457 1.52 1120 0.30 WE 1745 1.52 2341 0.49		28 0015 0.56 0553 1.29 TH 1156 0.34 1846 1.62		13 0025 0.43 0605 1.31 SA 1201 0.19 1852 1.88		28 0135 0.48 0655 1.11 SU 1233 0.35 1935 1.70		13 0121 0.31 0656 1.18 MO 1237 0.16 1933 1.97		28 0153 0.39 0721 1.11 TU 1259 0.30 1954 1.70		13 0238 0.13 0830 1.32 TH 1413 0.07 2052 1.92		28 0219 0.22 0810 1.29 FR 1355 0.19 2030 1.71	
14 0545 1.52 1158 0.22 TH 1829 1.68		29 0102 0.52 0633 1.25 FR 1228 0.33 1921 1.68		14 0124 0.34 0702 1.28 SU 1250 0.17 1943 1.98		29 0213 0.43 0736 1.12 MO 1312 0.34 2012 1.72		14 0214 0.23 0752 1.21 TU 1330 0.12 2025 2.02		29 0225 0.35 0758 1.15 WE 1335 0.26 2028 1.73		14 0317 0.12 0915 1.36 FR 1459 0.11 2132 1.83		29 0249 0.18 0845 1.36 SA 1433 0.18 2100 1.69	
15 0035 0.40 0631 1.49 FR 1236 0.17 1913 1.83		30 0145 0.48 0713 1.22 SA 1259 0.33 1955 1.72		15 0220 0.27 0759 1.26 MO 1340 0.16 2035 2.04		30 0248 0.41 0815 1.14 TU 1348 0.33 2047 1.74		15 0301 0.18 0845 1.24 WE 1423 0.11 2115 2.02		30 0256 0.32 0833 1.19 TH 1412 0.24 2100 1.75		15 0355 0.15 0959 1.39 SA 1544 0.20 2209 1.69		30 0319 0.16 0923 1.42 SU 1513 0.22 2133 1.62	
		31 0225 0.45 0752 1.19 SU 1331 0.34 2029 1.75								31 0327 0.29 0909 1.23 FR 1448 0.25 2132 1.74				31 0351 0.16 1002 1.47 MO 1556 0.28 2208 1.52	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

GOLD COAST SEAWAY – QUEENSLAND

LAT 27° 56' S LONG 153° 25' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0424 0.19 TU 1045 1.50 1644 0.36 2245 1.39		16 0434 0.32 1127 1.44 WE 1745 0.53 2317 1.07		1 0426 0.23 1115 1.63 TH 1745 0.39 2322 1.09		16 0423 0.40 1134 1.44 FR 1821 0.51 2340 0.92		1 0051 0.96 0615 0.40 SU 1317 1.59 2019 0.34		16 0019 0.92 0533 0.51 MO 1246 1.38 1947 0.46		1 0152 1.07 0715 0.44 TU 1353 1.52 2041 0.28		16 0043 1.03 0603 0.53 WE 1247 1.40 1934 0.37	
2 0500 0.24 1132 1.50 WE 1740 0.46 2329 1.24		17 0506 0.40 1214 1.38 TH 1848 0.60		2 0513 0.32 1215 1.58 FR 1903 0.45		17 0506 0.48 1229 1.37 SA 1932 0.54		2 0216 0.98 0737 0.45 MO 1428 1.54 2126 0.31		17 0133 0.92 0643 0.56 TU 1345 1.35 2045 0.42		2 0303 1.14 0831 0.49 WE 1452 1.40 2133 0.27		17 0148 1.08 0710 0.58 TH 1337 1.33 2022 0.34	
3 0540 0.31 1229 1.49 TH 1851 0.54		18 0004 0.96 0548 0.48 FR 1314 1.33 2014 0.63		3 0035 0.97 0617 0.41 SA 1331 1.53 2034 0.46		18 0051 0.87 0606 0.55 SU 1335 1.32 2048 0.53		3 0332 1.06 0857 0.44 TU 1534 1.50 2220 0.26		18 0247 0.98 0801 0.58 WE 1444 1.33 2134 0.36		3 0407 1.25 0947 0.51 TH 1550 1.30 2219 0.26		18 0255 1.17 0825 0.61 FR 1434 1.27 2112 0.30	
4 0026 1.10 0632 0.38 1342 1.48 2026 0.57		19 0119 0.89 0650 0.55 SA 1430 1.30 2144 0.60		4 0218 0.93 0745 0.45 SU 1451 1.53 2155 0.40		19 0223 0.88 0731 0.58 MO 1446 1.31 2151 0.48		4 0435 1.18 1009 0.41 WE 1632 1.47 2306 0.21		19 0349 1.09 0917 0.56 TH 1540 1.32 2217 0.28		4 0501 1.36 1058 0.49 FR 1645 1.22 2300 0.24		19 0356 1.30 0945 0.58 SA 1537 1.21 2200 0.26	
5 0154 0.98 0747 0.42 SA 1505 1.51 2204 0.51		20 0300 0.87 0820 0.57 SU 1546 1.33 2249 0.53		5 0345 0.99 0910 0.43 MO 1603 1.56 2256 0.31		20 0342 0.94 0900 0.56 TU 1550 1.34 2239 0.39		5 0526 1.30 1112 0.36 TH 1722 1.42 2344 0.17		20 0441 1.23 1023 0.50 FR 1632 1.32 2257 0.20		5 0548 1.46 1159 0.45 SA 1734 1.15 2337 0.22		20 0450 1.45 1059 0.51 SU 1642 1.18 2249 0.20	
6 0338 0.97 0913 0.41 SU 1621 1.59 2316 0.40		21 0422 0.93 0947 0.53 MO 1647 1.39 2334 0.44		6 0452 1.10 1023 0.35 TU 1704 1.60 2343 0.22		21 0438 1.05 1009 0.50 WE 1643 1.39 2317 0.30		6 0610 1.42 1206 0.32 FR 1806 1.37		21 0525 1.39 1122 0.42 SA 1721 1.32 2334 0.13		6 0629 1.55 1250 0.40 SU 1820 1.11		21 0541 1.60 1204 0.41 MO 1743 1.16 2338 0.15	
7 0455 1.04 1029 0.33 MO 1725 1.68		22 0515 1.02 1049 0.45 TU 1735 1.47		7 0545 1.22 1124 0.27 WE 1755 1.62		22 0522 1.17 1102 0.42 TH 1726 1.44 2351 0.21		7 0017 0.14 0649 1.52 SA 1255 0.29 1845 1.31		22 0608 1.54 1216 0.34 SU 1809 1.30		7 0012 0.21 0706 1.61 MO 1335 0.36 1902 1.09		22 0630 1.75 1304 0.30 TU 1841 1.16	
8 0009 0.28 0555 1.14 TU 1132 0.23 1818 1.76		23 0009 0.35 0557 1.12 WE 1137 0.36 1814 1.54		8 0021 0.15 0630 1.34 TH 1216 0.20 1838 1.61		23 0600 1.30 1150 0.33 FR 1805 1.47		8 0047 0.13 0726 1.59 SU 1340 0.27 1923 1.25		23 0012 0.08 0650 1.69 MO 1309 0.25 1856 1.28		8 0045 0.21 0742 1.65 TU 1416 0.33 1943 1.08		23 0027 0.10 0720 1.87 WE 1359 0.21 1936 1.17	
9 0052 0.19 0645 1.24 WE 1226 0.14 1904 1.80		24 0040 0.27 0633 1.22 TH 1218 0.28 1849 1.59		9 0056 0.11 0710 1.44 FR 1303 0.17 1916 1.56		24 0022 0.13 0638 1.44 SA 1235 0.26 1844 1.47		9 0117 0.13 0800 1.64 MO 1422 0.27 2000 1.19		24 0051 0.04 0734 1.80 TU 1401 0.19 1945 1.24		9 0119 0.22 0817 1.67 WE 1454 0.31 2021 1.07		24 0117 0.07 0811 1.95 TH 1451 0.14 2030 1.18	
10 0130 0.12 0729 1.34 TH 1315 0.09 1945 1.79		25 0109 0.19 0708 1.32 FR 1257 0.22 1922 1.61		10 0128 0.09 0748 1.52 SA 1347 0.17 1952 1.48		25 0053 0.07 0715 1.58 SU 1320 0.20 1922 1.44		10 0145 0.16 0835 1.66 TU 1503 0.28 2036 1.13		25 0132 0.04 0821 1.88 WE 1455 0.15 2035 1.19		10 0153 0.23 0853 1.67 TH 1531 0.31 2059 1.06		25 0208 0.06 0902 1.99 FR 1542 0.11 2125 1.19	
11 0206 0.09 0810 1.42 FR 1400 0.09 2024 1.73		26 0138 0.13 0743 1.43 SA 1337 0.18 1955 1.60		11 0158 0.09 0824 1.58 SU 1430 0.20 2027 1.38		26 0126 0.03 0755 1.69 MO 1407 0.17 2003 1.39		11 0215 0.20 0910 1.65 WE 1544 0.31 2114 1.08		26 0217 0.06 0911 1.91 TH 1550 0.15 2129 1.14		11 0228 0.26 0929 1.65 FR 1608 0.32 2136 1.05		26 0300 0.08 0954 1.97 SA 1632 0.12 2218 1.19	
12 0239 0.09 0850 1.47 SA 1444 0.14 2100 1.62		27 0207 0.08 0819 1.53 SU 1418 0.16 2030 1.56		12 0225 0.12 0900 1.60 MO 1513 0.25 2100 1.28		27 0200 0.03 0836 1.77 TU 1457 0.17 2046 1.31		12 0246 0.25 0946 1.61 TH 1624 0.35 2152 1.03		27 0305 0.11 1003 1.90 FR 1646 0.17 2227 1.09		12 0303 0.29 1006 1.62 SA 1645 0.34 2215 1.04		27 0352 0.13 1045 1.90 SU 1722 0.15 2314 1.18	
13 0311 0.12 0929 1.50 SU 1526 0.22 2133 1.49		28 0238 0.07 0858 1.61 MO 1502 0.18 2106 1.48		13 0252 0.17 0935 1.60 TU 1555 0.32 2135 1.18		28 0238 0.06 0921 1.80 WE 1549 0.19 2133 1.21		13 0319 0.31 1025 1.56 FR 1707 0.39 2232 0.98		28 0359 0.19 1059 1.84 SA 1745 0.21 2330 1.06		13 0341 0.33 1044 1.58 SU 1724 0.37 2257 1.03		28 0446 0.23 1133 1.78 MO 1810 0.21	
14 0339 0.17 1006 1.51 MO 1609 0.32 2206 1.34		29 0311 0.09 0939 1.65 TU 1549 0.23 2145 1.36		14 0319 0.24 1012 1.56 WE 1638 0.39 2212 1.08		29 0319 0.13 1011 1.79 TH 1647 0.24 2226 1.11		14 0356 0.38 1106 1.50 SA 1755 0.43 2319 0.94		29 0458 0.28 1156 1.75 SU 1845 0.24		14 0422 0.39 1122 1.53 MO 1805 0.38 2345 1.02		29 0012 1.18 0545 0.35 TU 1220 1.62 1858 0.26	
15 0406 0.24 1045 1.48 TU 1654 0.43 2240 1.20		30 0346 0.14 1024 1.66 WE 1643 0.31 2230 1.23		15 0348 0.32 1050 1.51 TH 1726 0.46 2251 1.00		30 0405 0.22 1106 1.74 FR 1753 0.30 2330 1.01		15 0439 0.45 1153 1.44 SU 1848 0.46		30 0040 1.04 0604 0.37 MO 1254 1.63 1945 0.27		15 0508 0.46 1203 1.47 TU 1848 0.38		30 0114 1.20 0646 0.47 WE 1308 1.45 1945 0.31	
				31 0502 0.32 1208 1.67 SA 1905 0.34										31 0221 1.23 0800 0.57 TH 1400 1.28 2032 0.34	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Moon Phase Symbols ● New Moon ◐ First Quarter ○ Full Moon ◑ Last Quarter

BRISBANE BAR – QUEENSLAND

LAT 27° 21' S LONG 153° 10' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0100 0.40 TH 1422 0.65 1944 1.81		16 0125 0.58 FR 1449 0.75 2009 1.72		1 0245 0.36 SU 1605 0.50 2133 1.93		16 0233 0.50 MO 1541 0.62 2109 1.96		1 0145 0.51 SU 1458 0.54 2035 1.98		16 0121 0.66 MO 1427 0.65 2003 1.97		1 0305 0.51 WE 1532 0.47 2130 2.30		16 0231 0.55 TH 1500 0.40 2100 2.42	
2 0157 0.34 FR 0836 2.63 1523 0.56 2045 1.82		17 0209 0.52 SA 1530 0.70 2049 1.78		2 0334 0.32 MO 1000 2.69 1646 0.48 2217 2.00		17 0315 0.43 TU 1616 0.56 2148 2.04		2 0238 0.42 MO 0857 2.58 1538 0.50 2117 2.08		17 0209 0.55 TU 0828 2.43 1504 0.55 2045 2.11		2 0345 0.52 TH 0937 2.29 1600 0.46 2205 2.35		17 0321 0.50 FR 0907 2.31 1536 0.35 2145 2.54	
3 0250 0.30 SA 0927 2.72 1618 0.50 2141 1.84		18 0249 0.46 SU 0929 2.45 1608 0.66 2128 1.83		3 0418 0.32 TU 1040 2.66 1723 0.48 2258 2.04		18 0354 0.39 WE 1014 2.55 1650 0.50 2228 2.12		3 0324 0.39 TU 0936 2.56 1614 0.48 2157 2.15		18 0255 0.47 WE 0905 2.48 1540 0.47 2126 2.23		3 0422 0.57 FR 1008 2.20 1625 0.46 2238 2.38		18 0410 0.48 SA 0950 2.23 1613 0.33 2229 2.62	
4 0340 0.28 SU 1015 2.74 1708 0.48 2231 1.86		19 0328 0.42 MO 1004 2.49 1645 0.63 2206 1.88		4 0459 0.38 WE 1116 2.57 1755 0.50 2336 2.06		19 0434 0.40 TH 1047 2.53 1723 0.47 2308 2.18		4 0404 0.40 WE 1011 2.50 1644 0.47 2232 2.20		19 0338 0.43 TH 0942 2.47 1615 0.41 2207 2.34		4 0458 0.63 SA 1038 2.09 1649 0.48 2310 2.38		19 0459 0.51 SU 1033 2.10 1648 0.36 2314 2.65	
5 0427 0.30 MO 1100 2.72 1753 0.49 2318 1.88		20 0406 0.40 TU 1039 2.52 1719 0.60 2245 1.93		5 0537 0.48 TH 1150 2.44 1824 0.53		20 0515 0.44 FR 1121 2.46 1755 0.46 2348 2.22		5 0442 0.46 TH 1044 2.41 1711 0.48 2307 2.24		20 0422 0.43 FR 1017 2.42 1648 0.38 2248 2.42		5 0532 0.70 SU 1108 1.97 1715 0.52 2342 2.35		20 0549 0.57 MO 1120 1.96 1726 0.43	
6 0512 0.36 TU 1144 2.64 1833 0.52		21 0444 0.41 WE 1113 2.52 1754 0.58 2325 1.96		6 0014 2.06 FR 0615 0.61 1222 2.29 1851 0.56		21 0556 0.53 SA 1156 2.33 1826 0.47		6 0517 0.54 FR 1114 2.29 1735 0.49 2341 2.24		21 0505 0.47 SA 1055 2.31 1720 0.39 2330 2.46		6 0607 0.78 MO 1139 1.84 1743 0.59		21 0001 2.61 TU 0645 0.66 1212 1.80 1808 0.53	
7 0003 1.88 WE 0556 0.46 1223 2.51 1911 0.56		22 0523 0.45 TH 1146 2.49 1828 0.56		7 0052 2.05 SA 0654 0.75 1253 2.11 1919 0.60		22 0031 2.23 SU 0640 0.65 1232 2.16 1900 0.52		7 0552 0.65 SA 1143 2.14 1800 0.52		22 0550 0.56 SU 1133 2.15 1752 0.44		7 0016 2.28 TU 0645 0.87 1214 1.72 1814 0.69		22 0054 2.53 WE 0748 0.74 1313 1.68 1900 0.66	
8 0048 1.87 TH 0640 0.59 1301 2.36 1946 0.60		23 0007 1.98 FR 0603 0.53 1221 2.41 1901 0.55		8 0133 2.01 SU 0738 0.90 1327 1.93 1952 0.67		23 0118 2.22 MO 0732 0.79 1315 1.96 1940 0.58		8 0015 2.22 SU 0628 0.77 1212 1.98 1826 0.58		23 0015 2.45 MO 0639 0.67 1215 1.96 1828 0.52		8 0055 2.19 WE 0730 0.96 1255 1.61 1851 0.80		23 0153 2.42 TH 0901 0.79 1430 1.61 2007 0.78	
9 0134 1.86 FR 0726 0.74 1340 2.19 2023 0.64		24 0051 2.00 SA 0648 0.63 1259 2.29 1938 0.56		9 0223 1.97 MO 0833 1.03 1409 1.74 2034 0.74		24 0216 2.19 TU 0840 0.91 1415 1.76 2034 0.67		9 0050 2.17 MO 0707 0.89 1244 1.81 1856 0.68		24 0103 2.40 TU 0736 0.80 1307 1.77 1912 0.63		9 0142 2.10 TH 0831 1.02 1352 1.52 1943 0.90		24 0301 2.33 FR 1013 0.78 1556 1.65 2132 0.84	
10 0226 1.85 SA 0817 0.89 1420 2.02 2101 0.66		25 0142 2.01 SU 0741 0.75 1342 2.14 2020 0.57		10 0328 1.94 TU 0952 1.10 1511 1.59 2132 0.81		25 0331 2.17 WE 1013 0.96 1541 1.61 2151 0.73		10 0132 2.09 TU 0756 1.00 1325 1.65 1933 0.79		25 0202 2.32 WE 0853 0.89 1418 1.61 2014 0.75		10 0245 2.03 FR 0955 1.02 1518 1.51 2058 0.97		25 0415 2.28 SA 1118 0.72 1712 1.78 2258 0.81	
11 0327 1.87 SU 0922 1.00 1508 1.85 2148 0.68		26 0242 2.03 MO 0845 0.87 1435 1.96 2114 0.60		11 0449 1.96 WE 1130 1.08 1637 1.52 2246 0.84		26 0458 2.22 TH 1154 0.90 1721 1.60 2320 0.71		11 0226 2.01 WE 0906 1.08 1424 1.52 2028 0.89		26 0316 2.25 TH 1025 0.89 1557 1.56 2141 0.82		11 0405 2.03 SA 1112 0.95 1649 1.59 2228 0.94		26 0522 2.27 SU 1215 0.64 1814 1.94	
12 0437 1.92 MO 1041 1.05 1608 1.72 2243 0.69		27 0355 2.09 TU 1009 0.94 1547 1.79 2219 0.61		12 0602 2.05 TH 1248 0.98 1802 1.55		27 0616 2.33 FR 1313 0.76 1844 1.71		12 0342 1.96 TH 1048 1.08 1559 1.47 2149 0.95		27 0441 2.25 FR 1148 0.81 1729 1.66 2315 0.78		12 0516 2.10 SU 1209 0.83 1754 1.75 2343 0.84		27 0010 0.75 MO 0619 2.26 1301 0.58 1904 2.10	
13 0543 2.02 TU 1202 1.02 1718 1.64 2340 0.67		28 0515 2.19 WE 1145 0.92 1713 1.70 2332 0.59		13 0000 0.79 FR 0659 2.16 1342 0.86 1903 1.65		28 0041 0.62 SA 0719 2.45 1411 0.63 1945 1.85		13 0510 2.00 FR 1209 0.99 1733 1.54 2317 0.90		28 0556 2.31 SA 1252 0.70 1837 1.82		13 0613 2.20 MO 1258 0.71 1845 1.93		28 0109 0.69 TU 0708 2.24 1342 0.52 1948 2.23	
14 0639 2.13 WE 1311 0.93 1825 1.64		29 0628 2.34 TH 1314 0.81 1835 1.70		14 0100 0.69 SA 0745 2.28 1425 0.77 1949 1.75				14 0615 2.11 SA 1303 0.87 1834 1.68		29 0031 0.68 SU 0656 2.38 1343 0.59 1930 1.99		14 0045 0.73 TU 0700 2.29 1341 0.58 1932 2.10		29 0159 0.66 WE 0749 2.19 1416 0.49 2028 2.33	
15 0035 0.63 TH 0728 2.24 1404 0.83 1922 1.67		30 0045 0.52 FR 0732 2.49 1422 0.67 1946 1.76		15 0149 0.59 SU 0826 2.38 1504 0.69 2030 1.86				15 0027 0.78 SU 0706 2.23 1347 0.75 1921 1.83		30 0132 0.58 MO 0745 2.42 1425 0.53 2015 2.12		15 0140 0.62 WE 0744 2.35 1421 0.48 2017 2.27		30 0244 0.64 TH 0827 2.13 1447 0.47 2103 2.40	
		31 0149 0.44 SA 0827 2.61 1517 0.57 2045 1.85								31 0222 0.52 TU 1501 0.49 2055 2.22					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

BRISBANE BAR – QUEENSLAND

LAT 27° 21' S LONG 153° 10' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0325 0.64 0901 2.06 FR 1515 0.46 2138 2.45		16 0305 0.56 0838 2.10 SA 1500 0.32 2124 2.68		1 0426 0.70 0945 1.79 MO 1542 0.50 2223 2.46		16 0451 0.49 1015 1.86 TU 1613 0.32 2250 2.79		1 0447 0.68 1005 1.78 WE 1600 0.48 2240 2.44		16 0528 0.42 1057 1.92 TH 1654 0.31 2320 2.69		1 0530 0.53 1105 1.93 SA 1704 0.46 2322 2.41		16 0604 0.40 1159 2.08 SU 1803 0.53	
2 0403 0.66 0935 1.98 SA 1543 0.46 2211 2.46		17 0400 0.52 0929 2.02 SU 1543 0.32 2213 2.75		2 0502 0.72 1020 1.77 TU 1615 0.53 2257 2.43		17 0545 0.48 1110 1.85 WE 1701 0.37 2339 2.74		2 0522 0.68 1043 1.80 TH 1637 0.50 2314 2.43		17 0610 0.43 1144 1.95 FR 1740 0.39		2 0602 0.51 1145 1.96 SU 1744 0.53 2354 2.33		17 0003 2.24 0633 0.44 MO 1239 2.06 1844 0.69	
3 0440 0.68 1007 1.91 SU 1611 0.49 2243 2.45		18 0455 0.52 1020 1.93 MO 1625 0.35 2301 2.75		3 0537 0.75 1058 1.75 WE 1650 0.57 2331 2.39		18 0636 0.51 1203 1.84 TH 1752 0.45		3 0556 0.67 1123 1.81 FR 1715 0.53 2347 2.40		18 0001 2.57 0648 0.46 SA 1230 1.96 1825 0.52		3 0634 0.50 1228 1.98 MO 1825 0.63		18 0035 2.04 0702 0.49 TU 1322 2.02 1930 0.84	
4 0515 0.73 1041 1.83 MO 1640 0.53 2315 2.41		19 0550 0.54 1115 1.85 TU 1710 0.41 2352 2.70		4 0614 0.78 1137 1.73 TH 1727 0.62		19 0027 2.63 0724 0.54 FR 1257 1.83 1844 0.57		4 0631 0.66 1205 1.82 SA 1755 0.59		19 0041 2.41 0725 0.50 SU 1316 1.95 1912 0.68		4 0029 2.21 0707 0.51 TU 1315 1.99 1913 0.74		19 0110 1.84 0734 0.56 WE 1410 1.98 2025 0.97	
5 0550 0.78 1115 1.76 TU 1711 0.60 2350 2.34		20 0647 0.59 1212 1.77 WE 1759 0.51		5 0009 2.34 0654 0.79 FR 1221 1.71 1808 0.69		20 0114 2.49 0810 0.58 SA 1352 1.84 1939 0.70		5 0022 2.35 0708 0.65 SU 1250 1.83 1839 0.67		20 0119 2.21 0800 0.54 MO 1407 1.94 2003 0.84		5 0107 2.06 0745 0.52 WE 1408 2.01 2012 0.85		20 0151 1.64 0815 0.65 TH 1512 1.94 2145 1.04	
6 0628 0.84 1152 1.69 WE 1745 0.68		21 0044 2.61 0746 0.64 TH 1314 1.72 1854 0.63		6 0048 2.29 0738 0.80 SA 1312 1.70 1856 0.76		21 0200 2.33 0855 0.60 SU 1452 1.87 2040 0.82		6 0100 2.28 0747 0.63 MO 1341 1.85 1930 0.77		21 0159 2.01 0838 0.58 TU 1503 1.94 2105 0.96		6 0157 1.88 0834 0.54 TH 1515 2.05 2130 0.92		21 0254 1.48 0911 0.73 FR 1630 1.94 2326 1.00	
7 0029 2.27 0711 0.89 TH 1236 1.63 1825 0.77		22 0138 2.49 0845 0.67 FR 1420 1.72 1959 0.74		7 0132 2.25 0827 0.77 SU 1411 1.72 1954 0.83		22 0250 2.16 0940 0.61 MO 1556 1.92 2147 0.92		7 0142 2.18 0830 0.60 TU 1440 1.90 2031 0.85		22 0245 1.81 0921 0.62 WE 1610 1.97 2223 1.03		7 0306 1.72 0938 0.56 FR 1634 2.13 2306 0.90		22 0428 1.42 1025 0.76 SA 1745 2.01	
8 0113 2.20 0805 0.92 FR 1331 1.59 1915 0.85		23 0236 2.36 0941 0.67 SA 1530 1.77 2112 0.82		8 0223 2.20 0919 0.72 MO 1517 1.79 2102 0.88		23 0343 2.00 1026 0.61 TU 1659 2.01 2300 0.96		8 0233 2.06 0921 0.57 WE 1547 1.99 2146 0.90		23 0345 1.66 1014 0.65 TH 1718 2.04 2348 0.99		8 0435 1.62 1052 0.55 SA 1751 2.27		23 0038 0.89 0554 1.47 SU 1139 0.72 1841 2.12	
9 0206 2.14 0908 0.91 SA 1444 1.60 2022 0.91		24 0337 2.25 1033 0.66 SU 1639 1.87 2227 0.86		9 0320 2.15 1014 0.65 TU 1627 1.92 2217 0.88		24 0440 1.87 1113 0.59 WE 1757 2.12		9 0337 1.94 1018 0.54 TH 1659 2.13 2311 0.88		24 0500 1.57 1112 0.65 FR 1818 2.13		9 0038 0.78 0600 1.63 SU 1206 0.49 1859 2.43		24 0128 0.77 0651 1.58 MO 1241 0.63 1928 2.22	
10 0309 2.12 1012 0.85 SU 1601 1.68 2141 0.92		25 0436 2.16 1124 0.62 MO 1740 2.01 2338 0.85		10 0422 2.10 1107 0.56 WE 1731 2.09 2332 0.84		25 0013 0.93 0538 1.79 TH 1200 0.57 1848 2.23		10 0449 1.84 1120 0.49 FR 1806 2.29		25 0059 0.90 0611 1.57 SA 1211 0.63 1910 2.23		10 0150 0.63 0714 1.71 MO 1315 0.40 1957 2.57		25 0208 0.67 0735 1.69 TU 1330 0.54 2007 2.31	
11 0415 2.14 1110 0.75 MO 1711 1.83 2257 0.87		26 0532 2.09 1210 0.57 TU 1832 2.14		11 0523 2.05 1200 0.48 TH 1830 2.28		26 0115 0.87 0634 1.74 FR 1246 0.55 1934 2.32		11 0034 0.80 0601 1.79 SA 1222 0.44 1909 2.46		26 0151 0.79 0709 1.62 SU 1304 0.58 1954 2.31		11 0247 0.50 0814 1.81 TU 1415 0.31 2047 2.66		26 0245 0.59 0814 1.79 WE 1415 0.46 2044 2.38	
12 0515 2.18 1201 0.63 TU 1808 2.02		27 0040 0.82 0623 2.02 WE 1252 0.53 1918 2.27		12 0045 0.77 0623 2.01 FR 1253 0.41 1925 2.47		27 0207 0.79 0725 1.73 SA 1330 0.52 2015 2.39		12 0149 0.68 0710 1.78 SU 1322 0.38 2006 2.61		27 0235 0.71 0756 1.68 MO 1350 0.52 2034 2.37		12 0336 0.41 0906 1.90 WE 1509 0.26 2133 2.69		27 0319 0.53 0851 1.88 TH 1455 0.40 2118 2.42	
13 0006 0.79 0609 2.20 WE 1249 0.52 1900 2.22		28 0135 0.79 0709 1.96 TH 1330 0.50 2000 2.36		13 0154 0.68 0721 1.96 SA 1344 0.36 2018 2.62		28 0253 0.73 0811 1.73 SU 1410 0.50 2054 2.43		13 0254 0.57 0815 1.80 MO 1420 0.32 2100 2.71		28 0315 0.65 0836 1.74 TU 1432 0.47 2112 2.41		13 0419 0.37 0953 1.98 TH 1557 0.25 2215 2.66		28 0353 0.47 0929 1.96 FR 1534 0.38 2150 2.43	
14 0110 0.70 0700 2.20 TH 1335 0.43 1949 2.40		29 0223 0.75 0751 1.91 FR 1404 0.48 2038 2.43		14 0257 0.59 0820 1.91 SU 1434 0.32 2110 2.73		29 0334 0.69 0851 1.74 MO 1447 0.49 2131 2.44		14 0350 0.48 0914 1.84 TU 1515 0.28 2149 2.77		29 0350 0.62 0913 1.79 WE 1511 0.43 2146 2.44		14 0459 0.36 1037 2.03 FR 1641 0.30 2253 2.57		29 0426 0.42 1007 2.04 SA 1614 0.39 2222 2.40	
15 0209 0.62 0749 2.17 FR 1418 0.36 2037 2.56		30 0307 0.72 0830 1.86 SA 1437 0.48 2114 2.47		15 0355 0.52 0917 1.88 MO 1523 0.31 2200 2.79		30 0412 0.68 0929 1.76 TU 1524 0.48 2206 2.45		15 0441 0.43 1007 1.88 WE 1605 0.27 2236 2.76		30 0424 0.59 0949 1.85 TH 1548 0.42 2219 2.46		15 0533 0.37 1118 2.07 SA 1722 0.39 2330 2.42		30 0458 0.39 1045 2.10 SU 1653 0.43 2254 2.32	
		31 0348 0.70 0909 1.82 SU 1510 0.48 2148 2.47								31 0458 0.56 1027 1.89 FR 1626 0.42 2251 2.45				31 0528 0.38 1126 2.14 MO 1733 0.51 2327 2.20	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

BRISBANE BAR – QUEENSLAND

LAT 27° 21' S LONG 153° 10' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0558 0.39 TU 1207 2.15 1815 0.62		16 0609 0.46 1241 2.12 WE 1900 0.82		1 0600 0.40 1237 2.30 TH 1909 0.72		16 0559 0.57 1246 2.11 FR 1923 0.87		1 0152 1.55 0736 0.62 SU 1430 2.30 2139 0.68		16 0114 1.53 0700 0.75 MO 1351 2.08 2049 0.84		1 0252 1.73 0837 0.69 TU 1503 2.27 2200 0.57		16 0143 1.68 0729 0.78 WE 1357 2.14 2049 0.71	
2 0002 2.05 0630 0.43 WE 1252 2.15 1904 0.73		17 0029 1.69 0639 0.56 TH 1323 2.03 1951 0.93		2 0035 1.68 0644 0.50 FR 1333 2.24 2019 0.80		17 0041 1.50 0637 0.68 SA 1334 2.02 2026 0.93		2 0316 1.56 0856 0.69 MO 1538 2.25 2244 0.62		17 0219 1.52 0800 0.83 TU 1447 2.04 2150 0.79		2 0402 1.81 0950 0.76 WE 1601 2.15 2252 0.55		17 0245 1.71 0830 0.86 TH 1447 2.07 2141 0.67	
3 0043 1.86 0708 0.49 TH 1345 2.12 2007 0.84		18 0109 1.53 0718 0.68 FR 1416 1.95 2105 1.00		3 0141 1.53 0742 0.61 SA 1444 2.19 2149 0.80		18 0138 1.42 0729 0.79 SU 1435 1.95 2147 0.92		3 0435 1.68 1018 0.69 TU 1645 2.23 2342 0.54		18 0338 1.57 0915 0.87 WE 1548 2.03 2247 0.71		3 0509 1.93 1103 0.79 TH 1700 2.05 2343 0.51		18 0355 1.80 0943 0.91 FR 1546 1.99 2237 0.60	
4 0137 1.67 0800 0.57 FR 1455 2.11 2135 0.90		19 0211 1.40 0813 0.79 SA 1530 1.90 2247 0.98		4 0316 1.47 0903 0.68 SU 1603 2.19 2313 0.72		19 0305 1.40 0842 0.86 MO 1548 1.94 2259 0.85		4 0542 1.84 1133 0.65 WE 1746 2.21		19 0449 1.70 1030 0.85 TH 1647 2.04 2339 0.60		4 0607 2.07 1213 0.79 FR 1756 1.96		19 0504 1.95 1100 0.90 SA 1650 1.93 2333 0.53	
5 0300 1.52 0913 0.63 SA 1618 2.15 2317 0.84		20 0354 1.36 0933 0.84 SU 1654 1.93		5 0451 1.55 1034 0.66 MO 1718 2.25		20 0437 1.48 1009 0.85 TU 1657 2.00 2353 0.74		5 0032 0.46 0637 2.01 TH 1237 0.61 1838 2.18		20 0548 1.88 1141 0.79 FR 1743 2.05		5 0029 0.47 0659 2.20 SA 1314 0.75 1847 1.89		20 0606 2.13 1216 0.83 SU 1755 1.89	
6 0444 1.50 1040 0.61 SU 1739 2.26		21 0000 0.87 0526 1.45 MO 1100 0.80 1759 2.03		6 0019 0.59 0603 1.72 TU 1153 0.57 1822 2.33		21 0541 1.64 1122 0.77 WE 1752 2.08		6 0115 0.39 0724 2.16 FR 1333 0.57 1924 2.12		21 0027 0.48 0640 2.08 SA 1245 0.71 1834 2.05		6 0111 0.43 0744 2.31 SU 1408 0.71 1935 1.83		21 0028 0.45 0703 2.33 MO 1329 0.74 1856 1.86	
7 0039 0.69 0609 1.61 MO 1201 0.53 1845 2.39		22 0048 0.76 0622 1.59 TU 1208 0.69 1847 2.14		7 0112 0.47 0700 1.89 WE 1259 0.47 1915 2.37		22 0039 0.61 0630 1.81 TH 1223 0.67 1839 2.16		7 0154 0.35 0807 2.27 SA 1423 0.56 2005 2.05		22 0112 0.38 0729 2.27 SU 1345 0.63 1925 2.03		7 0149 0.41 0825 2.38 MO 1456 0.68 2019 1.80		22 0121 0.37 0757 2.50 TU 1433 0.63 1956 1.86	
8 0139 0.53 0713 1.77 TU 1311 0.41 1941 2.50		23 0130 0.64 0706 1.74 WE 1301 0.58 1929 2.24		8 0157 0.38 0747 2.05 TH 1353 0.41 2000 2.36		23 0119 0.49 0715 1.99 FR 1317 0.58 1921 2.20		8 0228 0.33 0845 2.35 SU 1509 0.56 2044 1.98		23 0155 0.31 0815 2.43 MO 1443 0.56 2014 1.99		8 0226 0.40 0903 2.42 TU 1540 0.66 2100 1.77		23 0213 0.31 0848 2.64 WE 1532 0.54 2054 1.86	
9 0228 0.42 0805 1.91 WE 1408 0.33 2028 2.55		24 0206 0.53 0746 1.88 TH 1348 0.49 2007 2.31		9 0235 0.33 0830 2.16 FR 1441 0.40 2039 2.31		24 0158 0.38 0757 2.15 SA 1409 0.52 2002 2.20		9 0259 0.32 0923 2.40 MO 1551 0.58 2119 1.90		24 0237 0.26 0902 2.56 TU 1537 0.51 2104 1.94		9 0300 0.40 0940 2.43 WE 1619 0.66 2137 1.75		24 0302 0.26 0939 2.73 TH 1628 0.48 2150 1.87	
10 0310 0.35 0851 2.02 TH 1458 0.29 2109 2.53		25 0242 0.44 0825 2.01 FR 1433 0.43 2042 2.34		10 0309 0.30 0910 2.25 SA 1525 0.42 2115 2.22		25 0235 0.31 0839 2.29 SU 1459 0.47 2043 2.16		10 0328 0.33 0958 2.41 TU 1630 0.61 2154 1.82		25 0319 0.23 0950 2.65 WE 1631 0.48 2155 1.88		10 0332 0.42 1015 2.42 TH 1656 0.67 2213 1.74		25 0352 0.24 1029 2.78 FR 1720 0.44 2245 1.88	
11 0347 0.32 0933 2.11 FR 1543 0.30 2146 2.47		26 0315 0.37 0904 2.12 SA 1516 0.40 2116 2.32		11 0339 0.30 0946 2.30 SU 1606 0.47 2148 2.11		26 0311 0.25 0922 2.41 MO 1546 0.45 2124 2.09		11 0356 0.36 1032 2.39 WE 1708 0.65 2228 1.75		26 0402 0.24 1039 2.68 TH 1726 0.48 2248 1.82		11 0405 0.44 1049 2.40 FR 1730 0.69 2247 1.73		26 0441 0.25 1117 2.77 SA 1810 0.44 2336 1.89	
12 0420 0.31 1013 2.17 SA 1624 0.36 2221 2.35		27 0349 0.31 0945 2.22 SU 1600 0.41 2152 2.27		12 0406 0.30 1022 2.33 MO 1645 0.54 2220 1.99		27 0346 0.23 1005 2.50 TU 1635 0.47 2207 1.99		12 0426 0.41 1106 2.35 TH 1744 0.70 2302 1.69		27 0447 0.29 1129 2.67 FR 1821 0.51 2344 1.76		12 0439 0.47 1123 2.36 SA 1804 0.72 2324 1.72		27 0530 0.31 1204 2.70 SU 1857 0.46	
13 0450 0.32 1050 2.20 SU 1702 0.45 2254 2.21		28 0421 0.28 1025 2.30 MO 1643 0.44 2228 2.17		13 0432 0.33 1057 2.32 TU 1722 0.62 2252 1.86		28 0423 0.25 1050 2.53 WE 1725 0.51 2252 1.87		13 0457 0.48 1142 2.28 FR 1820 0.76 2339 1.62		28 0535 0.36 1219 2.61 SA 1917 0.54		13 0515 0.53 1158 2.32 SU 1840 0.73		28 0028 1.89 0621 0.42 MO 1250 2.58 1941 0.50	
14 0516 0.35 1127 2.21 MO 1741 0.57 2325 2.04		29 0453 0.29 1106 2.34 TU 1727 0.51 2305 2.03		14 0459 0.39 1130 2.28 WE 1759 0.70 2324 1.73		29 0500 0.30 1137 2.52 TH 1819 0.57 2343 1.74		14 0531 0.56 1219 2.21 SA 1901 0.81		29 0042 1.72 0629 0.47 SU 1312 2.51 2013 0.57		14 0004 1.70 0554 0.60 MO 1234 2.27 1918 0.74		29 0120 1.89 0713 0.56 TU 1335 2.41 2024 0.53	
15 0543 0.39 1203 2.18 TU 1819 0.70 2356 1.86		30 0525 0.33 1149 2.34 WE 1814 0.61 2346 1.86		15 0527 0.47 1207 2.20 TH 1838 0.79 2359 1.61		30 0543 0.39 1229 2.46 FR 1919 0.64		15 0021 1.57 0611 0.65 SU 1301 2.14 1951 0.84		30 0144 1.70 0729 0.58 MO 1406 2.39 2107 0.58		15 0049 1.69 0637 0.68 TU 1314 2.21 2001 0.74		30 0216 1.90 0810 0.71 WE 1421 2.22 2108 0.56	
				31 0041 1.62 0632 0.51 SA 1326 2.38 2029 0.69								31 0319 1.92 0915 0.85 TH 1512 2.03 2154 0.59			

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ◑ Last Quarter

MOOLOOLABA – QUEENSLAND

LAT 26° 41' S LONG 153° 07' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0615 1.95 TH 1248 0.52 1813 1.34		16 0653 1.77 FR 1328 0.62 1844 1.24		1 0108 0.19 SU 0748 2.13 1421 0.39 1958 1.46		16 0102 0.36 MO 0741 1.92 1406 0.48 1942 1.45		1 0013 0.35 SU 0648 2.00 1319 0.44 1903 1.49		16 0630 1.82 MO 1259 0.52 1840 1.47		1 0126 0.39 WE 0734 1.84 1350 0.34 2002 1.77		16 0052 0.42 TH 0658 1.84 1317 0.25 1930 1.89	
2 0019 0.16 FR 0707 2.08 1345 0.43 1911 1.35		17 0040 0.38 SA 0730 1.84 1402 0.56 1924 1.29		2 0155 0.15 MO 0831 2.14 1500 0.35 2041 1.51		17 0138 0.29 TU 0814 1.97 1436 0.42 2018 1.54		2 0100 0.27 MO 0730 2.04 1355 0.38 1945 1.58		17 0037 0.42 TU 0705 1.90 1329 0.42 1917 1.59		2 0204 0.41 TH 0806 1.77 1417 0.33 2037 1.82		17 0137 0.38 FR 0736 1.80 1352 0.19 2013 2.01	
3 0112 0.12 SA 0758 2.15 1435 0.37 2004 1.37		18 0117 0.33 SU 0805 1.90 1434 0.52 2000 1.34		3 0238 0.16 TU 0912 2.10 1537 0.35 2123 1.55		18 0214 0.26 WE 0846 2.00 1507 0.36 2056 1.61		3 0143 0.24 TU 0807 2.02 1428 0.35 2024 1.65		18 0116 0.34 WE 0738 1.94 1359 0.33 1955 1.72		3 0242 0.46 FR 0837 1.68 1445 0.34 2111 1.84		18 0224 0.37 SA 0817 1.73 1429 0.17 2058 2.08	
4 0201 0.10 SU 0846 2.18 1523 0.35 2054 1.38		19 0153 0.28 MO 0840 1.94 1507 0.48 2037 1.38		4 0318 0.23 WE 0947 2.01 1611 0.37 2203 1.55		19 0252 0.26 TH 0919 1.98 1540 0.32 2135 1.67		4 0222 0.26 WE 0841 1.97 1459 0.34 2100 1.70		19 0156 0.30 TH 0812 1.94 1430 0.26 2034 1.82		4 0319 0.53 SA 0907 1.58 1511 0.37 2145 1.83		19 0314 0.41 SU 0900 1.61 1507 0.20 2145 2.10	
5 0248 0.12 MO 0933 2.14 1608 0.36 2142 1.39		20 0229 0.26 TU 0914 1.96 1540 0.45 2114 1.42		5 0358 0.34 TH 1021 1.88 1643 0.41 2243 1.54		20 0331 0.31 FR 0952 1.91 1614 0.31 2216 1.70		5 0300 0.33 TH 0913 1.87 1528 0.35 2137 1.71		20 0237 0.30 FR 0847 1.89 1503 0.23 2115 1.90		5 0357 0.60 SU 0939 1.47 1537 0.42 2219 1.79		20 0408 0.48 MO 0947 1.48 1548 0.28 2235 2.06	
6 0334 0.19 TU 1017 2.06 1652 0.40 2228 1.38		21 0305 0.27 WE 0947 1.95 1615 0.43 2153 1.44		6 0437 0.49 FR 1053 1.73 1714 0.45 2325 1.51		21 0415 0.41 SA 1028 1.79 1649 0.33 2301 1.71		6 0337 0.43 FR 0944 1.75 1555 0.38 2213 1.70		21 0320 0.36 SA 0924 1.79 1538 0.23 2159 1.93		6 0438 0.68 MO 1011 1.36 1606 0.49 2257 1.73		21 0510 0.56 TU 1039 1.34 1635 0.39 2332 1.98	
7 0419 0.30 WE 1059 1.94 1733 0.44 2315 1.36		22 0344 0.32 TH 1022 1.92 1650 0.41 2235 1.46		7 0519 0.64 SA 1124 1.58 1745 0.50		22 0501 0.53 SU 1105 1.64 1727 0.38 2353 1.69		7 0415 0.55 SA 1013 1.61 1622 0.42 2249 1.67		22 0408 0.45 SU 1002 1.64 1615 0.29 2245 1.91		7 0524 0.76 TU 1046 1.27 1639 0.57 2340 1.66		22 0627 0.64 WE 1141 1.23 1731 0.51	
8 0505 0.44 TH 1137 1.79 1813 0.49		23 0425 0.40 FR 1057 1.84 1728 0.41 2322 1.48		8 0012 1.47 SU 0609 0.78 1158 1.42 1821 0.55		23 0559 0.67 MO 1147 1.47 1811 0.44		8 0455 0.67 SU 1043 1.47 1650 0.48 2329 1.62		23 0501 0.57 MO 1045 1.48 1654 0.37 2339 1.86		8 0624 0.83 WE 1130 1.18 1719 0.65		23 0040 1.88 TH 0749 0.67 1305 1.17 1846 0.61	
9 0007 1.34 FR 0554 0.60 1215 1.63 1853 0.52		24 0511 0.51 SA 1134 1.73 1808 0.42		9 0112 1.44 MO 0716 0.89 1238 1.29 1906 0.60		24 0058 1.66 TU 0717 0.79 1244 1.30 1907 0.52		9 0541 0.78 MO 1115 1.34 1722 0.56		24 0609 0.69 TU 1136 1.31 1743 0.48		9 0035 1.58 TH 0749 0.86 1231 1.11 1815 0.74		24 0158 1.81 FR 0904 0.66 1442 1.20 2016 0.66	
10 0109 1.33 SA 0651 0.74 1255 1.48 1935 0.54		25 0016 1.49 SU 0605 0.63 1216 1.60 1853 0.43		10 0235 1.44 TU 0859 0.94 1337 1.17 2006 0.65		25 0223 1.66 WE 0910 0.83 1412 1.18 2027 0.56		10 0015 1.56 TU 0644 0.88 1155 1.22 1802 0.64		25 0046 1.78 WE 0745 0.77 1246 1.18 1848 0.59		10 0155 1.54 FR 0915 0.84 1414 1.10 1939 0.78		25 0311 1.77 SA 1007 0.61 1558 1.30 2139 0.65	
11 0224 1.35 SU 0805 0.85 1343 1.35 2023 0.55		26 0122 1.51 MO 0715 0.75 1309 1.45 1947 0.45		11 0357 1.49 WE 1043 0.90 1518 1.11 2123 0.66		26 0351 1.72 TH 1049 0.76 1601 1.17 2158 0.54		11 0122 1.50 WE 0824 0.92 1254 1.12 1900 0.72		26 0214 1.74 TH 0923 0.76 1440 1.14 2023 0.64		11 0316 1.56 SA 1018 0.78 1545 1.17 2114 0.76		26 0412 1.76 SU 1056 0.55 1657 1.43 2245 0.61	
12 0339 1.42 MO 0935 0.89 1444 1.25 2117 0.55		27 0242 1.57 TU 0850 0.81 1418 1.32 2052 0.45		12 0500 1.56 TH 1146 0.81 1646 1.13 2242 0.62		27 0502 1.82 FR 1153 0.64 1719 1.25 2315 0.45		12 0300 1.49 TH 1008 0.89 1448 1.08 2030 0.75		27 0338 1.76 FR 1040 0.68 1613 1.21 2156 0.61		12 0415 1.62 SU 1104 0.68 1643 1.28 2226 0.69		27 0502 1.75 MO 1136 0.48 1745 1.57 2340 0.58	
13 0441 1.51 TU 1101 0.85 1557 1.19 2215 0.53		28 0401 1.68 WE 1034 0.77 1546 1.24 2203 0.42		13 0548 1.66 FR 1230 0.72 1745 1.20 2341 0.54		28 0600 1.93 SA 1241 0.53 1816 1.37		13 0415 1.54 FR 1113 0.81 1624 1.13 2205 0.71		28 0445 1.81 SA 1133 0.59 1716 1.34 2306 0.53		13 0502 1.70 MO 1140 0.57 1728 1.42 2320 0.59		28 0545 1.72 TU 1210 0.43 1827 1.68	
14 0530 1.61 WE 1202 0.78 1704 1.18 2310 0.49		29 0511 1.81 TH 1154 0.67 1709 1.24 2315 0.35		14 0630 1.75 SA 1305 0.63 1828 1.28				14 0510 1.63 SA 1155 0.72 1720 1.23 2311 0.62		29 0538 1.86 SU 1214 0.50 1806 1.48		14 0543 1.78 TU 1213 0.46 1809 1.58		29 0027 0.56 WE 0622 1.68 1241 0.38 1904 1.77	
15 0614 1.69 TH 1248 0.69 1759 1.20 2358 0.44		30 0609 1.95 FR 1251 0.55 1815 1.30		15 0024 0.45 SU 0706 1.84 1336 0.56 1906 1.36				15 0553 1.73 SU 1229 0.62 1802 1.34 2358 0.52		30 0000 0.45 MO 0622 1.89 1249 0.43 1848 1.60		15 0007 0.50 WE 0620 1.83 1245 0.34 1849 1.74		30 0109 0.55 TH 0657 1.62 1310 0.35 1939 1.84	
		31 0016 0.26 SA 0701 2.06 1339 0.45 1910 1.38						31 0045 0.40 TU 0700 1.88 1320 0.38 1926 1.70							

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

MOOLOOLABA – QUEENSLAND

LAT 26° 41' S LONG 153° 07' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0148 0.55 0730 1.56 FR 1337 0.34 2014 1.89		16 0124 0.45 0706 1.62 SA 1317 0.16 1954 2.13		1 0255 0.60 0818 1.32 MO 1407 0.38 2101 1.90		16 0308 0.39 0839 1.40 TU 1434 0.15 2123 2.22		1 0315 0.55 0840 1.30 WE 1428 0.35 2118 1.89		16 0341 0.32 0919 1.44 TH 1515 0.14 2153 2.12		1 0351 0.40 0935 1.43 SA 1525 0.32 2158 1.84		16 0420 0.29 1027 1.55 SU 1623 0.39 2233 1.68	
2 0228 0.57 0804 1.49 SA 1405 0.35 2046 1.90		17 0217 0.42 0755 1.55 SU 1400 0.15 2043 2.19		2 0333 0.60 0856 1.30 TU 1441 0.41 2137 1.88		17 0402 0.40 0933 1.38 WE 1526 0.21 2215 2.16		2 0349 0.54 0917 1.31 TH 1503 0.37 2153 1.87		17 0426 0.33 1008 1.45 FR 1601 0.24 2235 2.00		2 0424 0.38 1015 1.45 SU 1604 0.39 2230 1.77		17 0453 0.34 1111 1.52 MO 1707 0.56 2306 1.50	
3 0306 0.59 0839 1.42 SU 1433 0.38 2120 1.89		18 0312 0.42 0846 1.46 MO 1445 0.19 2133 2.19		3 0412 0.62 0934 1.27 WE 1516 0.45 2215 1.84		18 0457 0.42 1028 1.36 TH 1618 0.30 2305 2.06		3 0425 0.54 0956 1.32 FR 1541 0.40 2229 1.84		18 0508 0.37 1057 1.45 SA 1648 0.38 2315 1.84		3 0459 0.37 1059 1.47 MO 1646 0.48 2304 1.66		18 0527 0.39 1200 1.48 TU 1759 0.71 2341 1.34	
4 0345 0.62 0914 1.35 MO 1502 0.43 2156 1.85		19 0410 0.46 0941 1.38 TU 1534 0.26 2227 2.14		4 0453 0.64 1015 1.25 TH 1554 0.50 2254 1.79		19 0551 0.46 1125 1.34 FR 1712 0.42 2355 1.93		4 0502 0.54 1038 1.32 SA 1620 0.46 2304 1.79		19 0549 0.41 1148 1.43 SU 1738 0.54 2354 1.66		4 0536 0.38 1147 1.48 TU 1737 0.60 2344 1.54		19 0602 0.45 1259 1.44 WE 1910 0.82	
5 0426 0.67 0950 1.29 TU 1534 0.49 2233 1.80		20 0513 0.50 1038 1.31 WE 1627 0.36 2323 2.05		5 0537 0.66 1059 1.23 FR 1637 0.56 2336 1.74		20 0643 0.49 1226 1.34 SA 1810 0.55		5 0542 0.53 1124 1.33 SU 1705 0.54 2342 1.72		20 0630 0.45 1247 1.41 MO 1835 0.70		5 0618 0.39 1246 1.49 WE 1840 0.70		20 0022 1.19 0648 0.52 TH 1418 1.42 2057 0.86	
6 0511 0.71 1030 1.23 WE 1611 0.56 2315 1.73		21 0620 0.55 1142 1.26 TH 1727 0.47		6 0626 0.67 1150 1.22 SA 1726 0.63		21 0045 1.77 0732 0.52 SU 1335 1.36 1916 0.68		6 0623 0.51 1217 1.35 MO 1757 0.63		21 0034 1.48 0711 0.49 TU 1357 1.42 1949 0.82		6 0031 1.39 0709 0.41 TH 1400 1.53 2009 0.77		21 0126 1.07 0750 0.57 FR 1538 1.45 2232 0.80	
7 0605 0.76 1115 1.18 TH 1653 0.63		22 0024 1.93 0725 0.58 FR 1257 1.25 1836 0.58		7 0022 1.70 0717 0.65 SU 1253 1.24 1824 0.69		22 0135 1.62 0820 0.52 MO 1446 1.41 2030 0.78		7 0024 1.64 0709 0.48 TU 1320 1.39 1900 0.72		22 0121 1.33 0757 0.51 WE 1512 1.46 2122 0.87		7 0137 1.26 0812 0.42 FR 1522 1.61 2156 0.75		22 0314 1.03 0907 0.58 SA 1641 1.51 2331 0.72	
8 0004 1.67 0710 0.78 FR 1214 1.15 1747 0.70		23 0128 1.83 0825 0.58 SA 1415 1.29 1953 0.66		8 0113 1.65 0808 0.60 MO 1403 1.30 1933 0.74		23 0227 1.49 0906 0.52 TU 1554 1.49 2148 0.82		8 0113 1.54 0759 0.45 WE 1431 1.48 2019 0.77		23 0223 1.21 0850 0.53 TH 1618 1.52 2249 0.83		8 0307 1.18 0923 0.39 SA 1635 1.74 2321 0.64		23 0434 1.07 1025 0.54 SU 1731 1.59	
9 0104 1.62 0816 0.76 SA 1332 1.15 1858 0.75		24 0230 1.73 0920 0.56 SU 1527 1.37 2108 0.71		9 0208 1.62 0857 0.53 TU 1512 1.41 2051 0.75		24 0322 1.39 0952 0.50 WE 1650 1.59 2300 0.81		9 0213 1.45 0852 0.41 TH 1542 1.60 2148 0.76		24 0339 1.15 0949 0.52 FR 1713 1.60 2350 0.75		9 0433 1.19 1036 0.33 SU 1737 1.88		24 0013 0.62 0529 1.14 MO 1124 0.47 1813 1.68	
10 0211 1.61 0914 0.71 SU 1455 1.22 2020 0.76		25 0325 1.65 1007 0.53 MO 1629 1.49 2217 0.72		10 0304 1.59 0944 0.44 WE 1613 1.57 2206 0.72		25 0416 1.32 1036 0.47 TH 1738 1.68		10 0322 1.37 0948 0.35 FR 1645 1.75 2312 0.68		25 0448 1.14 1049 0.49 SA 1758 1.68		10 0021 0.51 0543 1.25 MO 1144 0.23 1831 2.00		25 0046 0.54 0612 1.22 TU 1208 0.38 1848 1.75	
11 0312 1.63 1001 0.62 MO 1558 1.34 2135 0.73		26 0415 1.58 1048 0.48 TU 1719 1.60 2318 0.71		11 0400 1.55 1030 0.35 TH 1707 1.74 2316 0.65		26 0000 0.76 0510 1.28 FR 1119 0.44 1819 1.75		11 0432 1.33 1047 0.29 SA 1745 1.91		26 0035 0.67 0545 1.17 SU 1142 0.44 1838 1.75		11 0109 0.39 0639 1.34 TU 1240 0.14 1920 2.09		26 0116 0.47 0648 1.30 WE 1245 0.31 1921 1.81	
12 0403 1.66 1042 0.51 TU 1649 1.50 2240 0.66		27 0500 1.52 1125 0.44 WE 1802 1.71		12 0456 1.52 1116 0.27 FR 1759 1.91		27 0047 0.69 0559 1.27 SA 1200 0.42 1857 1.81		12 0020 0.57 0540 1.32 SU 1146 0.22 1839 2.05		27 0112 0.60 0630 1.22 MO 1226 0.39 1915 1.80		12 0152 0.31 0730 1.43 WE 1329 0.08 2004 2.12		27 0145 0.40 0723 1.38 TH 1320 0.25 1953 1.85	
13 0449 1.69 1120 0.39 WE 1736 1.68 2337 0.59		28 0010 0.69 0543 1.47 TH 1159 0.40 1841 1.79		13 0020 0.57 0551 1.48 SA 1204 0.20 1849 2.06		28 0128 0.64 0644 1.27 SU 1240 0.39 1933 1.86		13 0017 0.46 0642 1.35 MO 1244 0.15 1931 2.15		28 0145 0.54 0709 1.27 TU 1304 0.33 1949 1.85		13 0231 0.25 0815 1.50 TH 1415 0.07 2045 2.09		28 0214 0.33 0759 1.46 FR 1355 0.22 2023 1.86	
14 0534 1.69 1158 0.29 TH 1821 1.86		29 0056 0.66 0623 1.42 FR 1230 0.38 1917 1.86		14 0118 0.49 0647 1.45 SU 1254 0.16 1941 2.17		29 0205 0.59 0724 1.28 MO 1316 0.37 2009 1.88		14 0208 0.38 0738 1.38 TU 1337 0.10 2021 2.20		29 0217 0.49 0745 1.32 WE 1340 0.29 2022 1.88		14 0310 0.24 0900 1.54 FR 1458 0.13 2124 1.99		29 0243 0.28 0834 1.53 SA 1431 0.23 2054 1.84	
15 0031 0.51 0619 1.67 FR 1237 0.21 1907 2.01		30 0137 0.63 0702 1.38 SA 1302 0.37 1951 1.89		15 0214 0.42 0744 1.42 MO 1344 0.14 2031 2.22		30 0240 0.56 0803 1.29 TU 1352 0.35 2044 1.89		15 0255 0.33 0830 1.42 WE 1427 0.10 2108 2.19		30 0248 0.45 0821 1.36 TH 1414 0.27 2055 1.90		15 0346 0.25 0944 1.56 SA 1540 0.24 2200 1.85		30 0314 0.24 0913 1.58 SU 1509 0.27 2125 1.77	
		31 0216 0.61 0741 1.35 SU 1334 0.37 2026 1.91								31 0319 0.42 0857 1.40 FR 1449 0.28 2126 1.88				31 0345 0.22 0953 1.62 MO 1550 0.35 2158 1.67	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

MOOLOOLABA – QUEENSLAND

LAT 26° 41' S LONG 153° 07' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0419 0.24 1036 1.63 TU 1635 0.46 2234 1.53		16 0432 0.35 1118 1.55 WE 1732 0.68 2300 1.21		1 0424 0.24 1110 1.76 TH 1734 0.56 2303 1.21		16 0423 0.43 1130 1.56 FR 1814 0.69 2317 1.05		1 0022 1.08 0611 0.44 SU 1318 1.73 2023 0.53		16 0531 0.58 1243 1.53 MO 1949 0.64		1 0132 1.22 0713 0.53 TU 1350 1.69 2042 0.45		16 0023 1.18 0557 0.63 WE 1242 1.58 1934 0.55	
2 0456 0.28 1125 1.62 WE 1729 0.58 2315 1.37		17 0506 0.44 1207 1.48 TH 1840 0.77 2342 1.09		2 0511 0.34 1213 1.69 FR 1902 0.63		17 0506 0.52 1224 1.48 SA 1935 0.72		2 0200 1.09 0737 0.51 MO 1431 1.69 2130 0.48		17 0109 1.05 0638 0.65 TU 1344 1.50 2048 0.60		2 0250 1.29 0830 0.60 WE 1447 1.59 2134 0.42		17 0130 1.22 0700 0.70 TH 1331 1.52 2025 0.50	
3 0538 0.34 1224 1.59 TH 1840 0.69		18 0549 0.52 1315 1.42 FR 2021 0.80		3 0010 1.08 0615 0.44 SA 1333 1.64 2042 0.63		18 0021 0.99 0605 0.61 SU 1339 1.44 2055 0.70		3 0321 1.19 0900 0.52 TU 1534 1.67 2223 0.41		18 0234 1.11 0757 0.68 WE 1444 1.49 2138 0.53		3 0359 1.40 0945 0.64 TH 1543 1.50 2220 0.38		18 0244 1.30 0816 0.75 FR 1427 1.46 2114 0.44	
4 0008 1.21 0632 0.41 FR 1343 1.58 2029 0.74		19 0047 1.00 0652 0.60 SA 1445 1.41 2155 0.75		4 0157 1.03 0745 0.49 SU 1459 1.66 2201 0.56		19 0206 0.98 0731 0.66 MO 1456 1.44 2159 0.64		4 0425 1.32 1011 0.49 WE 1629 1.65 2306 0.34		19 0341 1.22 0913 0.67 TH 1537 1.50 2220 0.43		4 0456 1.53 1053 0.65 FR 1633 1.42 2301 0.34		19 0349 1.44 0936 0.74 SA 1527 1.42 2202 0.36	
5 0130 1.09 0749 0.46 SA 1513 1.62 2212 0.67		20 0251 0.98 0825 0.63 SU 1558 1.45 2256 0.67		5 0335 1.10 0916 0.47 MO 1608 1.71 2259 0.46		20 0333 1.06 0901 0.64 TU 1556 1.49 2245 0.55		5 0517 1.47 1110 0.46 TH 1715 1.62 2344 0.27		20 0433 1.37 1018 0.63 FR 1625 1.51 2258 0.33		5 0544 1.64 1151 0.62 SA 1721 1.36 2340 0.30		20 0446 1.61 1051 0.68 SU 1626 1.39 2251 0.28	
6 0324 1.07 0918 0.44 SU 1627 1.72 2320 0.55		21 0413 1.04 0952 0.59 MO 1652 1.53 2336 0.58		6 0442 1.23 1030 0.40 TU 1704 1.77 2343 0.35		21 0429 1.17 1009 0.58 WE 1643 1.55 2321 0.45		6 0601 1.60 1202 0.44 FR 1757 1.57		21 0518 1.54 1116 0.56 SA 1710 1.52 2335 0.22		6 0625 1.74 1242 0.59 SU 1806 1.32		21 0538 1.78 1159 0.60 MO 1726 1.37 2341 0.20	
7 0445 1.16 1037 0.36 MO 1727 1.84		22 0504 1.14 1054 0.51 TU 1735 1.61		7 0534 1.38 1128 0.32 WE 1751 1.80		22 0513 1.31 1101 0.51 TH 1722 1.61 2352 0.34		7 0016 0.22 0642 1.71 SA 1248 0.43 1835 1.51		22 0601 1.71 1211 0.48 SU 1755 1.51		7 0015 0.28 0703 1.80 MO 1327 0.55 1848 1.29		22 0629 1.94 1258 0.50 TU 1823 1.37	
8 0009 0.42 0544 1.28 TU 1140 0.25 1816 1.93		23 0009 0.49 0545 1.25 WE 1140 0.42 1811 1.69		8 0019 0.27 0619 1.51 TH 1217 0.27 1831 1.79		23 0552 1.46 1148 0.43 FR 1759 1.64		8 0048 0.19 0719 1.78 SU 1332 0.43 1912 1.45		23 0013 0.13 0645 1.87 MO 1302 0.41 1841 1.48		8 0050 0.26 0739 1.85 TU 1407 0.52 1929 1.28		23 0031 0.13 0718 2.07 WE 1352 0.41 1919 1.37	
9 0049 0.32 0632 1.41 WE 1230 0.16 1900 1.97		24 0038 0.39 0622 1.37 TH 1219 0.34 1844 1.75		9 0053 0.20 0700 1.62 FR 1301 0.25 1908 1.74		24 0022 0.23 0630 1.61 SA 1231 0.36 1834 1.65		9 0117 0.18 0756 1.82 MO 1414 0.44 1947 1.38		24 0053 0.07 0730 2.00 TU 1354 0.36 1930 1.43		9 0123 0.26 0815 1.86 WE 1445 0.51 2007 1.26		24 0121 0.08 0809 2.16 TH 1444 0.35 2014 1.38	
10 0126 0.24 0716 1.52 TH 1316 0.12 1939 1.97		25 0106 0.30 0658 1.48 FR 1257 0.28 1915 1.78		10 0125 0.16 0739 1.71 SA 1344 0.27 1943 1.67		25 0053 0.14 0708 1.75 SU 1316 0.31 1911 1.63		10 0147 0.20 0831 1.84 TU 1453 0.46 2023 1.31		25 0135 0.05 0817 2.08 WE 1447 0.34 2019 1.38		10 0157 0.27 0850 1.86 TH 1522 0.51 2045 1.25		25 0212 0.06 0859 2.20 FR 1534 0.32 2106 1.39	
11 0200 0.19 0758 1.60 FR 1359 0.13 2015 1.90		26 0134 0.22 0733 1.60 SA 1334 0.24 1947 1.77		11 0154 0.15 0816 1.76 SU 1424 0.32 2015 1.57		26 0126 0.08 0748 1.87 MO 1401 0.29 1950 1.57		11 0216 0.23 0906 1.82 WE 1533 0.49 2059 1.25		26 0219 0.06 0907 2.11 TH 1542 0.34 2112 1.32		11 0230 0.30 0926 1.84 FR 1559 0.52 2121 1.24		26 0301 0.08 0948 2.18 SA 1625 0.32 2159 1.39	
12 0233 0.17 0838 1.65 SA 1440 0.20 2049 1.79		27 0204 0.15 0811 1.70 SU 1415 0.24 2020 1.72		12 0223 0.16 0853 1.77 MO 1503 0.39 2048 1.45		27 0200 0.05 0831 1.95 TU 1449 0.31 2032 1.48		12 0247 0.28 0943 1.78 TH 1614 0.53 2136 1.19		27 0307 0.11 1000 2.09 FR 1639 0.37 2207 1.26		12 0305 0.33 1001 1.80 SA 1636 0.54 2200 1.22		27 0352 0.15 1037 2.11 SU 1715 0.35 2252 1.38	
13 0304 0.19 0917 1.67 SU 1520 0.31 2122 1.65		28 0235 0.11 0850 1.77 MO 1457 0.27 2055 1.63		13 0250 0.20 0929 1.75 TU 1544 0.47 2121 1.34		28 0239 0.07 0917 1.98 WE 1541 0.35 2117 1.37		13 0320 0.34 1021 1.72 FR 1658 0.58 2215 1.14		28 0359 0.20 1053 2.02 SA 1741 0.41 2306 1.22		13 0342 0.39 1039 1.76 SU 1715 0.56 2240 1.20		28 0444 0.27 1126 1.98 MO 1805 0.39 2348 1.36	
14 0333 0.22 0957 1.66 MO 1600 0.43 2153 1.50		29 0309 0.12 0932 1.81 TU 1542 0.35 2132 1.51		14 0318 0.26 1006 1.71 WE 1627 0.55 2155 1.23		29 0319 0.13 1007 1.95 TH 1638 0.42 2208 1.25		14 0357 0.42 1102 1.65 SA 1747 0.62 2300 1.09		29 0456 0.31 1150 1.92 SU 1844 0.45		14 0421 0.46 1117 1.70 MO 1759 0.58 2327 1.19		29 0539 0.42 1212 1.82 TU 1854 0.43	
15 0402 0.28 1036 1.62 TU 1643 0.56 2225 1.35		30 0345 0.16 1018 1.80 WE 1633 0.45 2215 1.36		15 0349 0.34 1045 1.64 TH 1714 0.63 2232 1.13		30 0405 0.22 1102 1.89 FR 1746 0.49 2306 1.15		15 0439 0.50 1148 1.59 SU 1845 0.65 2356 1.06		30 0014 1.20 0600 0.42 MO 1250 1.81 1945 0.46		15 0505 0.54 1158 1.64 TU 1845 0.57		30 0053 1.36 0641 0.58 WE 1300 1.65 1943 0.46	
				31 0500 0.34 1205 1.81 SA 1907 0.53								31 0207 1.39 0753 0.72 TH 1350 1.48 2031 0.47			

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

NOOSA HEAD – QUEENSLAND

LAT 26° 22' S LONG 153° 06' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0607 2.09 1242 0.67 TH 1809 1.49		16 0649 1.91 1324 0.79 FR 1840 1.39		1 0106 0.35 0745 2.26 SU 1417 0.51 1959 1.61		16 0056 0.54 0733 2.05 MO 1358 0.63 1936 1.59		1 0010 0.50 0644 2.13 SU 1314 0.57 1901 1.64		16 0618 1.93 1246 0.69 MO 1829 1.60		1 0121 0.50 0730 1.98 WE 1344 0.45 1958 1.91		16 0041 0.58 0646 1.95 TH 1305 0.41 1917 2.03	
2 0012 0.33 0659 2.21 FR 1338 0.58 1907 1.50		17 0038 0.57 0726 1.98 SA 1358 0.73 1920 1.44		2 0154 0.30 0830 2.27 MO 1457 0.46 2044 1.67		17 0131 0.46 0808 2.10 TU 1430 0.55 2014 1.68		2 0058 0.41 0727 2.17 MO 1349 0.50 1945 1.74		17 0028 0.60 0655 2.01 TU 1317 0.58 1908 1.73		2 0200 0.52 0802 1.91 TH 1414 0.45 2032 1.95		17 0126 0.52 0726 1.93 FR 1340 0.34 2000 2.15	
3 0105 0.28 0750 2.28 SA 1430 0.51 2002 1.52		18 0115 0.51 0800 2.03 SU 1430 0.67 1958 1.48		3 0238 0.30 0910 2.23 TU 1534 0.45 2125 1.69		18 0208 0.41 0841 2.13 WE 1501 0.49 2051 1.75		3 0141 0.37 0805 2.16 TU 1424 0.45 2023 1.80		18 0107 0.51 0730 2.06 WE 1349 0.47 1946 1.85		3 0238 0.58 0833 1.82 FR 1440 0.48 2105 1.96		18 0214 0.50 0808 1.87 SA 1417 0.32 2045 2.23	
4 0157 0.26 0841 2.31 SU 1517 0.47 2054 1.54		19 0149 0.46 0835 2.07 MO 1501 0.63 2034 1.52		4 0318 0.36 0946 2.13 WE 1608 0.47 2202 1.69		19 0246 0.40 0914 2.10 TH 1534 0.45 2130 1.80		4 0221 0.38 0840 2.10 WE 1456 0.44 2100 1.83		19 0147 0.45 0804 2.07 TH 1422 0.40 2027 1.96		4 0314 0.65 0903 1.71 SA 1505 0.72 2137 1.95		19 0303 0.53 0852 1.76 SU 1457 0.35 2132 2.25	
5 0246 0.27 0929 2.27 MO 1603 0.47 2143 1.54		20 0224 0.43 0909 2.09 TU 1534 0.59 2111 1.55		5 0356 0.46 1017 2.00 TH 1638 0.51 2238 1.67		20 0326 0.45 0946 2.03 FR 1609 0.44 2211 1.83		5 0259 0.45 0911 2.00 TH 1524 0.46 2133 1.84		20 0230 0.44 0840 2.02 FR 1456 0.36 2107 2.04		5 0349 0.73 0933 1.61 SU 1530 0.58 2210 1.91		20 0358 0.60 0940 1.64 MO 1540 0.42 2222 2.20	
6 0333 0.33 1014 2.19 TU 1646 0.49 2228 1.53		21 0300 0.43 0942 2.08 WE 1608 0.56 2148 1.57		6 0433 0.59 1047 1.86 FR 1707 0.55 2316 1.64		21 0409 0.55 1021 1.91 SA 1645 0.47 2255 1.84		6 0333 0.55 0939 1.88 FR 1549 0.50 2206 1.83		21 0314 0.48 0917 1.92 SA 1530 0.37 2150 2.07		6 0427 0.81 1006 1.51 MO 1600 0.65 2247 1.86		21 0458 0.69 1031 1.50 TU 1629 0.53 2318 2.10	
7 0418 0.43 1054 2.06 WE 1727 0.53 2313 1.50		22 0337 0.47 1015 2.03 TH 1644 0.55 2229 1.59		7 0513 0.74 1117 1.71 SA 1738 0.61		22 0457 0.68 1059 1.76 SU 1722 0.53 2345 1.81		7 0408 0.66 1006 1.75 SA 1615 0.55 2240 1.80		22 0401 0.57 0957 1.78 SU 1608 0.43 2236 2.05		7 0511 0.89 1043 1.42 TU 1632 0.73 2330 1.79		22 0611 0.77 1133 1.39 WE 1728 0.66	
8 0503 0.56 1131 1.91 TH 1806 0.58		23 0417 0.55 1048 1.95 FR 1721 0.55 2315 1.60		8 0001 1.61 0600 0.88 SU 1151 1.56 1815 0.67		23 0555 0.82 1142 1.59 MO 1808 0.60		8 0445 0.77 1036 1.62 SU 1644 0.61 2318 1.76		23 0455 0.70 1039 1.62 MO 1649 0.53 2329 1.99		8 0605 0.96 1125 1.34 WE 1713 0.82		23 0027 1.99 0735 0.80 TH 1301 1.33 1846 0.76	
9 0001 1.48 0551 0.71 FR 1209 1.76 1845 0.62		24 0503 0.66 1126 1.84 SA 1802 0.56		9 0100 1.57 0706 1.01 MO 1233 1.42 1900 0.75		24 0048 1.78 0715 0.94 TU 1238 1.43 1907 0.68		9 0530 0.89 1111 1.50 MO 1716 0.70		24 0600 0.82 1130 1.46 TU 1739 0.64		9 0023 1.71 0723 1.01 TH 1224 1.27 1805 0.90		24 0150 1.91 0854 0.79 FR 1443 1.37 2019 0.79	
10 0100 1.46 0648 0.85 SA 1249 1.61 1930 0.66		25 0008 1.60 0600 0.79 SU 1209 1.71 1850 0.58		10 0225 1.56 0850 1.08 TU 1336 1.31 2000 0.82		25 0219 1.78 0904 0.97 WE 1420 1.32 2028 0.72		10 0006 1.69 0629 1.00 TU 1152 1.38 1758 0.80		25 0034 1.91 0731 0.90 WE 1242 1.33 1848 0.74		10 0139 1.66 0854 1.00 FR 1403 1.26 1922 0.95		25 0305 1.88 0956 0.74 SA 1555 1.47 2138 0.77	
11 0215 1.47 0801 0.97 SU 1338 1.47 2020 0.69		26 0114 1.63 0715 0.90 MO 1301 1.57 1946 0.60		11 0351 1.61 1038 1.05 WE 1522 1.26 2124 0.84		26 0348 1.84 1045 0.90 TH 1606 1.33 2158 0.70		11 0112 1.63 0804 1.06 WE 1252 1.28 1854 0.88		26 0205 1.85 0914 0.90 TH 1445 1.30 2024 0.79		11 0259 1.67 0957 0.94 SA 1528 1.32 2101 0.94		26 0406 1.87 1045 0.67 SU 1651 1.59 2241 0.74	
12 0333 1.53 0932 1.03 MO 1444 1.37 2117 0.70		27 0240 1.69 0850 0.96 TU 1419 1.44 2052 0.61		12 0455 1.69 1142 0.97 TH 1641 1.28 2244 0.80		27 0457 1.95 1149 0.79 FR 1718 1.42 2313 0.61		12 0246 1.62 0952 1.04 TH 1449 1.24 2020 0.93		27 0331 1.87 1030 0.82 FR 1611 1.38 2155 0.75		12 0359 1.73 1044 0.85 SU 1625 1.43 2213 0.86		27 0455 1.86 1125 0.61 MO 1737 1.70 2332 0.70	
13 0438 1.63 1100 1.00 TU 1556 1.32 2218 0.70		28 0400 1.81 1030 0.92 WE 1555 1.39 2202 0.58		13 0543 1.78 1223 0.89 FR 1736 1.35 2337 0.73		28 0555 2.05 1235 0.67 SA 1815 1.53		13 0401 1.66 1057 0.98 FR 1611 1.29 2200 0.90		28 0438 1.93 1124 0.73 SA 1712 1.51 2302 0.67		13 0446 1.81 1122 0.74 MO 1712 1.56 2307 0.77		28 0536 1.84 1159 0.55 TU 1817 1.81	
14 0529 1.73 1201 0.94 WE 1700 1.32 2313 0.67		29 0505 1.95 1150 0.82 TH 1711 1.40 2312 0.52		14 0622 1.88 1257 0.81 SA 1819 1.42				14 0456 1.74 1140 0.89 SA 1705 1.38 2301 0.81		29 0531 1.98 1204 0.64 SU 1800 1.63 2355 0.58		14 0529 1.88 1157 0.62 TU 1755 1.71 2355 0.67		29 0018 0.67 0614 1.82 WE 1231 0.50 1855 1.91	
15 0611 1.82 1247 0.86 TH 1754 1.35 2359 0.62		30 0603 2.08 1247 0.70 FR 1814 1.46		15 0018 0.64 0659 1.97 SU 1328 0.72 1859 1.51				15 0540 1.84 1215 0.79 SU 1749 1.48 2347 0.70		30 0615 2.01 1239 0.56 MO 1842 1.75		15 0608 1.93 1230 0.51 WE 1836 1.87		30 0101 0.66 0650 1.78 TH 1303 0.47 1931 1.98	
		31 0013 0.43 0656 2.19 SA 1335 0.59 1909 1.54								31 0040 0.52 0654 2.01 TU 1312 0.49 1920 1.84					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

NOOSA HEAD – QUEENSLAND

LAT 26° 22' S LONG 153° 06' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0143 0.66 0726 1.72 FR 1333 0.48 2007 2.02		16 0111 0.59 0656 1.77 SA 1305 0.31 1940 2.28		1 0251 0.75 0816 1.48 MO 1404 0.57 2056 2.02		16 0259 0.52 0834 1.57 TU 1428 0.30 2114 2.35		1 0309 0.70 0837 1.45 WE 1423 0.53 2113 2.01		16 0336 0.41 0921 1.60 TH 1514 0.28 2150 2.24		1 0345 0.52 0930 1.56 SA 1519 0.46 2151 1.97		16 0417 0.38 1024 1.68 SU 1619 0.51 2229 1.81	
2 0223 0.69 0800 1.64 SA 1401 0.51 ○ 2041 2.02		17 0204 0.56 0745 1.70 SU 1348 0.30 ● 2029 2.34		2 0327 0.76 0853 1.44 TU 1435 0.60 2130 1.99		17 0353 0.51 0930 1.55 WE 1521 0.35 2206 2.29		2 0342 0.69 0913 1.45 TH 1457 0.53 2145 1.99		17 0421 0.43 1009 1.61 FR 1601 0.37 2232 2.11		2 0418 0.50 1009 1.58 SU 1558 0.53 2223 1.89		17 0447 0.44 1104 1.65 MO 1701 0.67 2300 1.64	
3 0300 0.72 0835 1.57 SU 1429 0.56 2114 2.00		18 0300 0.55 0838 1.63 MO 1435 0.33 2120 2.33		3 0401 0.78 0929 1.41 WE 1508 0.63 2205 1.94		18 0446 0.53 1025 1.52 TH 1615 0.43 2258 2.18		3 0415 0.68 0949 1.45 FR 1531 0.56 2218 1.95		18 0502 0.46 1056 1.59 SA 1647 0.50 2311 1.95		3 0454 0.51 1052 1.59 MO 1641 0.63 2258 1.78		18 0519 0.50 1149 1.61 TU 1751 0.81 2334 1.48	
4 0337 0.77 0909 1.50 MO 1457 0.61 2147 1.96		19 0357 0.58 0932 1.55 TU 1526 0.41 2214 2.27		4 0439 0.81 1005 1.39 TH 1543 0.67 2242 1.89		19 0541 0.56 1122 1.50 FR 1712 0.54 2348 2.03		4 0451 0.68 1028 1.45 SA 1609 0.62 2252 1.89		19 0543 0.51 1144 1.56 SU 1737 0.66 2349 1.77		4 0532 0.52 1141 1.60 TU 1732 0.75 2337 1.65		19 0555 0.57 1245 1.57 WE 1859 0.93	
5 0415 0.82 0945 1.43 TU 1527 0.67 2223 1.91		20 0459 0.63 1030 1.47 WE 1621 0.51 2312 2.17		5 0519 0.83 1045 1.37 FR 1621 0.72 2320 1.84		20 0633 0.59 1223 1.49 SA 1813 0.67		5 0530 0.67 1113 1.45 SU 1652 0.70 2330 1.82		20 0622 0.56 1239 1.54 MO 1833 0.81		5 0615 0.55 1241 1.61 WE 1842 0.86		20 0018 1.33 0642 0.65 TH 1406 1.55 ● 2047 0.98	
6 0456 0.87 1022 1.38 WE 1600 0.73 2303 1.84		21 0605 0.67 1135 1.42 TH 1725 0.61		6 0605 0.83 1133 1.35 SA 1708 0.78		21 0040 1.88 0726 0.62 SU 1332 1.49 1920 0.79		6 0613 0.66 1205 1.47 MO 1745 0.79		21 0029 1.60 0705 0.61 TU 1349 1.54 ● 1948 0.94		6 0027 1.51 0709 0.57 TH 1400 1.66 ● 2014 0.92		21 0127 1.22 0745 0.72 FR 1531 1.59 2224 0.94	
7 0544 0.91 1104 1.33 TH 1641 0.80 2349 1.78		22 0015 2.04 0714 0.69 FR 1838 0.71		7 0004 1.79 0658 0.81 SU 1234 1.37 1807 0.85		22 0133 1.73 0816 0.63 MO 1445 1.54 ● 2034 0.88		7 0013 1.74 0700 0.64 TU 1310 1.51 1855 0.87		22 0118 1.45 0755 0.65 WE 1508 1.57 2121 0.99		7 0138 1.38 0814 0.58 FR 1524 1.76 2155 0.88		22 0314 1.18 0910 0.74 SA 1636 1.66 2324 0.86	
8 0645 0.94 1159 1.30 FR 1730 0.87		23 0122 1.93 0816 0.69 SA 1415 1.44 ● 1957 0.78		8 0056 1.76 0753 0.76 MO 1347 1.42 ● 1923 0.89		23 0229 1.61 0905 0.64 TU 1552 1.61 2148 0.93		8 0104 1.65 0754 0.61 WE 1427 1.60 ● 2021 0.91		23 0226 1.33 0852 0.68 TH 1618 1.65 2249 0.96		8 0322 1.32 0926 0.56 SA 1632 1.89 2317 0.77		23 0430 1.22 1026 0.71 SU 1725 1.74	
9 0045 1.73 0753 0.92 SA 1313 1.30 1839 0.91		24 0227 1.84 0912 0.67 SU 1525 1.52 2110 0.82		9 0154 1.72 0846 0.69 TU 1502 1.54 2045 0.90		24 0324 1.51 0953 0.63 WE 1648 1.70 2259 0.93		9 0210 1.56 0850 0.57 TH 1540 1.75 2146 0.89		24 0344 1.28 0956 0.69 FR 1712 1.73 2350 0.89		9 0440 1.35 1036 0.49 SU 1730 2.03		24 0004 0.78 0522 1.29 MO 1120 0.64 1805 1.82	
10 0152 1.71 0854 0.87 SU 1437 1.36 ● 2005 0.92		25 0323 1.76 1000 0.64 MO 1624 1.62 2215 0.83		10 0257 1.70 0935 0.60 WE 1604 1.71 2200 0.86		25 0417 1.45 1038 0.62 TH 1735 1.80 2358 0.89		10 0328 1.50 0947 0.52 FR 1642 1.91 2305 0.81		25 0449 1.29 1055 0.66 SA 1756 1.81		10 0016 0.64 0543 1.42 MO 1141 0.40 1825 2.15		25 0038 0.70 0604 1.37 TU 1202 0.56 1841 1.89	
11 0256 1.74 0944 0.78 MO 1543 1.48 2125 0.89		26 0412 1.70 1041 0.60 TU 1713 1.73 2312 0.83		11 0357 1.68 1022 0.51 TH 1658 1.89 2306 0.79		26 0508 1.43 1122 0.60 FR 1816 1.88		11 0438 1.48 1045 0.45 SA 1737 2.07		26 0033 0.82 0542 1.33 SU 1145 0.62 1835 1.89		11 0104 0.52 0639 1.51 TU 1237 0.30 1915 2.23		26 0108 0.62 0642 1.45 WE 1240 0.48 1914 1.95	
12 0350 1.77 1027 0.67 TU 1635 1.64 2229 0.82		27 0455 1.65 1118 0.57 WE 1755 1.83		12 0452 1.66 1108 0.43 FR 1748 2.06		27 0045 0.83 0556 1.42 SA 1203 0.58 1854 1.95		12 0013 0.71 0541 1.49 SU 1142 0.38 1830 2.20		27 0109 0.75 0627 1.38 MO 1226 0.56 1911 1.95		12 0147 0.42 0730 1.59 WE 1327 0.23 2001 2.26		27 0138 0.54 0717 1.52 TH 1315 0.42 1946 1.99	
13 0439 1.80 1107 0.56 WE 1723 1.82 2325 0.74		28 0003 0.81 0536 1.61 TH 1154 0.54 1833 1.92		13 0008 0.71 0546 1.64 SA 1155 0.36 1838 2.21		28 0126 0.78 0641 1.43 SU 1241 0.56 1930 1.99		13 0110 0.59 0639 1.52 MO 1238 0.31 1923 2.29		28 0141 0.69 0706 1.42 TU 1302 0.51 1945 1.99		13 0229 0.35 0818 1.66 TH 1414 0.21 ● 2044 2.22		28 0207 0.46 0754 1.60 FR 1349 0.38 ○ 2017 2.00	
14 0524 1.82 1145 0.45 TH 1808 2.00		29 0050 0.78 0617 1.58 FR 1228 0.52 1911 1.99		14 0107 0.62 0642 1.61 SU 1245 0.31 1929 2.32		29 0202 0.74 0723 1.44 MO 1316 0.54 2005 2.02		14 0201 0.50 0736 1.55 TU 1332 0.26 ● 2015 2.34		29 0212 0.63 0743 1.47 WE 1336 0.46 2017 2.02		14 0307 0.32 0903 1.69 FR 1458 0.26 2122 2.12		29 0238 0.40 0830 1.67 SA 1426 0.37 2048 1.98	
15 0018 0.66 0609 1.80 FR 1224 0.37 1853 2.16		30 0133 0.76 0658 1.55 SA 1301 0.52 1946 2.02		15 0203 0.56 0737 1.59 MO 1335 0.29 ● 2020 2.36		30 0236 0.71 0801 1.45 TU 1350 0.53 ○ 2040 2.02		15 0250 0.44 0830 1.59 WE 1425 0.25 2104 2.32		30 0242 0.59 0818 1.51 TH 1410 0.43 ○ 2049 2.03		15 0344 0.34 0945 1.70 SA 1540 0.37 2157 1.97		30 0309 0.36 0908 1.72 SU 1504 0.41 2120 1.91	
		31 0214 0.74 0738 1.51 SU 1333 0.54 ○ 2021 2.03								31 0313 0.55 0854 1.54 FR 1444 0.43 2120 2.02				31 0342 0.35 0948 1.76 MO 1545 0.49 2153 1.80	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

NOOSA HEAD – QUEENSLAND

LAT 26° 22' S LONG 153° 06' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0415 0.37 TU 1031 1.77 1632 0.60 2230 1.66		16 0425 0.47 1108 1.70 WE 1721 0.79 2255 1.37		1 0420 0.39 1102 1.90 TH 1730 0.69 2300 1.36		16 0419 0.58 1122 1.70 FR 1759 0.82 2316 1.21		1 0018 1.24 0612 0.59 SU 1311 1.85 2015 0.65		16 0519 0.74 1230 1.65 MO 1932 0.80		1 0130 1.37 0715 0.65 TU 1346 1.81 2034 0.55		16 0008 1.31 0540 0.78 WE 1226 1.69 1920 0.71	
2 0453 0.43 1119 1.75 WE 1728 0.73 2312 1.50		17 0500 0.56 1157 1.63 TH 1824 0.88 2341 1.25		2 0510 0.49 1204 1.82 FR 1855 0.77		17 0502 0.68 1216 1.62 SA 1916 0.86		2 0200 1.26 0740 0.64 MO 1427 1.81 2120 0.60		17 0054 1.20 0622 0.81 TU 1328 1.61 2031 0.76		2 0247 1.44 0832 0.71 WE 1445 1.71 2127 0.53		17 0114 1.34 0645 0.86 TH 1315 1.63 2012 0.67	
3 0537 0.50 1218 1.72 TH 1843 0.84		18 0545 0.66 1303 1.57 FR 2003 0.92		3 0008 1.23 0617 0.59 SA 1329 1.77 2036 0.77		18 0018 1.16 0600 0.76 SU 1327 1.57 2037 0.84		3 0319 1.35 0900 0.64 TU 1530 1.79 2213 0.53		18 0216 1.24 0742 0.84 WE 1429 1.61 2122 0.68		3 0354 1.54 0943 0.75 TH 1540 1.62 2214 0.50		18 0231 1.42 0806 0.90 FR 1414 1.58 2104 0.60	
4 0006 1.34 0635 0.58 1341 1.71 ● 2029 0.87		19 0047 1.16 0647 0.75 SA 1432 1.56 ● 2136 0.89		4 0205 1.19 0747 0.64 SU 1455 1.78 2155 0.69		19 0153 1.15 0721 0.81 MO 1442 1.57 ● 2139 0.79		4 0420 1.47 1007 0.62 WE 1623 1.77 2257 0.46		19 0326 1.35 0901 0.83 TH 1525 1.62 2206 0.59		4 0450 1.65 1047 0.77 FR 1629 1.55 2256 0.47		19 0341 1.57 0928 0.90 SA 1520 1.54 2154 0.53	
5 0139 1.23 0753 0.62 SA 1512 1.76 2209 0.80		20 0242 1.14 0820 0.79 SU 1545 1.60 2237 0.82		5 0336 1.26 0917 0.61 MO 1603 1.84 2251 0.59		20 0315 1.21 0851 0.80 TU 1540 1.62 2226 0.71		5 0511 1.60 1103 0.59 TH 1707 1.74 2333 0.40		20 0420 1.50 1007 0.79 FR 1615 1.64 2246 0.49		5 0537 1.76 1145 0.76 SA 1715 1.51 2334 0.44		20 0438 1.74 1041 0.84 SU 1624 1.52 2243 0.45	
6 0334 1.24 0920 0.60 SU 1622 1.86 2315 0.68		21 0400 1.20 0946 0.75 MO 1638 1.66 2320 0.74		6 0439 1.39 1027 0.54 TU 1658 1.89 2334 0.49		21 0412 1.32 0958 0.74 WE 1628 1.67 2304 0.61		6 0553 1.72 1154 0.57 FR 1747 1.71		21 0507 1.67 1105 0.72 SA 1701 1.64 2324 0.40		6 0618 1.85 1236 0.73 SU 1800 1.48		21 0529 1.92 1147 0.75 MO 1722 1.51 2331 0.37	
7 0445 1.33 1036 0.51 MO 1720 1.97		22 0451 1.29 1045 0.68 TU 1722 1.74 2356 0.65		7 0529 1.52 1122 0.46 WE 1743 1.92		22 0458 1.44 1050 0.67 TH 1709 1.73 2339 0.50		7 0007 0.35 0632 1.82 SA 1240 0.56 1826 1.66		22 0551 1.85 1159 0.65 SU 1747 1.64		7 0012 0.42 0657 1.93 MO 1322 0.69 1844 1.46		22 0617 2.09 1247 0.65 TU 1818 1.51	
8 0002 0.55 0541 1.44 TU 1136 0.40 1810 2.05		23 0533 1.40 1130 0.59 WE 1800 1.81		8 0010 0.39 0613 1.64 TH 1210 0.40 1823 1.92		23 0539 1.59 1137 0.60 FR 1747 1.76		8 0040 0.32 0711 1.91 SU 1325 0.56 1904 1.61		23 0002 0.31 0634 2.01 MO 1251 0.58 1833 1.61		8 0048 0.42 0735 1.98 TU 1404 0.66 1927 1.44		23 0022 0.30 0708 2.22 WE 1343 0.56 1915 1.52	
9 0043 0.44 0630 1.56 WE 1227 0.31 1855 2.10		24 0027 0.55 0612 1.50 TH 1210 0.51 1834 1.87		9 0045 0.32 0653 1.75 FR 1255 0.38 1900 1.88		24 0011 0.40 0618 1.73 SA 1221 0.53 1825 1.77		9 0113 0.31 0748 1.95 MO 1408 0.57 ● 1943 1.54		24 0042 0.25 0718 2.14 TU 1344 0.52 1921 1.58		9 0123 0.43 0813 2.00 WE 1444 0.65 ● 2007 1.42		24 0113 0.25 0759 2.30 TH 1436 0.49 ○ 2010 1.54	
10 0120 0.35 0715 1.67 TH 1313 0.26 1935 2.10		25 0057 0.45 0649 1.61 FR 1248 0.45 1907 1.90		10 0117 0.27 0732 1.84 SA 1337 0.39 1936 1.81		25 0043 0.31 0658 1.88 SU 1306 0.48 1902 1.76		10 0144 0.34 0826 1.97 TU 1449 0.60 2020 1.47		25 0125 0.22 0806 2.22 WE 1436 0.49 ○ 2012 1.53		10 0157 0.45 0848 1.99 TH 1520 0.65 2045 1.40		25 0205 0.22 0850 2.34 FR 1527 0.44 2104 1.54	
11 0156 0.29 0757 1.75 FR 1356 0.26 ● 2013 2.04		26 0127 0.36 0726 1.73 SA 1327 0.40 1940 1.90		11 0148 0.26 0811 1.89 SU 1418 0.44 ● 2011 1.71		26 0115 0.24 0738 2.00 MO 1351 0.45 ○ 1942 1.71		11 0214 0.39 0902 1.95 WE 1529 0.64 2058 1.40		26 0211 0.22 0856 2.25 TH 1531 0.48 2106 1.48		11 0230 0.48 0923 1.96 FR 1555 0.67 2122 1.38		26 0258 0.24 0942 2.31 SA 1618 0.43 2157 1.54	
12 0230 0.27 0837 1.79 SA 1437 0.33 2046 1.93		27 0157 0.29 0804 1.83 SU 1407 0.39 ○ 2014 1.86		12 0218 0.29 0847 1.90 MO 1459 0.52 2044 1.60		27 0151 0.21 0821 2.09 TU 1440 0.45 2025 1.63		12 0245 0.45 0938 1.90 TH 1608 0.68 2135 1.34		27 0300 0.27 0948 2.22 FR 1629 0.50 2201 1.43		12 0302 0.52 0959 1.92 SA 1630 0.69 2158 1.35		27 0349 0.30 1031 2.23 SU 1708 0.45 2250 1.53	
13 0300 0.29 0915 1.80 SU 1516 0.43 2118 1.78		28 0229 0.26 0844 1.91 MO 1450 0.42 2048 1.77		13 0246 0.34 0923 1.88 TU 1538 0.60 2116 1.49		28 0230 0.22 0907 2.12 WE 1531 0.49 2111 1.52		13 0316 0.52 1016 1.84 FR 1648 0.73 2214 1.29		28 0354 0.34 1044 2.15 SA 1730 0.53 2301 1.38		13 0335 0.56 1033 1.87 SU 1707 0.71 2235 1.33		28 0443 0.40 1119 2.10 MO 1758 0.48 2345 1.51	
14 0330 0.34 0951 1.78 MO 1555 0.55 2148 1.64		29 0303 0.26 0926 1.95 TU 1536 0.49 2128 1.65		14 0314 0.41 0959 1.84 WE 1617 0.68 2151 1.38		29 0313 0.28 0957 2.10 TH 1629 0.55 2202 1.41		14 0352 0.59 1056 1.77 SA 1735 0.77 2257 1.24		29 0453 0.45 1142 2.04 SU 1833 0.56		14 0411 0.62 1108 1.81 MO 1747 0.73 2316 1.31		29 0538 0.54 1206 1.94 TU 1846 0.52	
15 0356 0.40 1028 1.75 TU 1635 0.68 2219 1.50		30 0340 0.30 1012 1.95 WE 1628 0.58 2210 1.51		15 0344 0.49 1038 1.77 TH 1702 0.76 2230 1.29		30 0400 0.37 1051 2.03 FR 1735 0.62 2301 1.31		15 0431 0.67 1140 1.70 SU 1830 0.80 2347 1.21		30 0010 1.35 0600 0.55 MO 1243 1.92 1936 0.56		15 0450 0.70 1145 1.75 TU 1831 0.73		30 0048 1.50 0641 0.69 WE 1254 1.76 1937 0.55	
				31 0459 0.48 1155 1.93 SA 1855 0.66										31 0202 1.52 0754 0.82 TH 1347 1.60 ● 2029 0.58	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

WADDY POINT (K'GARI) – QUEENSLAND

LAT 24° 58' S LONG 153° 20' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0607 2.06 1241 0.66 TH 1803 1.34 2355 0.34		16 0650 1.93 1328 0.76 FR 1845 1.22		1 0046 0.40 0734 2.26 SU 1411 0.53 1954 1.46		16 0042 0.50 0731 2.01 MO 1402 0.56 1943 1.42		1 0633 2.11 1309 0.60 SU 1900 1.49		16 0614 1.93 1247 0.55 MO 1840 1.49		1 0101 0.58 0719 1.88 WE 1330 0.53 1954 1.80		16 0033 0.53 0644 1.89 TH 1300 0.29 1924 1.93	
2 0654 2.22 1335 0.56 FR 1900 1.36		17 0014 0.55 0725 1.98 SA 1401 0.69 1924 1.25		2 0134 0.35 0819 2.27 MO 1451 0.49 2039 1.52		17 0119 0.45 0802 2.04 TU 1432 0.49 2015 1.50		2 0037 0.48 0715 2.13 MO 1342 0.54 1939 1.59		17 0018 0.52 0648 1.99 TU 1317 0.44 1915 1.61		2 0138 0.60 0750 1.81 TH 1355 0.53 2028 1.86		17 0116 0.51 0723 1.85 FR 1330 0.26 2004 2.07	
3 0047 0.31 0743 2.32 SA 1425 0.49 1957 1.40		18 0054 0.50 0759 2.01 SU 1434 0.63 1959 1.30		3 0219 0.37 0902 2.21 TU 1530 0.51 2122 1.55		18 0155 0.43 0834 2.05 WE 1502 0.45 2052 1.58		3 0119 0.44 0753 2.10 TU 1415 0.52 2016 1.66		18 0057 0.46 0722 2.01 WE 1345 0.37 1950 1.72		3 0215 0.65 0820 1.72 FR 1417 0.55 2100 1.90		18 0202 0.53 0806 1.77 SA 1404 0.29 2048 2.17	
4 0140 0.30 0832 2.36 SU 1514 0.46 2051 1.42		19 0132 0.47 0830 2.03 MO 1507 0.59 2032 1.35		4 0301 0.46 0942 2.10 WE 1608 0.56 2203 1.55		19 0231 0.45 0909 2.02 TH 1532 0.43 2132 1.64		4 0159 0.46 0829 2.03 WE 1446 0.53 2054 1.70		19 0135 0.44 0757 1.99 TH 1415 0.33 2029 1.83		4 0253 0.73 0851 1.62 SA 1442 0.59 2135 1.93		19 0254 0.59 0853 1.65 SU 1442 0.38 2134 2.21	
5 0230 0.34 0922 2.32 MO 1601 0.48 2144 1.42		20 0209 0.46 0904 2.03 TU 1541 0.56 2109 1.39		5 0342 0.59 1017 1.95 TH 1643 0.63 2245 1.53		20 0311 0.53 0946 1.95 FR 1603 0.45 2215 1.69		5 0236 0.54 0901 1.92 TH 1515 0.57 2130 1.72		20 0215 0.47 0835 1.93 FR 1445 0.33 2109 1.92		5 0336 0.81 0926 1.53 SU 1510 0.64 2213 1.93		20 0355 0.68 0943 1.51 MO 1521 0.50 2225 2.20	
6 0319 0.43 1010 2.21 TU 1646 0.55 2232 1.40		21 0245 0.47 0939 2.02 WE 1615 0.54 2150 1.42		6 0422 0.75 1049 1.79 FR 1715 0.68 2330 1.53		21 0355 0.64 1026 1.83 SA 1638 0.49 2302 1.72		6 0314 0.66 0932 1.79 FR 1541 0.62 2208 1.74		21 0258 0.55 0915 1.83 SA 1517 0.38 2153 1.98		6 0428 0.89 1004 1.44 MO 1541 0.71 2254 1.90		21 0505 0.77 1037 1.38 TU 1604 0.64 2321 2.13	
7 0405 0.57 1053 2.05 WE 1730 0.62 2321 1.38		22 0324 0.53 1016 1.97 TH 1650 0.53 2236 1.45		7 0509 0.90 1121 1.64 SA 1747 0.73		22 0445 0.77 1107 1.68 SU 1715 0.56 2355 1.74		7 0355 0.79 1003 1.67 SA 1606 0.67 2248 1.74		22 0347 0.67 0959 1.68 SU 1552 0.48 2240 1.99		7 0533 0.96 1045 1.35 TU 1615 0.79 2340 1.84		22 0622 0.83 1147 1.28 WE 1700 0.78	
8 0449 0.72 1131 1.88 TH 1810 0.68		23 0406 0.62 1056 1.89 FR 1726 0.54 2327 1.46		8 0024 1.53 0614 1.04 SU 1159 1.50 1825 0.77		23 0551 0.90 1152 1.52 MO 1759 0.64		8 0445 0.92 1038 1.54 SU 1635 0.72 2334 1.73		23 0447 0.80 1045 1.52 MO 1630 0.59 2332 1.97		8 0648 1.01 1133 1.26 WE 1657 0.86		23 0029 2.04 0744 0.86 TH 1321 1.25 1819 0.88	
9 0015 1.37 0539 0.86 FR 1208 1.72 1851 0.72		24 0455 0.74 1137 1.78 SA 1805 0.56		9 0130 1.55 0744 1.11 MO 1242 1.37 1911 0.80		24 0102 1.75 0724 1.00 TU 1250 1.36 1856 0.72		9 0552 1.02 1116 1.42 MO 1709 0.79		24 0607 0.91 1138 1.37 TU 1715 0.71		9 0033 1.76 0811 1.02 TH 1235 1.20 1755 0.92		24 0144 1.96 0902 0.83 FR 1446 1.30 1947 0.92	
10 0123 1.38 0642 0.99 SA 1249 1.57 1937 0.72		25 0023 1.49 0556 0.86 SU 1220 1.64 1850 0.58		10 0245 1.60 0928 1.11 TU 1343 1.25 2006 0.82		25 0229 1.79 0932 0.98 WE 1435 1.25 2013 0.77		10 0027 1.71 0720 1.09 TU 1201 1.30 1749 0.85		25 0040 1.93 0748 0.95 WE 1305 1.26 1825 0.82		10 0143 1.70 0928 0.97 FR 1406 1.18 1916 0.94		25 0254 1.91 1005 0.78 SA 1602 1.40 2118 0.90	
11 0242 1.45 0808 1.07 SU 1339 1.44 2028 0.72		26 0133 1.54 0715 0.96 MO 1310 1.49 1941 0.61		11 0357 1.66 1052 1.04 WE 1502 1.18 2110 0.81		26 0347 1.87 1058 0.88 TH 1609 1.25 2144 0.75		11 0132 1.68 0900 1.08 WE 1301 1.21 1847 0.89		26 0205 1.91 0930 0.90 TH 1450 1.25 1959 0.87		11 0257 1.70 1018 0.87 SA 1546 1.24 2051 0.90		26 0358 1.87 1053 0.71 SU 1702 1.51 2231 0.84	
12 0354 1.55 0946 1.07 MO 1439 1.32 2118 0.70		27 0257 1.64 0900 1.00 TU 1423 1.35 2042 0.63		12 0454 1.74 1148 0.95 TH 1625 1.17 2215 0.75		27 0452 1.97 1153 0.77 FR 1723 1.31 2258 0.67		12 0247 1.68 1021 1.02 TH 1429 1.17 2006 0.90		27 0321 1.93 1038 0.81 FR 1614 1.32 2137 0.84		12 0358 1.74 1055 0.74 SU 1647 1.35 2209 0.80		27 0453 1.83 1130 0.65 MO 1748 1.63 2326 0.78	
13 0449 1.66 1104 1.01 TU 1546 1.24 2205 0.68		28 0408 1.78 1050 0.93 WE 1554 1.27 2150 0.62		13 0541 1.82 1228 0.84 FR 1740 1.21 2311 0.67		28 0546 2.05 1234 0.68 SA 1817 1.40 2351 0.57		13 0357 1.71 1110 0.92 FR 1605 1.19 2134 0.84		28 0428 1.96 1127 0.72 SA 1718 1.42 2248 0.75		13 0445 1.80 1129 0.60 MO 1731 1.48 2304 0.68		28 0538 1.77 1200 0.60 TU 1827 1.73	
14 0533 1.77 1203 0.93 WE 1653 1.20 2249 0.64		29 0508 1.93 1159 0.81 TH 1709 1.26 2257 0.56		14 0622 1.90 1300 0.73 SA 1831 1.27				14 0452 1.78 1145 0.80 SA 1717 1.27 2244 0.73		29 0523 1.97 1204 0.65 SU 1805 1.53 2340 0.66		14 0527 1.86 1200 0.46 TU 1810 1.62 2351 0.59		29 0011 0.75 0615 1.71 WE 1226 0.57 1902 1.82	
15 0613 1.86 1249 0.84 TH 1753 1.20 2331 0.59		30 0600 2.07 1249 0.70 FR 1813 1.31 2355 0.48		15 0000 0.58 0658 1.96 SU 1331 0.64 1909 1.35				15 0536 1.86 1216 0.67 SU 1802 1.38 2335 0.62		30 0608 1.97 1236 0.59 MO 1845 1.63		15 0605 1.89 1230 0.36 WE 1846 1.78		30 0050 0.73 0649 1.64 TH 1249 0.56 1935 1.90	
		31 0648 2.18 1331 0.60 SA 1906 1.38								31 0023 0.60 0645 1.94 TU 1304 0.55 1919 1.72					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

WADDY POINT (K'GARI) – QUEENSLAND

LAT 24° 58' S LONG 153° 20' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0129 0.74 0721 1.57 FR 1311 0.56 2007 1.96		16 0108 0.61 0700 1.63 SA 1257 0.30 1946 2.20		1 0259 0.79 0825 1.32 MO 1346 0.65 2101 2.00		16 0314 0.55 0848 1.41 TU 1426 0.43 2123 2.33		1 0339 0.72 0908 1.28 WE 1425 0.63 2135 1.91		16 0351 0.47 0939 1.46 TH 1515 0.41 2205 2.19		1 0412 0.58 0953 1.37 SA 1525 0.58 2215 1.80		16 0431 0.53 1041 1.57 SU 1627 0.66 2249 1.71	
2 0207 0.75 0753 1.51 SA 1334 0.57 ○ 2039 2.00		17 0203 0.59 0749 1.56 SU 1338 0.34 ● 2033 2.30		2 0340 0.79 0900 1.31 TU 1423 0.67 2137 1.97		17 0409 0.54 0948 1.41 WE 1522 0.50 2218 2.27		2 0413 0.72 0938 1.29 TH 1502 0.64 2210 1.88		17 0437 0.51 1029 1.47 FR 1606 0.51 2252 2.06		2 0442 0.58 1030 1.40 SU 1601 0.65 2247 1.72		17 0507 0.61 1128 1.56 MO 1723 0.82 2325 1.54	
3 0247 0.78 0828 1.45 SU 1403 0.60 2112 2.02		18 0304 0.59 0844 1.49 MO 1424 0.42 2125 2.32		3 0422 0.80 0936 1.30 WE 1500 0.70 2215 1.93		18 0503 0.58 1048 1.39 TH 1617 0.59 2313 2.16		3 0448 0.72 1012 1.30 FR 1540 0.67 2245 1.83		18 0522 0.58 1119 1.46 SA 1656 0.66 2335 1.88		3 0512 0.59 1112 1.42 MO 1644 0.75 2323 1.63		18 0543 0.68 1221 1.55 TU 1836 0.94	
4 0332 0.81 0904 1.40 MO 1435 0.64 2147 2.01		19 0409 0.62 0943 1.41 TU 1541 0.54 2219 2.28		4 0507 0.82 1015 1.29 TH 1541 0.74 2257 1.86		19 0556 0.65 1147 1.38 FR 1713 0.71		4 0526 0.72 1052 1.30 SA 1619 0.72 2322 1.77		19 0606 0.66 1214 1.44 SU 1750 0.81		4 0544 0.62 1200 1.44 TU 1737 0.86		19 0005 1.39 0623 0.74 WE 1327 1.55 2006 1.01	
5 0422 0.85 0943 1.36 TU 1511 0.71 2227 1.96		20 0513 0.67 1047 1.34 WE 1610 0.66 2318 2.18		5 0554 0.83 1101 1.26 FR 1626 0.80 2342 1.79		20 0605 2.01 0648 0.72 SA 1249 1.37 1808 0.83		5 0603 0.72 1139 1.30 SU 1704 0.79		20 0016 1.70 0650 0.72 MO 1317 1.45 1857 0.95		5 0002 1.51 0621 0.65 WE 1301 1.46 1850 0.95		20 0056 1.25 0714 0.80 TH 1445 1.57 ● 2148 1.00	
6 0518 0.89 1025 1.30 WE 1549 0.78 2309 1.88		21 0615 0.73 1159 1.30 TH 1713 0.78		6 0643 0.83 1200 1.24 SA 1718 0.85		21 0056 1.84 0742 0.76 SU 1400 1.40 1914 0.94		6 0000 1.69 0643 0.71 MO 1235 1.31 1759 0.87		21 0059 1.53 0737 0.76 TU 1435 1.49 ● 2026 1.03		6 0046 1.37 0708 0.68 TH 1424 1.52 ● 2044 0.99		21 0208 1.14 0816 0.84 FR 1602 1.61 2315 0.92	
7 0618 0.92 1114 1.25 TH 1633 0.85		22 0020 2.06 0719 0.78 FR 1314 1.31 1818 0.87		7 0030 1.72 0732 0.81 SU 1311 1.25 1823 0.90		22 0146 1.69 0837 0.77 MO 1518 1.46 ● 2038 1.01		7 0042 1.61 0724 0.70 TU 1345 1.35 1907 0.95		22 0148 1.38 0830 0.78 WE 1552 1.56 2201 1.04		7 0200 1.24 0809 0.71 FR 1544 1.63 2244 0.92		22 0347 1.09 0927 0.83 SA 1701 1.66	
8 0000 1.79 0722 0.93 FR 1215 1.21 1730 0.91		23 0122 1.93 0826 0.80 SA 1430 1.35 ● 1930 0.93		8 0123 1.66 0822 0.76 MO 1433 1.30 ● 1937 0.93		23 0240 1.55 0929 0.76 TU 1624 1.56 2206 1.02		8 0129 1.51 0809 0.68 WE 1503 1.43 ● 2031 0.99		23 0253 1.26 0924 0.79 TH 1652 1.64 2330 0.98		8 0344 1.16 0928 0.70 SA 1649 1.76 2352 0.79		23 0002 0.83 0522 1.11 SU 1030 0.78 1746 1.72	
9 0100 1.72 0826 0.90 SA 1344 1.21 1846 0.94		24 0223 1.82 0926 0.78 SU 1543 1.44 2056 0.96		9 0217 1.61 0909 0.68 TU 1542 1.40 2055 0.93		24 0338 1.43 1013 0.74 WE 1715 1.66 2319 0.99		9 0229 1.40 0859 0.66 TH 1609 1.56 2217 0.97		24 0414 1.19 1015 0.78 FR 1741 1.72		9 0507 1.17 1047 0.64 SU 1745 1.90		24 0034 0.74 0610 1.17 MO 1122 0.69 1825 1.78	
10 0205 1.69 0920 0.81 SU 1516 1.27 ● 2013 0.92		25 0323 1.72 1015 0.73 MO 1644 1.55 2215 0.94		10 0313 1.57 0952 0.61 WE 1635 1.54 2211 0.90		25 0441 1.35 1052 0.72 TH 1800 1.75		10 0344 1.31 0953 0.64 FR 1705 1.72 2341 0.88		25 0030 0.90 0539 1.17 SA 1103 0.75 1823 1.78		10 0041 0.66 0614 1.23 MO 1146 0.53 1836 2.03		25 0103 0.65 0646 1.23 TU 1205 0.59 1900 1.83	
11 0306 1.69 1003 0.70 MO 1616 1.39 2131 0.87		26 0418 1.63 1053 0.69 TU 1731 1.67 2317 0.91		11 0408 1.52 1031 0.54 TH 1721 1.71 2319 0.84		26 0020 0.93 0541 1.29 FR 1127 0.70 1839 1.83		11 0455 1.26 1049 0.59 SA 1756 1.88		26 0111 0.81 0636 1.19 SU 1147 0.70 1901 1.84		11 0122 0.55 0703 1.31 TU 1237 0.42 1923 2.12		26 0130 0.56 0719 1.30 WE 1244 0.50 1932 1.86	
12 0359 1.71 1040 0.57 TU 1701 1.53 2233 0.79		27 0508 1.55 1125 0.65 WE 1813 1.77		12 0501 1.47 1111 0.48 FR 1804 1.89		27 0111 0.86 0634 1.26 SA 1200 0.69 1915 1.89		12 0042 0.76 0600 1.25 SU 1145 0.53 1845 2.04		27 0145 0.73 0718 1.22 MO 1229 0.64 1938 1.88		12 0200 0.47 0747 1.41 WE 1324 0.34 2007 2.16		27 0158 0.49 0749 1.36 TH 1319 0.44 2001 1.86	
13 0445 1.72 1115 0.46 WE 1743 1.70 2327 0.71		28 0009 0.88 0553 1.48 TH 1153 0.63 1848 1.85		13 0021 0.76 0556 1.43 SA 1153 0.43 1849 2.06		28 0154 0.80 0721 1.26 SU 1235 0.67 1952 1.93		13 0132 0.64 0700 1.29 MO 1240 0.46 1934 2.17		28 0215 0.67 0754 1.26 TU 1307 0.59 2013 1.90		13 0237 0.42 0830 1.49 TH 1409 0.31 ● 2051 2.13		28 0224 0.45 0818 1.43 FR 1353 0.43 ○ 2030 1.84	
14 0529 1.71 1146 0.37 TH 1822 1.87		29 0054 0.84 0633 1.42 FR 1218 0.62 1923 1.92		14 0119 0.67 0651 1.41 SU 1240 0.41 1937 2.21		29 0232 0.76 0802 1.26 MO 1311 0.65 2027 1.94		14 0219 0.55 0756 1.36 TU 1333 0.39 ● 2025 2.25		29 0244 0.63 0825 1.29 WE 1344 0.54 2045 1.90		14 0315 0.42 0913 1.55 FR 1454 0.37 2133 2.03		29 0250 0.42 0848 1.49 SA 1426 0.45 2100 1.80	
15 0017 0.65 0613 1.68 FR 1220 0.32 1902 2.05		30 0137 0.82 0713 1.38 SA 1244 0.62 1956 1.97		15 0217 0.60 0748 1.41 MO 1331 0.40 ● 2029 2.30		30 0306 0.73 0836 1.27 TU 1347 0.64 ○ 2101 1.94		15 0305 0.48 0848 1.42 WE 1425 0.37 2115 2.26		30 0313 0.60 0854 1.31 TH 1418 0.52 ○ 2115 1.88		15 0354 0.46 0957 1.57 SA 1540 0.50 2213 1.88		30 0316 0.41 0922 1.55 SU 1500 0.51 2131 1.74	
		31 0218 0.80 0749 1.34 SU 1314 0.63 ○ 2028 1.99								31 0342 0.59 0921 1.34 FR 1451 0.54 2144 1.85				31 0344 0.42 1000 1.60 MO 1541 0.60 2207 1.64	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

WADDY POINT (K'GARI) – QUEENSLAND

LAT 24° 58' S LONG 153° 20' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0413 0.46 TU 1042 1.63 1627 0.72 2245 1.51		16 0421 0.62 1125 1.70 1802 0.89 2315 1.28		1 0400 0.46 1103 1.87 1733 0.76 2308 1.24		16 0400 0.65 1124 1.77 1832 0.85 2324 1.15		1 0032 1.15 0535 0.70 1300 1.89 2008 0.68		16 0508 0.78 1228 1.66 1946 0.76		1 0137 1.28 0644 0.79 1335 1.79 2029 0.63		16 0024 1.23 0545 0.82 1236 1.64 1936 0.64	
2 0445 0.52 1129 1.64 1727 0.83 2328 1.37		17 0455 0.71 1218 1.65 1928 0.94		2 0441 0.58 1203 1.83 1904 0.81		17 0442 0.75 1218 1.68 1950 0.86		2 0201 1.18 0700 0.77 1411 1.82 2118 0.64		17 0113 1.13 0622 0.84 1331 1.60 2045 0.70		2 0257 1.36 0804 0.86 1434 1.67 2125 0.60		17 0145 1.27 0700 0.88 1328 1.57 2024 0.58	
3 0523 0.60 1228 1.64 1855 0.91		18 0007 1.16 0540 0.79 1326 1.61 2104 0.93		3 0023 1.13 0541 0.69 1324 1.79 2047 0.78		18 0030 1.08 0541 0.82 1328 1.60 2109 0.82		3 0321 1.28 0832 0.77 1517 1.78 2214 0.56		18 0253 1.18 0748 0.85 1433 1.57 2133 0.59		3 0407 1.49 0934 0.87 1532 1.57 2211 0.55		18 0305 1.37 0820 0.91 1425 1.50 2111 0.51	
4 0022 1.23 0615 0.68 1351 1.66 2108 0.90		19 0120 1.08 0646 0.85 1445 1.59 2224 0.87		4 0215 1.11 0715 0.75 1445 1.80 2202 0.69		19 0220 1.07 0709 0.86 1444 1.58 2205 0.74		4 0428 1.41 0956 0.72 1615 1.73 2256 0.49		19 0359 1.30 0908 0.81 1529 1.56 2213 0.47		4 0501 1.63 1046 0.84 1628 1.48 2249 0.51		19 0405 1.51 0940 0.89 1524 1.44 2156 0.44	
5 0211 1.13 0733 0.74 1515 1.72 2235 0.79		20 0314 1.05 0815 0.86 1558 1.61 2312 0.78		5 0341 1.19 0859 0.73 1553 1.83 2256 0.58		20 0353 1.13 0843 0.82 1545 1.59 2243 0.62		5 0519 1.56 1058 0.66 1706 1.68 2330 0.42		20 0445 1.45 1014 0.75 1616 1.56 2247 0.35		5 0545 1.76 1144 0.80 1717 1.41 2323 0.48		20 0453 1.68 1052 0.83 1622 1.39 2238 0.37	
6 0350 1.13 0916 0.72 1625 1.82 2331 0.67		21 0442 1.10 0942 0.80 1651 1.65 2344 0.68		6 0449 1.31 1019 0.63 1652 1.86 2337 0.49		21 0445 1.24 0957 0.73 1631 1.63 2313 0.49		6 0602 1.69 1148 0.61 1749 1.62		21 0524 1.62 1108 0.67 1700 1.55 2320 0.26		6 0624 1.87 1231 0.75 1803 1.36 2354 0.46		21 0537 1.86 1155 0.73 1718 1.37 2322 0.32	
7 0507 1.21 1039 0.62 1724 1.92		22 0529 1.19 1043 0.69 1732 1.71		7 0541 1.44 1116 0.53 1742 1.87		22 0523 1.38 1051 0.62 1710 1.67 2341 0.36		7 0000 0.38 0640 1.80 1232 0.59 1827 1.55		22 0600 1.80 1158 0.59 1745 1.53 2354 0.18		7 0700 1.95 1315 0.71 1845 1.32		22 0619 2.05 1250 0.62 1813 1.36	
8 0015 0.55 0602 1.31 1135 0.50 1814 1.99		23 0010 0.56 0604 1.29 1130 0.57 1807 1.76		8 0012 0.41 0623 1.56 1202 0.45 1823 1.85		23 0558 1.52 1136 0.53 1746 1.70		8 0028 0.36 0715 1.90 1315 0.58 1902 1.49		23 0639 1.98 1247 0.52 1830 1.51		8 0025 0.46 0733 2.01 1358 0.67 1926 1.30		23 0008 0.27 0704 2.21 1343 0.51 1908 1.38	
9 0051 0.46 0645 1.42 1222 0.39 1856 2.02		24 0036 0.45 0637 1.40 1210 0.47 1838 1.79		9 0041 0.36 0700 1.68 1245 0.42 1900 1.79		24 0009 0.24 0630 1.68 1217 0.46 1822 1.69		9 0053 0.36 0749 1.97 1356 0.59 1937 1.42		24 0030 0.15 0719 2.15 1338 0.47 1917 1.47		9 0056 0.47 0806 2.03 1438 0.66 2002 1.28		24 0058 0.24 0752 2.34 1434 0.43 2004 1.40	
10 0123 0.40 0725 1.52 1304 0.33 1936 2.00		25 0102 0.35 0708 1.51 1246 0.41 1909 1.80		10 0110 0.33 0736 1.77 1325 0.44 1933 1.70		25 0036 0.16 0705 1.83 1259 0.42 1900 1.67		10 0119 0.38 0822 2.00 1437 0.62 2013 1.36		25 0110 0.15 0803 2.27 1433 0.44 2010 1.43		10 0129 0.48 0839 2.03 1516 0.65 2035 1.28		25 0150 0.24 0843 2.39 1526 0.40 2102 1.42	
11 0155 0.37 0802 1.61 1345 0.34 2014 1.93		26 0128 0.27 0739 1.62 1323 0.39 1940 1.78		11 0136 0.33 0812 1.84 1404 0.49 2006 1.61		26 0106 0.12 0742 1.98 1343 0.41 1940 1.61		11 0147 0.42 0855 2.01 1519 0.65 2047 1.31		26 0155 0.21 0852 2.32 1531 0.44 2105 1.38		11 0203 0.51 0912 2.00 1554 0.67 2109 1.27		26 0243 0.30 0935 2.36 1617 0.42 2200 1.41	
12 0227 0.37 0841 1.68 1427 0.41 2049 1.82		27 0154 0.23 0813 1.73 1400 0.41 2015 1.73		12 0200 0.36 0846 1.89 1445 0.57 2039 1.50		27 0138 0.13 0823 2.09 1431 0.44 2025 1.53		12 0219 0.48 0929 1.99 1604 0.69 2125 1.27		27 0244 0.31 0944 2.29 1630 0.47 2204 1.32		12 0239 0.54 0946 1.95 1634 0.68 2144 1.27		27 0335 0.40 1028 2.25 1707 0.48 2257 1.40	
13 0258 0.41 0920 1.72 1509 0.53 2123 1.68		28 0221 0.23 0849 1.82 1441 0.46 2052 1.65		13 0226 0.41 0922 1.90 1530 0.66 2114 1.41		28 0215 0.19 0907 2.15 1527 0.50 2113 1.42		13 0253 0.54 1006 1.93 1654 0.73 2204 1.23		28 0335 0.44 1038 2.20 1729 0.53 2309 1.27		13 0316 0.59 1023 1.89 1716 0.70 2226 1.25		28 0428 0.54 1118 2.10 1756 0.55 2356 1.39	
14 0326 0.47 0959 1.73 1554 0.66 2157 1.54		29 0251 0.26 0930 1.88 1527 0.55 2133 1.52		14 0253 0.48 0959 1.89 1621 0.74 2151 1.31		29 0253 0.30 0955 2.14 1630 0.57 2205 1.30		14 0330 0.62 1046 1.85 1747 0.76 2250 1.18		29 0431 0.57 1136 2.07 1826 0.59		14 0358 0.65 1104 1.81 1800 0.70 2319 1.24		29 0522 0.70 1206 1.91 1845 0.61	
15 0352 0.54 1040 1.72 1650 0.79 2233 1.41		30 0324 0.35 1015 1.90 1622 0.66 2217 1.38		15 0325 0.56 1039 1.85 1723 0.81 2234 1.23		30 0336 0.44 1046 2.07 1738 0.64 2307 1.20		15 0414 0.70 1132 1.75 1845 0.78 2348 1.14		30 0021 1.25 0534 0.69 1235 1.93 1926 0.63		15 0445 0.73 1148 1.73 1847 0.68		30 0104 1.40 0624 0.85 1253 1.73 1935 0.65	
				31 0426 0.58 1147 1.98 SA 1851 0.68										31 0223 1.46 0743 0.97 TH 1344 1.56 2029 0.66	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ◐ Last Quarter

URANGAN – QUEENSLAND

LAT 25° 17' S LONG 152° 54' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0020 0.74 0655 3.85 TH 1319 1.06 1900 3.07		16 0040 1.05 0728 3.52 FR 1400 1.24 1926 2.90		1 0200 0.61 0822 4.14 SU 1502 0.81 2043 3.29		16 0141 0.85 0811 3.77 MO 1446 0.99 2020 3.26		1 0101 0.83 0722 3.95 SU 1358 0.89 1946 3.29		16 0033 1.09 0704 3.60 MO 1334 1.04 1916 3.23		1 0211 0.81 0809 3.79 WE 1431 0.75 2037 3.60		16 0132 0.83 0735 3.72 TH 1405 0.61 2009 3.83	
2 0115 0.62 0745 4.05 FR 1420 0.93 1959 3.12		17 0121 0.94 0802 3.63 SA 1438 1.15 2004 2.99		2 0245 0.54 0903 4.17 MO 1544 0.76 2125 3.36		17 0220 0.72 0843 3.88 TU 1520 0.88 2057 3.40		2 0148 0.69 0802 4.04 MO 1437 0.79 2026 3.43		17 0116 0.90 0738 3.76 TU 1409 0.87 1955 3.45		2 0248 0.84 0841 3.69 TH 1459 0.74 2109 3.63		17 0219 0.74 0815 3.71 FR 1442 0.52 2051 3.97	
3 0205 0.54 0833 4.16 SA 1515 0.83 2051 3.17		18 0200 0.83 0835 3.71 SU 1515 1.09 2040 3.08		3 0327 0.54 0942 4.11 TU 1620 0.77 2203 3.37		18 0259 0.63 0915 3.93 WE 1554 0.80 2135 3.50		3 0230 0.63 0839 4.04 TU 1512 0.75 2103 3.51		18 0158 0.75 0811 3.87 WE 1444 0.72 2034 3.63		3 0323 0.92 0911 3.55 FR 1524 0.76 2138 3.61		18 0306 0.73 0854 3.61 SA 1518 0.51 2135 4.02	
4 0253 0.50 0919 4.19 SU 1606 0.79 2140 3.19		19 0237 0.75 0907 3.77 MO 1507 1.03 2115 3.16		4 0405 0.64 1017 3.96 WE 1653 0.82 2241 3.34		19 0336 0.62 0947 3.90 TH 1628 0.76 2215 3.55		4 0309 0.65 0913 3.96 WE 1542 0.75 2137 3.53		19 0240 0.66 0845 3.90 TH 1518 0.63 2114 3.77		4 0358 1.04 0939 3.38 SA 1548 0.82 2207 3.55		19 0354 0.80 0935 3.43 SU 1556 0.60 2220 3.98	
5 0338 0.53 1004 4.12 MO 1651 0.81 2226 3.17		20 0314 0.69 0939 3.80 TU 1626 0.99 2153 3.21		5 0441 0.82 1052 3.76 TH 1722 0.91 2315 3.26		20 0415 0.69 1020 3.79 FR 1700 0.78 2255 3.54		5 0344 0.75 0945 3.81 TH 1608 0.79 2209 3.50		20 0321 0.65 0920 3.83 FR 1552 0.60 2154 3.82		5 0430 1.19 1006 3.17 SU 1614 0.92 2236 3.44		20 0445 0.94 1019 3.19 MO 1634 0.75 2310 3.84	
6 0421 0.64 1047 3.97 TU 1731 0.88 2310 3.12		21 0350 0.69 1012 3.80 WE 1700 0.96 2231 3.24		6 0515 1.05 1125 3.51 FR 1750 1.01 2352 3.15		21 0453 0.85 1054 3.60 SA 1731 0.87 2338 3.48		6 0417 0.91 1014 3.61 FR 1632 0.85 2239 3.44		21 0402 0.73 0955 3.67 SA 1625 0.66 2236 3.80		6 0505 1.36 1034 2.96 MO 1641 1.07 2307 3.30		21 0541 1.12 1111 2.93 TU 1717 0.97	
7 0503 0.83 1130 3.78 WE 1809 0.98 2354 3.04		22 0427 0.75 1045 3.74 TH 1734 0.97 2313 3.23		7 0552 1.32 1200 3.24 SA 1820 1.14		22 0535 1.08 1132 3.35 SU 1806 0.99		7 0449 1.11 1042 3.37 SA 1657 0.95 2310 3.33		22 0445 0.90 1031 3.42 SU 1658 0.79 2321 3.69		7 0545 1.55 1107 2.74 TU 1713 1.26 2346 3.13		22 0006 3.66 0646 1.30 WE 1217 2.69 1815 1.21	
8 0545 1.07 1212 3.55 TH 1846 1.08		23 0505 0.88 1121 3.62 FR 1809 1.01 2358 3.20		8 0033 3.03 0637 1.59 SU 1241 2.96 1857 1.29		23 0028 3.37 0627 1.34 MO 1220 3.05 1852 1.16		8 0523 1.34 1111 3.11 SU 1723 1.09 2343 3.19		23 0532 1.13 1113 3.12 MO 1734 0.98		8 0646 1.71 1152 2.54 WE 1752 1.46		23 0113 3.49 0801 1.40 TH 1345 2.58 1937 1.40	
9 0041 2.94 0632 1.33 FR 1257 3.31 1926 1.18		24 0547 1.07 1201 3.45 SA 1847 1.06		9 0128 2.90 0751 1.82 MO 1338 2.70 1950 1.44		24 0131 3.26 0742 1.58 TU 1330 2.76 2001 1.31		9 0602 1.58 1144 2.84 MO 1754 1.28		24 0014 3.53 0632 1.38 TU 1208 2.81 1824 1.21		9 0048 2.96 0815 1.79 TH 1317 2.39 1857 1.65		24 0228 3.39 0919 1.39 FR 1516 2.63 2114 1.43	
10 0135 2.86 0732 1.58 SA 1347 3.08 2012 1.26		25 0050 3.15 0640 1.29 SU 1252 3.24 1935 1.12		10 0256 2.83 0945 1.89 TU 1459 2.54 2108 1.53		25 0251 3.21 0923 1.67 WE 1504 2.60 2132 1.36		10 0026 3.02 0704 1.80 TU 1231 2.58 1837 1.49		25 0120 3.37 0754 1.56 WE 1333 2.57 1944 1.41		10 0227 2.89 0936 1.74 FR 1503 2.41 2044 1.70		25 0343 3.40 1030 1.27 SA 1633 2.82 2231 1.32	
11 0243 2.82 0857 1.75 SU 1445 2.89 2106 1.31		26 0154 3.13 0751 1.50 MO 1356 3.02 2037 1.18		11 0432 2.90 1112 1.77 WE 1624 2.51 2225 1.50		26 0424 3.30 1107 1.53 TH 1647 2.64 2258 1.24		11 0140 2.87 0900 1.89 WE 1407 2.40 1958 1.66		26 0243 3.29 0933 1.58 TH 1520 2.53 2127 1.45		11 0351 2.98 1041 1.58 SA 1617 2.58 2206 1.57		26 0446 3.46 1124 1.12 SU 1732 3.05 2332 1.19	
12 0401 2.88 1024 1.75 MO 1548 2.76 2206 1.31		27 0309 3.16 0921 1.59 TU 1511 2.85 2150 1.17		12 0540 3.07 1212 1.59 TH 1733 2.61 2327 1.37		27 0541 3.53 1220 1.29 FR 1806 2.85		12 0334 2.84 1032 1.80 TH 1551 2.41 2142 1.66		27 0411 3.35 1101 1.41 FR 1655 2.71 2252 1.30		12 0452 3.15 1130 1.38 SU 1715 2.81 2307 1.37		27 0538 3.52 1208 0.99 MO 1820 3.27	
13 0514 3.02 1134 1.65 TU 1653 2.72 2303 1.26		28 0432 3.30 1057 1.52 WE 1634 2.78 2303 1.08		13 0627 3.28 1257 1.41 FR 1825 2.77		28 0006 1.04 0637 3.77 SA 1313 1.06 1901 3.10		13 0456 2.98 1136 1.62 FR 1703 2.56 2253 1.51		28 0521 3.53 1201 1.19 SA 1758 2.97 2355 1.09		13 0538 3.34 1213 1.16 MO 1802 3.08 2359 1.16		28 0022 1.09 0621 3.54 TU 1245 0.89 1900 3.44	
14 0608 3.20 1230 1.50 WE 1753 2.75 2355 1.16		29 0548 3.54 1218 1.33 TH 1757 2.85		14 0017 1.20 0704 3.46 SA 1335 1.26 1906 2.93		15 0101 1.02 0738 3.63 SU 1412 1.12 1944 3.10		14 0548 3.19 1221 1.42 SA 1756 2.78 2347 1.30		29 0614 3.70 1247 1.00 SU 1845 3.22		14 0618 3.52 1251 0.95 TU 1845 3.36		29 0107 1.04 0700 3.52 WE 1319 0.82 1937 3.55	
15 0651 3.38 1317 1.36 TH 1844 2.82		30 0010 0.93 0648 3.80 FR 1322 1.11 1903 3.00						15 0629 3.41 1259 1.23 SU 1838 3.01		30 0045 0.93 0657 3.80 MO 1327 0.87 1926 3.40		15 0046 0.98 0657 3.66 WE 1328 0.75 1927 3.61		30 0149 1.02 0736 3.46 TH 1349 0.77 2011 3.63	
		31 0108 0.76 0738 4.01 SA 1415 0.93 1957 3.16								31 0130 0.83 0734 3.83 TU 1400 0.79 2003 3.53					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

URANGAN – QUEENSLAND

LAT 25° 17' S LONG 152° 54' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0229 1.03 FR 1417 0.75 2043 3.66		16 0201 0.84 0747 3.44 SA 1410 0.48 2032 4.08		1 0335 1.15 0854 2.95 MO 1451 0.84 2127 3.58		16 0349 0.78 0921 3.13 TU 1526 0.51 2157 4.15		1 0358 1.09 0915 2.93 WE 1511 0.80 2144 3.60		16 0426 0.65 1002 3.22 TH 1604 0.49 2225 4.08		1 0435 0.89 1010 3.16 SA 1608 0.72 2222 3.65		16 0501 0.70 1100 3.28 SU 1705 0.89 2307 3.50	
2 0307 1.07 0841 3.26 SA 1445 0.77 2114 3.64		17 0256 0.81 0835 3.35 SU 1452 0.49 2119 4.13		2 0414 1.19 0927 2.89 TU 1524 0.89 2159 3.51		17 0444 0.78 1015 3.08 WE 1615 0.60 2246 4.05		2 0431 1.10 0950 2.94 TH 1545 0.82 2215 3.57		17 0508 0.69 1049 3.20 FR 1647 0.64 2307 3.89		2 0506 0.89 1049 3.16 SU 1645 0.83 2254 3.53		17 0531 0.83 1141 3.16 MO 1745 1.17 2343 3.19	
3 0345 1.13 0912 3.13 SU 1514 0.82 2143 3.58		18 0351 0.82 0925 3.21 MO 1536 0.56 2208 4.08		3 0451 1.25 1001 2.83 WE 1558 0.96 2231 3.44		18 0534 0.82 1109 3.02 TH 1703 0.75 2335 3.88		3 0506 1.11 1028 2.94 FR 1622 0.87 2247 3.52		18 0546 0.77 1135 3.13 SA 1731 0.87 2348 3.64		3 0538 0.92 1131 3.13 MO 1724 1.00 2329 3.37		18 0601 0.98 1226 3.02 TU 1831 1.45	
4 0421 1.23 0941 2.98 MO 1543 0.91 2213 3.48		19 0447 0.90 1017 3.05 TU 1621 0.70 2300 3.95		4 0530 1.31 1039 2.77 TH 1634 1.05 2308 3.36		19 0622 0.91 1204 2.95 FR 1754 0.96		4 0541 1.12 1109 2.92 SA 1700 0.96 2323 3.45		19 0624 0.88 1223 3.04 SU 1816 1.14		4 0613 0.98 1221 3.09 TU 1811 1.20		19 0022 2.88 0638 1.15 WE 1323 2.89 1942 1.69	
5 0459 1.34 1013 2.84 TU 1614 1.04 2245 3.36		20 0545 1.00 1115 2.89 WE 1711 0.90 2356 3.78		5 0611 1.36 1124 2.72 FR 1715 1.16 2351 3.28		20 0026 3.67 0709 1.00 SA 1301 2.90 1850 1.18		5 0617 1.14 1155 2.91 SU 1742 1.10		20 0031 3.36 0702 1.00 MO 1316 2.95 1911 1.42		5 0012 3.16 0657 1.05 WE 1320 3.06 1913 1.40		20 0117 2.59 0731 1.32 TH 1445 2.81 2128 1.77	
6 0542 1.46 1048 2.71 WE 1648 1.19 2325 3.22		21 0645 1.10 1222 2.78 TH 1809 1.11		6 0657 1.38 1218 2.69 SA 1802 1.29		21 0118 3.46 0756 1.07 SU 1402 2.88 1957 1.39		6 0003 3.35 0659 1.14 MO 1248 2.90 1832 1.25		21 0119 3.07 0746 1.12 TU 1418 2.89 2026 1.64		6 0110 2.92 0758 1.12 TH 1431 3.08 2037 1.53		21 0246 2.41 0854 1.42 FR 1612 2.86 2256 1.66	
7 0633 1.56 1135 2.58 TH 1729 1.35		22 0056 3.61 0744 1.18 FR 1332 2.73 1919 1.29		7 0042 3.22 0747 1.36 SU 1323 2.70 1902 1.40		22 0213 3.26 0846 1.11 MO 1508 2.90 2114 1.52		7 0051 3.23 0746 1.13 TU 1351 2.94 1937 1.39		22 0217 2.83 0840 1.20 WE 1531 2.89 2159 1.70		7 0229 2.73 0912 1.12 FR 1550 3.19 2214 1.50		22 0416 2.41 1013 1.39 SA 1720 3.01 2358 1.48	
8 0017 3.10 0736 1.61 FR 1245 2.50 1825 1.50		23 0159 3.47 0843 1.20 SA 1445 2.77 2041 1.39		8 0140 3.18 0840 1.28 MO 1432 2.79 2015 1.46		23 0310 3.09 0938 1.12 TU 1615 2.98 2230 1.55		8 0151 3.10 0843 1.09 WE 1459 3.04 2057 1.46		23 0325 2.66 0942 1.23 TH 1646 2.98 2317 1.61		8 0355 2.65 1027 1.03 SA 1710 3.39 2343 1.31		23 0524 2.54 1113 1.26 SU 1809 3.20	
9 0129 3.04 0840 1.57 SA 1409 2.52 1945 1.58		24 0301 3.37 0941 1.17 SU 1555 2.88 2158 1.40		9 0242 3.17 0934 1.16 TU 1538 2.96 2132 1.43		24 0408 2.96 1030 1.09 WE 1717 3.12 2334 1.49		9 0258 2.99 0944 1.01 TH 1610 3.21 2219 1.42		24 0436 2.60 1042 1.20 FR 1746 3.14		9 0521 2.73 1135 0.87 SU 1816 3.67		24 0042 1.30 0613 2.71 MO 1201 1.09 1848 3.37	
10 0241 3.07 0939 1.46 SU 1523 2.66 2109 1.54		25 0400 3.31 1034 1.10 MO 1657 3.05 2302 1.36		10 0342 3.18 1028 1.00 WE 1642 3.20 2244 1.32		25 0504 2.89 1117 1.04 TH 1810 3.27		10 0407 2.93 1045 0.90 FR 1719 3.44 2338 1.28		25 0017 1.45 0540 2.64 SA 1135 1.12 1834 3.30		10 0052 1.06 0632 2.91 MO 1236 0.68 1910 3.92		25 0119 1.14 0652 2.87 TU 1244 0.93 1923 3.52	
11 0343 3.16 1032 1.28 MO 1627 2.88 2219 1.41		26 0454 3.27 1120 1.02 TU 1749 3.23 2357 1.30		11 0440 3.19 1119 0.84 TH 1742 3.47 2349 1.18		26 0030 1.38 0558 2.87 FR 1201 0.98 1853 3.41		11 0518 2.92 1145 0.77 SA 1823 3.70		26 0105 1.30 0631 2.73 SU 1222 1.02 1914 3.43		11 0146 0.83 0728 3.10 TU 1331 0.51 1957 4.10		26 0153 1.00 0728 3.03 WE 1323 0.79 1954 3.64	
12 0437 3.28 1120 1.07 TU 1722 3.15 2319 1.24		27 0542 3.22 1200 0.94 WE 1834 3.38		12 0538 3.20 1209 0.69 FR 1836 3.74		27 0118 1.28 0645 2.87 SA 1243 0.92 1931 3.51		12 0049 1.10 0627 2.97 SU 1242 0.64 1918 3.93		27 0145 1.17 0714 2.83 MO 1304 0.91 1949 3.54		12 0234 0.67 0815 3.26 WE 1420 0.41 2040 4.17		27 0226 0.89 0801 3.17 TH 1400 0.68 2025 3.73	
13 0527 3.39 1203 0.87 WE 1812 3.44		28 0045 1.24 0626 3.18 TH 1237 0.88 1914 3.51		13 0052 1.04 0635 3.20 SA 1259 0.58 1929 3.96		28 0202 1.19 0728 2.89 SU 1322 0.87 2007 3.57		13 0152 0.92 0729 3.05 MO 1337 0.52 2009 4.11		28 0223 1.08 0750 2.92 TU 1344 0.81 2021 3.62		13 0317 0.58 0900 3.35 TH 1505 0.39 2119 4.14		28 0258 0.79 0836 3.29 FR 1438 0.62 2055 3.76	
14 0015 1.08 0614 3.46 TH 1245 0.69 1900 3.72		29 0131 1.19 0706 3.13 FR 1312 0.83 1949 3.59		14 0152 0.92 0732 3.18 SU 1348 0.50 2018 4.11		29 0243 1.13 0806 2.90 MO 1400 0.83 2041 3.60		14 0248 0.77 0824 3.14 TU 1429 0.44 2057 4.20		29 0258 1.01 0824 3.01 WE 1420 0.73 2052 3.68		14 0356 0.56 0942 3.38 FR 1547 0.47 2158 4.00		29 0330 0.71 0912 3.38 SA 1515 0.61 2125 3.74	
15 0109 0.94 0700 3.48 FR 1328 0.55 1945 3.94		30 0215 1.15 0745 3.07 SA 1345 0.81 2024 3.63		15 0252 0.83 0827 3.16 MO 1437 0.48 2108 4.18		30 0321 1.10 0842 2.92 TU 1435 0.81 2113 3.61		15 0339 0.68 0915 3.20 WE 1518 0.43 2142 4.19		30 0331 0.95 0859 3.08 TH 1457 0.68 2122 3.71		15 0430 0.61 1021 3.36 SA 1627 0.65 2233 3.78		30 0400 0.68 0949 3.42 SU 1553 0.67 2156 3.65	
		31 0256 1.14 0820 3.02 SU 1418 0.81 2056 3.62								31 0403 0.91 0933 3.13 FR 1532 0.67 2152 3.70				31 0430 0.70 1029 3.41 MO 1631 0.80 2227 3.48	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

URANGAN – QUEENSLAND

LAT 25° 17' S LONG 152° 54' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0500 0.77 TU 1712 0.99 2301 3.25		16 0506 0.96 WE 1802 1.46 2331 2.73		1 0505 0.86 TH 1806 1.24 2334 2.77		16 0459 1.15 FR 1850 1.58 2345 2.46		1 0105 2.58 SU 1356 3.40 2040 1.26		16 0026 2.49 MO 0607 1.43 1315 2.99 2018 1.50		1 0204 2.80 TU 1428 3.43 2104 1.10		16 0051 2.71 WE 1312 3.14 2009 1.33	
2 0533 0.89 WE 1159 3.26 1800 1.22 2343 2.97		17 0538 1.16 TH 1911 1.67		2 0552 1.08 FR 1921 1.41		17 0539 1.37 SA 2005 1.65		2 0235 2.59 MO 0836 1.31 1507 3.39 2150 1.18		17 0145 2.47 TU 0721 1.55 1423 2.99 2116 1.43		2 0317 2.87 WE 0923 1.35 1527 3.33 2200 1.06		17 0159 2.73 TH 1411 3.08 2103 1.27	
3 0615 1.05 TH 1300 3.17 1907 1.44		18 0019 2.46 FR 0622 1.39 1350 2.80 2049 1.75		3 0050 2.52 SA 0706 1.28 1411 3.23 2051 1.45		18 0109 2.32 SU 0645 1.57 1423 2.84 2118 1.62		3 0358 2.75 TU 0959 1.23 1612 3.44 2251 1.04		18 0303 2.57 WE 0848 1.56 1522 3.05 2211 1.29		3 0428 3.02 TH 1034 1.33 1623 3.25 2253 1.00		18 0310 2.85 FR 0902 1.55 1510 3.06 2159 1.15	
4 0045 2.69 FR 0723 1.21 1417 3.13 2041 1.56		19 0205 2.29 SA 0751 1.57 1526 2.80 2215 1.67		4 0240 2.45 SU 0852 1.33 1533 3.29 2220 1.32		19 0255 2.34 MO 0836 1.62 1537 2.91 2222 1.48		4 0503 2.99 WE 1102 1.09 1707 3.48 2340 0.89		19 0410 2.77 TH 1000 1.45 1615 3.13 2300 1.11		4 0527 3.20 FR 1134 1.28 1716 3.18 2340 0.92		19 0418 3.05 SA 1017 1.47 1610 3.05 2253 1.01	
5 0223 2.49 SA 0857 1.26 1544 3.20 2225 1.46		20 0348 2.33 SU 0937 1.54 1639 2.93 2319 1.49		5 0419 2.61 MO 1019 1.17 1645 3.45 2328 1.09		20 0410 2.50 TU 0957 1.49 1634 3.06 2314 1.30		5 0555 3.24 TH 1156 0.99 1755 3.50		20 0506 3.03 FR 1100 1.30 1702 3.22 2343 0.91		5 0616 3.38 SA 1228 1.22 1806 3.13		20 0520 3.31 SU 1125 1.33 1710 3.06 2346 0.85	
6 0410 2.53 SU 1024 1.14 1704 3.41 2346 1.21		21 0457 2.50 MO 1044 1.38 1730 3.11		6 0528 2.89 TU 1124 0.96 1742 3.63		21 0504 2.74 WE 1054 1.31 1720 3.22 2355 1.09		6 0022 0.77 FR 0639 3.44 1245 0.93 1837 3.47		21 0555 3.32 SA 1154 1.14 1750 3.28		6 0021 0.86 SU 0659 3.53 1316 1.16 1852 3.09		21 0616 3.60 MO 1228 1.17 1810 3.09	
7 0534 2.75 MO 1133 0.92 1805 3.67		22 0004 1.30 TU 0545 2.72 1133 1.18 1812 3.30		7 0017 0.87 WE 0617 3.17 1216 0.78 1829 3.75		22 0548 3.00 TH 1142 1.12 1800 3.36		7 0059 0.69 SA 0717 3.57 1330 0.92 1917 3.40		22 0025 0.73 SU 0640 3.59 1245 1.00 1837 3.32		7 0059 0.81 MO 0737 3.62 1401 1.12 1934 3.05		22 0037 0.69 TU 0708 3.86 1329 1.02 1909 3.13	
8 0043 0.95 TU 0631 3.02 1230 0.69 1854 3.88		23 0042 1.11 WE 0624 2.94 1216 0.99 1846 3.47		8 0100 0.71 TH 0700 3.39 1303 0.68 1910 3.79		23 0031 0.89 FR 0629 3.26 1226 0.96 1836 3.47		8 0131 0.65 SU 0754 3.65 1412 0.94 1954 3.31		23 0106 0.58 MO 0725 3.83 1338 0.89 1925 3.32		8 0134 0.77 TU 0813 3.66 1445 1.10 2014 3.02		23 0128 0.56 WE 0757 4.07 1428 0.89 2006 3.18	
9 0129 0.74 WE 0718 3.25 1320 0.54 1937 4.01		24 0115 0.93 TH 0700 3.16 1257 0.83 1919 3.60		9 0136 0.60 FR 0739 3.54 1347 0.65 1947 3.75		24 0107 0.71 SA 0708 3.51 1311 0.83 1914 3.53		9 0202 0.63 MO 0828 3.68 1454 0.98 2030 3.21		24 0147 0.48 TU 0810 4.00 1431 0.83 2013 3.28		9 0209 0.76 WE 0846 3.66 1527 1.10 2050 2.98		24 0217 0.47 TH 0845 4.20 1525 0.79 2100 3.21	
10 0209 0.60 TH 0800 3.42 1406 0.47 2016 4.02		25 0148 0.77 FR 0735 3.35 1337 0.71 1951 3.68		10 0209 0.56 SA 0815 3.62 1429 0.70 2022 3.64		25 0142 0.56 SU 0747 3.71 1356 0.75 1952 3.53		10 0231 0.65 TU 0900 3.65 1535 1.05 2103 3.08		25 0230 0.44 WE 0856 4.08 1527 0.81 2102 3.20		10 0243 0.78 TH 0918 3.62 1605 1.13 2124 2.94		25 0305 0.43 FR 0933 4.23 1618 0.74 2152 3.22	
11 0246 0.54 FR 0839 3.51 1447 0.49 2052 3.95		26 0220 0.64 SA 0812 3.51 1416 0.64 2024 3.70		11 0239 0.55 SU 0849 3.64 1508 0.79 2055 3.49		26 0217 0.47 MO 0828 3.86 1442 0.73 2030 3.47		11 0301 0.71 WE 0932 3.57 1615 1.13 2135 2.95		26 0314 0.47 TH 0944 4.08 1624 0.83 2155 3.10		11 0315 0.82 FR 0950 3.55 1643 1.18 2157 2.90		26 0354 0.47 SA 1022 4.18 1709 0.74 2244 3.20	
12 0318 0.53 SA 0915 3.53 1527 0.59 2126 3.79		27 0253 0.55 SU 0849 3.63 1458 0.64 2057 3.65		12 0305 0.59 MO 0922 3.60 1545 0.92 2126 3.30		27 0254 0.45 TU 0910 3.92 1530 0.76 2112 3.34		12 0331 0.81 TH 1004 3.46 1656 1.24 2208 2.82		27 0359 0.57 FR 1034 3.99 1721 0.89 2249 2.99		12 0347 0.88 SA 1022 3.48 1719 1.24 2231 2.85		27 0441 0.59 SU 1110 4.04 1756 0.80 2334 3.14	
13 0347 0.58 SU 0951 3.49 1604 0.76 2158 3.56		28 0325 0.52 MO 0929 3.69 1540 0.70 2130 3.52		13 0331 0.66 TU 0954 3.51 1624 1.08 2156 3.09		28 0330 0.50 WE 0954 3.89 1621 0.86 2156 3.15		13 0402 0.94 FR 1038 3.33 1738 1.35 2244 2.70		28 0447 0.73 SA 1129 3.85 1816 0.96 2349 2.88		13 0422 0.97 SU 1057 3.39 1756 1.29 2310 2.80		28 0529 0.79 MO 1159 3.85 1840 0.89	
14 0414 0.66 MO 1025 3.41 1641 0.98 2228 3.30		29 0357 0.57 TU 1009 3.67 1623 0.83 2206 3.32		14 0359 0.78 WE 1026 3.38 1703 1.25 2227 2.87		29 0409 0.63 TH 1043 3.78 1717 1.00 2245 2.93		14 0436 1.09 SA 1118 3.19 1826 1.45 2327 2.58		29 0541 0.93 SU 1227 3.70 1912 1.04		14 0459 1.09 MO 1135 3.30 1835 1.33 2356 2.75		29 0028 3.07 TU 0621 1.04 1249 3.61 1924 0.99	
15 0439 0.79 TU 1100 3.27 1718 1.22 2258 3.02		30 0430 0.68 WE 1054 3.57 1710 1.03 2245 3.06		15 0427 0.95 TH 1100 3.21 1748 1.43 2300 2.66		30 0451 0.83 FR 1139 3.62 1820 1.15 2345 2.72		15 0515 1.26 SU 1210 3.07 1920 1.51		30 0054 2.81 MO 0645 1.14 1327 3.55 2007 1.09		15 0541 1.24 TU 1219 3.22 1919 1.35		30 0125 3.00 WE 0721 1.30 1342 3.37 2011 1.08	
				31 0545 1.05 SA 1245 3.48 1929 1.24								31 0230 2.96 TH 0837 1.51 1438 3.15 2104 1.15			

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ◐ First Quarter ○ Full Moon ◑ Last Quarter

BUNDABERG (BURNETT HEADS) – QUEENSLAND

LAT 24° 46' S LONG 152° 22' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0004 0.66 0640 3.26 TH 1306 0.93 1853 2.54		16 0032 0.96 0719 2.96 FR 1345 1.10 1919 2.40		1 0148 0.55 0815 3.53 SU 1445 0.73 2035 2.76		16 0135 0.79 0805 3.20 MO 1431 0.88 2015 2.71		1 0054 0.75 0716 3.35 SU 1346 0.80 1939 2.76		16 0030 0.99 0659 3.05 MO 1325 0.91 1912 2.69		1 0201 0.72 0802 3.17 WE 1420 0.68 2030 3.04		16 0120 0.75 0727 3.12 TH 1349 0.53 1958 3.21	
2 0059 0.56 0733 3.44 FR 1403 0.80 1951 2.59		17 0113 0.86 0753 3.06 SA 1422 1.02 1958 2.47		2 0233 0.47 0857 3.57 MO 1525 0.68 2116 2.83		17 0211 0.68 0837 3.29 TU 1504 0.79 2050 2.83		2 0140 0.62 0757 3.43 MO 1423 0.71 2018 2.89		17 0110 0.82 0731 3.18 TU 1357 0.77 1948 2.88		2 0237 0.74 0834 3.07 TH 1448 0.68 2101 3.07		17 0204 0.67 0806 3.09 FR 1424 0.46 2038 3.35	
3 0150 0.47 0823 3.55 SA 1455 0.72 2043 2.64		18 0149 0.78 0826 3.14 SU 1456 0.96 2034 2.55		3 0315 0.48 0936 3.51 TU 1602 0.69 2156 2.84		18 0245 0.61 0908 3.33 WE 1535 0.72 2127 2.92		3 0220 0.56 0833 3.43 TU 1457 0.68 2055 2.97		18 0147 0.70 0804 3.27 WE 1429 0.65 2025 3.04		3 0313 0.81 0905 2.94 FR 1515 0.71 2132 3.05		18 0249 0.64 0846 3.00 SA 1500 0.45 2120 3.41	
4 0240 0.44 0911 3.58 SU 1544 0.69 2131 2.66		19 0225 0.70 0900 3.20 MO 1530 0.91 2110 2.61		4 0355 0.57 1013 3.38 WE 1636 0.75 2233 2.81		19 0321 0.60 0941 3.31 TH 1608 0.68 2204 2.97		4 0258 0.58 0907 3.35 WE 1528 0.68 2130 2.99		19 0226 0.62 0838 3.28 TH 1500 0.56 2102 3.17		4 0347 0.91 0935 2.78 SA 1540 0.77 2202 2.99		19 0335 0.69 0929 2.84 SU 1539 0.52 2205 3.38	
5 0327 0.46 0957 3.53 MO 1629 0.72 2216 2.65		20 0300 0.67 0932 3.23 TU 1604 0.88 2146 2.65		5 0432 0.74 1047 3.18 TH 1709 0.84 2309 2.73		20 0359 0.66 1014 3.21 FR 1641 0.70 2243 2.98		5 0334 0.67 0939 3.21 TH 1556 0.72 2202 2.96		20 0305 0.60 0913 3.22 FR 1533 0.54 2142 3.23		5 0422 1.03 1006 2.60 SU 1606 0.87 2233 2.89		20 0425 0.80 1015 2.63 MO 1621 0.66 2255 3.26	
6 0413 0.56 1041 3.40 TU 1712 0.79 2300 2.60		21 0335 0.67 1005 3.22 WE 1639 0.86 2224 2.68		6 0509 0.96 1119 2.94 FR 1739 0.94 2346 2.63		21 0439 0.79 1048 3.03 SA 1715 0.76 2325 2.93		6 0408 0.82 1010 3.02 FR 1623 0.80 2235 2.89		21 0345 0.66 0948 3.07 SA 1607 0.58 2222 3.22		6 0459 1.17 1038 2.41 MO 1634 0.99 2307 2.77		21 0519 0.96 1107 2.41 TU 1709 0.84 2352 3.10	
7 0456 0.73 1124 3.21 WE 1752 0.88 2345 2.52		22 0412 0.72 1040 3.17 TH 1714 0.86 2304 2.68		7 0547 1.19 1153 2.70 SA 1810 1.05		22 0523 0.98 1127 2.80 SU 1753 0.87		7 0443 1.00 1039 2.80 SA 1649 0.89 2307 2.80		22 0430 0.80 1027 2.85 SU 1644 0.69 2307 3.14		7 0540 1.31 1115 2.24 TU 1707 1.14 2348 2.62		22 0624 1.11 1211 2.22 WE 1807 1.04	
8 0540 0.95 1204 3.00 TH 1831 0.99		23 0452 0.83 1115 3.06 FR 1751 0.88 2348 2.66		8 0027 2.53 0634 1.41 SU 1231 2.46 1846 1.16		23 0014 2.85 0615 1.19 MO 1212 2.54 1839 1.01		8 0519 1.19 1110 2.57 SU 1716 1.02 2343 2.67		23 0517 0.99 1110 2.59 MO 1725 0.86 2359 3.00		8 0631 1.44 1201 2.08 WE 1750 1.29		23 0100 2.95 0745 1.20 TH 1332 2.12 1926 1.18	
9 0030 2.44 0627 1.18 FR 1246 2.77 1912 1.08		24 0536 0.99 1155 2.90 SA 1831 0.93		9 0119 2.43 0740 1.58 MO 1322 2.25 1934 1.27		24 0115 2.75 0728 1.39 TU 1315 2.29 1942 1.15		9 0601 1.38 1145 2.35 MO 1749 1.16		24 0615 1.20 1202 2.33 TU 1815 1.05		9 0045 2.49 0746 1.52 TH 1309 1.98 1853 1.41		24 0217 2.86 0915 1.18 FR 1508 2.17 2059 1.22	
10 0123 2.37 0724 1.39 SA 1331 2.56 1956 1.14		25 0038 2.63 0629 1.18 SU 1240 2.71 1918 0.99		10 0237 2.38 0926 1.64 TU 1435 2.10 2043 1.34		25 0237 2.70 0919 1.46 WE 1455 2.14 2113 1.20		10 0027 2.54 0659 1.54 TU 1232 2.14 1834 1.31		25 0104 2.85 0737 1.36 WE 1321 2.12 1929 1.22		10 0208 2.43 0931 1.49 FR 1446 1.98 2022 1.46		25 0333 2.86 1025 1.09 SA 1628 2.33 2219 1.14	
11 0230 2.35 0841 1.52 SU 1426 2.38 2048 1.18		26 0140 2.61 0738 1.35 MO 1339 2.51 2017 1.04		11 0427 2.44 1109 1.54 WE 1611 2.07 2206 1.33		26 0414 2.79 1105 1.33 TH 1648 2.19 2245 1.11		11 0130 2.42 0831 1.63 WE 1346 2.00 1941 1.43		26 0230 2.77 0932 1.36 TH 1515 2.09 2111 1.25		11 0344 2.49 1041 1.35 SA 1617 2.11 2154 1.37		26 0438 2.90 1120 0.97 SU 1727 2.54 2324 1.05	
12 0355 2.40 1012 1.54 MO 1530 2.27 2149 1.18		27 0258 2.65 0914 1.42 TU 1459 2.34 2131 1.05		12 0537 2.60 1207 1.38 TH 1731 2.16 2321 1.23		27 0531 2.99 1215 1.12 FR 1802 2.38 2359 0.93		12 0317 2.39 1037 1.55 TH 1539 1.99 2117 1.45		27 0402 2.83 1100 1.21 FR 1652 2.25 2241 1.14		12 0446 2.64 1127 1.19 SU 1713 2.32 2300 1.22		27 0530 2.93 1203 0.87 MO 1814 2.72	
13 0509 2.54 1127 1.45 TU 1641 2.23 2251 1.14		28 0421 2.79 1051 1.34 WE 1630 2.29 2247 0.97		13 0622 2.77 1249 1.24 FR 1823 2.30		28 0630 3.19 1305 0.94 SA 1855 2.59		13 0456 2.52 1137 1.39 FR 1707 2.12 2247 1.34		28 0514 2.97 1157 1.03 SA 1752 2.48 2348 0.97		13 0531 2.81 1204 1.00 MO 1757 2.55 2351 1.04		28 0015 0.97 0615 2.93 TU 1240 0.79 1854 2.87	
14 0601 2.70 1223 1.32 WE 1745 2.25 2346 1.06		29 0536 3.00 1210 1.17 TH 1754 2.36 2357 0.84		14 0016 1.08 0700 2.93 SA 1326 1.10 1903 2.44		15 0059 0.93 0733 3.08 SU 1359 0.99 1939 2.58		14 0546 2.70 1217 1.23 SA 1756 2.31 2346 1.16		29 0607 3.11 1241 0.88 SU 1839 2.69		14 0611 2.96 1240 0.82 TU 1837 2.79		29 0100 0.92 0653 2.90 WE 1312 0.74 1930 2.98	
15 0643 2.84 1307 1.20 TH 1837 2.32		30 0637 3.22 1311 0.98 FR 1858 2.50						15 0625 2.88 1252 1.07 SU 1835 2.50		30 0039 0.83 0651 3.19 MO 1318 0.78 1919 2.85		15 0037 0.88 0649 3.07 WE 1315 0.66 1917 3.02		30 0140 0.90 0729 2.84 TH 1341 0.71 2003 3.05	
		31 0057 0.68 0729 3.41 SA 1401 0.83 1949 2.64								31 0122 0.75 0729 3.21 TU 1351 0.71 1956 2.97					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

BUNDABERG (BURNETT HEADS) – QUEENSLAND

LAT 24° 46' S LONG 152° 22' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0217 0.90 0802 2.75 FR 1408 0.70 2034 3.08		16 0146 0.73 0739 2.83 SA 1352 0.42 2017 3.45		1 0315 0.97 0849 2.39 MO 1437 0.76 2115 3.01		16 0327 0.64 0915 2.56 TU 1511 0.41 2145 3.52		1 0335 0.91 0911 2.37 WE 1457 0.71 2134 3.02		16 0403 0.53 0954 2.65 TH 1551 0.39 2217 3.45		1 0416 0.72 1004 2.57 SA 1554 0.64 2215 3.03		16 0447 0.57 1054 2.71 SU 1656 0.75 2300 2.88	
2 0253 0.92 0835 2.65 SA 1435 0.72 2105 3.07		17 0238 0.68 0828 2.74 SU 1435 0.42 2104 3.50		2 0350 0.99 0925 2.34 TU 1511 0.80 2148 2.96		17 0419 0.65 1008 2.52 WE 1602 0.49 2236 3.43		2 0410 0.91 0947 2.37 TH 1532 0.73 2207 2.99		17 0446 0.56 1040 2.63 FR 1637 0.53 2300 3.27		2 0449 0.71 1043 2.58 SU 1631 0.74 2247 2.93		17 0520 0.69 1134 2.61 MO 1737 1.00 2335 2.60	
3 0329 0.97 0908 2.54 SU 1503 0.77 2135 3.02		18 0330 0.69 0918 2.63 MO 1520 0.48 2155 3.46		3 0427 1.03 1001 2.29 WE 1545 0.86 2224 2.89		18 0511 0.69 1100 2.48 TH 1654 0.63 2327 3.28		3 0445 0.92 1025 2.37 FR 1609 0.78 2242 2.94		18 0528 0.64 1126 2.58 SA 1722 0.73 2341 3.03		3 0523 0.73 1124 2.57 MO 1713 0.87 2323 2.78		18 0553 0.82 1217 2.49 TU 1824 1.23	
4 0404 1.03 0942 2.42 MO 1532 0.85 2207 2.93		19 0424 0.75 1012 2.50 TU 1609 0.60 2247 3.36		4 0506 1.08 1041 2.24 TH 1623 0.94 2303 2.81		19 0601 0.77 1153 2.43 FR 1746 0.80		4 0521 0.93 1105 2.36 SA 1647 0.87 2317 2.87		19 0608 0.75 1213 2.50 SU 1809 0.98		4 0600 0.78 1211 2.55 TU 1800 1.04		19 0014 2.33 0630 0.96 WE 1310 2.38 1928 1.42	
5 0442 1.12 1016 2.31 TU 1604 0.95 2242 2.82		20 0520 0.85 1109 2.37 WE 1702 0.76 2345 3.20		5 0548 1.13 1125 2.20 FR 1704 1.04 2346 2.74		20 0017 3.09 0652 0.85 SA 1248 2.38 1843 1.00		5 0600 0.93 1150 2.36 SU 1730 0.98 2358 2.78		20 0022 2.77 0648 0.85 MO 1303 2.42 1902 1.22		5 0003 2.59 0643 0.83 WE 1306 2.53 1900 1.20		20 0103 2.09 0718 1.09 TH 1424 2.31 2113 1.49	
6 0523 1.21 1056 2.19 WE 1640 1.07 2322 2.71		21 0622 0.94 1211 2.28 TH 1802 0.93		6 0636 1.15 1215 2.17 SA 1753 1.14		21 0108 2.88 0744 0.92 SU 1350 2.35 1947 1.18		6 0643 0.94 1241 2.36 MO 1821 1.11		21 0105 2.51 0731 0.95 TU 1404 2.37 2014 1.39		6 0055 2.38 0736 0.89 TH 1416 2.54 2025 1.31		21 0217 1.93 0826 1.17 FR 1605 2.36 2259 1.38	
7 0611 1.30 1143 2.10 TH 1723 1.19		22 0045 3.05 0728 1.01 FR 1318 2.24 1911 1.08		7 0036 2.68 0729 1.14 SU 1315 2.19 1852 1.23		22 0200 2.69 0835 0.96 MO 1459 2.38 2101 1.30		7 0042 2.67 0730 0.93 TU 1340 2.40 1924 1.22		22 0158 2.28 0820 1.02 WE 1520 2.38 2147 1.44		7 0210 2.19 0847 0.92 FR 1538 2.64 2210 1.26		22 0400 1.91 0947 1.16 SA 1718 2.49 2355 1.22	
8 0014 2.60 0711 1.36 FR 1242 2.04 1819 1.30		23 0148 2.91 0834 1.03 SA 1433 2.27 2028 1.18		8 0131 2.64 0825 1.08 MO 1422 2.27 2003 1.28		23 0256 2.52 0927 0.97 TU 1610 2.46 2219 1.33		8 0136 2.54 0823 0.90 WE 1448 2.49 2045 1.28		23 0303 2.13 0919 1.05 TH 1642 2.47 2313 1.36		8 0346 2.12 1006 0.86 SA 1657 2.83 2334 1.08		23 0519 2.02 1102 1.06 SU 1806 2.65	
9 0118 2.54 0822 1.34 SA 1356 2.05 1932 1.37		24 0252 2.81 0935 1.00 SU 1547 2.38 2145 1.20		9 0231 2.62 0920 0.98 TU 1530 2.43 2123 1.26		24 0354 2.39 1017 0.96 WE 1714 2.59 2328 1.28		9 0243 2.43 0924 0.85 TH 1600 2.65 2213 1.23		24 0419 2.07 1022 1.04 FR 1743 2.60		9 0515 2.19 1117 0.73 SU 1803 3.06		24 0036 1.06 0608 2.16 MO 1157 0.93 1844 2.80	
10 0230 2.56 0930 1.25 SU 1515 2.16 2056 1.34		25 0350 2.74 1029 0.95 MO 1652 2.53 2253 1.18		10 0332 2.61 1013 0.85 WE 1633 2.65 2235 1.16		25 0452 2.32 1105 0.92 TH 1803 2.72		10 0357 2.35 1026 0.77 FR 1706 2.87 2330 1.09		25 0012 1.23 0530 2.10 SA 1122 0.97 1829 2.73		10 0039 0.87 0624 2.34 MO 1220 0.57 1859 3.28		25 0110 0.93 0647 2.30 TU 1239 0.80 1916 2.93	
11 0335 2.63 1023 1.09 MO 1620 2.36 2209 1.24		26 0445 2.67 1115 0.89 TU 1745 2.68 2350 1.13		11 0431 2.61 1103 0.72 TH 1730 2.89 2340 1.03		26 0023 1.19 0546 2.29 FR 1150 0.88 1845 2.84		11 0510 2.35 1126 0.66 SA 1808 3.09		26 0057 1.09 0623 2.18 SU 1213 0.89 1907 2.85		11 0132 0.68 0719 2.51 TU 1316 0.42 1946 3.44		26 0142 0.82 0722 2.44 WE 1315 0.68 1947 3.04	
12 0430 2.73 1108 0.92 TU 1714 2.61 2310 1.10		27 0533 2.62 1154 0.84 WE 1828 2.82		12 0530 2.61 1151 0.60 FR 1822 3.13		27 0109 1.10 0635 2.29 SA 1230 0.83 1923 2.92		12 0036 0.92 0619 2.39 SU 1224 0.54 1904 3.30		27 0135 0.98 0706 2.26 MO 1256 0.80 1942 2.95		12 0217 0.54 0807 2.65 WE 1406 0.32 2030 3.51		27 0213 0.72 0756 2.56 TH 1350 0.59 2017 3.11	
13 0518 2.81 1149 0.75 WE 1801 2.87		28 0039 1.08 0616 2.57 TH 1229 0.79 1906 2.93		13 0040 0.89 0627 2.60 SA 1240 0.50 1914 3.33		28 0149 1.02 0719 2.31 SU 1309 0.78 1957 2.98		13 0135 0.76 0721 2.47 MO 1320 0.43 1957 3.46		28 0209 0.90 0744 2.35 TU 1333 0.71 2014 3.02		13 0259 0.46 0851 2.75 TH 1451 0.30 2111 3.48		28 0243 0.63 0830 2.66 FR 1425 0.53 2047 3.14	
14 0004 0.96 0605 2.86 TH 1230 0.60 1846 3.11		29 0122 1.04 0658 2.52 FR 1301 0.76 1940 3.00		14 0137 0.77 0724 2.59 SU 1330 0.43 2004 3.47		29 0226 0.96 0759 2.33 MO 1345 0.74 2030 3.01		14 0229 0.63 0816 2.55 TU 1414 0.35 2045 3.55		29 0242 0.83 0818 2.42 WE 1409 0.64 2044 3.08		14 0337 0.44 0933 2.79 FR 1534 0.37 2149 3.36		29 0313 0.57 0904 2.75 SA 1500 0.53 2116 3.11	
15 0056 0.83 0652 2.87 FR 1311 0.48 1931 3.31		30 0201 1.00 0736 2.48 SA 1332 0.74 2013 3.04		15 0232 0.68 0820 2.57 MO 1420 0.40 2055 3.54		30 0301 0.92 0835 2.35 TU 1421 0.72 2101 3.02		15 0317 0.55 0906 2.62 WE 1503 0.33 2132 3.55		30 0313 0.78 0853 2.48 TH 1444 0.60 2115 3.10		15 0414 0.48 1014 2.78 SA 1615 0.53 2226 3.14		30 0343 0.53 0941 2.81 SU 1537 0.57 2147 3.02	
		31 0239 0.97 0813 2.43 SU 1404 0.74 2044 3.04								31 0345 0.74 0929 2.53 FR 1518 0.60 2145 3.09				31 0414 0.54 1018 2.82 MO 1616 0.68 2220 2.86	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

BUNDABERG (BURNETT HEADS) – QUEENSLAND

LAT 24° 46' S LONG 152° 22' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0446 0.59 TU 1100 2.79 1659 0.83 2256 2.65		16 0501 0.82 1135 2.57 WE 1755 1.22 2331 2.18		1 0455 0.68 1130 2.88 TH 1747 1.02 2330 2.23		16 0452 0.99 1143 2.52 FR 1824 1.30 2350 1.97		1 0053 2.08 0651 1.02 SU 1342 2.84 2030 1.06		16 0024 2.01 0603 1.22 MO 1304 2.50 1959 1.27		1 0152 2.28 0751 1.09 TU 1417 2.87 2057 0.95		16 0046 2.21 0626 1.24 WE 1304 2.63 1954 1.14	
2 0523 0.69 1146 2.72 WE 1748 1.02 2338 2.41		17 0535 0.98 1222 2.42 TH 1852 1.38		2 0545 0.86 1234 2.75 FR 1900 1.17		17 0538 1.15 1242 2.40 SA 1936 1.37		2 0223 2.09 0820 1.07 MO 1456 2.83 2145 0.97		17 0134 2.00 0715 1.31 TU 1410 2.49 2105 1.20		2 0309 2.36 0909 1.15 WE 1516 2.76 2156 0.92		17 0150 2.24 0732 1.34 TH 1400 2.57 2050 1.09	
3 0606 0.82 1244 2.63 TH 1852 1.21		18 0020 1.98 0622 1.14 FR 1329 2.31 2026 1.45		3 0043 2.02 0655 1.02 SA 1354 2.68 2043 1.20		18 0059 1.87 0644 1.28 SU 1403 2.35 2114 1.34		3 0349 2.24 0942 1.02 TU 1600 2.86 2245 0.86		18 0254 2.08 0837 1.32 WE 1512 2.53 2201 1.08		3 0421 2.50 1022 1.16 TH 1614 2.67 2248 0.87		18 0302 2.35 0853 1.37 FR 1500 2.53 2146 1.00	
4 0035 2.16 0706 0.96 1400 2.59 2030 1.30		19 0137 1.84 0734 1.26 SA 1512 2.30 2224 1.36		4 0229 1.96 0832 1.07 SU 1521 2.73 2217 1.07		19 0237 1.87 0815 1.32 MO 1530 2.41 2224 1.22		4 0454 2.46 1049 0.94 WE 1657 2.88 2333 0.74		19 0402 2.26 0951 1.25 TH 1607 2.60 2248 0.92		4 0520 2.67 1125 1.12 FR 1708 2.60 2334 0.82		19 0410 2.54 1011 1.30 SA 1603 2.51 2241 0.88	
5 0209 1.99 0833 1.02 SA 1530 2.65 2222 1.20		20 0335 1.85 0911 1.26 SU 1638 2.42 2321 1.21		5 0412 2.11 1001 0.96 MO 1634 2.87 2321 0.88		20 0406 2.01 0943 1.25 TU 1629 2.53 2309 1.06		5 0545 2.66 1145 0.86 TH 1745 2.88		20 0457 2.50 1051 1.13 FR 1656 2.66 2330 0.76		5 0610 2.83 1219 1.07 SA 1758 2.54		20 0509 2.78 1118 1.18 SU 1705 2.51 2331 0.74	
6 0404 2.02 1004 0.93 SU 1651 2.84 2338 0.98		21 0455 2.00 1032 1.15 MO 1729 2.58		6 0517 2.34 1110 0.80 TU 1731 3.01		21 0500 2.22 1044 1.11 WE 1713 2.67 2346 0.89		6 0014 0.65 0630 2.84 FR 1235 0.81 1829 2.84		21 0543 2.75 1145 1.00 SA 1744 2.71		6 0015 0.77 0651 2.95 SU 1307 1.02 1844 2.50		21 0602 3.03 1218 1.03 MO 1805 2.54	
7 0526 2.22 1117 0.76 MO 1754 3.06		22 0000 1.05 0541 2.19 TU 1128 0.99 1806 2.74		7 0009 0.71 0607 2.58 WE 1205 0.66 1819 3.11		22 0541 2.44 1132 0.96 TH 1751 2.79		7 0049 0.59 0709 2.97 SA 1319 0.79 1908 2.78		22 0010 0.61 0627 3.00 SU 1235 0.87 1830 2.73		7 0050 0.73 0729 3.03 MO 1349 0.98 1926 2.48		22 0021 0.61 0653 3.26 TU 1315 0.89 1903 2.58	
8 0032 0.77 0622 2.44 TU 1217 0.58 1845 3.24		23 0034 0.90 0618 2.37 WE 1210 0.84 1840 2.88		8 0049 0.58 0651 2.77 TH 1253 0.57 1900 3.13		23 0020 0.72 0619 2.67 FR 1216 0.82 1828 2.88		8 0121 0.56 0745 3.04 SU 1400 0.80 1945 2.69		23 0050 0.49 0710 3.21 MO 1325 0.76 1917 2.72		8 0124 0.71 0803 3.07 TU 1429 0.95 2005 2.45		23 0111 0.50 0743 3.44 WE 1411 0.77 1959 2.62	
9 0116 0.60 0709 2.64 WE 1308 0.44 1928 3.34		24 0105 0.75 0652 2.55 TH 1248 0.71 1912 2.99		9 0125 0.49 0730 2.91 FR 1335 0.55 1938 3.09		24 0053 0.57 0657 2.89 SA 1259 0.71 1905 2.92		9 0151 0.56 0818 3.07 MO 1439 0.82 2021 2.59		24 0130 0.40 0755 3.36 TU 1415 0.69 2005 2.69		9 0157 0.70 0836 3.07 WE 1506 0.95 2042 2.43		24 0200 0.42 0832 3.56 TH 1503 0.68 2052 2.65	
10 0155 0.48 0750 2.79 TH 1353 0.37 2007 3.36		25 0135 0.62 0727 2.73 FR 1326 0.61 1943 3.06		10 0157 0.45 0806 2.99 SA 1415 0.57 2014 2.99		25 0127 0.45 0734 3.08 SU 1342 0.63 1943 2.91		10 0220 0.58 0851 3.05 TU 1517 0.87 2056 2.49		25 0212 0.37 0841 3.45 WE 1506 0.67 2055 2.62		10 0229 0.71 0908 3.05 TH 1542 0.97 2117 2.40		25 0249 0.38 0922 3.61 FR 1555 0.65 2143 2.67	
11 0230 0.42 0830 2.89 FR 1434 0.38 2044 3.29		26 0205 0.50 0802 2.88 SA 1403 0.55 2015 3.07		11 0226 0.45 0842 3.02 SU 1455 0.65 2047 2.85		26 0200 0.37 0814 3.21 MO 1426 0.60 2022 2.85		11 0249 0.64 0924 2.99 WE 1555 0.94 2130 2.38		26 0256 0.39 0930 3.45 TH 1559 0.69 2147 2.54		11 0301 0.75 0941 3.00 FR 1617 1.00 2152 2.36		26 0339 0.41 1012 3.57 SA 1645 0.66 2233 2.65	
12 0303 0.41 0907 2.92 SA 1514 0.47 2118 3.13		27 0236 0.43 0838 2.99 SU 1442 0.53 2047 3.02		12 0255 0.49 0915 3.00 MO 1532 0.75 2119 2.67		27 0235 0.35 0855 3.28 TU 1512 0.62 2104 2.72		12 0318 0.72 0957 2.90 TH 1632 1.02 2206 2.27		27 0344 0.48 1021 3.39 FR 1654 0.75 2241 2.44		12 0334 0.80 1015 2.93 SA 1654 1.05 2229 2.32		27 0429 0.52 1101 3.45 SU 1733 0.72 2324 2.60	
13 0334 0.46 0944 2.90 SU 1552 0.62 2151 2.92		28 0307 0.40 0916 3.06 MO 1523 0.57 2122 2.89		13 0322 0.57 0948 2.92 TU 1610 0.89 2152 2.48		28 0313 0.39 0939 3.27 WE 1600 0.70 2149 2.56		13 0350 0.83 1032 2.79 FR 1714 1.12 2245 2.17		28 0435 0.61 1116 3.27 SA 1751 0.83 2339 2.35		13 0410 0.88 1051 2.86 SU 1733 1.10 2308 2.28		28 0519 0.69 1150 3.27 MO 1821 0.81	
14 0404 0.55 1020 2.82 MO 1630 0.81 2223 2.67		29 0340 0.43 0956 3.06 TU 1605 0.68 2200 2.70		14 0349 0.69 1022 2.81 WE 1649 1.03 2226 2.30		29 0354 0.51 1028 3.19 TH 1653 0.82 2239 2.37		14 0426 0.96 1114 2.67 SA 1800 1.20 2329 2.08		29 0532 0.78 1215 3.13 SU 1851 0.91		14 0448 0.99 1131 2.78 MO 1815 1.14 2353 2.23		29 0015 2.54 0613 0.91 TU 1240 3.05 1910 0.90	
15 0432 0.67 1056 2.71 TU 1711 1.02 2255 2.42		30 0415 0.52 1040 3.00 WE 1653 0.83 2241 2.47		15 0418 0.83 1059 2.67 TH 1732 1.17 2303 2.12		30 0441 0.67 1124 3.06 FR 1753 0.95 2339 2.19		15 0508 1.09 1204 2.57 SU 1854 1.26		30 0042 2.29 0637 0.96 MO 1315 2.99 1955 0.95		15 0532 1.12 1215 2.70 TU 1901 1.16		30 0113 2.48 0714 1.14 WE 1330 2.82 2000 0.98	
				31 0537 0.86 1229 2.92 SA 1906 1.05										31 0220 2.45 0828 1.32 TH 1426 2.60 2055 1.04	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ◐ First Quarter ○ Full Moon ◑ Last Quarter

GLADSTONE – QUEENSLAND

LAT 23° 49' S LONG 151° 15' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0050 0.85 TH 1348 0.99 1945 3.46		16 0107 1.27 FR 0756 4.02 1417 1.25 2014 3.29		1 0236 0.73 SU 0855 4.65 1519 0.70 2121 3.75		16 0215 1.02 MO 0842 4.30 1503 0.95 2100 3.69		1 0142 0.95 SU 0800 4.47 1420 0.81 2026 3.79		16 0113 1.25 MO 0736 4.13 1357 1.02 1957 3.69		1 0243 0.81 WE 0845 4.24 1459 0.72 2110 4.12		16 0207 0.83 TH 0812 4.18 1431 0.55 2038 4.33	
2 0145 0.74 FR 0812 4.56 1443 0.81 2040 3.53		17 0147 1.14 SA 0830 4.13 1453 1.15 2048 3.38		2 0320 0.62 MO 0936 4.69 1600 0.65 2200 3.83		17 0251 0.85 TU 0914 4.40 1537 0.82 2133 3.83		2 0226 0.76 MO 0839 4.55 1458 0.70 2103 3.93		17 0152 1.01 TU 0811 4.28 1431 0.82 2031 3.91		2 0316 0.83 TH 0915 4.12 1527 0.75 2141 4.16		17 0250 0.69 FR 0850 4.15 1508 0.49 2118 4.50	
3 0238 0.65 SA 0901 4.67 1532 0.69 2130 3.58		18 0225 1.03 SU 0902 4.22 1527 1.06 2121 3.46		3 0400 0.62 TU 1015 4.62 1637 0.68 2239 3.85		18 0328 0.73 WE 0946 4.44 1611 0.73 2207 3.94		3 0304 0.67 TU 0915 4.54 1532 0.67 2137 4.01		18 0231 0.81 WE 0845 4.38 1506 0.65 2106 4.11		3 0349 0.91 FR 0946 3.96 1552 0.83 2211 4.13		18 0333 0.65 SA 0930 4.03 1545 0.52 2200 4.57	
4 0328 0.61 SU 0949 4.70 1618 0.66 2217 3.61		19 0301 0.92 MO 0935 4.28 1601 0.99 2153 3.53		4 0438 0.73 WE 1052 4.46 1711 0.78 2316 3.80		19 0404 0.71 TH 1019 4.41 1645 0.71 2243 4.01		4 0340 0.67 WE 0947 4.45 1604 0.69 2211 4.04		19 0310 0.68 TH 0919 4.39 1540 0.56 2143 4.26		4 0421 1.04 SA 1015 3.74 1613 0.95 2239 4.05		19 0417 0.71 SU 1014 3.82 1621 0.67 2244 4.52	
5 0414 0.66 MO 1036 4.63 1702 0.71 2303 3.59		20 0338 0.86 TU 1008 4.31 1636 0.94 2227 3.59		5 0513 0.94 TH 1127 4.22 1743 0.94 2351 3.70		20 0442 0.78 FR 1052 4.27 1717 0.78 2320 4.01		5 0414 0.78 TH 1018 4.28 1632 0.79 2243 4.01		20 0349 0.64 FR 0954 4.30 1614 0.57 2220 4.34		5 0451 1.23 SU 1045 3.49 1630 1.11 2308 3.91		20 0504 0.88 MO 1100 3.55 1700 0.92 2332 4.35	
6 0458 0.79 TU 1121 4.48 1745 0.83 2347 3.52		21 0415 0.85 WE 1042 4.30 1711 0.93 2302 3.62		6 0545 1.22 FR 1159 3.93 1810 1.13		21 0519 0.96 SA 1128 4.04 1750 0.94		6 0445 0.97 FR 1048 4.04 1658 0.93 2314 3.92		21 0429 0.72 SA 1030 4.10 1647 0.69 2300 4.32		6 0522 1.44 MO 1113 3.23 1649 1.31 2339 3.72		21 0557 1.12 TU 1154 3.26 1743 1.22	
7 0540 1.00 WE 1204 4.25 1825 0.99		22 0451 0.92 TH 1116 4.22 1746 0.96 2341 3.62		7 0027 3.57 SA 0618 1.53 1230 3.60 1837 1.34		22 0001 3.94 SU 0600 1.22 1206 3.73 1824 1.15		7 0515 1.21 SA 1116 3.75 1717 1.11 2343 3.78		22 0510 0.91 SU 1108 3.81 1720 0.91 2344 4.20		7 0558 1.67 TU 1146 2.97 1713 1.53		22 0029 4.13 WE 0700 1.35 1300 3.02 1846 1.51	
8 0031 3.42 TH 0621 1.28 1245 3.98 1904 1.17		23 0530 1.07 FR 1153 4.07 1823 1.05		8 0106 3.41 SU 0701 1.83 1309 3.27 1910 1.55		23 0049 3.82 MO 0650 1.52 1254 3.38 1907 1.38		8 0545 1.48 SU 1145 3.43 1737 1.32		23 0555 1.19 MO 1152 3.47 1755 1.19		8 0020 3.50 WE 0648 1.89 1236 2.74 1750 1.78		23 0138 3.92 TH 0818 1.49 1424 2.92 2021 1.68	
9 0118 3.31 FR 0707 1.56 1328 3.69 1945 1.34		24 0024 3.58 SA 0611 1.28 1233 3.86 1903 1.17		9 0201 3.26 MO 0823 2.07 1404 2.96 2005 1.75		24 0152 3.68 TU 0810 1.78 1404 3.05 2021 1.59		9 0015 3.60 MO 0621 1.77 1218 3.10 1800 1.57		24 0034 4.00 TU 0652 1.50 1249 3.12 1841 1.49		9 0120 3.31 TH 0816 2.01 1357 2.61 1904 2.01		24 0300 3.81 FR 0943 1.46 1556 3.02 2152 1.64	
10 0212 3.22 SA 0810 1.82 1414 3.41 2031 1.47		25 0115 3.54 SU 0702 1.52 1321 3.60 1951 1.29		10 0324 3.19 TU 1018 2.09 1528 2.77 2129 1.85		25 0319 3.62 WE 1002 1.82 1550 2.90 2200 1.64		10 0100 3.39 TU 0720 2.03 1311 2.81 1842 1.83		25 0141 3.79 WE 0817 1.71 1414 2.87 2015 1.73		10 0246 3.24 FR 1003 1.92 1541 2.67 2111 2.03		25 0420 3.85 SA 1059 1.30 1714 3.28 2311 1.47	
11 0319 3.20 SU 0934 1.95 1511 3.16 2129 1.55		26 0220 3.51 MO 0820 1.74 1425 3.33 2059 1.39		11 0507 3.31 WE 1146 1.90 1727 2.80 2250 1.80		26 0458 3.75 TH 1141 1.58 1744 3.04 2335 1.49		11 0210 3.21 WE 0926 2.13 1439 2.62 2015 2.03		26 0311 3.69 TH 1003 1.68 1609 2.88 2203 1.72		11 0417 3.35 SA 1110 1.70 1706 2.92 2243 1.83		26 0527 3.93 SU 1157 1.12 1812 3.56	
12 0439 3.29 MO 1059 1.91 1626 3.02 2231 1.55		27 0342 3.57 TU 1004 1.77 1548 3.13 2216 1.39		12 0612 3.54 TH 1241 1.66 1834 2.99		27 0615 4.03 FR 1248 1.26 1854 3.33		12 0359 3.19 TH 1112 1.96 1655 2.68 2211 2.00		27 0447 3.80 FR 1131 1.43 1741 3.16 2334 1.50		12 0523 3.58 SU 1158 1.44 1759 3.22 2346 1.56		27 0012 1.28 MO 0619 3.99 1242 0.97 1858 3.79	
13 0546 3.48 TU 1206 1.74 1746 3.01 2330 1.49		28 0505 3.77 WE 1136 1.60 1727 3.11 2332 1.29		13 0002 1.64 FR 0657 3.77 1320 1.45 1918 3.19		28 0049 1.21 SA 0713 4.30 1338 0.99 1945 3.60		13 0530 3.40 FR 1207 1.71 1805 2.94 2334 1.78		28 0600 4.03 SA 1230 1.16 1840 3.49		13 0611 3.82 MO 1238 1.17 1841 3.54		28 0100 1.13 TU 0702 3.98 1319 0.89 1936 3.95	
14 0637 3.69 WE 1258 1.55 1847 3.09		29 0618 4.05 TH 1249 1.32 1849 3.25		14 0056 1.43 SA 0734 3.98 1356 1.27 1954 3.37				14 0621 3.66 SA 1246 1.47 1846 3.21		29 0037 1.22 SU 0653 4.21 1315 0.94 1926 3.75		14 0037 1.29 TU 0653 4.01 1316 0.92 1920 3.83		29 0142 1.05 WE 0739 3.93 1352 0.84 2010 4.06	
15 0023 1.39 TH 0719 3.88 1340 1.39 1934 3.20		30 0045 1.12 FR 0718 4.32 1347 1.05 1949 3.44		15 0137 1.22 SU 0809 4.15 1430 1.11 2027 3.53				15 0030 1.52 SU 0700 3.92 1322 1.24 1922 3.46		30 0125 1.00 MO 0736 4.30 1354 0.81 2004 3.92		15 0123 1.04 WE 0733 4.14 1354 0.71 2000 4.10		30 0219 1.01 TH 0814 3.84 1421 0.83 2042 4.14	
		31 0145 0.91 SA 0809 4.53 1436 0.83 2038 3.62								31 0206 0.86 TU 0812 4.30 1428 0.74 2038 4.04					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

GLADSTONE – QUEENSLAND

LAT 23° 49' S LONG 151° 15' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0254 1.00 0847 3.74 FR 1447 0.84 2113 4.17		16 0233 0.75 0828 3.82 SA 1439 0.51 2058 4.61		1 0346 1.13 0936 3.25 MO 1506 1.02 2152 4.04		16 0406 0.62 1002 3.50 TU 1600 0.62 2225 4.65		1 0406 1.06 0957 3.23 WE 1529 0.98 2211 4.05		16 0440 0.48 1042 3.62 TH 1640 0.54 2300 4.56		1 0450 0.80 1045 3.50 SA 1634 0.83 2255 4.06		16 0526 0.63 1138 3.70 SU 1735 0.94 2344 3.86	
2 0328 1.04 0920 3.60 SA 1512 0.90 2143 4.15		17 0321 0.68 0915 3.72 SU 1521 0.55 2144 4.66		2 0419 1.18 1009 3.18 TU 1535 1.08 2224 3.97		17 0456 0.63 1056 3.47 WE 1650 0.73 2317 4.54		2 0440 1.06 1030 3.24 TH 1604 0.99 2244 4.02		17 0523 0.55 1128 3.61 FR 1723 0.71 2343 4.35		2 0523 0.83 1121 3.51 SU 1711 0.95 2328 3.92		17 0556 0.85 1217 3.56 MO 1812 1.27	
3 0400 1.11 0951 3.45 SU 1533 0.99 2212 4.07		18 0411 0.69 1006 3.58 MO 1605 0.68 2233 4.60		3 0454 1.25 1042 3.11 WE 1607 1.17 2300 3.88		18 0545 0.72 1148 3.41 TH 1742 0.90		3 0515 1.07 1104 3.24 FR 1642 1.05 2319 3.96		18 0603 0.69 1213 3.54 SA 1805 0.97		3 0557 0.90 1200 3.49 MO 1748 1.13		18 0018 3.49 0624 1.09 TU 1300 3.39 1856 1.60	
4 0433 1.23 1022 3.27 MO 1555 1.11 2242 3.95		19 0502 0.79 1100 3.42 TU 1653 0.88 2326 4.46		4 0531 1.33 1118 3.04 TH 1643 1.27 2339 3.78		19 0010 4.36 0635 0.85 FR 1243 3.34 1834 1.12		4 0550 1.10 1143 3.23 SA 1720 1.15 2356 3.86		19 0025 4.06 0643 0.88 SU 1300 3.44 1850 1.29		4 0003 3.71 0631 1.02 TU 1246 3.45 1833 1.35		19 0057 3.12 0655 1.33 WE 1353 3.22 2008 1.87	
5 0506 1.37 1053 3.10 TU 1619 1.27 2315 3.79		20 0557 0.94 1157 3.25 WE 1746 1.12		5 0613 1.40 1201 2.98 FR 1724 1.41		20 0102 4.13 0725 1.00 SA 1338 3.29 1930 1.36		5 0629 1.14 1227 3.22 SU 1802 1.30		20 0106 3.72 0723 1.08 MO 1350 3.33 1945 1.59		5 0045 3.45 0714 1.14 WE 1345 3.41 1936 1.58		20 0150 2.80 0747 1.55 TH 1510 3.13 2201 1.91	
6 0544 1.53 1130 2.94 WE 1649 1.44 2356 3.62		21 0024 4.26 0655 1.10 TH 1300 3.14 1851 1.35		6 0023 3.69 0700 1.45 SA 1253 2.96 1816 1.54		21 0154 3.88 0816 1.13 SU 1439 3.26 2037 1.55		6 0036 3.73 0712 1.18 MO 1318 3.22 1853 1.46		21 0151 3.38 0806 1.26 TU 1451 3.25 2102 1.80		6 0141 3.17 0815 1.26 TH 1459 3.43 2116 1.69		21 0316 2.59 0914 1.67 FR 1646 3.20 2336 1.72	
7 0630 1.67 1217 2.81 TH 1730 1.64		22 0128 4.06 0758 1.21 FR 1409 3.10 2004 1.50		7 0115 3.61 0754 1.45 SU 1356 2.99 1925 1.66		22 0248 3.63 0911 1.22 MO 1545 3.30 2151 1.66		7 0124 3.58 0801 1.21 TU 1420 3.27 2002 1.61		22 0245 3.08 0900 1.39 WE 1605 3.26 2233 1.82		7 0302 2.95 0934 1.29 FR 1623 3.57 2256 1.55		22 0514 2.63 1041 1.63 SA 1757 3.41	
8 0048 3.48 0731 1.76 FR 1323 2.74 1832 1.82		23 0233 3.90 0904 1.26 SA 1522 3.16 2120 1.56		8 0213 3.56 0855 1.38 MO 1505 3.11 2047 1.69		23 0345 3.41 1007 1.26 TU 1652 3.41 2305 1.64		8 0221 3.41 0903 1.20 WE 1531 3.39 2136 1.64		23 0400 2.88 1003 1.45 TH 1721 3.38 2351 1.67		8 0443 2.90 1051 1.20 SA 1742 3.83		23 0030 1.48 0620 2.84 SU 1155 1.47 1844 3.63	
9 0156 3.41 0847 1.73 SA 1443 2.79 2011 1.89		24 0339 3.79 1009 1.23 SU 1632 3.32 2234 1.52		9 0315 3.53 0958 1.24 TU 1614 3.33 2214 1.60		24 0448 3.25 1100 1.25 WE 1752 3.57		9 0331 3.27 1008 1.13 TH 1644 3.61 2303 1.51		24 0527 2.84 1107 1.42 FR 1820 3.57		9 0017 1.27 0613 3.05 SU 1206 1.02 1847 4.13		24 0110 1.27 0704 3.04 MO 1245 1.27 1922 3.82	
10 0309 3.45 1000 1.58 SU 1559 2.98 2144 1.79		25 0441 3.71 1108 1.16 MO 1734 3.53 2339 1.44		10 0419 3.53 1055 1.07 WE 1716 3.63 2327 1.42		25 0008 1.54 0550 3.17 TH 1150 1.22 1842 3.74		10 0448 3.19 1112 1.03 FR 1751 3.89		25 0047 1.47 0633 2.93 SA 1207 1.34 1906 3.74		10 0119 0.96 0717 3.27 MO 1314 0.80 1942 4.39		25 0144 1.09 0740 3.22 TU 1325 1.08 1956 3.98	
11 0415 3.57 1058 1.35 MO 1703 3.27 2259 1.58		26 0536 3.64 1158 1.09 TU 1825 3.72		11 0521 3.53 1148 0.90 TH 1813 3.94		26 0100 1.40 0645 3.16 FR 1233 1.17 1924 3.88		11 0016 1.28 0606 3.21 SA 1213 0.90 1851 4.17		26 0131 1.29 0722 3.05 SU 1257 1.23 1945 3.88		11 0210 0.69 0810 3.47 TU 1409 0.59 2030 4.56		26 0215 0.94 0812 3.36 WE 1400 0.91 2027 4.09	
12 0514 3.70 1146 1.10 TU 1757 3.60		27 0032 1.34 0625 3.58 WE 1238 1.03 1907 3.88		12 0030 1.20 0622 3.53 FR 1239 0.75 1905 4.23		27 0145 1.28 0733 3.17 SA 1312 1.12 2000 3.97		12 0121 1.03 0715 3.29 SU 1314 0.77 1945 4.41		27 0208 1.15 0802 3.16 MO 1338 1.11 2019 3.99		12 0255 0.50 0855 3.63 WE 1457 0.44 2113 4.63		27 0245 0.81 0843 3.50 TH 1434 0.76 2057 4.17	
13 0000 1.35 0606 3.81 WE 1232 0.87 1845 3.92		28 0118 1.25 0708 3.51 TH 1313 0.99 1945 4.00		13 0128 0.99 0719 3.53 SA 1329 0.65 1955 4.46		28 0224 1.18 0815 3.20 SU 1346 1.07 2035 4.02		13 0217 0.79 0813 3.40 MO 1412 0.63 2037 4.58		28 0242 1.04 0836 3.24 TU 1415 0.99 2051 4.06		13 0336 0.40 0938 3.74 TH 1539 0.39 2153 4.59		28 0317 0.68 0914 3.62 FR 1510 0.66 2128 4.20	
14 0054 1.11 0654 3.87 TH 1315 0.68 1929 4.22		29 0159 1.18 0748 3.46 FR 1343 0.97 2018 4.07		14 0222 0.81 0815 3.53 SU 1418 0.58 2045 4.61		29 0300 1.12 0851 3.21 MO 1420 1.03 2107 4.05		14 0308 0.61 0905 3.50 TU 1505 0.52 2127 4.67		29 0314 0.96 0908 3.32 WE 1449 0.88 2122 4.12		14 0415 0.39 1018 3.80 FR 1620 0.46 2232 4.45		29 0349 0.60 0947 3.73 SA 1545 0.63 2159 4.16	
15 0145 0.91 0741 3.87 FR 1357 0.56 2013 4.45		30 0236 1.13 0827 3.39 SA 1411 0.97 2050 4.11		15 0315 0.68 0910 3.52 MO 1509 0.57 2134 4.68		30 0333 1.08 0925 3.22 TU 1454 1.00 2138 4.05		15 0355 0.50 0954 3.58 WE 1554 0.48 2214 4.67		30 0345 0.88 0939 3.39 TH 1524 0.81 2152 4.15		15 0451 0.47 1059 3.78 SA 1658 0.65 2309 4.20		30 0421 0.57 1022 3.79 SU 1621 0.69 2230 4.03	
		31 0312 1.12 0902 3.33 SU 1438 0.98 2121 4.09								31 0417 0.82 1011 3.45 FR 1600 0.78 2224 4.14				31 0452 0.63 1058 3.80 MO 1659 0.83 2301 3.82	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

GLADSTONE – QUEENSLAND

LAT 23° 49' S LONG 151° 15' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0524 0.76 1137 3.76 TU 1737 1.05 2337 3.53		16 0525 1.12 1213 3.47 WE 1820 1.58		1 0528 0.98 1208 3.84 TH 1825 1.28		16 0500 1.36 1217 3.36 FR 1845 1.72		1 0145 2.85 0743 1.46 SU 1425 3.78 2100 1.30		16 0106 2.67 0613 1.71 MO 1341 3.33 2026 1.65		1 0243 3.15 0841 1.45 TU 1503 3.84 2130 1.15		16 0126 2.97 0651 1.67 WE 1344 3.50 2021 1.46	
2 0556 0.96 1223 3.65 WE 1824 1.32		17 0011 2.91 0547 1.37 TH 1300 3.25 1920 1.84		2 0017 2.99 0612 1.26 FR 1312 3.66 1940 1.50		17 0030 2.60 0536 1.62 SA 1318 3.19 2011 1.83		2 0314 2.91 0913 1.46 MO 1542 3.79 2217 1.18		17 0221 2.68 0745 1.83 TU 1447 3.33 2137 1.55		2 0356 3.27 0958 1.47 WE 1605 3.71 2233 1.12		17 0233 3.02 0810 1.79 TH 1443 3.42 2125 1.39	
3 0020 3.21 0634 1.18 TH 1321 3.53 1930 1.58		18 0104 2.61 0629 1.65 FR 1411 3.09 2118 1.92		3 0135 2.74 0738 1.50 SA 1435 3.58 2117 1.51		18 0150 2.47 0651 1.86 SU 1441 3.13 2149 1.76		3 0434 3.14 1031 1.33 TU 1649 3.86 2322 1.00		18 0339 2.83 0926 1.78 WE 1552 3.40 2236 1.36		3 0503 3.47 1108 1.41 TH 1705 3.61 2330 1.05		18 0346 3.19 0943 1.77 FR 1546 3.37 2227 1.26	
4 0125 2.89 0741 1.39 FR 1441 3.47 2115 1.67		19 0236 2.44 0810 1.85 SA 1552 3.08 2301 1.75		4 0323 2.71 0925 1.50 SU 1606 3.67 2250 1.30		19 0332 2.53 0915 1.88 MO 1604 3.23 2256 1.55		4 0539 3.44 1138 1.15 WE 1746 3.91		19 0445 3.10 1040 1.61 TH 1650 3.50 2326 1.13		4 0600 3.69 1209 1.32 FR 1800 3.53		19 0454 3.46 1101 1.61 SA 1653 3.36 2323 1.09	
5 0305 2.71 0923 1.45 SA 1615 3.57 2300 1.47		20 0447 2.53 1015 1.78 SU 1717 3.28 2357 1.50		5 0500 2.96 1052 1.30 MO 1721 3.89 2358 1.01		20 0457 2.77 1038 1.68 TU 1706 3.42 2342 1.31		5 0014 0.83 0630 3.70 TH 1231 1.00 1835 3.91		20 0539 3.43 1139 1.39 FR 1744 3.59		5 0017 0.99 0648 3.88 SA 1300 1.22 1850 3.47		20 0553 3.79 1206 1.39 SU 1759 3.38	
6 0500 2.82 1052 1.30 SU 1738 3.85		21 0552 2.80 1129 1.56 MO 1807 3.52		6 0605 3.30 1200 1.03 TU 1820 4.09		21 0545 3.07 1132 1.44 WE 1754 3.63		6 0055 0.72 0712 3.90 FR 1318 0.91 1916 3.85		21 0010 0.90 0626 3.76 SA 1232 1.17 1833 3.66		6 0058 0.95 0730 4.02 SU 1345 1.14 1935 3.42		21 0015 0.92 0645 4.10 MO 1305 1.15 1900 3.43	
7 0015 1.14 0618 3.12 MO 1211 1.04 1840 4.14		22 0034 1.27 0632 3.06 TU 1216 1.32 1845 3.74		7 0046 0.75 0655 3.60 WE 1254 0.80 1907 4.20		22 0020 1.06 0625 3.37 TH 1219 1.20 1834 3.80		7 0131 0.66 0749 4.03 SA 1400 0.87 1955 3.76		22 0052 0.71 0710 4.06 SU 1322 0.97 1921 3.68		7 0133 0.92 0806 4.10 MO 1426 1.09 2016 3.38		22 0106 0.77 0735 4.37 TU 1400 0.94 1956 3.49	
8 0109 0.82 0713 3.42 TU 1310 0.76 1930 4.35		23 0107 1.05 0706 3.30 WE 1256 1.09 1920 3.92		8 0128 0.58 0736 3.81 TH 1339 0.66 1946 4.21		23 0057 0.82 0702 3.66 FR 1302 0.98 1914 3.90		8 0204 0.65 0824 4.11 SU 1439 0.86 2031 3.65		23 0134 0.56 0753 4.31 MO 1411 0.80 2007 3.67		8 0204 0.92 0840 4.14 TU 1503 1.06 2055 3.34		23 0156 0.65 0823 4.58 WE 1452 0.76 2048 3.55	
9 0154 0.58 0757 3.65 WE 1358 0.55 2013 4.46		24 0139 0.85 0738 3.51 TH 1333 0.89 1953 4.05		9 0204 0.48 0814 3.95 FR 1419 0.60 2022 4.14		24 0132 0.62 0740 3.92 SA 1345 0.80 1952 3.93		9 0233 0.68 0857 4.14 MO 1515 0.90 2107 3.52		24 0215 0.49 0836 4.48 TU 1500 0.69 2055 3.62		9 0232 0.94 0913 4.12 WE 1539 1.08 2130 3.29		24 0246 0.56 0912 4.71 TH 1543 0.64 2139 3.60	
10 0233 0.44 0837 3.81 TH 1440 0.44 2050 4.46		25 0212 0.67 0812 3.71 FR 1412 0.73 2026 4.12		10 0237 0.45 0847 4.04 SA 1458 0.61 2056 4.02		25 0208 0.48 0817 4.13 SU 1429 0.67 2030 3.91		10 0300 0.75 0930 4.10 TU 1551 0.98 2142 3.37		25 0258 0.48 0920 4.57 WE 1548 0.66 2143 3.54		10 0300 0.97 0944 4.07 TH 1613 1.12 2202 3.24		25 0337 0.54 1000 4.75 FR 1632 0.59 2230 3.62	
11 0309 0.37 0914 3.91 FR 1519 0.43 2126 4.37		26 0244 0.53 0845 3.88 SA 1449 0.62 2059 4.11		11 0308 0.49 0921 4.08 SU 1534 0.70 2130 3.84		26 0244 0.40 0856 4.29 MO 1512 0.61 2109 3.81		11 0323 0.85 1001 4.01 WE 1626 1.10 2215 3.21		26 0342 0.56 1009 4.57 TH 1639 0.69 2234 3.43		11 0328 1.02 1015 4.00 FR 1646 1.18 2234 3.18		26 0427 0.59 1051 4.70 SA 1720 0.62 2320 3.60	
12 0344 0.39 0950 3.95 SA 1557 0.53 2200 4.18		27 0316 0.44 0921 4.02 SU 1528 0.58 2131 4.03		12 0336 0.58 0955 4.04 MO 1609 0.85 2203 3.61		27 0320 0.41 0936 4.37 TU 1556 0.64 2150 3.66		12 0345 0.98 1033 3.88 TH 1700 1.24 2247 3.04		27 0429 0.70 1100 4.47 FR 1731 0.79 2328 3.31		12 0358 1.09 1049 3.92 SA 1721 1.26 2307 3.11		27 0515 0.73 1142 4.55 SU 1807 0.73	
13 0415 0.48 1026 3.93 SU 1632 0.72 2233 3.92		28 0349 0.44 0958 4.10 MO 1607 0.63 2206 3.86		13 0400 0.73 1028 3.94 TU 1644 1.05 2235 3.35		28 0357 0.53 1019 4.35 WE 1642 0.75 2234 3.44		13 0408 1.13 1107 3.72 FR 1738 1.40 2322 2.89		28 0520 0.91 1156 4.32 SA 1826 0.92		13 0430 1.19 1126 3.82 SU 1758 1.34 2345 3.05		28 0011 3.54 0605 0.95 MO 1233 4.33 1854 0.89	
14 0443 0.65 1101 3.83 MO 1706 0.98 2305 3.60		29 0422 0.53 1036 4.10 TU 1647 0.78 2243 3.61		14 0419 0.92 1100 3.78 WE 1717 1.27 2305 3.08		29 0434 0.73 1107 4.23 TH 1732 0.94 2326 3.19		14 0437 1.31 1147 3.56 SA 1821 1.54		29 0027 3.20 0619 1.13 SU 1257 4.15 1924 1.05		14 0508 1.33 1206 3.71 MO 1838 1.41		29 0104 3.46 0658 1.22 TU 1323 4.06 1943 1.06	
15 0506 0.87 1136 3.67 TU 1741 1.28 2336 3.25		30 0454 0.72 1118 4.00 WE 1732 1.01 2324 3.31		15 0436 1.13 1134 3.57 TH 1755 1.51 2339 2.82		30 0517 1.00 1201 4.06 FR 1830 1.15		15 0006 2.76 0515 1.51 SU 1238 3.42 1916 1.64		30 0132 3.13 0727 1.33 MO 1400 3.98 2025 1.13		15 0030 3.00 0553 1.50 TU 1252 3.60 1925 1.46		30 0202 3.39 0759 1.49 WE 1415 3.76 2034 1.21	
				31 0028 2.97 0616 1.28 SA 1308 3.88 1941 1.29										31 0308 3.37 0915 1.68 TH 1513 3.48 2132 1.32	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

PORT ALMA – QUEENSLAND

LAT 23° 35' S LONG 150° 52' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0115 0.99 TH 0729 5.34 1400 1.22 1942 4.36		16 0145 1.46 FR 0808 4.97 1433 1.52 2010 4.16		1 0253 0.80 SU 0905 5.71 1534 0.91 2115 4.64		16 0235 1.13 MO 0846 5.29 1512 1.16 2053 4.63		1 0200 1.02 SU 0810 5.51 1436 0.98 2023 4.70		16 0133 1.38 MO 0740 5.10 1405 1.19 1952 4.64		1 0256 0.95 WE 0845 5.23 1510 0.89 2107 5.09		16 0218 0.96 TH 0809 5.20 1441 0.64 2034 5.35	
2 0207 0.85 FR 0821 5.57 1455 1.04 2033 4.42		17 0219 1.32 SA 0841 5.08 1505 1.43 2042 4.26		2 0334 0.70 MO 0945 5.74 1613 0.86 2153 4.73		17 0307 0.95 TU 0916 5.41 1544 1.00 2126 4.79		2 0242 0.83 MO 0847 5.59 1513 0.88 2059 4.85		17 0209 1.11 TU 0812 5.30 1439 0.96 2026 4.89		2 0327 1.00 TH 0915 5.11 1535 0.91 2138 5.13		17 0259 0.83 FR 0845 5.16 1517 0.58 2113 5.52	
3 0256 0.75 SA 0911 5.71 1545 0.93 2122 4.46		18 0251 1.19 SU 0911 5.17 1536 1.34 2114 4.35		3 0412 0.71 TU 1021 5.67 1647 0.89 2231 4.75		18 0340 0.84 WE 0946 5.46 1616 0.90 2200 4.90		3 0317 0.76 TU 0918 5.58 1544 0.85 2131 4.95		18 0245 0.91 WE 0844 5.41 1514 0.77 2100 5.11		3 0357 1.10 FR 0944 4.92 1600 0.99 2208 5.09		18 0339 0.82 SA 0924 5.01 1553 0.63 2153 5.57	
4 0343 0.71 SU 0959 5.74 1631 0.91 2209 4.47		19 0323 1.08 MO 0941 5.24 1608 1.25 2146 4.44		4 0447 0.86 WE 1056 5.49 1720 1.00 2310 4.70		19 0414 0.84 TH 1015 5.41 1648 0.88 2234 4.96		4 0351 0.80 WE 0948 5.47 1613 0.87 2205 4.99		19 0319 0.79 TH 0915 5.42 1546 0.67 2135 5.26		4 0424 1.27 SA 1012 4.67 1622 1.13 2235 4.98		19 0420 0.92 SU 1004 4.76 1630 0.82 2238 5.48	
5 0427 0.77 MO 1045 5.67 1715 0.96 2255 4.44		20 0355 1.01 TU 1012 5.28 1641 1.19 2220 4.49		5 0522 1.12 TH 1129 5.20 1750 1.17 2347 4.57		20 0446 0.95 FR 1047 5.26 1720 0.96 2311 4.94		5 0422 0.93 TH 1018 5.28 1639 0.96 2238 4.96		20 0355 0.78 FR 0947 5.31 1619 0.69 2212 5.33		5 0451 1.49 SU 1039 4.38 1645 1.34 2302 4.79		20 0506 1.15 MO 1051 4.42 1710 1.12 2332 5.27	
6 0510 0.93 TU 1129 5.50 1757 1.09 2341 4.35		21 0428 1.02 WE 1042 5.27 1715 1.17 2256 4.51		6 0555 1.47 FR 1200 4.84 1818 1.41		21 0522 1.17 SA 1122 4.99 1754 1.14 2353 4.84		6 0451 1.16 FR 1046 5.00 1703 1.12 2309 4.84		21 0431 0.90 SA 1022 5.08 1652 0.84 2251 5.29		6 0519 1.75 MO 1107 4.05 1708 1.60 2331 4.54		21 0601 1.45 TU 1147 4.04 1759 1.50	
7 0553 1.20 WE 1212 5.23 1839 1.27		22 0502 1.11 TH 1115 5.18 1749 1.20 2334 4.49		7 0024 4.39 SA 0628 1.86 1233 4.43 1845 1.68		22 0602 1.49 SU 1202 4.61 1831 1.41		7 0519 1.46 SA 1114 4.66 1725 1.34 2338 4.65		22 0510 1.15 SU 1100 4.74 1726 1.10 2336 5.12		7 0551 2.04 TU 1140 3.72 1735 1.91		22 0038 5.00 WE 0716 1.72 1303 3.73 1913 1.87	
8 0028 4.22 TH 0637 1.55 1254 4.90 1921 1.48		23 0539 1.30 FR 1151 5.01 1828 1.30		8 0106 4.17 SU 0709 2.26 1312 4.00 1917 1.97		23 0045 4.66 MO 0656 1.88 1255 4.16 1922 1.74		8 0546 1.80 SU 1142 4.27 1746 1.61		23 0555 1.50 MO 1145 4.30 1803 1.46		8 0010 4.25 WE 0636 2.34 1224 3.39 1811 2.24		23 0153 4.78 TH 0843 1.83 1433 3.61 2050 2.04	
9 0118 4.08 FR 0728 1.92 1337 4.54 2008 1.70		24 0018 4.43 SA 0621 1.56 1234 4.75 1913 1.45		9 0206 3.94 MO 0857 2.57 1411 3.60 2015 2.25		24 0201 4.46 TU 0836 2.21 1425 3.74 2100 2.00		9 0010 4.40 MO 0618 2.16 1215 3.85 1813 1.94		24 0035 4.85 TU 0700 1.89 1249 3.84 1900 1.87		9 0116 3.98 TH 0859 2.52 1400 3.17 1915 2.53		24 0313 4.67 FR 1006 1.73 1607 3.76 2222 1.94	
10 0219 3.95 SA 0838 2.23 1429 4.18 2106 1.87		25 0115 4.35 SU 0716 1.88 1329 4.42 2012 1.62		10 0408 3.88 TU 1053 2.53 1622 3.40 2234 2.33		25 0336 4.41 WE 1025 2.17 1615 3.62 2243 1.98		10 0053 4.10 TU 0709 2.52 1302 3.44 1850 2.30		25 0156 4.59 WE 0845 2.11 1432 3.54 2055 2.14		10 0319 3.90 FR 1030 2.33 1626 3.32 2216 2.50		25 0430 4.73 SA 1118 1.50 1721 4.10 2337 1.68	
11 0342 3.93 SU 1007 2.36 1538 3.89 2215 1.94		26 0229 4.30 MO 0848 2.14 1445 4.08 2131 1.72		11 0532 4.09 WE 1207 2.26 1745 3.54 2356 2.15		26 0510 4.61 TH 1154 1.87 1747 3.83		11 0217 3.84 WE 1008 2.61 1517 3.17 2015 2.60		26 0328 4.51 TH 1024 2.01 1621 3.61 2239 2.04		11 0446 4.12 SA 1126 2.02 1723 3.67 2326 2.16		26 0535 4.85 SU 1215 1.27 1816 4.44	
12 0500 4.08 MO 1125 2.27 1658 3.77 2324 1.90		27 0353 4.38 TU 1029 2.12 1615 3.89 2252 1.69		12 0627 4.39 TH 1256 1.97 1836 3.79		27 0007 1.70 FR 0626 4.96 1301 1.49 1853 4.17		12 0446 3.91 TH 1131 2.36 1721 3.39 2319 2.41		27 0458 4.68 FR 1146 1.68 1745 3.96		12 0538 4.43 SU 1210 1.68 1804 4.06		27 0032 1.42 MO 0626 4.93 1259 1.11 1900 4.71	
13 0601 4.33 TU 1226 2.06 1801 3.81		28 0516 4.62 WE 1151 1.89 1739 3.92		13 0048 1.87 FR 0709 4.67 1334 1.72 1915 4.03		28 0111 1.33 SA 0724 5.30 1353 1.17 1943 4.47		13 0549 4.21 FR 1221 2.04 1809 3.72		28 0000 1.70 SA 0609 4.96 1245 1.34 1842 4.35		13 0015 1.79 MO 0618 4.73 1249 1.35 1842 4.43		28 0118 1.27 TU 0707 4.93 1336 1.03 1938 4.90	
14 0021 1.77 WE 0650 4.59 1315 1.84 1852 3.92		29 0006 1.51 TH 0629 4.97 1302 1.58 1849 4.10		14 0128 1.60 SA 0745 4.92 1408 1.51 1948 4.25		15 0202 1.35 SU 0815 5.12 1440 1.33 2021 4.45		14 0016 2.06 SA 0632 4.54 1259 1.73 1845 4.05		29 0057 1.33 SU 0701 5.20 1331 1.09 1927 4.65		14 0057 1.46 TU 0657 4.98 1327 1.06 1919 4.78		29 0158 1.20 WE 0742 4.88 1408 1.00 2012 5.03	
15 0106 1.61 TH 0731 4.81 1357 1.66 1933 4.05		30 0112 1.26 FR 0730 5.31 1401 1.27 1945 4.31						15 0058 1.70 SU 0707 4.85 1332 1.45 1918 4.36		30 0143 1.08 MO 0743 5.31 1410 0.95 2003 4.85		15 0138 1.18 WE 0733 5.14 1404 0.81 1957 5.09		30 0233 1.20 TH 0814 4.78 1436 1.00 2044 5.11	
		31 0206 1.00 SA 0821 5.56 1451 1.04 2032 4.50								31 0222 0.97 TU 0816 5.31 1442 0.90 2036 5.00					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ◐ First Quarter ○ Full Moon ◑ Last Quarter

PORT ALMA – QUEENSLAND

LAT 23° 35' S LONG 150° 52' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0305 1.22 0845 4.66 FR 1501 1.02 2115 5.13		16 0241 0.92 0824 4.78 SA 1452 0.61 2056 5.62		1 0353 1.43 0930 4.09 MO 1530 1.28 2158 4.92		16 0416 0.84 0956 4.36 TU 1615 0.75 2234 5.66		1 0414 1.35 0951 4.07 WE 1554 1.21 2217 4.94		16 0454 0.67 1036 4.48 TH 1653 0.67 2308 5.58		1 0454 1.01 1040 4.37 SA 1646 1.04 2253 4.99		16 0535 0.82 1136 4.57 SU 1746 1.19 2346 4.77	
2 0335 1.28 0916 4.51 SA 1526 1.09 2144 5.08		17 0328 0.87 0909 4.65 SU 1534 0.67 2144 5.66		2 0422 1.49 1002 4.00 TU 1600 1.36 2227 4.83		17 0509 0.86 1049 4.30 WE 1705 0.88 2328 5.54		2 0444 1.34 1025 4.07 TH 1627 1.22 2247 4.91		17 0536 0.74 1124 4.46 FR 1737 0.87 2350 5.35		2 0526 1.03 1115 4.37 SU 1720 1.19 2324 4.83		17 0607 1.08 1218 4.40 MO 1824 1.61	
3 0404 1.39 0946 4.32 SU 1550 1.21 2211 4.97		18 0417 0.92 0958 4.46 MO 1618 0.83 2236 5.57		3 0453 1.57 1036 3.91 WE 1632 1.46 2300 4.72		18 0600 0.95 1145 4.22 TH 1757 1.08		3 0516 1.34 1100 4.06 FR 1700 1.29 2320 4.84		18 0617 0.89 1212 4.38 SA 1821 1.20		3 0600 1.12 1154 4.34 MO 1757 1.41		18 0020 4.31 0636 1.39 TU 1304 4.17 1911 2.03	
4 0432 1.52 1015 4.12 1615 1.37 2238 4.81		19 0510 1.06 1052 4.24 TU 1707 1.07 2334 5.40		4 0530 1.65 1114 3.82 TH 1708 1.59 2338 4.60		19 0020 5.34 0652 1.09 FR 1242 4.14 1852 1.35		4 0553 1.37 1139 4.04 SA 1738 1.42 2356 4.73		19 0032 5.00 0700 1.11 SU 1302 4.26 1910 1.59		4 0000 4.58 0638 1.26 TU 1242 4.27 1843 1.70		19 0059 3.84 0708 1.72 WE 1405 3.95 2045 2.35	
5 0501 1.69 1047 3.90 TU 1643 1.58 2310 4.62		20 0609 1.24 1153 4.03 WE 1804 1.36		5 0612 1.74 1157 3.73 FR 1749 1.76		20 0112 5.08 0745 1.24 SA 1341 4.07 1953 1.64		5 0633 1.41 1223 4.01 SU 1820 1.60		20 0115 4.58 0745 1.36 MO 1358 4.11 2012 1.96		5 0045 4.25 0726 1.45 WE 1347 4.21 1955 1.99		20 0156 3.41 0805 2.03 TH 1545 3.85 2240 2.32	
6 0537 1.88 1122 3.69 WE 1715 1.81 2349 4.40		21 0036 5.19 0714 1.40 TH 1300 3.88 1912 1.63		6 0025 4.48 0705 1.80 SA 1252 3.67 1842 1.93		21 0204 4.77 0842 1.38 SU 1446 4.04 2103 1.87		6 0038 4.57 0720 1.47 MO 1317 4.00 1913 1.82		21 0203 4.15 0837 1.60 TU 1507 4.01 2137 2.19		6 0152 3.89 0842 1.61 TH 1510 4.22 2145 2.07		21 0408 3.19 1018 2.14 FR 1712 4.00 2357 2.06	
7 0623 2.08 1208 3.49 TH 1755 2.06		22 0139 4.98 0821 1.49 FR 1414 3.84 2028 1.81		7 0122 4.39 0810 1.79 SU 1401 3.70 1952 2.06		22 0301 4.46 0942 1.48 MO 1559 4.10 2221 1.96		7 0130 4.38 0818 1.50 TU 1425 4.05 2030 1.99		22 0308 3.77 0944 1.77 WE 1628 4.05 2304 2.17		7 0330 3.64 1010 1.62 FR 1635 4.40 2314 1.86		22 0532 3.35 1143 1.98 SA 1810 4.27	
8 0048 4.20 0741 2.21 FR 1322 3.37 1857 2.28		23 0244 4.79 0929 1.50 SA 1531 3.93 2147 1.85		8 0226 4.34 0917 1.68 MO 1514 3.86 2119 2.06		23 0404 4.21 1043 1.51 TU 1705 4.25 2330 1.92		8 0238 4.18 0929 1.49 WE 1539 4.20 2203 1.98		23 0433 3.57 1059 1.81 TH 1738 4.22		8 0504 3.65 1127 1.47 SA 1752 4.73		23 0046 1.76 0624 3.61 SU 1236 1.72 1855 4.54	
9 0212 4.12 0917 2.13 SA 1500 3.43 2048 2.35		24 0350 4.67 1035 1.43 SU 1643 4.14 2301 1.77		9 0331 4.34 1020 1.49 TU 1622 4.14 2239 1.91		24 0506 4.05 1139 1.49 WE 1802 4.45		9 0354 4.03 1037 1.39 TH 1652 4.46 2322 1.79		24 0013 1.97 0545 3.59 FR 1203 1.73 1833 4.45		9 0030 1.52 0618 3.86 SU 1237 1.22 1857 5.09		24 0124 1.50 0703 3.86 MO 1315 1.46 1931 4.77	
10 0330 4.20 1023 1.89 SU 1616 3.71 2222 2.15		25 0452 4.59 1132 1.33 MO 1742 4.40		10 0435 4.37 1116 1.26 WE 1722 4.49 2345 1.67		25 0030 1.79 0602 3.98 TH 1229 1.45 1852 4.65		10 0509 3.99 1141 1.25 FR 1759 4.78		25 0106 1.73 0639 3.72 SA 1255 1.58 1918 4.66		10 0132 1.16 0717 4.11 MO 1337 0.93 1953 5.40		25 0158 1.30 0737 4.07 TU 1350 1.24 2003 4.94	
11 0432 4.39 1115 1.58 MO 1713 4.08 2326 1.86		26 0002 1.64 0545 4.53 TU 1220 1.25 1830 4.63		11 0534 4.41 1209 1.06 TH 1816 4.86		26 0119 1.64 0651 3.98 FR 1311 1.39 1935 4.81		11 0030 1.52 0616 4.05 SA 1242 1.08 1859 5.11		26 0148 1.52 0722 3.86 SU 1336 1.43 1958 4.82		11 0225 0.86 0807 4.34 TU 1429 0.69 2041 5.60		26 0228 1.15 0808 4.25 WE 1421 1.06 2032 5.07	
12 0525 4.59 1201 1.27 TU 1800 4.48		27 0052 1.53 0631 4.46 WE 1301 1.20 1913 4.82		12 0043 1.41 0630 4.44 FR 1300 0.89 1908 5.18		27 0202 1.52 0734 4.00 SA 1348 1.34 2014 4.90		12 0132 1.24 0715 4.16 SU 1339 0.91 1955 5.39		27 0225 1.38 0800 3.99 MO 1412 1.30 2031 4.93		12 0311 0.66 0852 4.51 WE 1513 0.53 2122 5.68		27 0257 1.00 0838 4.41 TH 1452 0.92 2100 5.16	
13 0018 1.56 0612 4.75 WE 1246 0.99 1845 4.86		28 0136 1.46 0712 4.40 TH 1336 1.17 1951 4.95		13 0138 1.18 0721 4.45 SA 1349 0.77 1959 5.44		28 0241 1.43 0814 4.02 SU 1423 1.30 2048 4.95		13 0230 0.99 0810 4.27 MO 1432 0.75 2047 5.60		28 0257 1.28 0832 4.09 TU 1444 1.17 2101 5.01		13 0351 0.56 0933 4.63 TH 1554 0.50 2200 5.63		28 0326 0.86 0910 4.55 FR 1523 0.83 2128 5.18	
14 0107 1.28 0657 4.84 TH 1330 0.78 1929 5.20		29 0215 1.41 0749 4.33 FR 1407 1.17 2027 5.02		14 0231 1.00 0813 4.44 SU 1437 0.71 2049 5.61		29 0315 1.38 0848 4.04 MO 1454 1.27 2119 4.96		14 0322 0.80 0900 4.37 TU 1522 0.63 2137 5.71		29 0326 1.20 0903 4.19 WE 1513 1.07 2130 5.07		14 0428 0.55 1015 4.69 FR 1632 0.60 2236 5.46		29 0356 0.76 0942 4.65 SA 1555 0.82 2156 5.13	
15 0155 1.07 0740 4.85 FR 1411 0.65 2012 5.46		30 0250 1.38 0825 4.26 SA 1435 1.19 2100 5.04		15 0325 0.88 0903 4.41 MO 1526 0.69 2141 5.68		30 0345 1.37 0920 4.05 TU 1523 1.23 2148 4.95		15 0410 0.69 0948 4.44 WE 1609 0.59 2224 5.71		30 0354 1.12 0934 4.27 TH 1543 0.99 2157 5.10		15 0502 0.64 1055 4.68 SA 1710 0.84 2312 5.17		30 0426 0.73 1015 4.71 SU 1628 0.90 2224 4.98	
		31 0323 1.39 0859 4.17 SU 1503 1.22 2130 5.00								31 0423 1.04 1006 4.34 FR 1615 0.97 2225 5.08				31 0456 0.80 1049 4.71 MO 1701 1.08 2255 4.74	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

PORT ALMA – QUEENSLAND

LAT 23° 35' S LONG 150° 52' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0527 0.96 1128 4.64 TU 1739 1.35 2331 4.40		16 0538 1.41 1212 4.26 WE 1821 2.01		1 0536 1.25 1205 4.68 TH 1829 1.69		16 0524 1.76 1215 4.11 FR 1841 2.21		1 0153 3.54 0811 1.82 SU 1438 4.68 2125 1.60		16 0103 3.31 0640 2.18 MO 1359 4.07 2058 2.09		1 0249 3.91 0906 1.75 TU 1513 4.76 2157 1.38		16 0126 3.67 0715 2.09 WE 1354 4.28 2042 1.83	
2 0600 1.20 1216 4.49 WE 1826 1.69		17 0004 3.63 0602 1.76 TH 1301 3.97 1926 2.36		2 0011 3.71 0628 1.63 FR 1325 4.48 2004 1.93		17 0018 3.24 0600 2.09 SA 1332 3.87 2056 2.33		2 0324 3.63 0939 1.78 MO 1552 4.71 2240 1.40		17 0236 3.31 0822 2.31 TU 1509 4.10 2205 1.90		2 0406 4.07 1023 1.75 WE 1616 4.62 2300 1.31		17 0240 3.72 0838 2.22 TH 1458 4.20 2151 1.72	
3 0015 3.98 0645 1.51 TH 1327 4.32 1947 2.02		18 0054 3.22 0640 2.12 FR 1438 3.76 2203 2.38		3 0148 3.38 0814 1.91 SA 1453 4.42 2144 1.86		18 0158 3.02 0710 2.39 SU 1516 3.84 2219 2.16		3 0445 3.94 1058 1.58 TU 1659 4.81 2342 1.15		18 0400 3.53 1003 2.19 WE 1611 4.21 2258 1.63		3 0513 4.33 1131 1.65 TH 1715 4.51 2356 1.21		18 0355 3.93 1011 2.15 FR 1604 4.18 2252 1.52	
4 0132 3.55 0812 1.80 FR 1458 4.26 2145 2.05		19 0334 2.99 0928 2.39 SA 1632 3.84 2324 2.12		4 0340 3.40 0957 1.85 SU 1618 4.57 2309 1.56		19 0420 3.18 1009 2.33 MO 1634 4.02 2315 1.88		4 0546 4.31 1200 1.34 WE 1755 4.88		19 0500 3.88 1107 1.94 TH 1705 4.37 2345 1.33		4 0609 4.60 1229 1.54 FR 1808 4.43		19 0501 4.27 1120 1.92 SA 1709 4.21 2346 1.29	
5 0334 3.37 1000 1.82 SA 1630 4.43 2316 1.77		20 0511 3.24 1109 2.18 SU 1734 4.12		5 0509 3.74 1120 1.55 MO 1731 4.84		20 0515 3.53 1113 2.03 TU 1725 4.29 2358 1.56		5 0031 0.94 0635 4.62 TH 1251 1.17 1841 4.88		20 0546 4.27 1159 1.66 FR 1753 4.51		5 0043 1.14 0656 4.82 SA 1317 1.45 1854 4.36		20 0558 4.66 1219 1.65 SU 1808 4.28	
6 0512 3.58 1127 1.57 SU 1748 4.77		21 0012 1.80 0559 3.57 MO 1202 1.85 1817 4.42		6 0014 1.18 0611 4.15 TU 1223 1.19 1829 5.09		21 0555 3.89 1200 1.71 WE 1804 4.54		6 0114 0.83 0717 4.85 FR 1336 1.09 1920 4.81		21 0027 1.06 0630 4.66 SA 1246 1.40 1838 4.61		6 0122 1.11 0738 4.98 SU 1401 1.39 1936 4.31		21 0038 1.08 0649 5.04 MO 1315 1.39 1901 4.36	
7 0030 1.36 0621 3.94 MO 1236 1.21 1850 5.13		22 0047 1.51 0634 3.90 TU 1243 1.54 1854 4.68		7 0102 0.87 0659 4.50 WE 1314 0.92 1915 5.22		22 0034 1.25 0630 4.25 TH 1240 1.42 1841 4.75		7 0149 0.79 0754 5.00 SA 1415 1.08 1956 4.71		22 0109 0.83 0712 5.01 SU 1333 1.19 1921 4.64		7 0158 1.10 0815 5.07 MO 1441 1.36 2014 4.26		22 0128 0.89 0739 5.35 TU 1408 1.16 1953 4.43	
8 0124 0.98 0714 4.29 TU 1330 0.88 1941 5.39		23 0119 1.25 0707 4.18 WE 1318 1.27 1926 4.89		8 0145 0.69 0740 4.75 TH 1357 0.79 1952 5.23		23 0110 0.97 0704 4.58 FR 1319 1.18 1915 4.88		8 0220 0.80 0829 5.09 SU 1452 1.12 2030 4.58		23 0150 0.67 0753 5.29 MO 1419 1.03 2004 4.63		8 0229 1.11 0850 5.10 TU 1517 1.36 2050 4.21		23 0216 0.75 0828 5.59 WE 1501 0.99 2042 4.48	
9 0210 0.72 0758 4.54 WE 1416 0.66 2021 5.50		24 0150 1.02 0738 4.43 TH 1352 1.06 1956 5.04		9 0220 0.61 0815 4.91 FR 1435 0.77 2025 5.14		24 0145 0.74 0740 4.87 SA 1358 1.00 1951 4.93		9 0248 0.85 0901 5.11 MO 1526 1.19 2103 4.43		24 0230 0.60 0836 5.48 TU 1506 0.94 2048 4.56		9 0258 1.14 0923 5.07 WE 1550 1.40 2124 4.15		24 0304 0.66 0917 5.73 TH 1553 0.88 2131 4.50	
10 0248 0.57 0836 4.72 TH 1456 0.56 2057 5.49		25 0221 0.82 0810 4.65 FR 1426 0.90 2026 5.12		10 0251 0.60 0848 5.01 SA 1510 0.83 2056 5.00		25 0220 0.58 0815 5.12 SU 1437 0.88 2026 4.89		10 0315 0.94 0934 5.05 TU 1558 1.30 2136 4.25		25 0313 0.61 0921 5.56 WE 1555 0.93 2134 4.44		10 0326 1.20 0953 4.99 TH 1620 1.46 2155 4.08		25 0352 0.64 1009 5.78 FR 1644 0.84 2221 4.49	
11 0323 0.52 0912 4.84 FR 1532 0.59 2128 5.38		26 0253 0.66 0843 4.85 SA 1500 0.80 2056 5.11		11 0319 0.64 0921 5.05 SU 1544 0.95 2127 4.79		26 0255 0.51 0852 5.28 MO 1517 0.85 2102 4.78		11 0341 1.07 1005 4.93 WE 1630 1.45 2208 4.05		26 0355 0.71 1011 5.55 TH 1646 0.99 2225 4.29		11 0354 1.27 1022 4.90 FR 1649 1.53 2227 4.01		26 0440 0.71 1100 5.73 SA 1732 0.87 2314 4.45	
12 0354 0.54 0947 4.89 SA 1607 0.72 2200 5.17		27 0325 0.57 0915 4.99 SU 1535 0.79 2126 5.01		12 0345 0.75 0955 5.00 MO 1615 1.13 2159 4.52		27 0330 0.55 0930 5.35 TU 1559 0.91 2142 4.58		12 0406 1.25 1035 4.75 TH 1700 1.62 2240 3.85		27 0443 0.89 1107 5.44 FR 1742 1.12 2321 4.11		12 0423 1.36 1054 4.80 SA 1721 1.61 2301 3.92		27 0529 0.88 1151 5.58 SU 1821 0.98	
13 0423 0.64 1024 4.86 SU 1641 0.95 2231 4.86		28 0357 0.58 0950 5.06 MO 1611 0.88 2159 4.81		13 0411 0.92 1027 4.86 TU 1646 1.37 2229 4.21		28 0406 0.69 1014 5.30 WE 1644 1.07 2225 4.30		13 0433 1.45 1108 4.56 FR 1734 1.80 2315 3.65		28 0535 1.14 1208 5.28 SA 1842 1.25		13 0456 1.49 1129 4.68 SU 1758 1.70 2340 3.82		28 0007 4.37 0620 1.16 MO 1242 5.33 1912 1.14	
14 0451 0.83 1100 4.74 MO 1713 1.27 2302 4.48		29 0428 0.70 1027 5.03 TU 1648 1.07 2234 4.51		14 0434 1.16 1059 4.65 WE 1717 1.65 2259 3.88		29 0445 0.95 1105 5.15 TH 1736 1.31 2316 3.98		14 0504 1.68 1149 4.35 SA 1819 1.98 2359 3.45		29 0025 3.96 0638 1.41 SU 1309 5.10 1945 1.36		14 0532 1.67 1210 4.54 MO 1842 1.78		29 0104 4.26 0716 1.49 TU 1332 5.01 2004 1.33	
15 0515 1.10 1134 4.53 TU 1745 1.64 2331 4.06		30 0500 0.93 1110 4.90 WE 1730 1.35 2315 4.13		15 0458 1.45 1131 4.39 TH 1751 1.93 2332 3.55		30 0531 1.28 1210 4.93 FR 1844 1.55		15 0544 1.94 1246 4.17 SU 1928 2.11		30 0134 3.88 0748 1.63 MO 1410 4.93 2050 1.40		15 0026 3.73 0616 1.88 TU 1257 4.41 1935 1.85		30 0206 4.18 0823 1.81 WE 1427 4.65 2103 1.50	
				31 0026 3.68 0638 1.62 SA 1324 4.76 2005 1.66								31 0318 4.15 0943 2.02 TH 1529 4.31 2209 1.61			

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ◐ First Quarter ○ Full Moon ◑ Last Quarter

ROSSLYN BAY – QUEENSLAND

LAT 23° 10' S LONG 150° 47' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0050 0.76 TH 1355 1.01 1933 3.63		16 0127 1.20 FR 0759 4.29 1430 1.26 2005 3.42		1 0231 0.63 SU 0845 4.98 1529 0.71 2106 3.88		16 0216 0.93 MO 0836 4.58 1508 0.96 2045 3.83		1 0141 0.87 SU 0750 4.77 1429 0.80 2014 3.93		16 0116 1.17 MO 0732 4.39 1401 0.99 1945 3.85		1 0242 0.83 WE 0835 4.48 1500 0.72 2102 4.31		16 0200 0.84 TH 0757 4.43 1424 0.51 2025 4.54	
2 0143 0.64 FR 0807 4.87 1450 0.83 2026 3.68		17 0201 1.07 SA 0830 4.40 1503 1.16 2037 3.51		2 0315 0.55 MO 0927 5.00 1607 0.67 2147 3.95		17 0248 0.78 TU 0906 4.68 1538 0.83 2119 3.98		2 0223 0.70 MO 0829 4.85 1504 0.71 2050 4.07		17 0150 0.95 TU 0801 4.56 1431 0.80 2017 4.08		2 0315 0.87 TH 0906 4.33 1524 0.75 2134 4.35		17 0243 0.73 FR 0836 4.38 1459 0.44 2107 4.72	
3 0233 0.55 SA 0855 5.00 1541 0.71 2115 3.71		18 0233 0.96 SU 0900 4.49 1535 1.08 2109 3.59		3 0354 0.57 TU 1006 4.92 1643 0.71 2227 3.97		18 0321 0.70 WE 0938 4.72 1609 0.75 2155 4.09		3 0300 0.64 TU 0904 4.82 1536 0.68 2126 4.17		18 0226 0.77 WE 0833 4.65 1502 0.64 2053 4.29		3 0347 0.97 FR 0936 4.13 1547 0.83 2204 4.33		18 0328 0.71 SA 0917 4.23 1535 0.48 2151 4.79	
4 0322 0.52 SU 0942 5.02 1629 0.69 2203 3.71		19 0304 0.86 MO 0931 4.55 1607 1.02 2141 3.66		4 0431 0.71 WE 1043 4.73 1715 0.82 2304 3.93		19 0357 0.70 TH 1011 4.67 1641 0.72 2232 4.16		4 0336 0.68 WE 0938 4.71 1605 0.72 2200 4.20		19 0302 0.68 TH 0907 4.65 1534 0.55 2130 4.45		4 0419 1.12 SA 1004 3.89 1609 0.96 2234 4.24		19 0415 0.79 SU 1002 3.99 1614 0.63 2238 4.74	
5 0407 0.59 MO 1029 4.93 1713 0.74 2249 3.67		20 0336 0.81 TU 1003 4.59 1639 0.97 2215 3.71		5 0507 0.94 TH 1117 4.46 1744 0.97 2343 3.84		20 0432 0.81 FR 1044 4.51 1712 0.78 2311 4.16		5 0409 0.81 TH 1009 4.50 1630 0.81 2233 4.18		20 0341 0.68 FR 0942 4.54 1607 0.55 2211 4.53		5 0450 1.30 SU 1030 3.62 1630 1.14 2302 4.08		20 0507 0.96 MO 1051 3.68 1655 0.88 2330 4.58	
6 0451 0.75 TU 1114 4.75 1754 0.87 2335 3.60		21 0410 0.83 WE 1037 4.56 1712 0.96 2252 3.74		6 0543 1.25 FR 1152 4.12 1814 1.17		21 0511 1.01 SA 1119 4.25 1745 0.91 2354 4.10		6 0440 1.01 FR 1038 4.23 1654 0.95 2305 4.09		21 0421 0.79 SA 1019 4.31 1639 0.66 2252 4.51		6 0524 1.53 MO 1059 3.34 1652 1.36 2335 3.87		21 0605 1.19 TU 1147 3.36 1745 1.20	
7 0534 0.99 WE 1157 4.50 1833 1.03		22 0445 0.92 TH 1112 4.47 1745 0.99 2332 3.73		7 0023 3.70 SA 0624 1.59 1228 3.75 1846 1.40		22 0557 1.29 SU 1200 3.90 1823 1.12		7 0512 1.27 SA 1106 3.91 1716 1.14 2338 3.94		22 0505 1.00 SU 1059 3.98 1714 0.88 2338 4.39		7 0605 1.76 TU 1131 3.07 1718 1.62		22 0029 4.35 WE 0714 1.41 1257 3.09 1855 1.52	
8 0022 3.51 TH 0621 1.29 1241 4.19 1914 1.20		23 0524 1.10 FR 1147 4.30 1822 1.05		8 0111 3.54 SU 0719 1.93 1312 3.36 1929 1.65		23 0045 3.98 MO 0656 1.60 1254 3.51 1916 1.38		8 0546 1.57 SU 1134 3.56 1740 1.38		23 0556 1.28 MO 1145 3.60 1755 1.17		8 0020 3.64 WE 0708 1.99 1228 2.80 1759 1.90		23 0140 4.13 TH 0838 1.52 1433 2.98 2031 1.70	
9 0115 3.41 FR 0715 1.61 1327 3.86 2000 1.37		24 0017 3.71 SA 0610 1.33 1230 4.07 1904 1.15		9 0217 3.38 MO 0851 2.17 1419 3.02 2036 1.87		24 0153 3.84 TU 0824 1.86 1413 3.15 2036 1.61		9 0015 3.73 MO 0630 1.88 1209 3.20 1807 1.67		24 0033 4.19 TU 0701 1.58 1248 3.21 1855 1.51		9 0135 3.43 TH 0843 2.08 1419 2.66 1945 2.14		24 0305 4.03 FR 1009 1.43 1616 3.14 2208 1.63	
10 0216 3.34 SA 0827 1.88 1420 3.54 2056 1.51		25 0111 3.68 SU 0711 1.60 1322 3.77 1958 1.27		10 0350 3.35 TU 1038 2.15 1556 2.84 2213 1.93		25 0324 3.79 WE 1018 1.86 1604 3.00 2217 1.65		10 0107 3.50 TU 0747 2.15 1308 2.85 1855 1.97		25 0144 3.98 WE 0834 1.78 1422 2.94 2030 1.76		10 0314 3.39 FR 1023 1.96 1608 2.78 2153 2.09		25 0426 4.08 SA 1117 1.24 1726 3.44 2321 1.43	
11 0331 3.35 SU 0951 2.00 1524 3.28 2200 1.58		26 0218 3.67 MO 0834 1.80 1430 3.47 2106 1.37		11 0525 3.52 WE 1206 1.93 1734 2.92 2334 1.80		26 0506 3.98 TH 1201 1.57 1748 3.19 2347 1.43		11 0238 3.32 WE 0949 2.21 1512 2.67 2101 2.16		26 0319 3.89 TH 1030 1.69 1629 3.00 2221 1.72		11 0435 3.56 SA 1126 1.69 1719 3.06 2308 1.82		26 0527 4.17 SU 1208 1.05 1815 3.73	
12 0453 3.48 MO 1112 1.95 1637 3.14 2303 1.56		27 0341 3.74 TU 1012 1.83 1555 3.26 2226 1.37		12 0622 3.78 TH 1258 1.66 1833 3.13		27 0616 4.31 FR 1303 1.23 1849 3.48		12 0428 3.38 TH 1133 1.99 1710 2.81 2256 2.03		27 0455 4.05 FR 1152 1.39 1749 3.32 2344 1.44		12 0531 3.82 SU 1208 1.40 1802 3.38 2358 1.52		27 0017 1.24 MO 0615 4.22 1248 0.92 1856 3.96	
13 0558 3.70 TU 1220 1.77 1749 3.14		28 0510 3.97 WE 1147 1.63 1729 3.26 2343 1.24		13 0030 1.58 FR 0702 4.03 1335 1.44 1913 3.33		28 0052 1.13 SA 0707 4.59 1349 0.97 1934 3.73		13 0544 3.63 FR 1225 1.71 1809 3.09 2359 1.74		28 0600 4.30 SA 1244 1.10 1840 3.64		13 0612 4.07 MO 1244 1.13 1837 3.70		28 0103 1.12 TU 0655 4.20 1323 0.85 1932 4.13	
14 0000 1.46 WE 0645 3.94 1313 1.57 1845 3.23		29 0621 4.30 TH 1302 1.32 1843 3.41		14 0110 1.35 SA 0736 4.25 1407 1.25 1945 3.51				14 0628 3.92 SA 1300 1.44 1845 3.36		29 0041 1.15 SU 0647 4.48 1325 0.90 1920 3.89		14 0040 1.25 TU 0646 4.26 1316 0.88 1911 4.00		29 0145 1.07 WE 0731 4.13 1354 0.81 2006 4.27	
15 0047 1.33 TH 0724 4.14 1354 1.39 1929 3.33		30 0049 1.02 FR 0715 4.62 1359 1.04 1937 3.60		15 0144 1.13 SU 0807 4.43 1438 1.10 2015 3.68				15 0041 1.45 SU 0701 4.18 1331 1.21 1915 3.61		30 0126 0.95 MO 0727 4.56 1400 0.79 1956 4.08		15 0119 1.02 WE 0721 4.39 1349 0.67 1946 4.29		30 0223 1.05 TH 0805 4.03 1421 0.81 2039 4.36	
		31 0145 0.80 SA 0802 4.85 1445 0.83 2024 3.76								31 0206 0.85 TU 0802 4.56 1431 0.74 2030 4.22					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Moon Phase Symbols ● New Moon ◐ First Quarter ○ Full Moon ◑ Last Quarter

ROSSLYN BAY – QUEENSLAND

LAT 23° 10' S LONG 150° 47' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0259 1.07 FR 1446 0.83 2111 4.39		16 0229 0.80 SA 0812 4.02 1430 0.43 2047 4.86		1 0355 1.17 MO 0930 3.37 1516 1.02 2155 4.28		16 0414 0.64 TU 0950 3.63 1555 0.53 2219 4.95		1 0414 1.08 WE 0947 3.36 1537 0.93 2210 4.30		16 0448 0.49 TH 1029 3.73 1633 0.49 2251 4.84		1 0450 0.82 SA 1033 3.62 1627 0.82 2247 4.29		16 0527 0.64 SU 1130 3.84 1732 0.98 2335 4.04	
2 0332 1.11 SA 0911 3.74 1511 0.90 2142 4.36		17 0321 0.74 SU 0902 3.89 1514 0.48 2137 4.93		2 0429 1.22 TU 1002 3.29 1545 1.09 2227 4.19		17 0506 0.65 WE 1045 3.57 1645 0.66 2312 4.83		2 0445 1.08 TH 1020 3.36 1609 0.96 2242 4.26		17 0530 0.56 FR 1117 3.71 1718 0.69 2335 4.60		2 0520 0.83 SU 1111 3.63 1702 0.97 2318 4.13		17 0558 0.86 MO 1213 3.70 1815 1.33	
3 0405 1.18 SU 0942 3.56 1535 1.00 2211 4.28		18 0415 0.75 MO 0955 3.72 1600 0.61 2229 4.87		3 0502 1.28 WE 1035 3.22 1617 1.18 2300 4.09		18 0557 0.73 TH 1139 3.49 1738 0.86		3 0518 1.09 FR 1055 3.35 1643 1.03 2315 4.18		18 0611 0.70 SA 1205 3.65 1804 0.97		3 0552 0.89 MO 1151 3.62 1743 1.17 2355 3.90		18 0012 3.63 TU 0631 1.11 1301 3.53 1911 1.68	
4 0438 1.30 MO 1012 3.38 1600 1.14 2241 4.14		19 0511 0.84 TU 1050 3.52 1649 0.83 2323 4.72		4 0539 1.36 TH 1112 3.14 1653 1.29 2339 3.99		19 0004 4.62 FR 0647 0.86 1236 3.42 1833 1.11		4 0553 1.12 SA 1134 3.34 1720 1.16 2352 4.08		19 0018 4.28 SU 0651 0.88 1255 3.55 1855 1.31		4 0630 0.98 TU 1240 3.59 1835 1.42		19 0057 3.21 WE 0713 1.39 1404 3.37 2035 1.94	
5 0513 1.44 TU 1043 3.21 1627 1.31 2314 3.97		20 0608 0.98 WE 1149 3.34 1745 1.09		5 0621 1.44 FR 1156 3.08 1735 1.45		20 0057 4.36 SA 0738 1.00 1336 3.37 1936 1.36		5 0631 1.15 SU 1219 3.33 1805 1.33		20 0102 3.90 MO 0733 1.08 1350 3.46 1959 1.63		5 0041 3.61 WE 0716 1.10 1341 3.57 1949 1.65		20 0203 2.84 TH 0819 1.64 1528 3.29 2221 1.95	
6 0552 1.59 WE 1120 3.04 1700 1.51 2358 3.79		21 0021 4.50 TH 0710 1.13 1256 3.20 1852 1.34		6 0025 3.88 SA 0710 1.48 1251 3.04 1831 1.61		21 0151 4.08 SU 0831 1.12 1443 3.37 2048 1.57		6 0033 3.93 MO 0715 1.17 1313 3.34 1902 1.52		21 0153 3.51 TU 0824 1.27 1457 3.40 2120 1.83		6 0145 3.30 TH 0821 1.23 1456 3.59 2125 1.73		21 0340 2.66 FR 0955 1.73 1700 3.41 2353 1.72	
7 0645 1.74 TH 1213 2.88 1745 1.73		22 0126 4.29 FR 0816 1.22 1415 3.17 2012 1.51		7 0117 3.79 SU 0805 1.46 1357 3.07 1945 1.72		22 0247 3.80 MO 0928 1.19 1552 3.44 2204 1.66		7 0123 3.76 TU 0806 1.18 1415 3.40 2018 1.66		22 0255 3.18 WE 0927 1.42 1616 3.44 2247 1.84		7 0310 3.06 FR 0941 1.27 1624 3.75 2305 1.58		22 0519 2.74 SA 1116 1.62 1803 3.65	
8 0056 3.63 FR 0750 1.82 1329 2.80 1901 1.92		23 0234 4.11 SA 0925 1.23 1535 3.27 2134 1.56		8 0216 3.73 MO 0904 1.37 1507 3.22 2105 1.73		23 0347 3.56 TU 1024 1.22 1700 3.59 2315 1.65		8 0223 3.57 WE 0906 1.16 1527 3.54 2143 1.68		23 0411 2.98 TH 1035 1.46 1731 3.60		8 0447 3.02 SA 1101 1.17 1745 4.06		23 0045 1.46 SU 0618 2.96 1214 1.41 1845 3.89	
9 0210 3.57 SA 0907 1.76 1459 2.86 2043 1.95		24 0342 3.99 SU 1027 1.18 1645 3.47 2246 1.51		9 0317 3.71 TU 1002 1.21 1613 3.47 2220 1.62		24 0450 3.39 WE 1117 1.21 1759 3.78		9 0332 3.42 TH 1010 1.09 1639 3.78 2304 1.54		24 0004 1.67 FR 0530 2.95 1138 1.41 1826 3.81		9 0029 1.26 SU 0609 3.19 1214 0.95 1845 4.41		24 0121 1.23 MO 0657 3.17 1255 1.19 1920 4.09	
10 0322 3.62 SU 1014 1.57 1613 3.09 2206 1.81		25 0442 3.91 MO 1120 1.10 1741 3.70 2346 1.43		10 0416 3.71 WE 1056 1.02 1712 3.79 2326 1.44		25 0018 1.55 TH 0549 3.31 1206 1.17 1845 3.97		10 0446 3.34 FR 1114 0.98 1748 4.09		25 0100 1.46 SA 0629 3.05 1230 1.29 1908 4.00		10 0129 0.93 MO 0707 3.41 1313 0.70 1933 4.70		25 0152 1.05 TU 0729 3.35 1329 0.99 1951 4.25	
11 0423 3.76 MO 1106 1.32 1709 3.41 2309 1.58		26 0533 3.83 TU 1204 1.03 1828 3.91		11 0514 3.72 TH 1145 0.84 1806 4.13		26 0111 1.42 FR 0641 3.29 1249 1.12 1925 4.12		11 0019 1.31 SA 0559 3.36 1215 0.83 1847 4.42		26 0143 1.27 SU 0714 3.17 1314 1.15 1944 4.15		11 0217 0.66 TU 0755 3.62 1404 0.48 2018 4.88		26 0221 0.91 WE 0759 3.51 1400 0.82 2020 4.36	
12 0513 3.91 TU 1149 1.05 1755 3.76		27 0039 1.35 WE 0619 3.75 1243 0.98 1907 4.09		12 0027 1.23 FR 0610 3.72 1234 0.68 1857 4.45		27 0156 1.29 SA 0726 3.30 1328 1.07 2001 4.23		12 0126 1.04 SU 0703 3.45 1313 0.67 1940 4.70		27 0218 1.13 MO 0751 3.28 1349 1.02 2016 4.26		12 0300 0.48 WE 0840 3.77 1450 0.35 2101 4.95		27 0249 0.79 TH 0829 3.64 1431 0.70 2048 4.44	
13 0000 1.34 WE 0558 4.03 1230 0.81 1836 4.10		28 0125 1.28 TH 0701 3.67 1317 0.95 1944 4.23		13 0125 1.02 SA 0705 3.72 1323 0.56 1946 4.72		28 0234 1.19 SU 0806 3.32 1402 1.02 2035 4.29		13 0223 0.80 MO 0759 3.56 1407 0.52 2029 4.90		28 0250 1.03 TU 0824 3.37 1421 0.90 2047 4.34		13 0342 0.39 TH 0923 3.88 1533 0.34 2143 4.89		28 0317 0.68 FR 0900 3.77 1502 0.63 2117 4.45	
14 0049 1.12 TH 0641 4.09 1308 0.61 1917 4.42		29 0207 1.22 FR 0742 3.60 1348 0.93 2018 4.32		14 0223 0.84 SU 0800 3.70 1413 0.49 2036 4.90		29 0309 1.13 MO 0842 3.34 1435 0.98 2108 4.31		14 0315 0.61 TU 0850 3.65 1459 0.42 2117 5.00		29 0320 0.95 WE 0855 3.45 1452 0.81 2117 4.39		14 0419 0.39 FR 1006 3.93 1615 0.44 2222 4.70		29 0346 0.60 SA 0933 3.87 1536 0.63 2146 4.39	
15 0138 0.93 FR 0725 4.09 1348 0.48 2001 4.69		30 0245 1.18 SA 0819 3.53 1418 0.94 2052 4.35		15 0319 0.71 MO 0856 3.68 1503 0.48 2128 4.98		30 0342 1.09 TU 0915 3.35 1506 0.95 2139 4.31		15 0403 0.50 WE 0940 3.71 1547 0.40 2205 4.98		30 0350 0.89 TH 0926 3.53 1522 0.75 2147 4.41		15 0455 0.48 SA 1048 3.91 1653 0.67 2300 4.41		30 0415 0.58 SU 1009 3.94 1611 0.72 2216 4.24	
		31 0321 1.16 SU 0856 3.45 1448 0.97 2124 4.33								31 0420 0.84 FR 0959 3.58 1554 0.75 2216 4.39				31 0445 0.62 MO 1046 3.95 1647 0.89 2248 4.00	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Moon Phase Symbols ● New Moon ◐ First Quarter ○ Full Moon ◑ Last Quarter

ROSSLYN BAY – QUEENSLAND

LAT 23° 10' S LONG 150° 47' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER				
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	
1 0515 0.74 1128 3.91 TU 1729 1.13 2324 3.69		16 0529 1.16 1214 3.62 WE 1831 1.68		1 0523 0.96 1205 4.03 TH 1831 1.38		16 0511 1.46 1224 3.51 FR 1907 1.80		1 0151 2.90 0752 1.48 SU 1429 4.00 2125 1.28		16 0112 2.73 0644 1.82 MO 1355 3.49 2047 1.68		1 0254 3.25 0854 1.46 TU 1505 4.04 2150 1.10		16 0126 3.05 0710 1.76 WE 1346 3.67 2034 1.47		
2 0549 0.92 1216 3.82 WE 1823 1.41		17 0001 2.98 0600 1.46 TH 1311 3.39 1948 1.93		2 0013 3.06 0620 1.27 FR 1315 3.85 1957 1.56		17 0027 2.64 0556 1.75 SA 1337 3.33 2037 1.89		2 0333 3.01 0928 1.46 MO 1547 4.02 2239 1.10		17 0240 2.76 0823 1.90 TU 1503 3.51 2155 1.53		2 0410 3.42 1011 1.46 WE 1607 3.92 2248 1.04		17 0239 3.12 0832 1.86 TH 1446 3.58 2134 1.38		
3 0014 3.33 0638 1.16 TH 1320 3.70 1944 1.66		18 0108 2.64 0656 1.77 FR 1434 3.23 2142 1.97		3 0142 2.79 0752 1.52 SA 1442 3.77 2143 1.52		18 0214 2.51 0747 1.97 SU 1504 3.30 2210 1.76		3 0451 3.30 1045 1.29 TU 1653 4.11 2335 0.89		18 0358 2.96 0949 1.81 WE 1603 3.59 2248 1.31		3 0515 3.66 1118 1.40 TH 1705 3.81 2339 0.97		18 0349 3.32 0954 1.81 FR 1548 3.54 2230 1.22		
4 0130 2.97 0754 1.39 FR 1445 3.64 2131 1.71		19 0307 2.49 0903 1.94 SA 1613 3.28 2321 1.75		4 0344 2.81 0940 1.51 SU 1615 3.91 2313 1.23		19 0400 2.64 0946 1.91 MO 1620 3.45 2312 1.52		4 0546 3.62 1145 1.11 WE 1745 4.16		19 0457 3.26 1052 1.61 TH 1655 3.71 2331 1.07		4 0607 3.91 1216 1.32 FR 1758 3.71		19 0454 3.62 1104 1.65 SA 1649 3.53 2324 1.04		
5 0318 2.79 0935 1.46 SA 1623 3.78 2321 1.45		20 0500 2.66 1045 1.79 SU 1726 3.52		5 0514 3.12 1105 1.25 MO 1724 4.16		20 0510 2.93 1056 1.67 TU 1715 3.67 2353 1.24		5 0020 0.74 0630 3.90 TH 1236 0.98 1830 4.14		20 0544 3.60 1144 1.39 FR 1740 3.80		5 0023 0.91 0651 4.11 SA 1308 1.24 1845 3.63		20 0550 3.96 1206 1.43 SU 1748 3.56		
6 0510 2.96 1107 1.27 SU 1741 4.11		21 0011 1.47 0555 2.94 MO 1144 1.52 1811 3.78		6 0010 0.92 0608 3.47 TU 1206 0.96 1816 4.38		21 0552 3.25 1144 1.40 WE 1756 3.88		6 0058 0.64 0710 4.11 FR 1321 0.92 1909 4.06		21 0011 0.84 0623 3.94 SA 1231 1.18 1822 3.86		6 0102 0.88 0730 4.27 SU 1354 1.18 1928 3.57		21 0014 0.86 0640 4.31 MO 1304 1.20 1845 3.61		
7 0030 1.08 0616 3.28 MO 1215 0.96 1836 4.43		22 0045 1.22 0630 3.22 TU 1225 1.25 1845 4.01		7 0054 0.67 0651 3.77 WE 1255 0.75 1859 4.48		22 0027 0.99 0626 3.56 TH 1224 1.16 1831 4.04		7 0132 0.60 0745 4.26 SA 1403 0.90 1946 3.94		22 0048 0.64 0701 4.26 SU 1318 1.00 1905 3.88		7 0137 0.86 0805 4.36 MO 1435 1.13 2007 3.51		22 0102 0.69 0727 4.62 TU 1401 0.98 1940 3.67		
8 0118 0.76 0704 3.57 TU 1309 0.67 1921 4.66		23 0115 0.99 0700 3.46 WE 1300 1.02 1915 4.19		8 0131 0.52 0729 3.99 TH 1338 0.63 1936 4.48		23 0059 0.76 0658 3.84 FR 1301 0.96 1903 4.14		8 0202 0.60 0820 4.35 SU 1443 0.92 2022 3.80		23 0127 0.49 0742 4.53 MO 1406 0.86 1949 3.86		8 0209 0.87 0839 4.40 TU 1513 1.11 2045 3.46		23 0152 0.55 0815 4.87 WE 1456 0.80 2032 3.72		
9 0159 0.54 0745 3.80 WE 1354 0.48 2001 4.76		24 0143 0.80 0730 3.68 TH 1332 0.83 1945 4.31		9 0205 0.44 0804 4.15 FR 1418 0.61 2012 4.38		24 0130 0.57 0730 4.10 SA 1340 0.81 1937 4.16		9 0230 0.65 0854 4.38 MO 1520 0.97 2057 3.65		24 0206 0.41 0825 4.74 TU 1458 0.76 2038 3.79		9 0240 0.89 0913 4.39 WE 1546 1.12 2119 3.41		24 0241 0.47 0903 5.02 TH 1549 0.67 2125 3.74		
10 0236 0.41 0824 3.97 TH 1436 0.40 2039 4.75		25 0211 0.64 0800 3.88 FR 1406 0.70 2014 4.36		10 0236 0.43 0840 4.25 SA 1457 0.66 2045 4.22		25 0200 0.43 0804 4.34 SU 1421 0.72 2013 4.12		10 0258 0.73 0927 4.34 TU 1556 1.06 2130 3.48		25 0249 0.41 0912 4.84 WE 1551 0.73 2129 3.68		10 0309 0.94 0945 4.34 TH 1619 1.16 2152 3.35		25 0331 0.45 0954 5.07 FR 1640 0.62 2216 3.73		
11 0311 0.36 0901 4.08 FR 1515 0.43 2115 4.62		26 0240 0.51 0831 4.06 SA 1441 0.63 2044 4.35		11 0304 0.48 0915 4.29 SU 1533 0.77 2118 4.00		26 0233 0.35 0843 4.51 MO 1504 0.68 2051 4.00		11 0324 0.85 1000 4.24 WE 1630 1.17 2202 3.31		26 0334 0.50 1002 4.84 TH 1645 0.76 2222 3.54		11 0339 1.00 1016 4.25 FR 1652 1.22 2224 3.29		26 0421 0.53 1045 5.00 SA 1730 0.66 2309 3.69		
12 0343 0.39 0940 4.13 SA 1552 0.56 2149 4.39		27 0309 0.42 0907 4.20 SU 1518 0.62 2115 4.24		12 0330 0.58 0948 4.25 MO 1608 0.93 2149 3.73		27 0309 0.37 0925 4.60 TU 1551 0.73 2134 3.80		12 0351 1.00 1032 4.10 TH 1706 1.31 2235 3.14		27 0424 0.66 1056 4.74 FR 1741 0.85 2319 3.39		12 0408 1.09 1050 4.15 SA 1727 1.30 2258 3.22		27 0511 0.69 1136 4.83 SU 1817 0.76		
13 0412 0.49 1017 4.10 SU 1629 0.78 2221 4.09		28 0339 0.42 0945 4.28 MO 1558 0.71 2150 4.04		13 0354 0.73 1022 4.14 TU 1644 1.13 2219 3.45		28 0346 0.49 1011 4.58 WE 1642 0.85 2222 3.55		13 0419 1.18 1108 3.92 FR 1745 1.46 2313 2.97		28 0518 0.88 1153 4.58 SA 1839 0.97		13 0441 1.21 1126 4.04 SU 1804 1.38 2337 3.14		28 0002 3.62 0603 0.94 MO 1228 4.58 1905 0.91		
14 0438 0.66 1054 4.00 MO 1704 1.05 2252 3.73		29 0411 0.51 1025 4.28 TU 1640 0.88 2228 3.76		14 0418 0.94 1056 3.97 WE 1720 1.36 2250 3.16		29 0428 0.70 1102 4.46 TH 1738 1.03 2317 3.27		14 0451 1.38 1151 3.74 SA 1834 1.61		29 0021 3.26 0620 1.13 SU 1254 4.39 1940 1.07		14 0518 1.38 1206 3.91 MO 1847 1.46		29 0100 3.54 0701 1.24 TU 1319 4.28 1956 1.06		
15 0503 0.89 1131 3.84 TU 1743 1.36 2324 3.35		30 0444 0.69 1111 4.19 WE 1729 1.11 2312 3.42		15 0443 1.19 1133 3.75 TH 1805 1.60 2328 2.89		30 0516 0.99 1201 4.28 FR 1844 1.22		15 0001 2.82 0534 1.61 SU 1246 3.58 1935 1.70		30 0133 3.19 0732 1.34 MO 1400 4.20 2045 1.12		15 0025 3.07 0605 1.57 TU 1253 3.78 1938 1.50		30 0203 3.49 0810 1.52 WE 1415 3.94 2051 1.20		
				31 0023 3.03 0622 1.28 SA 1309 4.09 2000 1.32									31 0315 3.50 0930 1.70 TH 1515 3.64 2152 1.29			

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Moon Phase Symbols ● New Moon ◐ First Quarter ○ Full Moon ◑ Last Quarter

HAY POINT – QUEENSLAND

LAT 21° 16' S LONG 149° 18' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0241 0.94 0904 6.47 TH 1541 1.28 2122 5.16		16 0314 1.48 0940 5.96 FR 1613 1.65 2153 4.81		1 0422 0.77 1032 6.88 SU 1712 0.92 2256 5.48		16 0402 1.18 1015 6.33 MO 1648 1.32 2231 5.36		1 0330 1.00 0937 6.68 SU 1613 0.94 2201 5.62		16 0300 1.43 0911 6.15 MO 1543 1.30 2130 5.45		1 0429 1.07 1021 6.24 WE 1645 0.90 2244 6.02		16 0350 1.07 0944 6.22 TH 1612 0.70 2214 6.33	
2 0334 0.80 0955 6.74 FR 1634 1.08 2215 5.21		17 0347 1.36 1011 6.07 SA 1645 1.59 2223 4.88		2 0504 0.70 1113 6.90 MO 1749 0.90 2335 5.55		17 0437 1.01 1046 6.46 TU 1719 1.19 2304 5.53		2 0411 0.84 1015 6.74 MO 1648 0.87 2237 5.75		17 0337 1.17 0943 6.35 TU 1615 1.08 2204 5.73		2 0501 1.17 1052 6.01 TH 1712 0.96 2314 6.04		17 0433 0.97 1023 6.13 FR 1647 0.62 2253 6.52	
3 0424 0.70 1042 6.88 SA 1724 0.97 2306 5.24		18 0420 1.26 1041 6.16 SU 1715 1.55 2254 4.96		3 0544 0.76 1150 6.77 TU 1824 0.97		18 0513 0.94 1118 6.51 WE 1751 1.09 2339 5.64		3 0449 0.81 1049 6.68 TU 1720 0.88 2311 5.83		18 0415 0.99 1015 6.47 WE 1646 0.89 2240 5.97		3 0532 1.35 1121 5.71 FR 1735 1.10 2342 5.96		18 0516 0.99 1103 5.90 SA 1724 0.68 2334 6.57	
4 0513 0.69 1128 6.90 SU 1810 0.97 2353 5.23		19 0453 1.17 1110 6.24 MO 1746 1.50 2326 5.04		4 0013 5.53 0620 0.97 WE 1226 6.48 1857 1.13		19 0548 0.99 1150 6.42 TH 1821 1.09		4 0523 0.90 1122 6.50 WE 1749 0.94 2343 5.84		19 0453 0.90 1050 6.45 TH 1719 0.79 2315 6.14		4 0601 1.60 1148 5.33 SA 1758 1.31		19 0601 1.15 1146 5.53 SU 1800 0.90	
5 0559 0.79 1213 6.76 MO 1853 1.06		20 0527 1.12 1141 6.28 TU 1817 1.46		5 0048 5.43 0656 1.31 TH 1300 6.07 1928 1.35		20 0015 5.68 0624 1.18 FR 1223 6.17 1851 1.20		5 0556 1.11 1153 6.19 TH 1815 1.08		20 0531 0.95 1125 6.27 FR 1751 0.82 2353 6.19		5 0009 5.79 0630 1.90 SU 1213 4.91 1818 1.61		20 0018 6.44 0650 1.43 MO 1233 5.07 1842 1.25	
6 0039 5.15 0642 1.01 TU 1256 6.49 1935 1.23		21 0000 5.10 0601 1.17 WE 1214 6.24 1849 1.46		6 0125 5.26 0730 1.74 FR 1333 5.57 1959 1.64		21 0051 5.62 0700 1.48 SA 1258 5.78 1923 1.38		6 0014 5.76 0627 1.43 FR 1222 5.78 1840 1.31		21 0611 1.15 1201 5.92 SA 1822 0.99		6 0035 5.54 0658 2.24 MO 1238 4.49 1841 1.96		21 0107 6.17 0746 1.76 TU 1330 4.61 1931 1.67	
7 0123 5.03 0725 1.34 WE 1338 6.12 2016 1.44		22 0036 5.10 0637 1.32 TH 1246 6.10 1922 1.51		7 0203 5.04 0808 2.22 SA 1408 5.02 2034 1.97		22 0132 5.49 0744 1.87 SU 1337 5.28 2000 1.65		7 0044 5.59 0656 1.82 SA 1248 5.29 1903 1.61		22 0031 6.10 0651 1.48 SU 1239 5.44 1856 1.28		7 0105 5.22 0734 2.59 TU 1310 4.07 1910 2.34		22 0208 5.84 0859 2.03 WE 1446 4.28 2043 2.06	
8 0210 4.88 0810 1.75 TH 1422 5.68 2100 1.66		23 0115 5.07 0715 1.57 FR 1323 5.85 1958 1.60		8 0251 4.79 0900 2.69 SU 1456 4.47 2124 2.31		23 0225 5.31 0841 2.29 MO 1432 4.73 2057 1.97		8 0114 5.34 0727 2.25 SU 1315 4.76 1927 1.98		23 0115 5.88 0739 1.88 MO 1325 4.89 1937 1.67		8 0148 4.86 0835 2.90 WE 1408 3.70 1958 2.74		23 0324 5.58 1028 2.06 TH 1624 4.24 2217 2.23	
9 0301 4.74 0900 2.19 FR 1511 5.22 2149 1.86		24 0159 5.00 0800 1.89 SA 1405 5.50 2042 1.71		9 0404 4.60 1037 3.00 MO 1621 4.03 2246 2.54		24 0341 5.15 1015 2.57 TU 1606 4.29 2230 2.20		9 0149 5.02 0807 2.69 MO 1349 4.22 2000 2.41		24 0210 5.58 0845 2.28 TU 1431 4.36 2039 2.11		9 0307 4.57 1107 2.94 TH 1637 3.60 2149 2.97		24 0454 5.55 1155 1.83 FR 1800 4.56 2353 2.07	
10 0404 4.65 1008 2.55 SA 1612 4.79 2249 2.00		25 0255 4.95 0859 2.23 SU 1501 5.09 2140 1.84		10 0552 4.64 1252 2.84 TU 1824 3.98		25 0522 5.22 1215 2.43 WE 1805 4.27		10 0243 4.67 0926 3.06 TU 1501 3.74 2103 2.82		25 0330 5.33 1028 2.44 WE 1619 4.08 2224 2.36		10 0510 4.62 1232 2.60 FR 1819 3.95 2352 2.74		25 0615 5.73 1301 1.49 SA 1907 5.02	
11 0523 4.70 1140 2.70 SU 1728 4.51 2357 2.02		26 0412 4.97 1025 2.47 MO 1622 4.71 2300 1.88		11 0021 2.48 0715 4.97 WE 1400 2.44 1942 4.24		26 0015 2.09 0657 5.60 TH 1346 1.94 1938 4.65		11 0433 4.47 1226 2.97 WE 1800 3.68 2329 2.91		26 0514 5.35 1220 2.16 TH 1819 4.34		11 0626 4.97 1316 2.20 SA 1908 4.41		26 0107 1.76 0715 5.93 SU 1353 1.20 1958 5.42	
12 0641 4.93 1308 2.54 MO 1846 4.44		27 0539 5.18 1207 2.41 TU 1756 4.57		12 0129 2.22 0805 5.35 TH 1443 2.08 2027 4.54		27 0138 1.71 0804 6.09 FR 1445 1.45 2037 5.08		12 0633 4.71 1332 2.55 TH 1919 4.07		27 0013 2.16 0645 5.70 FR 1335 1.67 1933 4.86		12 0056 2.32 0713 5.38 SU 1352 1.80 1945 4.87		27 0204 1.50 0803 6.02 MO 1435 1.04 2039 5.69	
13 0059 1.92 0741 5.25 TU 1412 2.25 1950 4.52		28 0022 1.76 0700 5.59 WE 1337 2.05 1921 4.68		13 0216 1.91 0844 5.67 FR 1516 1.80 2100 4.78		28 0240 1.30 0855 6.47 SA 1532 1.11 2123 5.40		13 0056 2.57 0729 5.13 FR 1410 2.15 1958 4.48		28 0131 1.72 0747 6.10 SA 1427 1.25 2024 5.32		13 0143 1.90 0752 5.74 MO 1427 1.45 2021 5.29		28 0251 1.37 0844 5.97 TU 1511 0.98 2115 5.87	
14 0151 1.77 0827 5.56 WE 1459 1.97 2040 4.64		29 0136 1.51 0808 6.05 TH 1447 1.62 2032 4.92		14 0255 1.63 0915 5.94 SA 1548 1.61 2131 4.99		15 0329 1.39 0946 6.15 SU 1618 1.46 2200 5.17		14 0145 2.15 0807 5.53 SA 1442 1.81 2029 4.84		29 0228 1.33 0834 6.36 SU 1509 1.01 2105 5.62		14 0226 1.54 0829 6.01 TU 1501 1.14 2058 5.68		29 0331 1.35 0920 5.83 WE 1543 0.98 2148 6.00	
15 0235 1.61 0906 5.80 TH 1538 1.77 2119 4.74		30 0240 1.22 0902 6.46 FR 1543 1.27 2127 5.16						15 0224 1.76 0840 5.87 SU 1512 1.54 2100 5.16		30 0314 1.11 0915 6.43 MO 1545 0.90 2141 5.81		15 0308 1.27 0906 6.17 WE 1536 0.88 2135 6.03		30 0408 1.38 0953 5.65 TH 1610 1.00 2219 6.07	
		31 0334 0.96 0950 6.74 SA 1630 1.03 2214 5.35								31 0353 1.04 0949 6.38 TU 1617 0.89 2214 5.93					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

HAY POINT – QUEENSLAND

LAT 21° 16' S LONG 149° 18' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0442 1.45 1026 5.43 FR 1636 1.06 2249 6.08		16 0417 1.07 1001 5.67 SA 1621 0.58 2235 6.74		1 0536 1.74 1112 4.63 MO 1705 1.42 2330 5.84		16 0557 0.93 1139 5.16 TU 1745 0.70		1 0555 1.65 1131 4.64 WE 1726 1.33 2346 5.89		16 0631 0.72 1217 5.32 TH 1824 0.66		1 0630 1.29 1217 5.02 SA 1819 1.21		16 0044 6.10 0712 0.94 SU 1311 5.34 1920 1.40	
2 0514 1.56 1056 5.17 SA 1701 1.19 ○ 2317 6.00		17 0507 1.02 1049 5.48 SU 1704 0.65 ● 2322 6.78		2 0605 1.86 1141 4.50 TU 1733 1.54 2358 5.71		17 0004 6.83 0648 0.96 WE 1232 5.07 1836 0.88		2 0624 1.67 1202 4.64 TH 1758 1.37		17 0034 6.71 0713 0.81 FR 1302 5.26 1908 0.93		2 0026 5.92 0659 1.33 SU 1252 4.99 1855 1.44		17 0119 5.56 0745 1.25 MO 1351 5.10 2000 1.90	
3 0545 1.73 1124 4.89 SU 1725 1.38 2344 5.84		18 0559 1.09 1141 5.22 MO 1749 0.84		3 0635 1.97 1212 4.39 WE 1805 1.68		18 0054 6.64 0738 1.07 TH 1326 4.96 1928 1.14		3 0016 5.85 0654 1.69 FR 1237 4.63 1833 1.48		18 0117 6.36 0753 1.00 SA 1348 5.13 1952 1.33		3 0058 5.68 0730 1.41 MO 1330 4.93 1933 1.73		18 0157 4.96 0819 1.62 TU 1439 4.83 2052 2.39	
4 0613 1.94 1150 4.60 MO 1749 1.62		19 0011 6.66 0652 1.25 TU 1236 4.93 1839 1.13		4 0030 5.58 0710 2.08 TH 1249 4.29 1841 1.84		19 0145 6.35 0829 1.23 FR 1421 4.86 2020 1.46		4 0049 5.76 0728 1.72 SA 1315 4.60 1911 1.65		19 0200 5.89 0834 1.24 SU 1437 4.97 2040 1.80		4 0133 5.35 0805 1.53 TU 1418 4.86 2023 2.05		19 0244 4.36 0906 2.00 WE 1547 4.60 2221 2.73	
5 0011 5.63 0642 2.16 TU 1219 4.33 1815 1.87		20 0104 6.42 0750 1.45 WE 1336 4.68 1934 1.47		5 0107 5.44 0751 2.17 FR 1335 4.21 1925 2.03		20 0237 5.99 0921 1.37 SA 1521 4.79 2119 1.80		5 0126 5.61 0805 1.75 SU 1400 4.56 1955 1.88		20 0245 5.36 0919 1.51 MO 1534 4.82 2139 2.24		5 0219 4.95 0855 1.68 WE 1525 4.83 2136 2.34		20 0403 3.89 1023 2.29 TH 1730 4.58 ●	
6 0041 5.38 0718 2.39 WE 1255 4.08 1848 2.16		21 0202 6.12 0853 1.60 TH 1444 4.52 2039 1.78		6 0152 5.30 0843 2.20 SA 1434 4.17 2020 2.22		21 0334 5.62 1016 1.49 SU 1628 4.80 2228 2.09		6 0207 5.40 0850 1.77 MO 1456 4.57 2050 2.12		21 0341 4.83 1015 1.74 TU 1645 4.76 ● 2303 2.51		6 0330 4.53 1009 1.80 TH 1653 4.94 ● 2319 2.37		21 0033 2.61 0608 3.80 FR 1203 2.28 1857 4.86	
7 0121 5.12 0811 2.58 TH 1350 3.88 1936 2.44		22 0307 5.85 1000 1.66 FR 1600 4.53 2154 1.98		7 0248 5.18 0944 2.13 SU 1545 4.26 2130 2.34		22 0437 5.27 1115 1.54 MO 1739 4.92 ● 2347 2.22		7 0300 5.15 0946 1.76 TU 1607 4.68 2205 2.30		22 0454 4.42 1122 1.88 WE 1808 4.87		7 0509 4.30 1138 1.74 FR 1819 5.29		22 0146 2.21 0729 4.08 SA 1316 2.03 1950 5.22	
8 0221 4.90 0931 2.65 FR 1518 3.81 2051 2.65		23 0418 5.67 1110 1.60 SA 1718 4.72 ● 2315 2.02		8 0355 5.13 1048 1.95 MO 1700 4.52 ● 2252 2.32		23 0545 5.01 1215 1.53 TU 1845 5.14		8 0410 4.92 1055 1.67 WE 1724 4.95 ● 2335 2.27		23 0042 2.46 0620 4.25 TH 1233 1.86 1918 5.13		8 0057 2.07 0643 4.39 SA 1258 1.49 1933 5.76		23 0230 1.84 0815 4.40 SU 1405 1.72 2030 5.53	
9 0344 4.84 1100 2.48 SA 1656 4.01 2230 2.63		24 0530 5.59 1213 1.45 SU 1827 5.02		9 0505 5.15 1150 1.67 TU 1806 4.93		24 0103 2.17 0649 4.85 WE 1310 1.48 1941 5.40		9 0530 4.79 1205 1.50 TH 1834 5.35		24 0157 2.17 0735 4.32 FR 1334 1.73 2012 5.43		9 0215 1.61 0800 4.67 SU 1406 1.16 2033 6.22		24 0304 1.58 0850 4.66 MO 1444 1.45 2103 5.77	
10 0506 5.00 1204 2.14 SU 1803 4.41 ● 2352 2.37		25 0030 1.94 0633 5.54 MO 1307 1.31 1923 5.34		10 0010 2.14 0610 5.23 WE 1246 1.37 1903 5.40		25 0207 2.01 0747 4.77 TH 1359 1.42 2029 5.63		10 0057 2.03 0645 4.78 FR 1309 1.27 1938 5.80		25 0248 1.87 0830 4.47 SA 1424 1.57 2054 5.66		10 0314 1.18 0859 4.98 MO 1505 0.84 2123 6.58		25 0335 1.40 0920 4.84 TU 1517 1.24 2134 5.94	
11 0609 5.28 1252 1.74 MO 1856 4.89		26 0133 1.81 0726 5.48 TU 1354 1.21 2009 5.60		11 0117 1.87 0708 5.29 TH 1338 1.09 1956 5.86		26 0259 1.83 0837 4.74 FR 1441 1.37 2110 5.81		11 0209 1.69 0752 4.86 SA 1409 1.05 2036 6.22		26 0329 1.64 0911 4.61 SU 1504 1.42 2130 5.82		11 0403 0.86 0947 5.23 TU 1557 0.59 2208 6.80		26 0405 1.27 0948 5.00 WE 1549 1.07 2202 6.06	
12 0055 2.03 0700 5.53 TU 1335 1.37 1941 5.37		27 0226 1.71 0812 5.37 WE 1433 1.16 2050 5.80		12 0217 1.59 0803 5.31 FR 1427 0.88 2046 6.26		27 0342 1.69 0921 4.72 SA 1519 1.33 2146 5.90		12 0313 1.35 0854 4.97 SU 1506 0.84 2129 6.56		27 0403 1.51 0945 4.70 MO 1540 1.30 2201 5.92		12 0447 0.66 1031 5.42 WE 1642 0.46 2250 6.87		27 0433 1.16 1016 5.15 TH 1621 0.95 2230 6.15	
13 0149 1.70 0745 5.72 WE 1417 1.05 2025 5.82		28 0312 1.65 0854 5.23 TH 1508 1.15 2127 5.94		13 0315 1.33 0857 5.30 SA 1515 0.73 2135 6.58		28 0420 1.61 1000 4.69 SU 1554 1.33 2219 5.93		13 0409 1.06 0950 5.11 MO 1600 0.66 2218 6.81		28 0435 1.45 1015 4.77 TU 1612 1.21 2230 5.99		13 0527 0.57 1113 5.54 TH 1725 0.46 ● 2330 6.79		28 0501 1.05 1047 5.29 FR 1655 0.89 ○ 2300 6.17	
14 0240 1.42 0830 5.80 TH 1459 0.81 2107 6.22		29 0352 1.61 0932 5.09 FR 1540 1.16 2200 6.01		14 0410 1.13 0951 5.27 SU 1605 0.64 2225 6.80		29 0455 1.60 1033 4.66 MO 1625 1.33 2249 5.92		14 0500 0.85 1042 5.23 TU 1651 0.54 ● 2305 6.93		29 0504 1.41 1044 4.84 WE 1642 1.12 2259 6.05		14 0604 0.58 1153 5.57 FR 1804 0.63		29 0530 0.97 1120 5.40 SA 1729 0.94 2330 6.07	
15 0329 1.21 0915 5.78 FR 1540 0.64 2151 6.54		30 0430 1.61 1008 4.94 SA 1610 1.22 2232 6.01		15 0504 0.98 1045 5.22 MO 1655 0.63 ● 2315 6.88		30 0526 1.62 1102 4.64 TU 1655 1.33 ○ 2318 5.91		15 0547 0.73 1130 5.30 WE 1739 0.53 2351 6.90		30 0532 1.36 1113 4.93 TH 1714 1.07 ○ 2327 6.09		15 0007 6.53 0639 0.71 SA 1232 5.50 1843 0.95		30 0600 0.96 1153 5.45 SU 1803 1.10	
		31 0504 1.65 1042 4.78 SU 1638 1.31 ○ 2301 5.94								31 0600 1.31 1144 5.00 FR 1746 1.09 2356 6.06				31 0000 5.85 0628 1.04 MO 1228 5.40 1839 1.37	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ○ First Quarter ○ Full Moon ● Last Quarter

HAY POINT – QUEENSLAND

LAT 21° 16' S LONG 149° 18' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0032 5.50 0657 1.21 TU 1305 5.29 1918 1.71		16 0111 4.55 0721 1.73 WE 1345 4.90 2011 2.46		1 0058 4.68 0710 1.47 TH 1341 5.38 2015 2.06		16 0114 3.86 0706 2.19 FR 1349 4.69 2050 2.69		1 0345 4.14 0939 2.00 SU 1615 5.46 2314 1.68		16 0309 3.72 0836 2.57 MO 1530 4.69 2245 2.39		1 0439 4.67 1035 1.91 TU 1652 5.58 2336 1.38		16 0315 4.17 0859 2.44 WE 1522 4.95 2218 2.12	
2 0108 5.06 0730 1.45 WE 1352 5.12 2009 2.08		17 0150 4.00 0756 2.18 TH 1444 4.54 2137 2.79		2 0158 4.20 0806 1.86 FR 1455 5.15 2148 2.23		17 0222 3.52 0758 2.58 SA 1514 4.42 2302 2.67		2 0519 4.40 1112 1.90 MO 1736 5.61 ●		17 0440 3.87 1011 2.62 TU 1648 4.77 ● 2348 2.11		2 0552 4.95 1155 1.90 WE 1800 5.49		17 0432 4.32 1019 2.54 TH 1633 4.88 ● 2323 1.92	
3 0156 4.56 0818 1.75 TH 1501 4.95 2131 2.38		18 0311 3.55 0905 2.59 FR 1633 4.37		3 0337 3.91 0943 2.12 SA 1633 5.15 ● 2336 2.02		18 0441 3.50 0955 2.79 SU 1705 4.49		3 0024 1.36 0632 4.85 TU 1230 1.62 1842 5.81		18 0550 4.23 1136 2.42 WE 1751 4.99		3 0035 1.24 0655 5.28 TH 1305 1.78 1859 5.41		18 0544 4.67 1145 2.42 FR 1744 4.91	
4 0318 4.10 0944 2.01 FR 1639 4.97 ● 2328 2.32		19 0011 2.66 0554 3.56 SA 1127 2.64 ● 1821 4.61		4 0536 4.10 1131 1.97 SU 1806 5.48		19 0018 2.36 0613 3.85 MO 1148 2.55 ● 1815 4.80		4 0120 1.04 0728 5.29 WE 1333 1.35 1934 5.91		19 0036 1.76 0642 4.69 TH 1239 2.11 1841 5.21		4 0128 1.13 0747 5.59 FR 1405 1.65 1951 5.31		19 0022 1.64 0644 5.14 SA 1256 2.14 1845 4.99	
5 0519 4.01 1132 1.95 SA 1816 5.32		20 0117 2.26 0707 3.96 SU 1247 2.30 1916 5.00		5 0058 1.54 0658 4.62 MO 1254 1.54 1914 5.91		20 0103 1.99 0659 4.29 TU 1246 2.16 1900 5.17		5 0206 0.83 0814 5.63 TH 1425 1.19 2019 5.88		20 0117 1.41 0726 5.16 FR 1332 1.78 1927 5.39		5 0213 1.06 0832 5.83 SA 1456 1.56 2038 5.19		20 0115 1.34 0737 5.62 SU 1357 1.81 1942 5.08	
6 0107 1.86 0700 4.37 SU 1300 1.57 1930 5.83		21 0156 1.87 0746 4.36 MO 1334 1.90 1954 5.37		6 0154 1.08 0753 5.13 TU 1356 1.12 2004 6.21		21 0138 1.63 0734 4.72 WE 1330 1.78 1938 5.48		6 0246 0.75 0854 5.86 FR 1510 1.14 2059 5.74		21 0157 1.10 0808 5.61 SA 1420 1.50 2011 5.48		6 0252 1.05 0913 6.00 SU 1540 1.50 2120 5.06		21 0205 1.08 0827 6.07 MO 1453 1.50 2036 5.15	
7 0214 1.33 0805 4.85 MO 1407 1.13 2025 6.28		22 0227 1.56 0817 4.71 TU 1412 1.54 2027 5.66		7 0240 0.76 0837 5.50 WE 1445 0.86 2047 6.33		22 0211 1.30 0808 5.12 TH 1411 1.46 2013 5.70		7 0322 0.74 0930 6.00 SA 1551 1.17 2136 5.54		22 0237 0.86 0848 6.00 SU 1508 1.28 2055 5.49		7 0328 1.07 0948 6.08 MO 1620 1.50 2200 4.93		22 0254 0.87 0915 6.45 TU 1547 1.25 2130 5.20	
8 0303 0.91 0854 5.24 TU 1500 0.78 2110 6.55		23 0258 1.31 0846 5.00 WE 1446 1.27 2057 5.88		8 0319 0.61 0916 5.74 TH 1529 0.77 2125 6.28		23 0243 1.03 0842 5.48 FR 1450 1.22 2047 5.82		8 0353 0.78 1003 6.07 SU 1629 1.25 2212 5.31		23 0317 0.69 0930 6.33 MO 1556 1.12 2140 5.43		8 0401 1.12 1023 6.08 TU 1657 1.54 2236 4.80		23 0343 0.71 1003 6.74 WE 1641 1.06 2222 5.24	
9 0346 0.67 0936 5.50 WE 1545 0.58 2150 6.65		24 0327 1.11 0915 5.26 TH 1521 1.06 2126 6.02		9 0355 0.57 0951 5.88 FR 1608 0.80 2200 6.12		24 0315 0.81 0916 5.80 SA 1530 1.06 2123 5.83		9 0422 0.87 1036 6.07 MO 1704 1.38 ● 2245 5.05		24 0359 0.60 1014 6.55 TU 1645 1.05 2227 5.31		9 0431 1.22 1055 6.01 WE 1730 1.63 ● 2309 4.67		24 0432 0.62 1051 6.91 TH 1732 0.94 ○ 2315 5.26	
10 0424 0.55 1014 5.67 TH 1627 0.53 2227 6.61		25 0356 0.94 0946 5.49 FR 1556 0.93 2157 6.08		10 0426 0.59 1025 5.97 SA 1645 0.91 2234 5.87		25 0350 0.66 0953 6.07 SU 1612 0.97 2201 5.75		10 0450 1.02 1107 5.97 TU 1738 1.56 2318 4.77		25 0442 0.61 1059 6.65 WE 1735 1.06 ○ 2317 5.13		10 0500 1.33 1124 5.89 TH 1801 1.75 2338 4.54		25 0522 0.61 1140 6.95 FR 1823 0.91	
11 0459 0.52 1050 5.77 FR 1705 0.60 ● 2302 6.42		26 0426 0.79 1020 5.69 SA 1632 0.88 2230 6.04		11 0455 0.67 1058 5.98 SU 1719 1.10 ● 2307 5.54		26 0425 0.58 1031 6.25 MO 1655 0.98 ○ 2241 5.57		11 0517 1.23 1137 5.79 WE 1811 1.78 2348 4.48		26 0527 0.73 1147 6.61 TH 1829 1.14		11 0528 1.45 1152 5.76 FR 1831 1.88		26 0006 5.24 0612 0.71 SA 1229 6.84 1912 0.96	
12 0530 0.57 1125 5.80 SA 1741 0.81 2336 6.10		27 0457 0.71 1054 5.84 SU 1711 0.92 ○ 2303 5.88		12 0521 0.83 1130 5.89 MO 1753 1.37 2338 5.14		27 0500 0.63 1111 6.32 TU 1739 1.09 2323 5.28		12 0543 1.48 1206 5.55 TH 1844 2.02		27 0011 4.93 0615 0.95 FR 1238 6.44 1925 1.28		12 0008 4.44 0558 1.59 SA 1222 5.61 1902 2.00		27 0058 5.17 0701 0.93 SU 1317 6.59 2000 1.09	
13 0600 0.72 1159 5.72 SU 1815 1.14		28 0528 0.73 1130 5.90 MO 1748 1.09 2338 5.58		13 0547 1.08 1200 5.69 TU 1826 1.70		28 0537 0.79 1154 6.23 WE 1827 1.31		13 0610 4.22 0610 1.75 FR 1238 5.28 1920 2.25		28 0109 4.73 0709 1.24 SA 1334 6.20 2023 1.42		13 0041 4.35 0630 1.76 SU 1256 5.46 1938 2.10		28 0150 5.07 0753 1.26 MO 1408 6.23 2049 1.27	
14 0009 5.65 0628 0.97 MO 1232 5.53 1850 1.56		29 0559 0.87 1207 5.83 TU 1829 1.36		14 0008 4.70 0611 1.41 WE 1230 5.39 1900 2.06		29 0009 4.90 0617 1.08 TH 1242 6.02 1922 1.58		14 0056 3.99 0643 2.04 SA 1317 5.02 2011 2.43		29 0212 4.58 0810 1.54 SU 1435 5.94 2126 1.49		14 0121 4.25 0709 1.97 MO 1335 5.28 2022 2.18		29 0246 4.96 0847 1.65 TU 1501 5.81 2141 1.43	
15 0040 5.11 0654 1.32 TU 1307 5.25 1926 2.01		30 0015 5.16 0630 1.12 WE 1248 5.65 1915 1.71		15 0037 4.26 0635 1.79 TH 1303 5.05 1940 2.41		30 0103 4.51 0706 1.45 FR 1340 5.74 2030 1.81		15 0148 3.79 0728 2.33 SU 1414 4.79 2123 2.51		30 0322 4.55 0918 1.78 MO 1542 5.73 2231 1.48		15 0211 4.17 0757 2.22 TU 1423 5.10 2115 2.20		30 0349 4.91 0952 2.03 WE 1601 5.38 2240 1.56	
				31 0215 4.21 0812 1.81 SA 1451 5.51 2150 1.86										31 0502 4.95 1112 2.27 TH 1711 5.03 ● 2344 1.62	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ○ First Quarter ○ Full Moon ○ Last Quarter

MACKAY OUTER HARBOUR – QUEENSLAND

LAT 21° 07' S LONG 149° 13' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0244 0.71 0907 5.97 TH 1544 1.07 2124 4.66		16 0315 1.23 0943 5.48 FR 1615 1.42 2156 4.33		1 0423 0.56 1035 6.37 SU 1714 0.73 2258 4.97		16 0404 0.96 1018 5.82 MO 1651 1.11 2234 4.84		1 0330 0.79 0939 6.17 SU 1615 0.75 2204 5.11		16 0302 1.20 0913 5.66 MO 1545 1.08 2133 4.95		1 0430 0.88 1023 5.72 WE 1647 0.72 2246 5.50		16 0352 0.88 0945 5.69 TH 1614 0.51 2215 5.80	
2 0335 0.58 0957 6.23 FR 1637 0.88 2217 4.70		17 0349 1.13 1014 5.58 SA 1647 1.37 2226 4.38		2 0506 0.50 1115 6.38 MO 1752 0.71 2338 5.03		17 0439 0.81 1049 5.95 TU 1722 0.99 2307 5.00		2 0413 0.64 1017 6.22 MO 1650 0.69 2240 5.23		17 0339 0.96 0945 5.84 TU 1616 0.88 2206 5.21		2 0503 0.99 1054 5.49 TH 1714 0.78 2316 5.52		17 0435 0.79 1024 5.60 FR 1649 0.43 2255 5.99	
3 0426 0.49 1045 6.37 SA 1726 0.78 2308 4.73		18 0421 1.03 1043 5.66 SU 1718 1.33 2256 4.46		3 0545 0.57 1153 6.24 TU 1827 0.78		18 0514 0.74 1120 5.99 WE 1753 0.90 2342 5.11		3 0450 0.62 1052 6.15 TU 1722 0.70 2313 5.31		18 0416 0.79 1018 5.94 WE 1649 0.70 2242 5.44		3 0534 1.16 1123 5.19 FR 1737 0.90 2345 5.46		18 0518 0.81 1105 5.37 SA 1726 0.49 2336 6.04	
4 0515 0.49 1130 6.38 SU 1813 0.77 2356 4.71		19 0454 0.95 1113 5.74 MO 1749 1.28 2328 4.53		4 0015 5.01 0623 0.77 WE 1229 5.96 1900 0.93		19 0550 0.80 1153 5.89 TH 1825 0.90		4 0525 0.72 1125 5.97 WE 1751 0.76 2345 5.31		19 0455 0.72 1052 5.92 TH 1721 0.61 2318 5.60		4 0604 1.39 1150 4.83 SA 1800 1.11		19 0603 0.96 1147 5.01 SU 1802 0.69	
5 0600 0.58 1215 6.25 MO 1857 0.86		20 0529 0.91 1144 5.77 TU 1820 1.25		5 0053 4.92 0659 1.11 TH 1303 5.56 1931 1.14		20 0017 5.15 0626 0.98 FR 1226 5.65 1855 0.99		5 0558 0.93 1156 5.67 TH 1818 0.90		20 0533 0.77 1127 5.74 FR 1754 0.63 2356 5.65		5 0012 5.30 0632 1.68 SU 1215 4.43 1820 1.38		20 0020 5.93 0653 1.22 MO 1235 4.58 1844 1.02	
6 0043 4.64 0645 0.80 TU 1259 5.98 1939 1.02		21 0002 4.58 0603 0.96 WE 1216 5.73 1853 1.24		6 0130 4.77 0733 1.52 FR 1336 5.09 2003 1.41		21 0055 5.10 0704 1.28 SA 1300 5.27 1927 1.16		6 0017 5.24 0629 1.23 FR 1224 5.27 1843 1.11		21 0613 0.97 1203 5.40 SA 1825 0.79		6 0039 5.06 0703 2.00 MO 1241 4.04 1843 1.70		21 0110 5.68 0750 1.53 TU 1333 4.15 1933 1.42	
7 0128 4.53 0728 1.12 WE 1342 5.62 2020 1.21		22 0039 4.59 0640 1.11 TH 1250 5.59 1927 1.28		7 0208 4.57 0813 1.98 SA 1412 4.57 2039 1.71		22 0136 4.99 0747 1.64 SU 1340 4.81 2005 1.40		7 0047 5.09 0700 1.60 SA 1251 4.80 1906 1.38		22 0034 5.58 0655 1.28 SU 1242 4.95 1859 1.06		7 0110 4.77 0741 2.32 TU 1313 3.65 1912 2.06		22 0211 5.37 0902 1.77 WE 1451 3.84 2045 1.79	
8 0215 4.40 0813 1.52 TH 1426 5.20 2104 1.41		23 0118 4.56 0718 1.35 FR 1326 5.35 2003 1.36		8 0258 4.35 0905 2.41 SU 1500 4.05 2130 2.01		23 0230 4.84 0846 2.03 MO 1436 4.29 2102 1.70		8 0117 4.86 0731 2.01 SU 1318 4.31 1930 1.73		23 0118 5.39 0744 1.66 MO 1327 4.42 1940 1.43		8 0154 4.44 0845 2.60 WE 1415 3.31 2000 2.43		23 0329 5.13 1032 1.79 TH 1629 3.82 2220 1.95	
9 0307 4.28 0904 1.93 FR 1515 4.77 2155 1.59		24 0203 4.51 0802 1.65 SA 1408 5.02 2046 1.46		9 0413 4.19 1045 2.69 MO 1626 3.65 2251 2.22		24 0347 4.71 1020 2.29 TU 1611 3.88 2234 1.90		9 0155 4.57 0814 2.42 MO 1354 3.80 2004 2.12		24 0215 5.12 0850 2.01 TU 1435 3.93 2043 1.83		9 0315 4.18 1114 2.60 TH 1642 3.24 2151 2.64		24 0458 5.11 1158 1.56 FR 1802 4.13 2355 1.80	
10 0412 4.21 1013 2.27 SA 1616 4.37 2255 1.70		25 0300 4.48 0902 1.98 SU 1504 4.63 2145 1.56		10 0600 4.26 1257 2.52 TU 1828 3.60		25 0528 4.81 1219 2.14 WE 1808 3.87		10 0251 4.26 0936 2.75 TU 1510 3.36 2109 2.50		25 0335 4.90 1033 2.15 WE 1625 3.68 2227 2.06		10 0514 4.23 1234 2.29 FR 1822 3.57 2354 2.42		25 0617 5.28 1304 1.24 SA 1910 4.56	
11 0530 4.28 1145 2.40 SU 1732 4.10		26 0417 4.53 1029 2.20 MO 1626 4.29 2304 1.59		11 0024 2.16 0718 4.57 WE 1404 2.14 1944 3.83		26 0017 1.79 0700 5.18 TH 1349 1.67 1940 4.21		11 0441 4.09 1230 2.63 WE 1802 3.33 2330 2.57		26 0518 4.94 1223 1.88 TH 1822 3.93		11 0628 4.57 1318 1.91 SA 1910 4.00		26 0109 1.51 0718 5.46 SU 1355 0.97 2000 4.94	
12 0001 1.72 0645 4.52 MO 1313 2.25 1849 4.02		27 0545 4.76 1212 2.13 TU 1759 4.15		12 0130 1.92 0808 4.92 TH 1445 1.81 2029 4.10		27 0140 1.44 0806 5.63 FR 1448 1.22 2039 4.61		12 0636 4.33 1335 2.24 TH 1921 3.68		27 0015 1.87 0647 5.27 FR 1337 1.42 1935 4.42		12 0057 2.03 0715 4.94 SU 1355 1.54 1947 4.42		27 0205 1.28 0805 5.52 MO 1437 0.83 2042 5.20	
13 0102 1.63 0745 4.82 TU 1415 1.98 1953 4.09		28 0025 1.48 0704 5.15 WE 1341 1.79 1924 4.24		13 0218 1.64 0845 5.22 FR 1519 1.56 2103 4.32		28 0242 1.06 0857 5.98 SA 1534 0.91 2125 4.91		13 0057 2.26 0730 4.71 FR 1412 1.87 2000 4.05		28 0132 1.46 0749 5.63 SA 1429 1.03 2026 4.84		13 0145 1.64 0754 5.28 MO 1430 1.21 2024 4.81		28 0252 1.16 0845 5.46 TU 1513 0.77 2117 5.37	
14 0154 1.49 0830 5.11 WE 1502 1.72 2043 4.18		29 0138 1.24 0811 5.59 TH 1450 1.38 2034 4.45		14 0257 1.38 0918 5.46 SA 1551 1.38 2133 4.50				14 0146 1.87 0809 5.08 SA 1444 1.56 2031 4.39		29 0230 1.11 0837 5.86 SU 1511 0.80 2107 5.13		14 0228 1.31 0830 5.52 TU 1503 0.92 2100 5.18		29 0332 1.14 0922 5.33 WE 1544 0.77 2150 5.50	
15 0238 1.35 0909 5.33 TH 1541 1.53 2122 4.27		30 0241 0.97 0905 5.97 FR 1545 1.05 2130 4.67		15 0330 1.15 0948 5.66 SU 1621 1.25 2202 4.67				15 0226 1.50 0842 5.40 SU 1515 1.31 2101 4.68		30 0315 0.91 0916 5.92 MO 1547 0.72 2143 5.30		15 0310 1.06 0908 5.66 WE 1538 0.68 2137 5.52		30 0410 1.17 0955 5.15 TH 1612 0.79 2221 5.57	
		31 0335 0.73 0952 6.23 SA 1631 0.84 2215 4.85								31 0354 0.85 0951 5.86 TU 1619 0.70 2215 5.42					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

MACKAY OUTER HARBOUR – QUEENSLAND

LAT 21° 07' S LONG 149° 13' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0444 1.24 1027 4.93 FR 1638 0.86 2251 5.58		16 0419 0.87 1002 5.15 SA 1623 0.38 2237 6.21		1 0538 1.50 1114 4.14 MO 1706 1.19 2331 5.35		16 0559 0.73 1141 4.64 TU 1746 0.49		1 0558 1.40 1133 4.14 WE 1727 1.09 2348 5.39		16 0633 0.53 1220 4.78 TH 1826 0.46		1 0632 1.06 1220 4.50 SA 1821 0.99		16 0046 5.57 0715 0.73 SU 1315 4.83 1923 1.18	
2 0516 1.35 1058 4.67 SA 1702 0.98 2319 5.51		17 0509 0.83 1051 4.96 SU 1705 0.44 2324 6.26		2 0608 1.61 1143 4.02 TU 1734 1.30		17 0006 6.30 0650 0.76 WE 1235 4.55 1837 0.67		2 0627 1.42 1205 4.14 TH 1800 1.13		17 0037 6.16 0715 0.61 FR 1306 4.74 1910 0.72		2 0029 5.40 0702 1.09 SU 1255 4.48 1857 1.21		17 0122 5.04 0747 1.02 MO 1356 4.62 2004 1.66	
3 0547 1.51 1126 4.40 SU 1727 1.16 2346 5.36		18 0600 0.89 1142 4.70 MO 1751 0.62		3 0000 5.23 0639 1.72 WE 1215 3.92 1806 1.42		18 0057 6.11 0741 0.86 TH 1330 4.45 1929 0.92		3 0019 5.34 0658 1.44 FR 1240 4.13 1834 1.24		18 0120 5.83 0757 0.79 SA 1352 4.62 1955 1.11		3 0100 5.17 0733 1.17 MO 1334 4.44 1936 1.48		18 0200 4.48 0824 1.35 TU 1445 4.37 2058 2.11	
4 0616 1.70 1152 4.13 MO 1750 1.38		19 0013 6.15 0655 1.04 TU 1238 4.43 1840 0.90		4 0032 5.10 0714 1.82 TH 1252 3.83 1843 1.58		19 0147 5.83 0832 1.00 FR 1426 4.37 2023 1.23		4 0052 5.25 0731 1.47 SA 1319 4.11 1913 1.40		19 0203 5.38 0838 1.01 SU 1442 4.48 2044 1.55		4 0136 4.85 0810 1.27 TU 1423 4.39 2027 1.79		19 0247 3.92 0911 1.70 WE 1554 4.18 2229 2.41	
5 0014 5.16 0646 1.91 TU 1221 3.88 1816 1.62		20 0106 5.92 0753 1.22 WE 1340 4.19 1936 1.23		5 0110 4.97 0756 1.89 FR 1339 3.76 1927 1.75		20 0241 5.49 0925 1.13 SA 1526 4.32 2122 1.56		5 0129 5.11 0809 1.49 SU 1404 4.09 1958 1.62		20 0249 4.87 0924 1.25 MO 1540 4.36 2144 1.97		5 0222 4.47 0900 1.40 WE 1530 4.37 2141 2.05		20 0408 3.48 1028 1.96 TH 1736 4.18	
6 0045 4.92 0724 2.12 WE 1258 3.65 1850 1.88		21 0205 5.63 0857 1.36 TH 1448 4.06 2041 1.52		6 0156 4.83 0847 1.91 SA 1438 3.73 2022 1.93		21 0338 5.13 1021 1.23 SU 1633 4.34 2231 1.82		6 0210 4.92 0855 1.50 MO 1500 4.11 2053 1.85		21 0345 4.37 1018 1.46 TU 1652 4.33 2308 2.22		6 0333 4.08 1013 1.50 TH 1658 4.51 2324 2.08		21 0038 2.28 0612 3.41 FR 1206 1.96 1900 4.45	
7 0126 4.68 0817 2.29 TH 1354 3.46 1938 2.14		22 0310 5.38 1005 1.40 FR 1604 4.08 2157 1.72		7 0252 4.73 0948 1.84 SU 1550 3.83 2132 2.05		22 0441 4.80 1120 1.27 MO 1743 4.48 2351 1.95		7 0303 4.68 0951 1.47 TU 1612 4.23 2208 2.01		22 0458 3.98 1126 1.58 WE 1813 4.45		7 0513 3.87 1141 1.44 FR 1823 4.85		22 0149 1.90 0730 3.66 SA 1318 1.73 1953 4.78	
8 0226 4.48 0939 2.34 FR 1525 3.41 2052 2.34		23 0422 5.20 1114 1.34 SA 1722 4.27 2317 1.76		8 0359 4.68 1053 1.66 MO 1704 4.08 2254 2.04		23 0547 4.55 1219 1.26 TU 1848 4.70		8 0413 4.46 1059 1.38 WE 1728 4.50 2338 1.99		23 0046 2.15 0624 3.83 TH 1236 1.56 1921 4.70		8 0100 1.78 0645 3.95 SA 1300 1.21 1935 5.30		23 0232 1.56 0817 3.95 SU 1407 1.45 2032 5.06	
9 0348 4.42 1106 2.16 SA 1659 3.61 2230 2.32		24 0533 5.12 1216 1.20 SU 1830 4.57		9 0508 4.70 1154 1.39 TU 1810 4.47		24 0107 1.90 0652 4.39 WE 1313 1.21 1945 4.95		9 0532 4.33 1207 1.22 TH 1838 4.89		24 0200 1.88 0737 3.88 FR 1336 1.45 2014 4.98		9 0217 1.34 0801 4.20 SU 1408 0.90 2035 5.73		24 0307 1.31 0852 4.18 MO 1445 1.20 2106 5.28	
10 0509 4.58 1207 1.84 SU 1806 3.99 2354 2.08		25 0033 1.69 0636 5.07 MO 1310 1.06 1926 4.87		10 0013 1.87 0612 4.76 WE 1248 1.10 1907 4.92		25 0210 1.74 0749 4.31 TH 1400 1.16 2031 5.17		10 0100 1.76 0646 4.32 FR 1311 1.01 1941 5.32		25 0251 1.59 0831 4.01 SA 1426 1.30 2056 5.19		10 0315 0.94 0900 4.48 MO 1506 0.61 2125 6.06		25 0338 1.15 0922 4.35 TU 1519 1.00 2136 5.43	
11 0611 4.83 1255 1.47 MO 1859 4.44		26 0136 1.57 0729 5.00 TU 1356 0.97 2012 5.13		11 0120 1.62 0710 4.80 TH 1340 0.85 2000 5.37		26 0301 1.57 0839 4.27 FR 1443 1.12 2112 5.33		11 0212 1.43 0753 4.38 SA 1411 0.80 2038 5.73		26 0331 1.38 0914 4.13 SU 1506 1.17 2131 5.33		11 0405 0.65 0950 4.72 TU 1558 0.38 2210 6.27		26 0407 1.04 0950 4.49 WE 1551 0.85 2204 5.55	
12 0057 1.76 0701 5.06 TU 1338 1.12 1944 4.90		27 0229 1.48 0815 4.88 WE 1435 0.92 2052 5.32		12 0220 1.35 0805 4.82 FR 1429 0.65 2048 5.76		27 0345 1.44 0923 4.24 SA 1521 1.09 2148 5.41		12 0315 1.11 0855 4.48 SU 1507 0.60 2130 6.05		27 0406 1.27 0948 4.21 MO 1541 1.06 2203 5.42		12 0449 0.46 1034 4.89 WE 1644 0.26 2252 6.33		27 0436 0.94 1019 4.63 TH 1623 0.74 2232 5.63	
13 0151 1.46 0747 5.22 WE 1419 0.82 2028 5.32		28 0314 1.42 0856 4.74 TH 1510 0.92 2129 5.45		13 0317 1.11 0859 4.79 SA 1517 0.50 2138 6.07		28 0423 1.37 1001 4.20 SU 1555 1.09 2221 5.44		13 0411 0.84 0952 4.59 MO 1601 0.44 2220 6.29		28 0438 1.21 1017 4.27 TU 1613 0.97 2232 5.49		13 0529 0.38 1115 5.00 TH 1726 0.27 2331 6.24		28 0504 0.83 1050 4.77 FR 1656 0.69 2301 5.64	
14 0242 1.20 0832 5.29 TH 1500 0.59 2110 5.71		29 0354 1.38 0934 4.60 FR 1542 0.94 2202 5.52		14 0412 0.91 0952 4.75 SU 1606 0.43 2227 6.28		29 0457 1.36 1035 4.16 MO 1626 1.09 2251 5.43		14 0501 0.64 1044 4.70 TU 1652 0.33 2307 6.40		29 0507 1.17 1045 4.33 WE 1644 0.89 2300 5.54		14 0606 0.40 1156 5.03 FR 1806 0.44		29 0533 0.76 1122 4.87 SA 1730 0.74 2332 5.54	
15 0330 1.00 0916 5.26 FR 1541 0.44 2153 6.02		30 0431 1.38 1010 4.45 SA 1611 0.99 2234 5.52		15 0506 0.78 1046 4.70 MO 1656 0.42 2316 6.36		30 0528 1.38 1104 4.14 TU 1656 1.09 2319 5.41		15 0549 0.53 1133 4.77 WE 1740 0.33 2353 6.36		30 0535 1.13 1115 4.41 TH 1715 0.84 2329 5.57		15 0010 5.98 0642 0.51 SA 1235 4.97 1845 0.75		30 0601 0.74 1156 4.92 SU 1806 0.90	
		31 0506 1.42 1043 4.29 SU 1639 1.08 2303 5.46								31 0603 1.08 1146 4.48 FR 1747 0.87 2359 5.53				31 0002 5.32 0630 0.82 MO 1231 4.89 1842 1.16	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

MACKAY OUTER HARBOUR – QUEENSLAND

LAT 21° 07' S LONG 149° 13' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0035 4.98 TU 1309 4.79 1922 1.48		16 0114 4.07 WE 1351 4.45 2017 2.18		1 0100 4.20 TH 1345 4.92 2021 1.80		16 0117 3.42 FR 1356 4.27 2101 2.37		1 0350 3.71 SU 1619 5.02 2318 1.40		16 0316 3.31 MO 1535 4.28 2253 2.07		1 0444 4.23 TU 1657 5.13 2341 1.12		16 0322 3.73 WE 1527 4.51 2225 1.83	
2 0111 4.56 WE 0734 1.19 1357 4.65 2015 1.82		17 0154 3.57 TH 0800 1.88 1450 4.13 2148 2.47		2 0201 3.75 FR 0810 1.58 1500 4.71 2154 1.94		17 0231 3.12 SA 0800 2.27 1520 4.03 2309 2.33		2 0523 3.97 MO 1115 1.63 1740 5.16 ●		17 0445 3.47 TU 1014 2.31 1652 4.36 ● 2353 1.80		2 0557 4.50 WE 1158 1.64 1803 5.04		17 0438 3.90 TH 1022 2.25 ● 1637 4.45 2329 1.63	
3 0159 4.09 TH 0823 1.47 1507 4.51 2137 2.09		18 0319 3.16 FR 0910 2.26 1641 3.99		3 0343 3.50 SA 0945 1.82 1638 4.73 ● 2341 1.72		18 0448 3.13 SU 0959 2.46 1709 4.10		3 0027 1.10 TU 0635 4.40 1232 1.37 1845 5.34		18 0555 3.82 WE 1139 2.13 1754 4.56		3 0039 0.99 TH 0659 4.83 1308 1.54 1901 4.95		18 0548 4.24 FR 1147 2.14 1746 4.47	
4 0323 3.67 FR 0946 1.71 1645 4.55 ● 2334 2.01		19 0015 2.31 SA 0556 3.19 1129 2.30 ● 1824 4.22		4 0539 3.69 SU 1133 1.68 1809 5.04		19 0021 2.03 MO 0615 3.46 1150 2.24 ● 1818 4.39		4 0122 0.80 WE 0730 4.82 1335 1.12 1937 5.42		19 0039 1.48 TH 0645 4.25 1242 1.84 1844 4.76		4 0130 0.88 FR 0751 5.13 1407 1.42 1954 4.83		19 0026 1.36 SA 0648 4.68 1300 1.88 1847 4.54	
5 0523 3.59 SA 1134 1.64 1820 4.89		20 0119 1.94 SU 0708 3.55 1249 1.99 1918 4.58		5 0100 1.27 MO 0700 4.17 1256 1.28 1915 5.44		20 0105 1.69 TU 0701 3.87 1248 1.87 1903 4.73		5 0209 0.61 TH 0816 5.14 1427 0.98 2021 5.38		20 0120 1.15 FR 0730 4.69 1334 1.54 1929 4.91		5 0215 0.82 SA 0836 5.36 1458 1.33 2040 4.71		20 0118 1.08 SU 0741 5.15 1400 1.57 1944 4.60	
6 0110 1.57 SU 0701 3.93 1301 1.30 1932 5.37		21 0158 1.58 MO 0748 3.93 1336 1.62 1956 4.91		6 0156 0.84 TU 0755 4.65 1357 0.90 2006 5.71		21 0141 1.35 WE 0737 4.27 1332 1.52 1940 5.01		6 0248 0.53 FR 0857 5.36 1512 0.94 2101 5.23		21 0200 0.86 SA 0811 5.12 1423 1.28 2013 4.98		6 0255 0.81 SU 0915 5.51 1543 1.28 2122 4.57		21 0208 0.84 MO 0830 5.59 1457 1.28 2038 4.66	
7 0215 1.07 MO 0807 4.37 1408 0.89 2027 5.78		22 0230 1.30 TU 0819 4.25 1414 1.29 2029 5.18		7 0242 0.55 WE 0840 5.00 1446 0.66 2049 5.81		22 0214 1.05 TH 0811 4.64 1413 1.23 2015 5.21		7 0324 0.53 SA 0932 5.50 1553 0.97 2138 5.04		22 0240 0.63 SU 0852 5.50 1511 1.08 2056 4.97		7 0330 0.84 MO 0951 5.59 1623 1.28 2201 4.44		22 0256 0.64 TU 0918 5.95 1550 1.04 2130 4.70	
8 0305 0.69 TU 0856 4.73 1501 0.56 2112 6.03		23 0300 1.07 WE 0849 4.52 1448 1.04 2059 5.38		8 0321 0.41 TH 0918 5.22 1530 0.58 2128 5.76		23 0245 0.80 FR 0845 4.98 1452 1.01 2049 5.31		8 0355 0.57 SU 1006 5.58 1630 1.05 2214 4.81		23 0319 0.48 MO 0933 5.81 1559 0.93 2141 4.91		8 0403 0.90 TU 1025 5.59 1700 1.32 2238 4.31		23 0345 0.50 WE 1005 6.22 1643 0.86 2224 4.73	
9 0348 0.46 WE 0938 4.98 1547 0.38 2152 6.12		24 0329 0.88 TH 0918 4.75 1523 0.85 2129 5.50		9 0356 0.37 FR 0954 5.36 1610 0.61 2202 5.59		24 0318 0.60 SA 0919 5.28 1533 0.86 2125 5.31		9 0424 0.66 MO 1039 5.57 1707 1.17 ● 2247 4.55		24 0400 0.40 TU 1016 6.03 1647 0.85 2229 4.79		9 0433 0.99 WE 1057 5.52 1733 1.40 ● 2311 4.17		24 0434 0.41 TH 1054 6.39 1735 0.75 ○ 2316 4.74	
10 0426 0.36 TH 1015 5.14 1629 0.34 2229 6.06		25 0359 0.72 FR 0949 4.97 1558 0.73 2159 5.55		10 0428 0.40 SA 1028 5.45 1646 0.72 2236 5.35		25 0352 0.46 SU 0956 5.54 1615 0.78 2202 5.22		10 0452 0.81 TU 1110 5.48 1742 1.34 2320 4.27		25 0443 0.41 WE 1101 6.13 1738 0.86 ○ 2318 4.62		10 0501 1.10 TH 1127 5.41 1805 1.52 2341 4.06		25 0524 0.41 FR 1143 6.43 1825 0.71	
11 0500 0.33 FR 1052 5.24 1706 0.42 ● 2304 5.88		26 0429 0.59 SA 1022 5.16 1635 0.68 2231 5.51		11 0457 0.48 SU 1100 5.47 1721 0.91 ● 2309 5.02		26 0427 0.39 MO 1033 5.73 1657 0.79 ○ 2242 5.04		11 0518 1.01 WE 1140 5.30 1815 1.55 2351 4.00		26 0529 0.52 TH 1149 6.10 1831 0.94		11 0530 1.22 FR 1156 5.28 1835 1.64		26 0009 4.72 SA 0614 0.51 1231 6.32 1915 0.77	
12 0532 0.39 SA 1128 5.27 1743 0.62 2339 5.56		27 0459 0.51 SU 1057 5.31 1713 0.73 ○ 2305 5.34		12 0524 0.63 MO 1132 5.38 1756 1.16 2341 4.63		27 0502 0.42 TU 1114 5.80 1742 0.90 2324 4.75		12 0545 1.25 TH 1210 5.08 1848 1.77		27 0014 4.42 FR 0617 0.73 1241 5.94 1928 1.06		12 0011 3.96 SA 0559 1.35 1226 5.14 1908 1.75		27 0101 4.66 SU 0704 0.73 1320 6.08 2003 0.89	
13 0602 0.53 SU 1202 5.20 1818 0.94		28 0530 0.53 MO 1132 5.37 1751 0.89 2340 5.05		13 0549 0.87 TU 1203 5.19 1830 1.48		28 0539 0.58 WE 1157 5.72 1830 1.10		13 0022 3.75 FR 0611 1.50 1242 4.83 1927 1.98		28 0112 4.23 SA 0711 1.00 1337 5.71 2028 1.18		13 0045 3.87 SU 0632 1.51 1300 4.99 1945 1.84		28 0155 4.57 MO 0755 1.04 1411 5.73 2053 1.04	
14 0012 5.12 MO 0630 0.76 1236 5.02 1853 1.33		29 0601 0.66 TU 1210 5.31 1831 1.15		14 0011 4.21 WE 0614 1.18 1233 4.92 1904 1.81		29 0011 4.40 TH 0620 0.85 1245 5.53 1926 1.35		14 0100 3.54 SA 0645 1.77 1322 4.58 2019 2.14		29 0216 4.11 SU 0812 1.29 1439 5.47 2130 1.24		14 0126 3.79 MO 0711 1.71 1339 4.82 2029 1.91		29 0251 4.48 TU 0850 1.41 1505 5.33 2146 1.18	
15 0043 4.61 TU 0657 1.09 1311 4.76 1930 1.76		30 0016 4.65 WE 0634 0.89 1252 5.15 1918 1.48		15 0040 3.80 TH 0638 1.53 1308 4.60 1947 2.13		30 0106 4.03 FR 0709 1.20 1343 5.27 2033 1.55		15 0155 3.37 SU 0730 2.04 1419 4.37 2132 2.20		30 0327 4.09 MO 0921 1.53 1546 5.26 2236 1.22		15 0216 3.72 TU 0759 1.95 1428 4.65 2122 1.92		30 0356 4.45 WE 0955 1.77 1606 4.93 2245 1.30	
				31 0219 3.76 SA 0815 1.54 1456 5.06 2156 1.59								31 0508 4.51 TH 1115 2.00 1715 4.59 ● 2348 1.34			

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

BUGATTI REEF – QUEENSLAND

LAT 20° 04' S LONG 150° 18' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0110 0.30 0817 3.24 TH 1422 0.86 2017 2.19		16 0157 0.68 0857 2.91 FR 1521 0.97 2050 1.94		1 0238 0.35 0936 3.48 SU 1546 0.77 2145 2.37		16 0236 0.59 0922 3.11 MO 1534 0.85 2124 2.30		1 0149 0.53 0841 3.38 SU 1450 0.74 2054 2.50		16 0140 0.73 0818 3.03 MO 1430 0.78 2030 2.41		1 0258 0.75 0925 2.99 WE 1520 0.62 2152 2.84		16 0222 0.70 0845 2.96 TH 1442 0.40 2118 2.98	
2 0157 0.25 0903 3.40 FR 1512 0.80 2107 2.18		17 0226 0.64 0924 2.96 SA 1547 0.96 2116 1.97		2 0321 0.38 1015 3.45 MO 1624 0.77 2225 2.41		17 0304 0.55 0949 3.18 TU 1558 0.80 2156 2.39		2 0230 0.50 0917 3.38 MO 1522 0.71 2131 2.60		17 0210 0.64 0846 3.12 TU 1452 0.69 2101 2.57		2 0333 0.84 0955 2.80 TH 1546 0.64 2224 2.85		17 0305 0.69 0923 2.86 FR 1516 0.35 2159 3.11	
3 0244 0.24 0948 3.46 SA 1600 0.78 2153 2.18		18 0253 0.60 0950 3.00 SU 1611 0.96 2144 2.01		3 0402 0.47 1051 3.34 TU 1702 0.79 2305 2.41		18 0336 0.54 1018 3.19 WE 1625 0.75 2230 2.47		3 0310 0.53 0952 3.30 TU 1553 0.71 2208 2.66		18 0244 0.59 0917 3.16 WE 1519 0.60 2136 2.71		3 0409 0.95 1021 2.58 FR 1612 0.68 2256 2.81		18 0350 0.73 1002 2.69 SA 1553 0.36 2242 3.17	
4 0330 0.29 1031 3.45 SU 1648 0.80 2239 2.16		19 0321 0.57 1016 3.04 MO 1634 0.95 2213 2.06		4 0443 0.62 1127 3.15 WE 1740 0.83 2346 2.37		19 0412 0.59 1049 3.14 TH 1657 0.72 2309 2.51		4 0347 0.63 1024 3.15 WE 1624 0.72 2244 2.67		19 0319 0.59 0949 3.12 TH 1549 0.54 2214 2.82		4 0445 1.08 1045 2.35 SA 1636 0.75 2327 2.73		19 0439 0.82 1045 2.46 SU 1631 0.43 2328 3.14	
5 0415 0.39 1115 3.35 MO 1738 0.83 2325 2.13		20 0352 0.56 1045 3.07 TU 1701 0.94 2246 2.10		5 0523 0.84 1200 2.91 TH 1818 0.89		20 0450 0.70 1123 2.99 FR 1732 0.71 2353 2.52		5 0424 0.78 1053 2.94 TH 1654 0.75 2319 2.63		20 0359 0.65 1024 3.00 FR 1622 0.51 2254 2.88		5 0524 1.20 1107 2.13 SU 1700 0.85		20 0535 0.95 1130 2.20 MO 1715 0.57	
6 0500 0.54 1159 3.19 TU 1830 0.88		21 0425 0.60 1116 3.06 WE 1734 0.92 2325 2.12		6 0032 2.31 0605 1.09 FR 1234 2.63 1900 0.96		21 0535 0.88 1200 2.76 SA 1813 0.74		6 0500 0.96 1120 2.69 FR 1723 0.82 2356 2.56		21 0442 0.76 1100 2.78 SA 1659 0.54 2339 2.88		6 0000 2.61 0608 1.33 MO 1129 1.91 1724 0.97		21 0021 3.04 0646 1.08 TU 1227 1.95 1809 0.76	
7 0015 2.08 0547 0.76 WE 1243 2.98 1924 0.92		22 0502 0.68 1151 2.99 TH 1813 0.89		7 0127 2.23 0658 1.35 SA 1311 2.33 1948 1.05		22 0045 2.50 0630 1.11 SU 1245 2.46 1900 0.81		7 0539 1.16 1145 2.41 SA 1752 0.91		22 0531 0.94 1141 2.50 SU 1738 0.64		7 0041 2.46 0715 1.45 TU 1158 1.71 1755 1.12		22 0128 2.91 0840 1.15 WE 1347 1.76 1920 0.96	
8 0114 2.03 0640 1.01 TH 1330 2.74 2021 0.95		23 0010 2.13 0545 0.83 FR 1230 2.85 1858 0.87		8 0241 2.17 0818 1.56 SU 1400 2.03 2051 1.13		23 0155 2.47 0748 1.33 MO 1345 2.14 2004 0.90		8 0036 2.45 0625 1.37 SU 1208 2.13 1823 1.04		23 0030 2.81 0633 1.14 MO 1230 2.18 1827 0.79		8 0143 2.32 0951 1.47 WE 1308 1.54 1851 1.28		23 0252 2.82 1027 1.06 TH 1543 1.76 2100 1.08	
9 0228 2.01 0745 1.27 FR 1424 2.49 2121 0.96		24 0107 2.14 0638 1.04 SA 1316 2.64 1950 0.86		9 0423 2.21 1055 1.60 MO 1537 1.80 2214 1.15		24 0327 2.50 0952 1.42 TU 1524 1.90 2129 0.95		9 0130 2.32 0736 1.55 MO 1235 1.86 1905 1.18		24 0139 2.72 0807 1.31 TU 1341 1.88 1933 0.96		9 0321 2.27 1140 1.34 TH 1626 1.54 2106 1.36		24 0419 2.84 1134 0.92 FR 1716 1.95 2237 1.07	
10 0358 2.08 0917 1.47 SA 1530 2.25 2222 0.93		25 0222 2.18 0752 1.26 SU 1415 2.39 2052 0.83		10 0553 2.35 1244 1.41 TU 1745 1.75 2332 1.09		25 0503 2.66 1154 1.27 WE 1715 1.87 2257 0.89		10 0255 2.23 1043 1.58 TU 1400 1.63 2030 1.31		25 0311 2.68 1032 1.27 WE 1539 1.75 2113 1.06		10 0450 2.35 1218 1.19 FR 1747 1.71 2249 1.27		25 0530 2.90 1220 0.78 SA 1819 2.20 2349 0.99	
11 0524 2.24 1111 1.49 SU 1647 2.08 2319 0.88		26 0352 2.31 0935 1.39 MO 1534 2.17 2200 0.78		11 0649 2.52 1330 1.22 WE 1854 1.82		26 0617 2.90 1300 1.06 TH 1832 2.00		11 0450 2.26 1233 1.38 WE 1733 1.62 2240 1.30		26 0446 2.77 1202 1.09 TH 1727 1.87 2253 1.01		11 0547 2.50 1243 1.05 SA 1824 1.91 2346 1.12		26 0626 2.96 1256 0.68 SU 1908 2.44	
12 0629 2.44 1236 1.38 MO 1802 1.98		27 0517 2.54 1122 1.33 TU 1705 2.04 2308 0.70		12 0029 0.99 0730 2.68 TH 1402 1.07 1934 1.91		27 0008 0.76 0714 3.13 FR 1344 0.90 1928 2.18		12 0606 2.41 1306 1.20 TH 1836 1.77 2357 1.16		27 0600 2.94 1251 0.91 FR 1833 2.10		12 0627 2.66 1301 0.91 SU 1856 2.13		27 0044 0.92 0712 2.96 MO 1326 0.61 1950 2.64	
13 0008 0.82 0715 2.62 TU 1331 1.23 1900 1.94		28 0626 2.82 1242 1.16 WE 1824 2.03		13 0109 0.87 0802 2.81 FR 1430 0.98 2004 2.00		28 0103 0.62 0800 3.30 SA 1418 0.80 2013 2.36		13 0651 2.58 1331 1.06 FR 1909 1.93		28 0004 0.88 0655 3.10 SA 1327 0.78 1922 2.33		13 0028 0.98 0700 2.81 MO 1320 0.77 1928 2.35		28 0130 0.90 0751 2.88 TU 1354 0.56 2028 2.80	
14 0049 0.77 0754 2.75 WE 1414 1.10 1945 1.92		29 0010 0.59 0722 3.09 TH 1339 0.99 1926 2.10		14 0141 0.76 0830 2.92 SA 1454 0.92 2030 2.10				14 0040 1.00 0724 2.74 SA 1353 0.95 1935 2.09		29 0057 0.76 0740 3.20 SU 1356 0.70 2003 2.53		14 0105 0.85 0734 2.92 TU 1344 0.63 2002 2.58		29 0210 0.91 0827 2.75 WE 1421 0.55 2103 2.89	
15 0125 0.72 0827 2.85 TH 1450 1.01 2021 1.92		30 0104 0.47 0811 3.30 FR 1425 0.86 2016 2.20		15 0209 0.67 0857 3.03 SU 1515 0.89 2056 2.20				15 0111 0.86 0752 2.90 SU 1412 0.87 2001 2.25		30 0141 0.69 0818 3.21 MO 1425 0.65 2042 2.68		15 0143 0.75 0809 2.98 WE 1411 0.50 2040 2.79		30 0248 0.95 0859 2.57 TH 1447 0.56 2136 2.93	
		31 0153 0.39 0855 3.43 SA 1507 0.79 2101 2.30						31 0220 0.69 0853 3.13 TU 1452 0.63 2117 2.79							

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

BUGATTI REEF – QUEENSLAND

LAT 20° 04' S LONG 150° 18' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0326 1.01 0929 2.38 FR 1514 0.59 2207 2.93		16 0256 0.77 0903 2.50 SA 1449 0.23 2146 3.29		1 0440 1.06 1009 1.80 MO 1541 0.67 2250 2.82		16 0438 0.74 1029 2.09 TU 1605 0.27 2309 3.39		1 0501 0.96 1024 1.78 WE 1558 0.61 2300 2.82		16 0513 0.66 1104 2.17 TH 1642 0.35 2335 3.25		1 0514 0.78 1107 2.03 SA 1645 0.60 2328 2.80		16 0554 0.63 1215 2.31 SU 1752 0.86	
2 0402 1.06 0956 2.19 SA 1537 0.65 2237 2.88		17 0345 0.77 0948 2.35 SU 1530 0.26 2231 3.34		2 0517 1.09 1036 1.74 TU 1609 0.72 2319 2.75		17 0536 0.76 1118 2.03 WE 1655 0.40 2359 3.28		2 0529 0.98 1052 1.79 TH 1629 0.64 2328 2.79		17 0600 0.68 1153 2.15 FR 1729 0.55		2 0545 0.75 1146 2.05 SU 1723 0.72		17 0018 2.52 0635 0.71 MO 1307 2.23 1845 1.12	
3 0440 1.12 1021 2.01 SU 1600 0.71 2306 2.80		18 0440 0.81 1035 2.19 MO 1615 0.35 2319 3.31		3 0556 1.12 1105 1.69 WE 1640 0.78 2352 2.68		18 0641 0.79 1214 1.97 TH 1747 0.58		3 0558 0.98 1127 1.80 FR 1702 0.70		18 0018 3.04 0650 0.72 SA 1247 2.11 1819 0.80		3 0001 2.67 0622 0.72 MO 1235 2.06 1809 0.89		18 0057 2.20 0721 0.81 TU 1415 2.15 2004 1.34	
4 0518 1.18 1045 1.87 MO 1625 0.79 2336 2.69		19 0540 0.87 1126 2.02 TU 1704 0.49		4 0639 1.16 1143 1.66 TH 1716 0.86		19 0050 3.11 0749 0.81 FR 1318 1.93 1847 0.81		4 0000 2.75 0633 0.97 SA 1209 1.80 1741 0.80		19 0103 2.78 0743 0.76 SU 1352 2.07 1920 1.07		4 0041 2.48 0707 0.71 TU 1338 2.07 1912 1.09		19 0146 1.88 0820 0.91 WE 1546 2.14 2225 1.39	
5 0603 1.25 1113 1.74 TU 1653 0.89		20 0013 3.20 0658 0.94 WE 1225 1.88 1800 0.68		5 0031 2.61 0732 1.16 FR 1232 1.63 1800 0.96		20 0147 2.91 0852 0.81 SA 1438 1.94 1959 1.04		5 0037 2.68 0717 0.93 SU 1303 1.81 1829 0.94		20 0153 2.48 0839 0.79 MO 1513 2.08 2042 1.30		5 0130 2.24 0803 0.70 WE 1500 2.14 2044 1.25		20 0319 1.64 0942 0.98 TH 1720 2.23	
6 0013 2.57 0704 1.31 WE 1150 1.63 1728 1.01		21 0114 3.05 0833 0.95 TH 1342 1.80 1908 0.88		6 0118 2.56 0830 1.13 SA 1344 1.63 1858 1.07		21 0249 2.70 0951 0.78 SU 1604 2.04 2125 1.22		6 0121 2.57 0807 0.86 MO 1415 1.86 1932 1.11		21 0253 2.19 0940 0.81 TU 1642 2.18 2234 1.39		6 0241 1.99 0911 0.69 TH 1630 2.30 2236 1.24		21 0021 1.22 0527 1.59 FR 1109 0.94 1826 2.38	
7 0101 2.46 0842 1.33 TH 1253 1.54 1818 1.14		22 0225 2.92 0948 0.90 FR 1518 1.84 2034 1.05		7 0214 2.52 0923 1.03 SU 1508 1.72 2015 1.18		22 0355 2.50 1045 0.73 MO 1723 2.22 2258 1.29		7 0215 2.43 0901 0.77 TU 1536 2.00 2059 1.23		22 0411 1.96 1043 0.80 WE 1759 2.34		7 0415 1.83 1024 0.63 FR 1748 2.55		22 0111 1.02 0640 1.67 SA 1213 0.84 1912 2.53	
8 0209 2.39 1006 1.27 FR 1445 1.54 1944 1.25		23 0339 2.82 1049 0.82 SA 1646 2.01 2206 1.13		8 0314 2.50 1011 0.89 MO 1624 1.91 2139 1.22		23 0501 2.33 1133 0.67 TU 1827 2.44		8 0318 2.28 0958 0.66 WE 1655 2.22 2233 1.25		23 0016 1.29 0538 1.83 TH 1142 0.76 1855 2.52		8 0008 1.08 0545 1.81 SA 1133 0.52 1850 2.83		23 0145 0.88 0724 1.77 SU 1257 0.72 1947 2.65	
9 0323 2.40 1059 1.15 SA 1621 1.67 2123 1.27		24 0448 2.76 1138 0.72 SU 1755 2.24 2325 1.14		9 0414 2.47 1055 0.72 TU 1730 2.17 2257 1.19		24 0016 1.26 0604 2.19 WE 1216 0.61 1916 2.63		9 0431 2.14 1054 0.54 TH 1803 2.50 2357 1.14		24 0120 1.12 0646 1.79 FR 1231 0.70 1938 2.65		9 0110 0.89 0654 1.90 SU 1234 0.39 1942 3.07		24 0214 0.78 0757 1.87 MO 1332 0.62 2018 2.74	
10 0426 2.48 1130 1.00 SU 1723 1.89 2239 1.20		25 0547 2.69 1217 0.63 MO 1849 2.48		10 0513 2.44 1137 0.55 WE 1826 2.46		25 0117 1.17 0659 2.08 TH 1254 0.58 1958 2.77		10 0546 2.05 1149 0.42 FR 1901 2.79		25 0204 0.98 0737 1.80 SA 1314 0.64 2015 2.75		10 0158 0.73 0749 2.03 MO 1327 0.27 2029 3.25		25 0239 0.73 0824 1.96 TU 1400 0.54 2045 2.81	
11 0518 2.58 1159 0.83 MO 1812 2.14 2339 1.09		26 0028 1.11 0638 2.60 TU 1251 0.56 1934 2.68		11 0005 1.09 0611 2.39 TH 1219 0.39 1916 2.76		26 0206 1.08 0745 1.98 FR 1330 0.57 2034 2.85		11 0103 0.98 0654 2.03 SA 1242 0.31 1952 3.05		26 0240 0.88 0816 1.82 SU 1349 0.59 2047 2.81		11 0240 0.63 0837 2.16 TU 1414 0.20 2111 3.34		26 0301 0.70 0848 2.04 WE 1427 0.49 2109 2.86	
12 0605 2.66 1227 0.65 TU 1855 2.42		27 0119 1.08 0723 2.47 WE 1323 0.53 2014 2.82		12 0105 0.98 0707 2.33 FR 1302 0.28 2004 3.02		27 0248 1.00 0826 1.90 SA 1402 0.57 2108 2.88		12 0159 0.84 0752 2.05 SU 1332 0.22 2040 3.25		27 0312 0.83 0847 1.85 MO 1421 0.55 2116 2.84		12 0320 0.57 0921 2.28 WE 1459 0.19 2151 3.34		27 0321 0.68 0913 2.12 TH 1453 0.47 2132 2.89	
13 0030 0.98 0649 2.70 WE 1259 0.48 1937 2.69		28 0204 1.06 0802 2.32 TH 1352 0.53 2049 2.91		13 0200 0.87 0800 2.27 SA 1345 0.20 2050 3.23		28 0326 0.96 0901 1.84 SU 1432 0.58 2138 2.88		13 0248 0.73 0844 2.09 MO 1421 0.17 2126 3.38		28 0340 0.82 0915 1.87 TU 1448 0.52 2143 2.86		13 0359 0.55 1003 2.35 TH 1542 0.26 2230 3.25		28 0341 0.65 0941 2.21 FR 1521 0.47 2159 2.88	
14 0119 0.88 0734 2.68 TH 1333 0.34 2020 2.94		29 0245 1.05 0838 2.16 FR 1421 0.55 2122 2.94		14 0251 0.78 0851 2.20 SU 1431 0.18 2136 3.37		29 0401 0.94 0931 1.80 MO 1501 0.59 2206 2.86		14 0337 0.67 0931 2.13 TU 1509 0.17 2210 3.42		29 0404 0.82 0939 1.91 WE 1515 0.50 2207 2.88		14 0437 0.55 1045 2.38 FR 1624 0.41 2306 3.07		29 0404 0.60 1013 2.28 SA 1553 0.51 2227 2.83	
15 0207 0.81 0818 2.61 FR 1410 0.26 2102 3.15		30 0325 1.04 0912 2.02 SA 1447 0.59 2153 2.92		15 0344 0.74 0940 2.15 MO 1517 0.20 2222 3.42		30 0433 0.95 0958 1.78 TU 1530 0.60 2232 2.84		15 0425 0.65 1018 2.17 WE 1555 0.22 2253 3.38		30 0425 0.83 1004 1.96 TH 1542 0.50 2231 2.88		15 0515 0.58 1129 2.37 SA 1707 0.62 2342 2.82		30 0431 0.56 1047 2.34 SU 1629 0.60 2258 2.70	
		31 0403 1.05 0942 1.89 SU 1515 0.63 2222 2.88								31 0447 0.81 1033 2.00 FR 1612 0.53 2259 2.86				31 0502 0.53 1128 2.36 MO 1711 0.73 2332 2.50	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

BUGATTI REEF – QUEENSLAND

LAT 20° 04' S LONG 150° 18' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0539 0.55 TU 1800 0.92		16 0005 1.91 WE 1938 1.31		1 0551 0.57 TH 1926 1.09		16 0005 1.51 FR 1339 2.23 2141 1.24		1 0251 1.61 SU 1536 2.73 2256 0.79		16 0237 1.44 MO 1503 2.30 2244 1.05		1 0401 1.93 TU 1609 2.73 2304 0.67		16 0237 1.68 WE 1441 2.40 2146 0.97	
2 0013 2.24 WE 1315 2.32 1910 1.11		17 0045 1.64 TH 1441 2.14 2222 1.32		2 0102 1.70 FR 1425 2.51 2144 1.09		17 0136 1.36 SA 1510 2.17 2314 1.12		2 0431 1.77 MO 1649 2.79 2345 0.65		17 0415 1.57 TU 1605 2.34 2318 0.92		2 0519 2.16 WE 1713 2.65 2348 0.57		17 0400 1.84 TH 1541 2.35 2230 0.82	
3 0105 1.95 TH 1438 2.31 2100 1.22		18 0232 1.43 FR 1625 2.15		3 0247 1.56 SA 1600 2.57 2320 0.92		18 0430 1.41 SU 1634 2.22 2357 0.98		3 0543 2.03 TU 1749 2.84		18 0515 1.77 WE 1656 2.40 2345 0.76		3 0620 2.42 TH 1809 2.55		18 0508 2.07 FR 1641 2.30 2314 0.65	
4 0231 1.70 FR 1615 2.42 2308 1.12		19 0005 1.14 SA 1025 1.11 1743 2.27		4 0441 1.65 SU 1718 2.73		19 0540 1.59 MO 1041 1.13 1730 2.34		4 0024 0.53 WE 1212 0.81 1839 2.83		19 0600 2.01 TH 1741 2.46		4 0026 0.49 FR 1258 1.05 1858 2.43		19 0605 2.35 SA 1742 2.27 2356 0.50	
5 0428 1.64 SA 1736 2.64		20 0043 0.96 SU 1142 0.98 1832 2.42		5 0014 0.74 MO 1125 0.72 1818 2.90		20 0026 0.85 TU 1137 1.01 1810 2.47		5 0057 0.43 TH 1302 0.78 1922 2.76		20 0010 0.60 FR 1215 1.01 1825 2.48		5 0100 0.45 SA 1346 1.01 1942 2.29		20 0655 2.65 SU 1841 2.23	
6 0023 0.91 SU 1130 0.62 1838 2.88		21 0112 0.82 MO 1228 0.84 1908 2.55		6 0052 0.59 TU 1224 0.60 1907 3.01		21 0047 0.72 WE 1217 0.89 1843 2.57		6 0128 0.37 FR 1346 0.79 2001 2.63		21 0038 0.44 SA 1301 0.91 1908 2.47		6 0132 0.44 SU 1430 0.99 2022 2.14		21 0039 0.36 MO 1339 0.93 1935 2.21	
7 0109 0.73 MO 1230 0.47 1928 3.07		22 0136 0.73 TU 1301 0.71 1937 2.66		7 0125 0.48 WE 1312 0.53 1948 3.03		22 0106 0.61 TH 1252 0.79 1914 2.65		7 0157 0.35 SA 1428 0.83 2037 2.45		22 0110 0.31 SU 1346 0.82 1952 2.42		7 0203 0.46 MO 1510 0.98 2059 2.01		22 0123 0.26 TU 1429 0.82 2026 2.20	
8 0146 0.60 TU 1320 0.35 2012 3.19		23 0157 0.65 WE 1330 0.62 2002 2.75		8 0156 0.41 TH 1354 0.52 2026 2.96		23 0126 0.49 FR 1327 0.71 1946 2.68		8 0226 0.37 SU 1508 0.88 2111 2.25		23 0145 0.21 MO 1433 0.75 2037 2.33		8 0234 0.50 TU 1547 0.98 2131 1.90		23 0208 0.20 WE 1517 0.75 2115 2.19	
9 0221 0.51 WE 1405 0.30 2051 3.21		24 0215 0.59 TH 1357 0.56 2029 2.80		9 0225 0.38 FR 1434 0.58 2101 2.82		24 0150 0.37 SA 1403 0.66 2021 2.64		9 0254 0.41 MO 1546 0.94 2143 2.06		24 0224 0.17 TU 1521 0.73 2123 2.23		9 0303 0.55 WE 1625 1.00 2201 1.81		24 0254 0.18 TH 1608 0.73 2202 2.17	
10 0254 0.47 TH 1446 0.33 2128 3.14		25 0234 0.52 FR 1427 0.53 2056 2.82		10 0255 0.37 SA 1514 0.67 2134 2.62		25 0217 0.28 SU 1444 0.64 2058 2.56		10 0321 0.48 TU 1626 1.00 2213 1.88		25 0304 0.17 WE 1612 0.74 2209 2.11		10 0332 0.61 TH 1701 1.04 2230 1.76		25 0341 0.22 FR 1700 0.74 2251 2.15	
11 0328 0.45 FR 1527 0.43 2201 2.98		26 0257 0.45 SA 1500 0.53 2126 2.77		11 0324 0.39 SU 1553 0.79 2204 2.38		26 0249 0.23 MO 1527 0.66 2136 2.42		11 0347 0.56 WE 1708 1.06 2241 1.74		26 0348 0.24 TH 1708 0.79 2259 1.99		11 0400 0.67 FR 1740 1.08 2258 1.71		26 0429 0.32 SA 1759 0.78 2342 2.10	
12 0400 0.45 SA 1606 0.58 2234 2.76		27 0324 0.39 SU 1537 0.57 2159 2.66		12 0352 0.45 MO 1042 2.74 1632 0.91 2233 2.14		27 0324 0.22 TU 1017 2.98 1614 0.72 2217 2.23		12 0415 0.66 TH 1130 2.64 1755 1.12 2310 1.62		27 0436 0.35 FR 1144 3.18 1815 0.85 2353 1.87		12 0430 0.74 SA 1821 1.12 2330 1.68		27 0519 0.49 SU 1219 3.25 1901 0.82	
13 0431 0.49 SU 1646 0.76 2305 2.49		28 0354 0.35 MO 1030 2.67 1618 0.65 2233 2.48		13 0419 0.53 TU 1116 2.65 1715 1.03 2300 1.91		28 0402 0.28 WE 1101 2.98 1706 0.81 2303 2.02		13 0445 0.78 FR 1206 2.52 1900 1.19 2346 1.52		28 0530 0.52 SA 1241 3.07 1945 0.88		13 0503 0.83 SU 1215 2.61 1909 1.15		28 0041 2.06 MO 1313 3.04 2007 0.83	
14 0503 0.56 MO 1730 0.96 2335 2.20		29 0428 0.37 TU 1113 2.69 1705 0.78 2313 2.24		14 0445 0.65 WE 1153 2.52 1804 1.15 2329 1.70		29 0445 0.39 TH 1152 2.92 1812 0.93 2356 1.81		14 0520 0.91 SA 1252 2.40 2031 1.20		29 0100 1.79 SU 0631 0.72 1345 2.94 2108 0.85		14 0013 1.65 MO 1255 2.54 2004 1.14		29 0152 2.04 TU 1411 2.81 2110 0.82	
15 0535 0.67 TU 1820 1.15		30 0506 0.44 WE 1201 2.64 1802 0.95 2359 1.96		15 0515 0.79 TH 1237 2.37 1920 1.25		30 0536 0.55 FR 1253 2.82 1952 1.00		15 0047 1.44 SU 1354 2.31 2150 1.15		30 0229 1.79 MO 0750 0.92 1458 2.82 2212 0.77		15 0114 1.63 TU 1344 2.46 2058 1.08		30 0318 2.10 WE 1516 2.57 2210 0.79	
				31 0107 1.64 SA 0642 0.74 1411 2.73 2145 0.93								31 0446 2.26 TH 1023 1.34 1629 2.37 2305 0.74			

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

SHUTE HARBOUR – QUEENSLAND

LAT 20° 16' S LONG 148° 46' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0212 0.35 0905 4.03 TH 1531 0.88 2106 2.78		16 0249 0.76 0936 3.68 FR 1605 1.08 2134 2.56		1 0343 0.32 1026 4.28 SU 1653 0.72 2240 2.95		16 0329 0.64 1012 3.86 MO 1634 0.95 2215 2.90		1 0253 0.51 0929 4.14 SU 1555 0.68 2147 3.11		16 0230 0.80 0906 3.77 MO 1529 0.85 2120 3.04		1 0355 0.77 1013 3.63 WE 1622 0.65 2239 3.44		16 0316 0.78 0932 3.58 TH 1545 0.46 2211 3.65	
2 0300 0.27 0952 4.21 FR 1621 0.78 2200 2.76		17 0318 0.71 1006 3.73 SA 1635 1.08 2203 2.58		2 0425 0.33 1106 4.23 MO 1731 0.73 2322 2.97		17 0400 0.59 1043 3.90 TU 1703 0.90 2251 2.98		2 0332 0.47 1006 4.12 MO 1628 0.68 2225 3.18		17 0302 0.70 0938 3.83 TU 1557 0.76 2154 3.19		2 0431 0.89 1043 3.41 TH 1647 0.69 2311 3.45		17 0401 0.78 1010 3.44 FR 1616 0.41 2252 3.80	
3 0348 0.24 1039 4.30 SA 1710 0.73 2250 2.74		18 0347 0.66 1037 3.76 SU 1704 1.08 2234 2.61		3 0506 0.44 1145 4.08 TU 1809 0.79		18 0432 0.60 1115 3.86 WE 1733 0.86 2329 3.04		3 0410 0.51 1042 4.01 TU 1658 0.71 2300 3.22		18 0337 0.65 1010 3.83 WE 1625 0.68 2230 3.33		3 0509 1.04 1111 3.16 FR 1711 0.77 2343 3.42		18 0450 0.85 1051 3.23 SA 1652 0.42 2335 3.87	
4 0436 0.27 1124 4.28 SU 1758 0.75 2341 2.71		19 0417 0.63 1108 3.78 MO 1735 1.07 2308 2.64		4 0003 2.96 0546 0.63 WE 1221 3.84 1845 0.87		19 0509 0.69 1146 3.75 TH 1803 0.84		4 0447 0.63 1115 3.82 WE 1728 0.75 2336 3.23		19 0415 0.67 1043 3.74 TH 1654 0.62 2310 3.44		4 0546 1.22 1137 2.89 SA 1732 0.88		19 0544 0.96 1135 2.96 SU 1730 0.52	
5 0524 0.38 1210 4.15 MO 1846 0.80		20 0449 0.64 1141 3.77 TU 1808 1.06 2346 2.65		5 0045 2.90 0626 0.90 TH 1255 3.54 1921 0.98		20 0008 3.07 0548 0.85 FR 1218 3.54 1835 0.86		5 0524 0.82 1145 3.56 TH 1756 0.83		20 0456 0.77 1116 3.56 FR 1724 0.61 2350 3.50		5 0014 3.33 0625 1.41 SU 1200 2.61 1751 1.03		20 0021 3.85 0643 1.10 MO 1224 2.67 1815 0.69	
6 0030 2.67 0610 0.56 TU 1254 3.94 1936 0.88		21 0524 0.70 1214 3.71 WE 1843 1.06		6 0127 2.83 0707 1.21 FR 1328 3.19 1958 1.10		21 0050 3.08 0631 1.07 SA 1251 3.27 1910 0.92		6 0011 3.19 0601 1.07 FR 1214 3.25 1822 0.94		21 0541 0.93 1151 3.29 SA 1757 0.67		6 0046 3.20 0711 1.59 MO 1226 2.35 1813 1.21		21 0113 3.74 0754 1.22 TU 1325 2.41 1912 0.92	
7 0122 2.62 0657 0.82 WE 1338 3.66 2027 0.96		22 0028 2.66 0601 0.84 TH 1248 3.59 1919 1.05		7 0216 2.75 0759 1.53 SA 1405 2.83 2043 1.23		22 0138 3.07 0726 1.33 SU 1330 2.95 1954 1.01		7 0045 3.11 0640 1.34 SA 1240 2.92 1847 1.08		22 0033 3.50 0632 1.14 SU 1230 2.97 1833 0.79		7 0124 3.05 0815 1.74 TU 1306 2.12 1844 1.41		22 0216 3.59 0925 1.24 WE 1455 2.26 2030 1.12	
8 0218 2.58 0746 1.11 TH 1425 3.36 2120 1.01		23 0113 2.66 0644 1.02 FR 1323 3.41 2000 1.05		8 0326 2.70 0923 1.78 SU 1501 2.50 2148 1.33		23 0239 3.05 0845 1.56 MO 1429 2.62 2100 1.11		8 0124 2.99 0727 1.61 SU 1307 2.58 1917 1.26		23 0121 3.43 0736 1.36 MO 1316 2.63 1921 0.98		8 0217 2.89 1019 1.75 WE 1430 1.95 1958 1.61		23 0342 3.51 1050 1.11 TH 1638 2.35 2209 1.19	
9 0324 2.58 0851 1.40 FR 1517 3.06 2215 1.04		24 0204 2.68 0735 1.25 SA 1403 3.18 2048 1.04		9 0500 2.76 1132 1.81 MO 1646 2.28 2308 1.35		24 0410 3.10 1043 1.61 TU 1617 2.39 2234 1.14		9 0212 2.86 0841 1.82 MO 1348 2.26 2003 1.46		24 0224 3.34 0908 1.50 TU 1431 2.33 2035 1.17		9 0350 2.82 1151 1.59 TH 1711 2.01 2201 1.66		24 0504 3.56 1200 0.92 FR 1757 2.61 2335 1.11	
10 0438 2.65 1020 1.60 SA 1624 2.80 2311 1.02		25 0310 2.74 0847 1.48 SU 1459 2.92 2151 1.01		10 0625 2.94 1311 1.61 TU 1831 2.29		25 0545 3.32 1236 1.38 WE 1809 2.44		10 0330 2.76 1110 1.83 TU 1538 2.03 2133 1.61		25 0356 3.32 1103 1.40 WE 1641 2.27 2222 1.23		10 0527 2.94 1241 1.39 FR 1822 2.24 2332 1.51		25 0614 3.64 1257 0.73 SA 1901 2.89	
11 0554 2.83 1156 1.63 SU 1737 2.63		26 0435 2.90 1030 1.59 MO 1623 2.70 2302 0.94		11 0020 1.28 0722 3.18 WE 1402 1.37 1933 2.41		26 0001 1.01 0700 3.63 TH 1346 1.08 1927 2.65		11 0528 2.83 1253 1.61 WE 1815 2.11 2327 1.57		26 0530 3.46 1230 1.14 TH 1815 2.49 2355 1.09		11 0626 3.16 1315 1.18 SA 1903 2.51		26 0045 0.99 0711 3.69 SU 1344 0.62 1952 3.13	
12 0006 0.98 0700 3.06 MO 1316 1.51 1847 2.56		27 0600 3.19 1218 1.49 TU 1755 2.61		12 0115 1.14 0803 3.39 TH 1439 1.20 2015 2.53		27 0113 0.81 0759 3.90 FR 1437 0.85 2022 2.85		12 0641 3.03 1334 1.38 TH 1914 2.32		27 0643 3.69 1330 0.87 FR 1923 2.78		12 0030 1.29 0709 3.37 SU 1345 1.00 1940 2.76		27 0140 0.91 0758 3.65 MO 1422 0.57 2035 3.31	
13 0057 0.92 0748 3.29 TU 1413 1.34 1943 2.55		28 0011 0.81 0710 3.53 WE 1344 1.23 1914 2.64		13 0156 1.00 0839 3.56 FR 1510 1.09 2046 2.64		28 0208 0.63 0846 4.08 SA 1518 0.72 2108 3.01		13 0037 1.38 0727 3.27 FR 1405 1.20 1948 2.54		28 0105 0.89 0740 3.87 SA 1415 0.70 2013 3.03		13 0115 1.08 0746 3.53 MO 1415 0.83 2015 3.00		28 0226 0.90 0837 3.53 TU 1454 0.57 2113 3.43	
14 0140 0.86 0829 3.47 WE 1457 1.20 2027 2.55		29 0114 0.66 0808 3.85 TH 1443 0.99 2018 2.73		14 0229 0.86 0911 3.69 SA 1538 1.03 2115 2.73				14 0122 1.16 0802 3.48 SA 1433 1.05 2018 2.72		29 0158 0.74 0827 3.94 SU 1455 0.63 2055 3.19		14 0156 0.93 0822 3.63 TU 1445 0.69 2053 3.23		29 0307 0.94 0912 3.36 WE 1521 0.58 2146 3.52	
15 0216 0.81 0903 3.60 TH 1533 1.12 2103 2.56		30 0209 0.51 0858 4.09 FR 1530 0.83 2111 2.82		15 0259 0.74 0942 3.79 SU 1605 0.99 2145 2.81				15 0158 0.96 0835 3.65 SU 1500 0.95 2048 2.89		30 0241 0.68 0906 3.91 MO 1527 0.62 2131 3.30		15 0236 0.83 0857 3.65 WE 1515 0.56 2130 3.45		30 0345 1.00 0944 3.17 TH 1547 0.61 2219 3.58	
		31 0258 0.39 0944 4.23 SA 1614 0.74 2157 2.90						31 0319 0.70 0941 3.79 TU 1555 0.63 2206 3.38							

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

SHUTE HARBOUR – QUEENSLAND

LAT 20° 16' S LONG 148° 46' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0423 1.08 FR 1014 2.97 1612 0.66 2250 3.59		16 0358 0.85 SA 0946 3.08 1547 0.27 2237 4.06		1 0532 1.20 MO 1056 2.38 1636 0.80 2331 3.52		16 0545 0.69 TU 1128 2.67 1714 0.27		1 0548 1.10 WE 1115 2.38 1655 0.71 2347 3.53		16 0619 0.57 TH 1209 2.77 1752 0.31		1 0622 0.90 SA 1211 2.60 1745 0.75		16 0040 3.47 SU 0702 0.67 1314 2.86 1900 0.97	
2 0500 1.17 SA 1043 2.76 1634 0.74 2320 3.55		17 0452 0.84 SU 1037 2.91 1631 0.30 2323 4.13		2 0607 1.25 TU 1127 2.31 1704 0.87		17 0002 4.22 WE 0641 0.70 1224 2.61 1806 0.40		2 0621 1.11 TH 1150 2.38 1728 0.75		17 0031 4.04 FR 0706 0.61 1259 2.75 1839 0.54		2 0027 3.41 SU 0654 0.90 1251 2.60 1823 0.92		17 0115 3.09 MO 0741 0.81 1403 2.78 1955 1.29	
3 0539 1.27 SU 1111 2.56 1656 0.85 2349 3.46		18 0548 0.86 MO 1130 2.72 1719 0.40		3 0003 3.44 WE 0644 1.30 1202 2.25 1736 0.95		18 0053 4.08 TH 0739 0.73 1322 2.57 1900 0.60		3 0020 3.48 FR 0657 1.12 1230 2.37 1803 0.84		18 0115 3.76 SA 0754 0.69 1352 2.71 1929 0.84		3 0058 3.22 MO 0728 0.90 1336 2.62 1908 1.12		18 0154 2.70 TU 0824 0.96 1507 2.71 2119 1.53	
4 0617 1.38 MO 1138 2.38 1718 0.97		19 0012 4.09 TU 0649 0.91 1227 2.54 1812 0.57		4 0038 3.35 TH 0727 1.34 1245 2.20 1815 1.05		19 0145 3.86 FR 0839 0.77 1427 2.56 1958 0.84		4 0054 3.40 SA 0735 1.11 1315 2.37 1843 0.98		19 0200 3.42 SU 0844 0.77 1451 2.68 2028 1.16		4 0131 3.00 TU 0808 0.91 1431 2.65 2009 1.34		19 0250 2.34 WE 0925 1.09 1634 2.72 2314 1.57	
5 0020 3.34 TU 0700 1.48 1210 2.22 1745 1.11		20 0105 3.96 WE 0758 0.96 1332 2.42 1910 0.77		5 0117 3.26 FR 0816 1.35 1336 2.17 1901 1.17		20 0243 3.61 SA 0937 0.78 1535 2.60 2107 1.08		5 0130 3.28 SU 0818 1.09 1405 2.39 1930 1.15		20 0248 3.06 MO 0937 0.84 1600 2.70 2149 1.41		5 0216 2.74 WE 0902 0.91 1545 2.73 2143 1.48		20 0433 2.11 TH 1045 1.15 1800 2.85	
6 0056 3.20 WE 0752 1.56 1254 2.10 1820 1.26		21 0206 3.79 TH 0911 0.95 1452 2.39 2019 0.97		6 0203 3.18 SA 0914 1.30 1440 2.19 2002 1.30		21 0344 3.36 SU 1032 0.77 1645 2.70 2227 1.26		6 0212 3.14 MO 0906 1.03 1506 2.45 2032 1.32		21 0350 2.73 TU 1034 0.88 1717 2.80 2326 1.50		6 0330 2.49 TH 1015 0.88 1715 2.95 2334 1.42		21 0052 1.38 FR 0617 2.12 1201 1.10 1904 3.06	
7 0141 3.07 TH 0906 1.58 1359 2.02 1919 1.42		22 0317 3.64 FR 1018 0.89 1612 2.49 2143 1.10		7 0259 3.12 SU 1011 1.19 1556 2.30 2118 1.38		22 0446 3.13 MO 1127 0.74 1755 2.88 2348 1.34		7 0302 2.98 TU 1000 0.94 1622 2.61 2159 1.43		22 0507 2.50 WE 1133 0.89 1831 2.99		7 0512 2.37 FR 1130 0.78 1833 3.27		22 0147 1.15 SA 0722 2.25 1301 0.98 1950 3.25	
8 0242 2.98 FR 1026 1.49 1535 2.04 2049 1.52		23 0429 3.53 SA 1119 0.79 1723 2.68 2304 1.15		8 0401 3.09 MO 1102 1.02 1708 2.52 2240 1.39		23 0549 2.94 TU 1219 0.70 1859 3.10		8 0409 2.83 WE 1059 0.82 1738 2.87 2330 1.41		23 0057 1.39 TH 0627 2.39 1232 0.86 1930 3.20		8 0111 1.17 SA 0637 2.42 1238 0.62 1937 3.60		23 0225 0.97 SU 0805 2.39 1345 0.84 2027 3.40	
9 0401 3.00 SA 1123 1.33 1702 2.22 2222 1.49		24 0533 3.45 SU 1215 0.69 1830 2.92		9 0503 3.09 TU 1150 0.83 1813 2.82 2353 1.32		24 0104 1.31 WE 0650 2.79 1307 0.67 1951 3.30		9 0523 2.72 TH 1155 0.67 1847 3.20		24 0200 1.21 FR 0731 2.39 1324 0.80 2015 3.37		9 0215 0.89 SU 0747 2.54 1339 0.44 2030 3.88		24 0258 0.87 MO 0839 2.50 1419 0.72 2059 3.50	
10 0510 3.12 SU 1208 1.12 1804 2.49 2333 1.36		25 0016 1.14 MO 0632 3.36 1303 0.61 1927 3.15		10 0600 3.08 WE 1235 0.65 1911 3.15		25 0206 1.22 TH 0744 2.68 1348 0.65 2034 3.46		10 0057 1.26 FR 0632 2.67 1249 0.53 1946 3.55		25 0246 1.05 SA 0820 2.42 1407 0.75 2053 3.49		10 0304 0.68 MO 0844 2.67 1431 0.28 2118 4.07		25 0326 0.82 TU 0907 2.58 1449 0.62 2129 3.57	
11 0604 3.25 MO 1248 0.91 1855 2.79		26 0120 1.12 TU 0724 3.24 1345 0.57 2014 3.34		11 0100 1.20 TH 0653 3.03 1317 0.49 2003 3.49		26 0255 1.13 FR 0830 2.59 1425 0.65 2112 3.56		11 0210 1.05 SA 0739 2.65 1343 0.40 2040 3.85		26 0324 0.96 SU 0859 2.45 1442 0.69 2127 3.55		11 0348 0.56 TU 0932 2.78 1519 0.17 2202 4.17		26 0352 0.80 WE 0935 2.65 1517 0.55 2158 3.61	
12 0031 1.20 TU 0650 3.35 1325 0.71 1942 3.09		27 0214 1.11 WE 0807 3.09 1419 0.57 2053 3.49		12 0205 1.07 FR 0746 2.96 1400 0.36 2051 3.79		27 0337 1.06 SA 0910 2.51 1458 0.66 2145 3.60		12 0308 0.85 SU 0840 2.66 1434 0.27 2129 4.08		27 0357 0.92 MO 0930 2.46 1512 0.64 2157 3.59		12 0429 0.49 WE 1018 2.87 1603 0.14 2244 4.16		27 0418 0.77 TH 1004 2.72 1547 0.52 2227 3.61	
13 0124 1.07 WE 0733 3.37 1400 0.55 2026 3.38		28 0300 1.10 TH 0846 2.93 1450 0.59 2129 3.58		13 0304 0.93 SA 0841 2.88 1445 0.27 2139 4.03		28 0415 1.04 SU 0944 2.45 1528 0.68 2216 3.61		13 0358 0.70 MO 0936 2.70 1525 0.18 2215 4.23		28 0425 0.93 TU 0959 2.48 1540 0.60 2226 3.61		13 0508 0.47 TH 1102 2.93 1647 0.21 2324 4.03		28 0446 0.74 FR 1037 2.79 1618 0.54 2257 3.56	
14 0215 0.97 TH 0815 3.33 1433 0.41 2109 3.66		29 0341 1.10 FR 0921 2.77 1518 0.62 2201 3.63		14 0400 0.81 SU 0937 2.80 1531 0.21 2226 4.20		29 0447 1.05 MO 1015 2.41 1556 0.69 2246 3.59		14 0445 0.60 TU 1029 2.74 1615 0.13 2301 4.28		29 0453 0.93 WE 1028 2.51 1609 0.57 2256 3.62		14 0546 0.50 FR 1146 2.95 1731 0.39		29 0514 0.71 SA 1113 2.85 1653 0.63 2326 3.44	
15 0305 0.90 FR 0900 3.23 1509 0.32 2152 3.90		30 0420 1.12 SA 0955 2.62 1545 0.67 2232 3.62		15 0452 0.73 MO 1032 2.73 1622 0.21 2314 4.26		30 0518 1.07 TU 1045 2.39 1625 0.69 2316 3.57		15 0532 0.56 WE 1118 2.76 1704 0.17 2347 4.21		30 0521 0.93 TH 1059 2.55 1640 0.57 2326 3.60		15 0003 3.80 SA 0625 0.57 1230 2.93 1815 0.65		30 0542 0.69 SU 1150 2.89 1730 0.77 2356 3.24	
		31 0457 1.15 SU 1026 2.49 1610 0.73 2302 3.58								31 0551 0.91 FR 1133 2.58 1712 0.63 2356 3.53				31 0611 0.71 MO 1230 2.91 1810 0.97	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

SHUTE HARBOUR – QUEENSLAND

LAT 20° 16' S LONG 148° 46' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0026 2.99 0642 0.76 TU 1314 2.90 1900 1.19		16 0108 2.35 0712 1.04 WE 1408 2.78 2059 1.57		1 0052 2.39 0652 0.81 TH 1355 3.16 2036 1.32		16 0120 1.91 0652 1.27 FR 1416 2.77 2220 1.48		1 0401 2.21 0930 1.03 SU 1627 3.43 2325 0.78		16 0338 1.95 0839 1.46 MO 1546 2.87 2313 1.21		1 0449 2.62 1028 1.08 TU 1659 3.43 2343 0.61		16 0334 2.22 0850 1.48 WE 1532 2.96 2243 1.12	
2 0100 2.71 0720 0.84 WE 1407 2.88 2013 1.39		17 0158 2.04 0800 1.25 TH 1529 2.67 2300 1.54		2 0202 2.14 0801 0.99 FR 1516 3.13 2227 1.24		17 0300 1.79 0811 1.45 SA 1551 2.71 2336 1.33		2 0521 2.46 1059 0.97 MO 1737 3.52		17 0500 2.13 1008 1.46 TU 1654 2.94 2356 1.03		2 0558 2.86 1145 1.10 WE 1800 3.32		17 0451 2.41 1015 1.54 TH 1636 2.91 2331 0.95	
3 0153 2.40 0819 0.94 TH 1525 2.90 2200 1.45		18 0408 1.86 0932 1.39 FR 1715 2.73		3 0400 2.06 0942 1.06 SA 1650 3.25 2352 0.98		18 0515 1.92 1003 1.49 SU 1719 2.81		3 0023 0.58 0627 2.76 TU 1211 0.86 1837 3.57		18 0557 2.38 1121 1.37 WE 1747 3.04		3 0034 0.51 0659 3.13 TH 1254 1.08 1857 3.20		18 0557 2.70 1134 1.49 FR 1737 2.89	
4 0330 2.17 0949 0.99 FR 1702 3.07 2357 1.25		19 0031 1.33 0604 1.98 SA 1121 1.34 1826 2.91		4 0537 2.28 1117 0.93 SU 1806 3.48		19 0025 1.15 0615 2.15 MO 1129 1.35 1815 2.99		4 0112 0.43 0722 3.03 WE 1311 0.78 1928 3.54		19 0033 0.84 0645 2.67 TH 1219 1.24 1832 3.11		4 0119 0.46 0750 3.36 FR 1354 1.05 1946 3.05		19 0016 0.77 0654 3.04 SA 1245 1.36 1832 2.87	
5 0529 2.20 1122 0.89 SA 1823 3.37		20 0116 1.11 0700 2.20 SU 1228 1.17 1913 3.11		5 0054 0.70 0647 2.58 MO 1230 0.73 1906 3.68		20 0100 0.97 0655 2.40 TU 1222 1.16 1856 3.16		5 0154 0.36 0809 3.25 TH 1402 0.76 2012 3.43		20 0108 0.66 0728 2.97 FR 1312 1.12 1915 3.13		5 0159 0.45 0834 3.54 SA 1445 1.03 2030 2.89		20 0059 0.61 0745 3.38 SU 1351 1.20 1926 2.84	
6 0112 0.94 0651 2.41 SU 1237 0.68 1926 3.67		21 0150 0.94 0737 2.41 MO 1312 0.97 1949 3.29		6 0144 0.50 0742 2.86 TU 1327 0.56 1957 3.78		21 0130 0.80 0730 2.64 WE 1305 0.99 1931 3.29		6 0229 0.35 0851 3.40 FR 1448 0.79 2050 3.25		21 0142 0.51 0810 3.25 SA 1401 1.01 1956 3.09		6 0232 0.47 0914 3.64 SU 1530 1.02 2109 2.73		21 0141 0.46 0832 3.69 MO 1448 1.04 2018 2.80	
7 0206 0.67 0751 2.65 MO 1337 0.47 2017 3.88		22 0218 0.82 0807 2.58 TU 1346 0.80 2021 3.42		7 0225 0.39 0827 3.06 WE 1415 0.49 2039 3.76		22 0200 0.66 0803 2.86 TH 1345 0.86 2005 3.35		7 0300 0.37 0928 3.51 SA 1530 0.85 2126 3.04		22 0214 0.40 0851 3.52 SU 1451 0.93 2037 3.01		7 0304 0.52 0948 3.69 MO 1611 1.03 2145 2.59		22 0223 0.35 0917 3.96 TU 1540 0.90 2112 2.77	
8 0250 0.51 0840 2.84 TU 1426 0.33 2102 3.98		23 0245 0.73 0837 2.73 WE 1418 0.68 2051 3.50		8 0300 0.36 0907 3.20 TH 1457 0.50 2116 3.65		23 0228 0.54 0838 3.07 FR 1423 0.79 2038 3.34		8 0328 0.41 1003 3.57 SU 1612 0.93 2200 2.83		23 0246 0.31 0932 3.74 MO 1541 0.87 2121 2.89		8 0333 0.58 1021 3.68 TU 1649 1.07 2218 2.47		23 0307 0.26 1003 4.15 WE 1630 0.79 2206 2.74	
9 0329 0.44 0922 2.97 WE 1508 0.27 2142 3.98		24 0313 0.66 0907 2.86 TH 1450 0.61 2121 3.52		9 0331 0.36 0945 3.30 FR 1536 0.57 2151 3.47		24 0256 0.45 0915 3.27 SA 1503 0.76 2112 3.26		9 0356 0.48 1037 3.57 MO 1652 1.02 2232 2.61		24 0322 0.26 1015 3.91 TU 1632 0.84 2211 2.75		9 0400 0.65 1053 3.62 WE 1725 1.12 2248 2.37		24 0356 0.21 1050 4.27 TH 1720 0.73 2300 2.72	
10 0403 0.41 1002 3.07 TH 1549 0.30 2219 3.87		25 0339 0.60 0939 2.98 FR 1523 0.59 2151 3.48		10 0400 0.39 1021 3.36 SA 1616 0.69 2225 3.23		25 0323 0.39 0952 3.44 SU 1545 0.77 2146 3.12		10 0422 0.59 1110 3.51 TU 1733 1.12 2304 2.41		25 0404 0.26 1100 4.01 WE 1726 0.83 2304 2.61		10 0427 0.73 1123 3.55 TH 1759 1.19 2319 2.30		25 0446 0.23 1138 4.29 FR 1812 0.72 2354 2.69	
11 0436 0.42 1042 3.14 FR 1630 0.41 2256 3.68		26 0406 0.55 1014 3.10 SA 1559 0.63 2222 3.38		11 0430 0.44 1057 3.38 SU 1658 0.85 2258 2.96		26 0352 0.35 1031 3.58 MO 1632 0.81 2226 2.93		11 0446 0.72 1142 3.41 WE 1815 1.23 2335 2.23		26 0452 0.33 1148 4.02 TH 1823 0.85		11 0455 0.81 1154 3.46 FR 1834 1.25 2353 2.24		26 0538 0.33 1227 4.20 SA 1906 0.74	
12 0508 0.46 1121 3.16 SA 1712 0.60 2330 3.40		27 0432 0.51 1051 3.20 SU 1638 0.72 2254 3.20		12 0457 0.54 1132 3.34 MO 1741 1.03 2329 2.66		27 0425 0.36 1114 3.66 TU 1723 0.89 2310 2.71		12 0511 0.86 1214 3.27 TH 1859 1.33		27 0000 2.48 0545 4.46 FR 1240 3.94 1927 0.88		12 0527 0.91 1227 3.36 SA 1914 1.30		27 0050 2.66 0630 4.51 SU 1316 4.01 2002 0.77	
13 0540 0.54 1200 3.13 SU 1754 0.85		28 0500 0.50 1130 3.26 MO 1721 0.86 2328 2.97		13 0522 0.69 1206 3.24 TU 1825 1.23		28 0503 0.43 1159 3.66 WE 1820 0.99		13 0010 2.08 0540 1.01 FR 1250 3.13 1954 1.41		28 0102 2.37 0643 4.64 SA 1337 3.80 2037 0.88		13 0032 2.19 0602 1.03 SU 1303 3.25 2000 1.33		28 0150 2.64 0726 4.76 MO 1410 3.75 2101 0.80	
14 0002 3.06 0610 0.67 MO 1238 3.05 1839 1.13		29 0530 0.55 1212 3.27 TU 1812 1.03		14 0000 2.38 0545 0.86 WE 1242 3.10 1916 1.40		29 0000 2.47 0549 0.58 TH 1248 3.59 1928 1.08		14 0055 1.97 0618 1.18 SA 1334 2.99 2109 1.42		29 0215 2.34 0747 0.83 SU 1442 3.65 2145 0.82		14 0121 2.16 0645 1.17 MO 1345 3.14 2053 1.32		29 0258 2.65 0830 1.04 TU 1507 3.47 2200 0.80	
15 0034 2.70 0639 0.84 TU 1318 2.92 1932 1.39		30 0005 2.68 0606 0.66 WE 1258 3.23 1913 1.21		15 0032 2.12 0612 1.06 TH 1322 2.93 2033 1.51		30 0100 2.25 0645 0.77 FR 1347 3.48 2052 1.09		15 0200 1.91 0717 1.34 SU 1431 2.89 2219 1.35		30 0336 2.43 0904 1.00 MO 1552 3.53 2246 0.72		15 0220 2.15 0739 1.34 TU 1433 3.04 2150 1.25		30 0410 2.75 0950 1.27 WE 1611 3.20 2257 0.78	
				31 0220 2.12 0758 0.95 SA 1505 3.40 2216 0.97								31 0523 2.91 1116 1.39 TH 1719 2.97 2353 0.74			

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

BOWEN – QUEENSLAND

LAT 20° 01' S LONG 148° 15' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0146 0.36 0832 3.45 TH 1446 1.03 2011 2.43		16 0219 0.76 0911 3.17 FR 1530 1.24 2041 2.23		1 0312 0.31 0946 3.69 SU 1607 0.91 2133 2.57		16 0259 0.65 0930 3.34 MO 1547 1.09 2115 2.56		1 0220 0.49 0849 3.60 SU 1510 0.85 2047 2.70		16 0201 0.81 0826 3.30 MO 1447 0.98 2023 2.67		1 0316 0.81 0914 3.14 WE 1540 0.77 2142 2.92		16 0245 0.83 0835 3.15 TH 1510 0.56 2113 3.13	
2 0233 0.28 0917 3.60 FR 1536 0.97 2059 2.40		17 0248 0.72 0937 3.20 SA 1554 1.24 2107 2.26		2 0353 0.33 1022 3.62 MO 1645 0.93 2214 2.56		17 0330 0.62 0955 3.35 TU 1616 1.05 2146 2.61		2 0259 0.46 0920 3.56 MO 1542 0.85 2120 2.76		17 0233 0.72 0850 3.34 TU 1514 0.88 2053 2.79		2 0351 0.96 0940 2.95 TH 1606 0.81 2215 2.91		17 0326 0.86 0907 3.02 FR 1544 0.50 2154 3.23	
3 0319 0.24 1001 3.67 SA 1624 0.95 2145 2.37		18 0317 0.68 1002 3.22 SU 1619 1.25 2136 2.28		3 0431 0.46 1056 3.48 TU 1721 1.00 2255 2.51		18 0402 0.64 1021 3.32 WE 1647 1.01 2222 2.63		3 0335 0.52 0949 3.45 TU 1613 0.87 2155 2.77		18 0306 0.68 0915 3.33 WE 1543 0.80 2128 2.89		3 0424 1.15 1006 2.74 FR 1631 0.88 2250 2.87		18 0410 0.96 0944 2.82 SA 1619 0.52 2240 3.28	
4 0405 0.27 1046 3.64 SU 1713 0.98 2232 2.31		19 0347 0.66 1030 3.23 MO 1648 1.24 2207 2.30		4 0510 0.67 1130 3.28 WE 1759 1.08 2340 2.43		19 0436 0.75 1048 3.22 TH 1721 0.99 2301 2.63		4 0410 0.67 1017 3.28 WE 1643 0.91 2231 2.75		19 0342 0.73 0942 3.25 TH 1615 0.74 2204 2.96		4 0459 1.35 1032 2.50 SA 1655 0.98 2326 2.79		19 0459 1.11 1026 2.57 SU 1659 0.61 2332 3.25	
5 0450 0.39 1130 3.53 MO 1801 1.05 2322 2.24		20 0419 0.68 1058 3.21 TU 1721 1.24 2243 2.29		5 0549 0.96 1203 3.02 TH 1838 1.17		20 0514 0.93 1117 3.06 FR 1756 1.01 2346 2.61		5 0445 0.90 1045 3.06 TH 1712 0.98 2310 2.68		20 0420 0.85 1011 3.10 FR 1647 0.74 2245 2.98		5 0535 1.55 1100 2.26 SU 1717 1.10		20 0556 1.29 1116 2.29 MO 1744 0.76	
6 0535 0.58 1215 3.35 TU 1855 1.12		21 0453 0.76 1127 3.16 WE 1758 1.23 2323 2.26		6 0033 2.34 0630 1.29 FR 1239 2.73 1923 1.26		21 0557 1.16 1150 2.84 SA 1836 1.05		6 0519 1.16 1113 2.80 FR 1740 1.08 2352 2.59		21 0502 1.04 1044 2.87 SA 1722 0.79 2333 2.96		6 0004 2.69 0621 1.72 MO 1130 2.03 1741 1.24		21 0039 3.17 0722 1.42 TU 1226 2.04 1842 0.95	
7 0019 2.16 0622 0.84 WE 1303 3.12 1956 1.17		22 0530 0.89 1158 3.07 TH 1838 1.22		7 0157 2.27 0726 1.61 SA 1319 2.42 2030 1.34		22 0046 2.57 0652 1.43 SU 1233 2.56 1928 1.11		7 0557 1.45 1140 2.52 SA 1809 1.20		22 0551 1.27 1123 2.59 SU 1801 0.89		7 0059 2.58 0943 1.76 TU 1209 1.82 1809 1.40		22 0208 3.10 0932 1.35 WE 1429 1.91 2007 1.12	
8 0134 2.10 0715 1.14 TH 1357 2.88 2106 1.17		23 0012 2.23 0613 1.08 FR 1232 2.93 1925 1.20		8 0347 2.31 0940 1.81 SU 1443 2.15 2202 1.35		23 0227 2.57 0820 1.66 MO 1343 2.26 2045 1.17		8 0044 2.49 0644 1.71 SU 1208 2.23 1841 1.34		23 0036 2.89 0656 1.51 MO 1215 2.27 1853 1.05		8 0304 2.51 1118 1.62 WE 1518 1.68 1915 1.57		23 0336 3.11 1054 1.17 TH 1619 2.02 2147 1.15	
9 0307 2.12 0826 1.43 FR 1500 2.64 2214 1.12		24 0116 2.23 0706 1.31 SA 1317 2.74 2025 1.16		9 0528 2.47 1152 1.73 MO 1655 2.03 2315 1.29		24 0414 2.72 1048 1.63 TU 1610 2.09 2225 1.12		9 0234 2.41 0950 1.86 MO 1244 1.96 1930 1.49		24 0216 2.85 0915 1.61 TU 1355 1.99 2016 1.20		9 0431 2.58 1207 1.46 TH 1711 1.82 2217 1.56		24 0453 3.18 1153 0.98 FR 1739 2.25 2311 1.08	
10 0444 2.26 1006 1.61 SA 1612 2.45 2311 1.05		25 0257 2.30 0823 1.54 SU 1425 2.52 2139 1.08		10 0631 2.68 1310 1.54 TU 1813 2.06		25 0541 2.98 1226 1.40 WE 1749 2.17 2345 0.97		10 0424 2.47 1203 1.69 TU 1630 1.80 2205 1.55		25 0358 2.94 1113 1.42 WE 1629 1.99 2210 1.19		10 0531 2.72 1234 1.31 FR 1800 2.01 2326 1.41		25 0554 3.24 1237 0.84 SA 1834 2.48	
11 0606 2.48 1145 1.61 SU 1722 2.32		26 0431 2.50 1017 1.62 MO 1606 2.36 2251 0.96		11 0011 1.19 0714 2.87 WE 1353 1.37 1900 2.14		26 0645 3.25 1323 1.16 TH 1852 2.33		11 0542 2.62 1258 1.49 WE 1801 1.92 2327 1.45		26 0522 3.12 1222 1.17 TH 1756 2.20 2334 1.04		11 0614 2.88 1258 1.18 SA 1831 2.21		26 0015 0.99 0642 3.24 SU 1314 0.75 1919 2.67	
12 0000 0.97 0700 2.71 MO 1300 1.51 1821 2.26		27 0551 2.80 1159 1.50 TU 1732 2.30 2354 0.81		12 0054 1.08 0746 3.02 TH 1421 1.26 1931 2.22		27 0047 0.77 0733 3.45 FR 1403 0.99 1937 2.49		12 0631 2.80 1326 1.34 TH 1842 2.08		27 0625 3.31 1308 0.97 FR 1850 2.42		12 0015 1.24 0647 3.02 SU 1321 1.05 1900 2.41		27 0105 0.94 0720 3.18 MO 1346 0.71 1958 2.80	
13 0041 0.90 0740 2.89 TU 1354 1.39 1906 2.23		28 0653 3.11 1311 1.31 WE 1840 2.34		13 0130 0.96 0815 3.14 FR 1443 1.20 1957 2.31		28 0137 0.60 0815 3.57 SA 1437 0.90 2014 2.61		13 0019 1.28 0707 2.96 FR 1346 1.22 1908 2.24		28 0036 0.87 0713 3.42 SA 1344 0.85 1931 2.60		13 0054 1.08 0715 3.13 MO 1345 0.93 1930 2.60		28 0148 0.94 0751 3.06 TU 1416 0.69 2031 2.90	
14 0117 0.85 0813 3.03 WE 1435 1.30 1943 2.22		29 0051 0.64 0744 3.37 TH 1404 1.13 1932 2.40		14 0200 0.84 0842 3.22 SA 1501 1.17 2021 2.40		15 0230 0.74 0906 3.29 SU 1523 1.14 2046 2.48		14 0059 1.10 0736 3.10 SA 1405 1.14 1931 2.39		29 0124 0.74 0751 3.44 SU 1415 0.79 2006 2.73		14 0130 0.95 0740 3.19 TU 1410 0.80 2000 2.79		29 0227 1.00 0817 2.91 WE 1444 0.69 2104 2.98	
15 0149 0.80 0843 3.12 TH 1506 1.25 2014 2.22		30 0143 0.49 0828 3.56 FR 1448 1.00 2015 2.48						15 0131 0.94 0802 3.22 SU 1425 1.06 1957 2.53		30 0205 0.69 0822 3.39 MO 1445 0.77 2038 2.83		15 0206 0.86 0806 3.20 WE 1439 0.67 2035 2.97		30 0303 1.09 0844 2.75 TH 1511 0.70 2137 3.02	
		31 0229 0.37 0908 3.67 SA 1529 0.92 2056 2.54								31 0242 0.71 0849 3.28 TU 1513 0.76 2109 2.89					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

BOWEN – QUEENSLAND

LAT 20° 01' S LONG 148° 15' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0339 1.19 0911 2.57 FR 1535 0.75 2209 3.02		16 0315 0.96 0845 2.70 SA 1519 0.34 2149 3.44		1 0450 1.36 1001 2.04 MO 1605 0.85 2302 2.98		16 0500 0.92 1024 2.26 TU 1642 0.31 2326 3.58		1 0508 1.25 1022 2.04 WE 1627 0.76 2313 3.00		16 0532 0.80 1103 2.32 TH 1716 0.36 2349 3.41		1 0535 1.06 1110 2.19 SA 1714 0.81 2332 2.89		16 0617 0.86 1225 2.33 SU 1820 1.07	
2 0414 1.31 0940 2.38 SA 1600 0.82 2241 2.98		17 0405 0.99 0931 2.52 SU 1601 0.37 2239 3.49		2 0527 1.41 1036 1.97 TU 1633 0.91 2333 2.91		17 0559 0.95 1121 2.19 WE 1732 0.44		2 0539 1.27 1058 2.02 TH 1659 0.81 2343 2.95		17 0620 0.86 1158 2.26 FR 1802 0.60		2 0610 1.04 1152 2.17 SU 1751 0.98		17 0021 2.60 0700 0.96 MO 1345 2.27 1917 1.39	
3 0449 1.42 1009 2.20 SU 1622 0.91 2312 2.91		18 0500 1.07 1024 2.33 MO 1647 0.46 2334 3.46		3 0611 1.45 1115 1.91 WE 1706 0.99		18 0019 3.47 0703 0.99 TH 1226 2.12 1826 0.63		3 0616 1.28 1138 2.00 FR 1733 0.90		18 0033 3.18 0713 0.92 SA 1304 2.21 1853 0.91		3 0001 2.76 0649 1.03 MO 1245 2.17 1836 1.19		18 0104 2.27 0800 1.07 TU 1519 2.30 2128 1.59	
4 0528 1.53 1041 2.04 MO 1645 1.01 2345 2.83		19 0604 1.15 1124 2.14 TU 1739 0.61		4 0009 2.85 0721 1.47 TH 1201 1.86 1745 1.08		19 0116 3.30 0813 1.00 FR 1344 2.10 1925 0.87		4 0015 2.88 0700 1.27 SA 1225 1.98 1813 1.03		19 0121 2.90 0814 0.96 SU 1427 2.20 1955 1.23		4 0037 2.58 0738 1.01 TU 1406 2.20 1941 1.40		19 0230 1.97 0929 1.12 WE 1653 2.42 2334 1.50	
5 0618 1.62 1118 1.90 TU 1712 1.13		20 0036 3.37 0735 1.19 WE 1238 2.01 1839 0.79		5 0052 2.78 0842 1.44 FR 1301 1.83 1833 1.19		20 0217 3.10 0920 0.96 SA 1506 2.15 2035 1.11		5 0049 2.79 0750 1.23 SU 1326 1.98 1901 1.19		20 0220 2.60 0921 0.97 MO 1554 2.27 2130 1.46		5 0127 2.35 0843 0.98 WE 1544 2.34 2128 1.53		20 0437 1.84 1046 1.10 TH 1805 2.59	
6 0029 2.73 0856 1.62 WE 1211 1.78 1747 1.26		21 0149 3.26 0903 1.12 TH 1416 1.99 1952 0.97		6 0147 2.72 0937 1.35 SA 1422 1.85 1936 1.31		21 0321 2.90 1022 0.90 SU 1629 2.27 2200 1.29		6 0132 2.69 0850 1.14 MO 1448 2.05 2006 1.36		21 0333 2.34 1028 0.94 TU 1724 2.44 2320 1.50		6 0305 2.13 1000 0.90 TH 1708 2.58 2324 1.44		21 0052 1.30 0600 1.87 FR 1149 1.02 1855 2.76	
7 0135 2.64 1000 1.53 TH 1340 1.71 1846 1.40		22 0302 3.17 1014 1.02 FR 1546 2.09 2115 1.09		7 0252 2.70 1022 1.22 SU 1544 1.96 2055 1.39		22 0424 2.72 1115 0.83 MO 2326 1.36		7 0231 2.56 0949 1.02 TU 1610 2.22 2137 1.47		22 0453 2.17 1126 0.89 WE 1833 2.65		7 0452 2.06 1112 0.77 FR 1818 2.87		22 0137 1.13 0649 1.96 SA 1238 0.92 1931 2.89	
8 0309 2.62 1052 1.42 FR 1542 1.78 2033 1.49		23 0411 3.10 1112 0.90 SA 1706 2.27 2236 1.15		8 0352 2.70 1101 1.07 MO 1651 2.16 2218 1.40		23 0525 2.56 1203 0.76 TU 1851 2.67		8 0346 2.44 1044 0.87 WE 1722 2.47 2313 1.44		23 0046 1.38 0603 2.09 TH 1217 0.84 1923 2.83		8 0045 1.22 0609 2.11 SA 1215 0.61 1914 3.15		23 0208 1.02 0722 2.06 SU 1317 0.81 2002 2.98	
9 0417 2.69 1130 1.28 SA 1652 1.95 2213 1.44		24 0513 3.03 1200 0.79 SU 1812 2.48 2348 1.16		9 0445 2.70 1138 0.89 TU 1749 2.41 2333 1.35		24 0039 1.34 0618 2.42 WE 1245 0.71 1940 2.85		9 0457 2.36 1135 0.71 TH 1826 2.77		24 0146 1.24 0656 2.07 FR 1301 0.79 2000 2.96		9 0141 1.01 0706 2.20 SU 1313 0.44 2000 3.38		24 0231 0.97 0748 2.14 MO 1349 0.71 2029 3.04	
10 0508 2.80 1203 1.12 SU 1744 2.17 2318 1.34		25 0604 2.94 1240 0.72 MO 1905 2.68		10 0531 2.69 1215 0.72 WE 1841 2.69		25 0138 1.28 0704 2.31 TH 1323 0.69 2019 2.98		10 0029 1.31 0600 2.32 FR 1227 0.57 1920 3.06		25 0229 1.13 0736 2.08 SA 1340 0.74 2032 3.04		10 0225 0.84 0752 2.31 MO 1402 0.28 2042 3.52		25 0251 0.95 0812 2.22 TU 1419 0.63 2053 3.08	
11 0548 2.89 1232 0.96 MO 1825 2.40		26 0047 1.17 0646 2.81 TU 1315 0.67 1949 2.84		11 0035 1.25 0616 2.65 TH 1254 0.56 1928 2.97		26 0227 1.23 0743 2.22 FR 1358 0.69 2053 3.06		11 0130 1.15 0658 2.30 SA 1317 0.42 2008 3.31		26 0300 1.07 0808 2.09 SU 1413 0.70 2101 3.07		11 0304 0.73 0833 2.40 TU 1448 0.18 2121 3.58		26 0312 0.93 0836 2.29 WE 1447 0.58 2116 3.10	
12 0012 1.22 0622 2.95 TU 1300 0.80 1903 2.64		27 0137 1.18 0722 2.67 WE 1348 0.65 2028 2.96		12 0130 1.14 0701 2.59 FR 1335 0.42 2013 3.22		27 0308 1.19 0818 2.15 SA 1429 0.70 2123 3.09		12 0224 0.99 0749 2.32 SU 1408 0.29 2053 3.51		27 0325 1.06 0835 2.12 MO 1443 0.66 2128 3.09		12 0343 0.67 0915 2.47 WE 1531 0.16 2159 3.55		27 0334 0.91 0903 2.35 TH 1516 0.56 2139 3.08	
13 0059 1.11 0654 2.96 WE 1330 0.64 1942 2.89		28 0220 1.20 0754 2.52 TH 1418 0.66 2101 3.03		13 0222 1.04 0748 2.51 SA 1418 0.32 2059 3.43		28 0343 1.18 0850 2.10 SU 1459 0.71 2151 3.09		13 0313 0.87 0838 2.34 MO 1458 0.20 2138 3.62		28 0347 1.07 0901 2.15 TU 1512 0.63 2152 3.09		13 0421 0.66 0956 2.49 TH 1614 0.25 2234 3.42		28 0400 0.87 0933 2.40 FR 1546 0.60 2201 3.03	
14 0144 1.03 0727 2.92 TH 1403 0.50 2021 3.11		29 0300 1.23 0826 2.38 FR 1446 0.69 2133 3.07		14 0313 0.96 0838 2.43 SU 1505 0.26 2146 3.57		29 0413 1.20 0920 2.07 MO 1528 0.72 2218 3.07		14 0400 0.79 0925 2.35 TU 1545 0.16 2222 3.65		29 0410 1.08 0929 2.18 WE 1541 0.61 2216 3.08		14 0500 0.70 1040 2.47 FR 1654 0.45 2309 3.21		29 0428 0.84 1007 2.43 SA 1619 0.70 2226 2.93	
15 0229 0.97 0803 2.84 FR 1440 0.39 2103 3.31		30 0339 1.27 0857 2.25 SA 1513 0.73 2204 3.07		15 0405 0.92 0930 2.35 MO 1553 0.25 2235 3.62		30 0440 1.23 0950 2.05 TU 1557 0.74 2245 3.04		15 0446 0.78 1014 2.35 WE 1631 0.21 2305 3.58		30 0435 1.08 0959 2.20 TH 1610 0.63 2242 3.05		15 0538 0.77 1128 2.41 SA 1735 0.74 2344 2.93		30 0458 0.82 1044 2.43 SU 1654 0.85 2251 2.78	
		31 0415 1.31 0929 2.13 SU 1539 0.79 2233 3.04								31 0504 1.07 1032 2.20 FR 1641 0.69 2307 2.99				31 0530 0.82 1126 2.43 MO 1734 1.05 2320 2.58	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

BOWEN – QUEENSLAND

LAT 20° 01' S LONG 148° 15' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0606 0.85 TU 1219 2.41 1824 1.27 2359 2.34		16 0003 1.98 WE 0636 1.10 1437 2.35 2153 1.57		1 0622 0.86 TH 1342 2.67 2041 1.44		16 0024 1.58 FR 0617 1.26 1505 2.43 2301 1.35		1 0345 1.85 SU 0909 0.99 1616 3.05 2323 0.84		16 0347 1.67 MO 0831 1.41 1605 2.58 2323 1.14		1 0434 2.18 TU 0959 1.09 1639 3.00 2333 0.71		16 0332 1.87 WE 0823 1.47 1528 2.58 2251 1.13	
2 0651 0.91 WE 1344 2.41 1939 1.48		17 0057 1.70 TH 0738 1.26 1606 2.40 2337 1.40		2 0107 1.78 FR 0738 1.00 1523 2.74 2243 1.25		17 0345 1.54 SA 0810 1.41 1618 2.48 2349 1.20		2 0505 2.08 MO 1033 0.94 1720 3.12		17 0455 1.85 TU 1004 1.39 1655 2.64 2353 1.00		2 0545 2.42 WE 1116 1.13 1735 2.90		17 0446 2.07 TH 0958 1.52 1624 2.56 2327 0.96	
3 0054 2.05 TH 0758 0.98 1532 2.52 2215 1.48		18 0429 1.63 FR 0957 1.30 1721 2.52		3 0353 1.77 SA 0929 1.01 1645 2.92 2351 0.99		18 0512 1.70 SU 1013 1.36 1716 2.59		3 0009 0.67 TU 0605 2.34 1142 0.86 1812 3.13		18 0543 2.06 WE 1107 1.32 1735 2.71		3 0016 0.61 TH 0643 2.65 1223 1.13 1824 2.78		18 0545 2.32 FR 1116 1.48 1714 2.54	
4 0323 1.85 FR 0938 0.97 1700 2.74 2355 1.25		19 0032 1.21 SA 0552 1.76 1112 1.21 1813 2.67		4 0521 1.97 SU 1056 0.88 1750 3.11		19 0020 1.06 MO 0555 1.89 1115 1.23 1800 2.72		4 0047 0.55 WE 0653 2.56 1237 0.81 1853 3.08		19 0020 0.86 TH 0621 2.29 1159 1.23 1808 2.74		4 0054 0.54 FR 0730 2.85 1317 1.13 1904 2.63		19 0000 0.80 SA 0632 2.61 1218 1.38 1800 2.52	
5 0514 1.92 SA 1104 0.84 1809 3.01		20 0106 1.06 SU 0631 1.92 1204 1.07 1851 2.80		5 0038 0.77 MO 0619 2.22 1202 0.71 1841 3.25		20 0045 0.95 TU 0625 2.08 1201 1.10 1833 2.83		5 0122 0.48 TH 0735 2.72 1325 0.82 1928 2.95		20 0047 0.71 FR 0657 2.52 1244 1.14 1839 2.74		5 0130 0.51 SA 0813 2.99 1406 1.14 1940 2.48		20 0036 0.64 SU 0715 2.89 1313 1.26 1845 2.49	
6 0055 0.99 SU 0621 2.10 1213 0.65 1902 3.24		21 0131 0.96 MO 0658 2.08 1245 0.92 1922 2.91		6 0115 0.62 TU 0703 2.43 1255 0.57 1922 3.29		21 0108 0.84 WE 0653 2.26 1241 0.98 1901 2.90		6 0154 0.45 FR 0814 2.84 1408 0.87 1958 2.79		21 0114 0.58 SA 0731 2.75 1327 1.07 1910 2.70		6 0202 0.52 SU 0849 3.08 1450 1.16 2013 2.34		21 0115 0.49 MO 0757 3.15 1402 1.15 1930 2.46	
7 0136 0.80 MO 0709 2.28 1307 0.47 1945 3.39		22 0151 0.89 TU 0722 2.21 1318 0.80 1948 2.99		7 0148 0.54 WE 0742 2.58 1339 0.52 1957 3.24		22 0130 0.74 TH 0721 2.43 1315 0.89 1926 2.92		7 0224 0.46 SA 0849 2.93 1448 0.96 2026 2.61		22 0144 0.45 SU 0807 2.96 1410 1.02 1944 2.63		7 0233 0.55 MO 0923 3.11 1531 1.20 2045 2.22		22 0156 0.36 TU 0839 3.37 1452 1.04 2015 2.43	
8 0212 0.67 TU 0749 2.43 1353 0.34 2023 3.44		23 0212 0.84 WE 0745 2.33 1348 0.70 2012 3.03		8 0220 0.50 TH 0817 2.69 1419 0.54 2026 3.13		23 0154 0.64 FR 0749 2.60 1350 0.84 1949 2.90		8 0253 0.49 SU 0925 2.97 1528 1.06 2056 2.42		23 0217 0.35 MO 0845 3.15 1456 0.98 2021 2.52		8 0302 0.61 TU 0954 3.11 1610 1.24 2117 2.12		23 0241 0.27 WE 0923 3.54 1542 0.98 2103 2.39	
9 0245 0.60 WE 0825 2.54 1435 0.28 2056 3.41		24 0233 0.78 TH 0812 2.44 1418 0.65 2033 3.04		9 0251 0.48 FR 0852 2.76 1458 0.63 2053 2.96		24 0219 0.54 SA 0821 2.76 1427 0.82 2015 2.83		9 0320 0.55 MO 1000 2.96 1607 1.18 2127 2.22		24 0254 0.30 TU 0929 3.30 1544 0.99 2105 2.39		9 0330 0.68 WE 1025 3.06 1646 1.30 2150 2.03		24 0328 0.23 TH 1010 3.63 1632 0.95 2154 2.34	
10 0318 0.57 TH 0900 2.61 1515 0.33 2127 3.31		25 0257 0.71 FR 0840 2.55 1450 0.65 2056 3.00		10 0320 0.50 SA 0927 2.80 1536 0.79 2120 2.76		25 0247 0.46 SU 0855 2.90 1506 0.85 2044 2.72		10 0346 0.65 TU 1034 2.92 1647 1.30 2159 2.04		25 0335 0.30 WE 1015 3.37 1636 1.03 2155 2.23		10 0358 0.76 TH 1054 3.00 1722 1.36 2223 1.96		25 0415 0.26 FR 1058 3.63 1726 0.97 2246 2.27	
11 0351 0.57 FR 0938 2.64 1553 0.47 2157 3.12		26 0323 0.65 SA 0911 2.64 1524 0.69 2119 2.91		11 0349 0.55 SU 1004 2.80 1614 0.98 2150 2.52		26 0319 0.41 MO 0934 3.01 1549 0.92 2117 2.55		11 0413 0.76 WE 1109 2.84 1732 1.41 2233 1.88		26 0421 0.37 TH 1108 3.38 1735 1.09 2252 2.08		11 0426 0.84 FR 1125 2.92 1803 1.41 2300 1.90		26 0505 0.36 SA 1148 3.55 1823 1.01 2345 2.20	
12 0424 0.61 SA 1018 2.63 1630 0.70 2227 2.88		27 0352 0.60 SU 0946 2.70 1600 0.80 2145 2.77		12 0417 0.64 MO 1044 2.75 1652 1.19 2220 2.26		27 0354 0.41 TU 1018 3.06 1636 1.03 2158 2.33		12 0439 0.89 TH 1147 2.74 1915 1.48 2314 1.74		27 0512 0.50 FR 1208 3.32 1852 1.13		12 0456 0.93 SA 1159 2.84 1900 1.45 2342 1.84		27 0556 0.55 SU 1243 3.40 1927 1.04	
13 0456 0.69 SU 1101 2.57 1710 0.97 2258 2.59		28 0423 0.59 MO 1026 2.74 1641 0.95 2216 2.57		13 0444 0.77 TU 1125 2.67 1735 1.39 2252 2.01		28 0431 0.49 WE 1109 3.06 1730 1.17 2247 2.09		13 0507 1.03 FR 1233 2.64 2050 1.46		28 0000 1.95 SA 0610 0.66 1316 3.23 2026 1.09		13 0530 1.05 SU 1238 2.76 2022 1.44		28 0056 2.14 MO 0652 0.80 1341 3.20 2037 1.03	
14 0527 0.80 MO 1150 2.49 1752 1.26 2329 2.28		29 0456 0.63 TU 1111 2.73 1728 1.14 2253 2.32		14 0510 0.92 WE 1214 2.56 1845 1.55 2328 1.78		29 0516 0.62 TH 1212 3.01 1846 1.28 2353 1.87		14 0008 1.63 SA 0545 1.18 1343 2.56 2155 1.38		29 0133 1.90 SU 0717 0.84 1429 3.15 2141 0.98		14 0036 1.79 MO 0614 1.19 1326 2.68 2125 1.38		29 0227 2.15 TU 0757 1.08 1444 2.98 2146 0.97	
15 0559 0.94 TU 1256 2.40 1850 1.52		30 0533 0.72 WE 1210 2.70 1828 1.34 2342 2.04		15 0539 1.08 TH 1332 2.46 2143 1.49		30 0614 0.79 FR 1336 2.96 2104 1.22		15 0145 1.58 SU 0645 1.32 1502 2.53 2245 1.27		30 0312 1.99 MO 0836 1.00 1536 3.08 2243 0.84		15 0156 1.78 TU 0708 1.34 1425 2.62 2213 1.27		30 0355 2.27 WE 0920 1.32 1550 2.77 2248 0.88	
				31 0148 1.74 SA 0732 0.95 1502 2.98 2223 1.04								31 0523 2.48 TH 1056 1.42 1658 2.59 2342 0.79			

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Moon Phase Symbols ● New Moon ◐ First Quarter ○ Full Moon ◑ Last Quarter

ABBOT POINT – QUEENSLAND

LAT 19° 51' S LONG 148° 07' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0134 0.34 0816 3.29 TH 1438 1.01 1958 2.32		16 0213 0.73 0903 3.01 FR 1525 1.22 2032 2.10		1 0300 0.25 0930 3.52 SU 1559 0.86 2121 2.46		16 0248 0.62 0919 3.16 MO 1540 1.07 2105 2.41		1 0210 0.43 0834 3.43 SU 1502 0.80 2033 2.57		16 0153 0.76 0815 3.14 MO 1440 0.94 2015 2.52		1 0305 0.76 0859 2.98 WE 1529 0.73 2127 2.76		16 0233 0.80 0822 3.01 TH 1458 0.53 2100 2.98	
2 0219 0.25 0900 3.44 FR 1527 0.94 2045 2.30		17 0239 0.70 0928 3.03 SA 1547 1.23 2058 2.12		2 0340 0.27 1006 3.46 MO 1636 0.89 2201 2.45		17 0317 0.59 0943 3.18 TU 1608 1.02 2136 2.47		2 0247 0.40 0905 3.39 MO 1533 0.80 2107 2.63		17 0223 0.68 0838 3.18 TU 1505 0.85 2043 2.65		2 0339 0.92 0925 2.80 TH 1554 0.77 2200 2.74		17 0314 0.83 0854 2.89 FR 1530 0.47 2140 3.08	
3 0305 0.21 0945 3.50 SA 1615 0.92 2131 2.26		18 0305 0.66 0952 3.04 SU 1612 1.23 2124 2.15		3 0419 0.40 1042 3.32 TU 1713 0.95 2243 2.39		18 0349 0.61 1008 3.15 WE 1638 0.99 2211 2.49		3 0323 0.46 0934 3.29 TU 1603 0.82 2142 2.64		18 0255 0.65 0902 3.18 WE 1533 0.77 2116 2.75		3 0413 1.11 0952 2.58 FR 1617 0.84 2236 2.69		18 0358 0.93 0930 2.69 SA 1604 0.47 2226 3.12	
4 0350 0.23 1029 3.47 SU 1703 0.95 2219 2.21		19 0334 0.64 1016 3.05 MO 1640 1.23 2155 2.16		4 0458 0.62 1116 3.11 WE 1751 1.04 2328 2.29		19 0422 0.72 1036 3.07 TH 1711 0.97 2251 2.48		4 0358 0.61 1003 3.12 WE 1632 0.87 2218 2.60		19 0330 0.69 0930 3.11 TH 1603 0.71 2153 2.81		4 0447 1.31 1018 2.34 SA 1639 0.93 2313 2.61		19 0447 1.08 1013 2.44 SU 1643 0.55 2318 3.08	
5 0436 0.34 1114 3.36 MO 1753 1.01 2309 2.13		20 0404 0.66 1044 3.03 TU 1714 1.23 2230 2.15		5 0537 0.92 1151 2.85 TH 1832 1.14		20 0500 0.89 1107 2.91 FR 1746 0.98 2339 2.45		5 0432 0.84 1032 2.90 TH 1701 0.95 2257 2.52		20 0407 0.81 1000 2.96 FR 1634 0.70 2235 2.83		5 0526 1.51 1045 2.11 SU 1700 1.05 2354 2.51		20 0546 1.25 1104 2.16 MO 1729 0.70	
6 0523 0.53 1200 3.18 TU 1846 1.08		21 0438 0.73 1114 2.99 WE 1751 1.23 2313 2.12		6 0020 2.18 0620 1.25 FR 1227 2.55 1921 1.23		21 0543 1.12 1142 2.69 SA 1828 1.02		6 0508 1.12 1100 2.63 FR 1729 1.05 2340 2.41		21 0449 1.00 1033 2.73 SA 1709 0.74 2324 2.80		6 0616 1.68 1111 1.88 MO 1721 1.18		21 0023 2.99 0715 1.37 TU 1214 1.90 1830 0.88	
7 0005 2.04 0611 0.80 WE 1248 2.95 1947 1.14		22 0514 0.87 1146 2.90 TH 1833 1.22		7 0139 2.09 0721 1.58 SA 1307 2.26 2032 1.31		22 0040 2.41 0641 1.39 SU 1225 2.41 1922 1.08		7 0545 1.41 1128 2.35 SA 1756 1.16		22 0540 1.23 1114 2.44 SU 1748 0.84		7 0051 2.39 1034 1.68 TU 1141 1.68 1747 1.33		22 0152 2.91 0923 1.31 WE 1407 1.77 1959 1.04	
8 0115 1.96 0707 1.10 TH 1342 2.71 2058 1.14		23 0003 2.09 0557 1.06 FR 1224 2.77 1923 1.19		8 0402 2.13 0945 1.77 SU 1421 1.99 2207 1.30		23 0215 2.40 0822 1.61 MO 1334 2.11 2045 1.12		8 0031 2.30 0635 1.68 SU 1154 2.07 1826 1.30		23 0026 2.73 0649 1.46 MO 1205 2.12 1843 0.99		8 0315 2.35 1152 1.51 WE 1525 1.55 1852 1.49		23 0328 2.93 1050 1.12 TH 1607 1.87 2138 1.07	
9 0254 1.96 0821 1.39 FR 1448 2.47 2211 1.09		24 0110 2.07 0653 1.29 SA 1310 2.58 2027 1.14		9 0546 2.34 1213 1.65 MO 1705 1.89 2320 1.23		24 0413 2.55 1049 1.56 TU 1604 1.95 2222 1.05		9 0233 2.22 1030 1.79 MO 1220 1.81 1914 1.44		24 0202 2.67 0907 1.54 TU 1345 1.85 2013 1.12		9 0442 2.45 1215 1.36 TH 1719 1.70 2217 1.48		24 0445 3.00 1146 0.94 FR 1726 2.09 2300 1.00	
10 0451 2.10 1003 1.56 SA 1607 2.29 2310 1.01		25 0247 2.14 0819 1.51 SU 1416 2.37 2139 1.05		10 0638 2.56 1318 1.45 TU 1817 1.93		25 0538 2.81 1224 1.32 WE 1745 2.03 2340 0.89		10 0447 2.32 1241 1.58 TU 1650 1.67 2213 1.48		25 0355 2.76 1115 1.34 WE 1623 1.84 2203 1.10		10 0535 2.59 1237 1.23 FR 1758 1.89 2324 1.33		25 0544 3.07 1230 0.80 SA 1820 2.31	
11 0610 2.35 1145 1.56 SU 1722 2.18 2358 0.93		26 0429 2.35 1016 1.58 MO 1557 2.21 2247 0.92		11 0013 1.12 0715 2.75 WE 1353 1.30 1858 2.01		26 0637 3.08 1317 1.10 TH 1843 2.19		11 0554 2.50 1305 1.39 WE 1810 1.81 2331 1.36		26 0518 2.95 1218 1.10 TH 1747 2.05 2327 0.95		11 0612 2.75 1257 1.11 SA 1826 2.08		26 0004 0.92 0629 3.07 SU 1306 0.71 1903 2.49	
12 0700 2.57 1300 1.45 MO 1819 2.13		27 0547 2.64 1156 1.45 TU 1726 2.17 2349 0.76		12 0053 1.01 0745 2.89 TH 1418 1.21 1927 2.10		27 0040 0.70 0722 3.28 FR 1356 0.93 1925 2.35		12 0634 2.67 1326 1.25 TH 1840 1.96		27 0615 3.14 1300 0.91 FR 1837 2.27		12 0009 1.17 0641 2.88 SU 1316 1.00 1853 2.27		27 0055 0.88 0705 3.01 MO 1338 0.67 1941 2.63	
13 0038 0.86 0738 2.76 TU 1352 1.34 1902 2.10		28 0645 2.95 1305 1.26 WE 1830 2.20		13 0126 0.90 0811 2.99 FR 1438 1.16 1951 2.18		28 0129 0.53 0800 3.39 SA 1430 0.84 2000 2.48		13 0019 1.20 0705 2.83 FR 1344 1.16 1902 2.11		28 0028 0.79 0700 3.24 SA 1336 0.80 1916 2.44		13 0045 1.02 0706 2.98 MO 1337 0.88 1920 2.46		28 0138 0.90 0735 2.90 TU 1407 0.65 2015 2.73	
14 0113 0.81 0810 2.89 WE 1430 1.27 1937 2.09		29 0044 0.60 0732 3.20 TH 1358 1.08 1921 2.27		14 0155 0.79 0834 3.06 SA 1457 1.13 2014 2.26				14 0054 1.03 0730 2.95 SA 1400 1.08 1925 2.25		29 0115 0.67 0736 3.27 SU 1407 0.74 1951 2.58		14 0120 0.90 0730 3.04 TU 1401 0.75 1950 2.65		29 0216 0.96 0801 2.76 WE 1433 0.65 2047 2.79	
15 0145 0.77 0838 2.96 TH 1500 1.23 2006 2.09		30 0133 0.44 0814 3.39 FR 1442 0.95 2003 2.35		15 0221 0.70 0857 3.12 SU 1516 1.10 2038 2.34				15 0125 0.89 0754 3.06 SU 1419 1.01 1948 2.39		30 0155 0.63 0806 3.22 MO 1436 0.72 2022 2.67		15 0156 0.82 0754 3.06 WE 1429 0.63 2023 2.83		30 0253 1.06 0828 2.60 TH 1458 0.67 2120 2.83	
		31 0218 0.32 0853 3.50 SA 1521 0.88 2043 2.42								31 0231 0.66 0833 3.12 TU 1503 0.72 2054 2.73					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ◐ First Quarter ○ Full Moon ◑ Last Quarter

ABBOT POINT – QUEENSLAND

LAT 19° 51' S LONG 148° 07' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0329 1.16 0855 2.43 FR 1521 0.71 2153 2.83		16 0305 0.94 0830 2.58 SA 1503 0.31 2132 3.28		1 0443 1.34 0947 1.91 MO 1548 0.81 2250 2.80		16 0450 0.91 1009 2.16 TU 1627 0.27 2307 3.41		1 0500 1.24 1011 1.91 WE 1612 0.73 2301 2.82		16 0524 0.79 1048 2.21 TH 1703 0.31 2331 3.25		1 0528 1.06 1058 2.05 SA 1659 0.80 2321 2.74		16 0609 0.84 1208 2.18 SU 1810 1.03	
2 0404 1.28 0924 2.24 SA 1544 0.78 2226 2.80		17 0355 0.97 0916 2.40 SU 1545 0.32 2222 3.32		2 0520 1.39 1022 1.84 TU 1616 0.87 2322 2.74		17 0549 0.94 1106 2.07 WE 1718 0.39		2 0532 1.26 1045 1.89 TH 1644 0.79 2330 2.77		17 0612 0.84 1143 2.14 FR 1751 0.56		2 0603 1.05 1143 2.03 SU 1736 0.96 2352 2.61		17 0008 2.45 0656 0.95 MO 1324 2.10 1913 1.36	
3 0441 1.39 0954 2.07 SU 1604 0.86 2259 2.73		18 0450 1.05 1009 2.21 MO 1630 0.41 2315 3.28		3 0606 1.43 1102 1.77 WE 1649 0.94 2359 2.67		18 0000 3.29 0652 0.97 TH 1209 2.00 1814 0.58		3 0611 1.27 1127 1.86 FR 1718 0.88		18 0016 3.02 0705 0.90 SA 1245 2.07 1843 0.86		3 0645 1.03 1238 2.03 MO 1823 1.17		18 0050 2.12 0758 1.05 TU 1520 2.12 2123 1.56	
4 0521 1.50 1026 1.90 MO 1627 0.95 2334 2.64		19 0556 1.13 1109 2.02 TU 1724 0.55		4 0716 1.45 1151 1.72 TH 1729 1.04		19 0058 3.12 0800 0.98 FR 1322 1.96 1915 0.81		4 0003 2.71 0657 1.26 SA 1216 1.84 1759 1.01		19 0105 2.73 0805 0.94 SU 1406 2.03 1947 1.19		4 0029 2.44 0736 1.01 TU 1357 2.06 1931 1.38		19 0205 1.82 0927 1.09 WE 1706 2.28 2350 1.44	
5 0617 1.58 1104 1.76 TU 1653 1.07		20 0018 3.19 0721 1.16 WE 1222 1.88 1827 0.73		5 0044 2.61 0842 1.41 FR 1255 1.69 1818 1.16		20 0200 2.92 0908 0.95 SA 1446 1.98 2026 1.05		5 0040 2.63 0752 1.22 SU 1319 1.84 1848 1.17		20 0203 2.44 0914 0.95 MO 1548 2.10 2122 1.43		5 0119 2.22 0844 0.96 WE 1538 2.19 2128 1.50		20 0442 1.71 1048 1.05 TH 1810 2.47	
6 0019 2.55 0917 1.57 WE 1159 1.64 1730 1.20		21 0130 3.08 0849 1.10 TH 1353 1.84 1942 0.90		6 0140 2.56 0941 1.32 SA 1416 1.71 1923 1.28		21 0307 2.73 1013 0.88 SU 1617 2.10 2149 1.24		6 0124 2.54 0851 1.13 MO 1440 1.91 1958 1.34		21 0321 2.18 1023 0.92 TU 1728 2.29 2319 1.46		6 0252 2.01 0959 0.87 TH 1705 2.43 2321 1.40		21 0058 1.23 0601 1.76 FR 1148 0.96 1854 2.64	
7 0131 2.47 1026 1.46 TH 1339 1.58 1829 1.34		22 0248 2.99 1004 0.99 FR 1529 1.93 2103 1.02		7 0245 2.54 1023 1.20 SU 1541 1.82 2049 1.36		22 0414 2.56 1109 0.80 MO 1741 2.29 2317 1.32		7 0222 2.42 0947 1.00 TU 1605 2.07 2134 1.44		22 0449 2.03 1123 0.86 WE 1833 2.51		7 0444 1.93 1106 0.74 FR 1812 2.72		22 0136 1.08 0645 1.85 SA 1234 0.86 1928 2.76	
8 0315 2.47 1107 1.34 FR 1544 1.65 2027 1.43		23 0400 2.93 1103 0.87 SA 1652 2.10 2225 1.09		8 0345 2.55 1059 1.04 MO 1648 2.02 2215 1.37		23 0516 2.41 1157 0.73 TU 1844 2.50		8 0334 2.31 1039 0.85 WE 1717 2.33 2308 1.41		23 0047 1.34 0601 1.96 TH 1214 0.80 1920 2.69		8 0039 1.19 0600 1.98 SA 1207 0.57 1903 2.99		23 0203 0.99 0715 1.94 SU 1312 0.76 1957 2.84	
9 0421 2.55 1137 1.21 SA 1653 1.83 2208 1.39		24 0501 2.87 1151 0.76 SU 1759 2.31 2337 1.11		9 0436 2.56 1132 0.87 TU 1743 2.27 2326 1.32		24 0032 1.31 0610 2.29 WE 1239 0.69 1932 2.69		9 0446 2.24 1129 0.70 TH 1817 2.61		24 0145 1.20 0652 1.95 FR 1257 0.75 1957 2.81		9 0132 0.99 0654 2.08 SU 1302 0.40 1946 3.21		24 0226 0.94 0740 2.02 MO 1343 0.67 2021 2.89	
10 0507 2.66 1203 1.07 SU 1740 2.04 2312 1.29		25 0552 2.78 1231 0.69 MO 1851 2.50		10 0522 2.56 1207 0.70 WE 1830 2.55		25 0132 1.26 0655 2.18 TH 1315 0.66 2012 2.81		10 0023 1.29 0549 2.20 FR 1217 0.54 1908 2.90		25 0224 1.10 0730 1.96 SA 1334 0.71 2028 2.89		10 0216 0.82 0739 2.19 MO 1351 0.25 2027 3.36		25 0245 0.93 0803 2.10 TU 1411 0.60 2044 2.92	
11 0543 2.75 1228 0.92 MO 1817 2.26		26 0037 1.13 0633 2.66 TU 1307 0.64 1935 2.66		11 0027 1.23 0605 2.53 TH 1244 0.54 1915 2.82		26 0221 1.21 0733 2.09 FR 1349 0.66 2045 2.89		11 0124 1.13 0645 2.19 SA 1307 0.40 1954 3.15		26 0255 1.05 0800 1.98 SU 1406 0.67 2055 2.92		11 0256 0.71 0819 2.29 TU 1436 0.14 2104 3.42		26 0304 0.92 0827 2.16 WE 1437 0.56 2105 2.94	
12 0003 1.18 0613 2.81 TU 1253 0.77 1853 2.50		27 0128 1.15 0708 2.53 WE 1339 0.63 2014 2.77		12 0121 1.12 0649 2.47 FR 1323 0.40 1958 3.07		27 0301 1.18 0807 2.03 SA 1420 0.67 2115 2.92		12 0216 0.98 0735 2.20 SU 1356 0.27 2038 3.34		27 0319 1.05 0827 2.00 MO 1435 0.63 2119 2.93		12 0334 0.65 0900 2.36 WE 1518 0.12 2141 3.39		27 0326 0.90 0852 2.22 TH 1504 0.55 2126 2.93	
13 0048 1.08 0643 2.83 WE 1321 0.61 1929 2.74		28 0212 1.18 0740 2.38 TH 1408 0.63 2049 2.85		13 0213 1.02 0734 2.40 SA 1404 0.29 2043 3.27		28 0335 1.18 0839 1.98 SU 1448 0.69 2142 2.91		13 0304 0.85 0824 2.23 MO 1444 0.16 2121 3.46		28 0341 1.06 0852 2.02 TU 1501 0.61 2143 2.92		13 0412 0.64 0941 2.38 TH 1600 0.21 2217 3.27		28 0350 0.87 0921 2.27 FR 1533 0.58 2148 2.89	
14 0133 1.00 0715 2.80 TH 1352 0.47 2007 2.97		29 0252 1.21 0811 2.25 FR 1434 0.66 2121 2.89		14 0303 0.95 0823 2.32 SU 1449 0.23 2129 3.40		29 0405 1.19 0909 1.95 MO 1515 0.70 2208 2.89		14 0351 0.78 0911 2.25 TU 1530 0.12 2204 3.48		29 0402 1.07 0918 2.05 WE 1528 0.59 2205 2.91		14 0449 0.68 1025 2.35 FR 1641 0.41 2254 3.06		29 0417 0.84 0954 2.29 SA 1604 0.68 2213 2.80	
15 0218 0.95 0750 2.72 FR 1426 0.36 2048 3.16		30 0330 1.25 0842 2.12 SA 1500 0.70 2151 2.88		15 0356 0.91 0915 2.24 MO 1537 0.21 2217 3.45		30 0432 1.22 0939 1.93 TU 1543 0.71 2234 2.86		15 0437 0.76 0959 2.25 WE 1617 0.17 2247 3.41		30 0427 1.07 0947 2.07 TH 1556 0.61 2229 2.89		15 0528 0.75 1113 2.28 SA 1723 0.70 2330 2.78		30 0446 0.82 1031 2.30 SU 1639 0.83 2240 2.65	
		31 0407 1.30 0915 2.01 SU 1524 0.75 2220 2.85								31 0456 1.07 1020 2.07 FR 1626 0.68 2254 2.83				31 0518 0.82 1115 2.29 MO 1720 1.02 2311 2.46	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

ABBOT POINT – QUEENSLAND

LAT 19° 51' S LONG 148° 07' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0555 0.84 TU 1211 2.27 1813 1.25 2349 2.21		16 0625 1.08 WE 1437 2.17 2221 1.52		1 0609 0.82 TH 1323 2.50 2028 1.40		16 0015 1.46 FR 0552 1.22 1513 2.28 2321 1.26		1 0331 1.71 SU 0900 0.93 1609 2.88 2316 0.82		16 0350 1.56 MO 0830 1.38 1610 2.44 2330 1.09		1 0422 2.02 TU 0948 1.04 1629 2.83 2325 0.70		16 0334 1.74 WE 0818 1.45 1522 2.43 2254 1.10	
2 0643 0.90 WE 1331 2.26 1935 1.45		17 0045 1.57 TH 0739 1.23 1621 2.26 2359 1.32		2 0057 1.66 FR 0731 0.95 1516 2.57 2244 1.21		17 0353 1.43 SA 0822 1.36 1628 2.36 2355 1.12		2 0454 1.94 MO 1022 0.88 1710 2.95		17 0456 1.74 TU 1001 1.35 1655 2.52 2355 0.96		2 0533 2.26 WE 1106 1.08 1724 2.75		17 0449 1.94 TH 0956 1.50 1617 2.42 2323 0.95	
3 0045 1.93 TH 0755 0.95 1528 2.36 2210 1.44		18 0444 1.52 FR 1000 1.24 1730 2.40		3 0344 1.64 SA 0922 0.94 1641 2.76 2346 0.96		18 0520 1.60 SU 1015 1.29 1720 2.48		3 0000 0.66 TU 0551 2.19 1130 0.81 1759 2.97		18 0539 1.95 WE 1102 1.28 1730 2.58		3 0008 0.59 TH 0630 2.49 1213 1.09 1811 2.63		18 0543 2.20 FR 1112 1.45 1705 2.41 2354 0.78	
4 0308 1.73 FR 0935 0.92 1659 2.59 2353 1.20		19 0037 1.13 SA 0554 1.66 1113 1.14 1815 2.55		4 0513 1.84 SU 1046 0.81 1742 2.95		19 0020 1.00 MO 0551 1.79 1114 1.17 1758 2.60		4 0038 0.54 WE 0637 2.40 1226 0.77 1838 2.92		19 0017 0.83 TH 0614 2.17 1151 1.20 1800 2.62		4 0046 0.53 FR 0717 2.68 1309 1.10 1851 2.49		19 0625 2.47 SA 1213 1.36 1750 2.39	
5 0507 1.80 SA 1058 0.78 1802 2.85		20 0104 1.00 SU 0626 1.82 1202 1.00 1848 2.68		5 0030 0.75 MO 0606 2.08 1151 0.65 1829 3.08		20 0043 0.90 TU 0617 1.97 1157 1.04 1827 2.70		5 0113 0.47 TH 0717 2.56 1314 0.79 1912 2.81		20 0040 0.70 FR 0645 2.39 1235 1.12 1828 2.62		5 0121 0.50 SA 0759 2.82 1359 1.12 1927 2.35		20 0028 0.62 SU 0704 2.75 1305 1.24 1832 2.37	
6 0047 0.96 SU 0611 1.98 1203 0.59 1851 3.07		21 0127 0.92 MO 0649 1.96 1239 0.87 1915 2.78		6 0106 0.61 TU 0647 2.28 1243 0.52 1907 3.13		21 0102 0.81 WE 0643 2.14 1232 0.94 1852 2.76		6 0144 0.45 FR 0756 2.68 1357 0.85 1941 2.65		21 0104 0.57 SA 0717 2.62 1316 1.05 1857 2.59		6 0152 0.51 SU 0836 2.90 1443 1.15 2000 2.22		21 0104 0.47 MO 0743 3.00 1354 1.13 1916 2.34	
7 0128 0.77 MO 0656 2.15 1257 0.42 1931 3.22		22 0145 0.86 TU 0712 2.09 1311 0.75 1939 2.85		7 0140 0.53 WE 0724 2.44 1327 0.48 1940 3.09		22 0123 0.72 TH 0710 2.31 1305 0.86 1914 2.79		7 0213 0.45 SA 0830 2.76 1437 0.94 2009 2.48		22 0132 0.44 SU 0752 2.83 1400 1.00 1929 2.52		7 0222 0.54 MO 0910 2.94 1523 1.19 2031 2.10		22 0144 0.35 TU 0824 3.22 1443 1.03 2001 2.32	
8 0203 0.65 TU 0733 2.30 1342 0.29 2006 3.28		23 0205 0.82 WE 0735 2.21 1339 0.67 2000 2.89		8 0211 0.49 TH 0759 2.55 1407 0.51 2008 2.99		23 0145 0.63 FR 0737 2.47 1339 0.81 1936 2.78		8 0239 0.48 SU 0906 2.79 1516 1.05 2039 2.29		23 0203 0.34 MO 0830 3.01 1445 0.97 2006 2.42		8 0249 0.59 TU 0941 2.93 1601 1.23 2104 1.99		23 0226 0.25 WE 0906 3.38 1532 0.96 2049 2.28	
9 0236 0.58 WE 0809 2.42 1422 0.25 2039 3.26		24 0225 0.76 TH 0800 2.32 1407 0.63 2021 2.90		9 0240 0.48 FR 0833 2.62 1445 0.61 2036 2.83		24 0208 0.53 SA 0806 2.63 1415 0.80 2000 2.72		9 0305 0.54 MO 0941 2.79 1556 1.17 2110 2.10		24 0238 0.28 TU 0911 3.15 1532 0.98 2049 2.29		9 0315 0.66 WE 1012 2.88 1638 1.29 2137 1.91		24 0312 0.20 TH 0952 3.46 1623 0.94 2139 2.23	
10 0309 0.55 TH 0845 2.49 1501 0.29 2110 3.16		25 0246 0.70 FR 0828 2.42 1437 0.63 2042 2.87		10 0307 0.49 SA 0908 2.65 1522 0.77 2104 2.63		25 0234 0.44 SU 0840 2.77 1453 0.83 2029 2.61		10 0330 0.63 TU 1016 2.74 1637 1.28 2143 1.92		25 0317 0.28 WE 0958 3.21 1626 1.02 2139 2.13		10 0341 0.73 TH 1042 2.82 1715 1.34 2211 1.83		25 0400 0.23 FR 1040 3.46 1716 0.95 2232 2.17	
11 0340 0.56 FR 0921 2.52 1539 0.44 2141 2.99		26 0312 0.64 SA 0858 2.51 1510 0.67 2105 2.79		11 0334 0.54 SU 0945 2.64 1600 0.96 2134 2.39		26 0303 0.39 MO 0918 2.87 1536 0.90 2102 2.45		11 0354 0.74 WE 1053 2.66 1725 1.39 2218 1.76		26 0402 0.34 TH 1049 3.21 1726 1.08 2236 1.97		11 0407 0.81 FR 1114 2.74 1758 1.40 2247 1.77		26 0450 0.33 SA 1130 3.38 1814 0.99 2330 2.09	
12 0412 0.59 SA 1001 2.49 1617 0.66 2212 2.74		27 0339 0.59 SU 0932 2.57 1546 0.78 2132 2.65		12 0401 0.62 MO 1025 2.58 1641 1.17 2204 2.13		27 0335 0.39 TU 1001 2.92 1624 1.02 2143 2.23		12 0416 0.86 TH 1133 2.56 1849 1.46 2300 1.62		27 0454 0.46 FR 1147 3.14 1842 1.11 2345 1.84		12 0437 0.91 SA 1148 2.66 1857 1.44 2331 1.70		27 0543 0.51 SU 1224 3.22 1916 1.01	
13 0443 0.67 SU 1045 2.42 1658 0.94 2244 2.45		28 0408 0.58 MO 1013 2.60 1627 0.93 2204 2.45		13 0427 0.74 TU 1108 2.49 1727 1.36 2236 1.88		28 0413 0.46 WE 1052 2.90 1720 1.15 2232 1.99		13 0444 0.99 FR 1223 2.46 2112 1.42 2359 1.51		28 0555 0.63 SA 1256 3.05 2009 1.08		13 0512 1.03 SU 1229 2.58 2025 1.43		28 0038 2.02 MO 0641 0.76 1323 3.02 2025 1.01	
14 0515 0.78 MO 1133 2.32 1743 1.23 2315 2.14		29 0440 0.61 TU 1059 2.59 1715 1.12 2242 2.20		14 0451 0.89 WE 1158 2.38 1845 1.52 2312 1.65		29 0458 0.58 TH 1153 2.84 1840 1.26 2339 1.76		14 0520 1.14 SA 1341 2.39 2218 1.32		29 0110 1.77 SU 0706 0.80 1411 2.96 2129 0.97		14 0029 1.65 MO 0555 1.17 1318 2.51 2136 1.36		29 0203 2.00 TU 0749 1.04 1428 2.80 2136 0.95	
15 0546 0.92 TU 1236 2.22 1846 1.49 2350 1.84		30 0517 0.69 WE 1157 2.54 1819 1.31 2330 1.92		15 0516 1.05 TH 1321 2.28 2220 1.43		30 0558 0.75 FR 1316 2.78 2048 1.21		15 0145 1.46 SU 0625 1.29 1507 2.38 2300 1.21		30 0252 1.84 MO 0827 0.94 1524 2.90 2233 0.83		15 0152 1.64 TU 0653 1.32 1418 2.46 2220 1.24		30 0345 2.10 WE 0913 1.27 1539 2.60 2242 0.86	
				31 0123 1.62 SA 0723 0.90 1451 2.80 2219 1.02								31 0518 2.32 TH 1048 1.38 1651 2.44 2337 0.76			

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ◐ First Quarter ○ Full Moon ◑ Last Quarter

CAPE FERGUSON – QUEENSLAND

LAT 19° 16' S LONG 147° 03' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0106 0.40 TH 0739 3.49 1411 1.14 1915 2.65		16 0132 0.83 FR 0823 3.13 1452 1.37 1944 2.35		1 0222 0.27 SU 0849 3.85 1524 0.97 2041 2.85		16 0204 0.67 MO 0839 3.39 1506 1.19 2019 2.74		1 0136 0.48 SU 0754 3.74 1428 0.91 1953 2.95		16 0117 0.85 MO 0740 3.35 1409 1.07 1933 2.82		1 0223 0.85 WE 0820 3.35 1445 0.86 2044 3.08		16 0150 0.87 TH 0744 3.34 1416 0.61 2018 3.31	
2 0146 0.28 FR 0822 3.69 1458 1.06 2001 2.65		17 0154 0.76 SA 0845 3.19 1515 1.37 2007 2.40		2 0259 0.30 MO 0926 3.81 1600 1.01 2119 2.83		17 0230 0.61 TU 0902 3.45 1530 1.16 2049 2.82		2 0209 0.44 MO 0824 3.75 1455 0.90 2026 3.03		17 0142 0.74 TU 0800 3.44 1430 0.97 2000 2.99		2 0253 1.03 TH 0845 3.15 1502 0.91 2115 3.02		17 0227 0.90 FR 0814 3.26 1445 0.54 2100 3.41	
3 0228 0.22 SA 0905 3.78 1544 1.04 2049 2.63		18 0218 0.69 SU 0909 3.23 1539 1.37 2034 2.44		3 0334 0.45 TU 1002 3.65 1636 1.11 2158 2.73		18 0257 0.63 WE 0929 3.44 1556 1.13 2124 2.84		3 0240 0.50 TU 0855 3.67 1522 0.94 2100 3.02		18 0209 0.69 WE 0823 3.49 1452 0.87 2032 3.12		3 0321 1.25 FR 0908 2.90 1517 0.98 2147 2.91		18 0310 1.03 SA 0848 3.07 1515 0.55 2145 3.41	
4 0311 0.25 SU 0949 3.76 1631 1.09 2136 2.55		19 0245 0.66 MO 0935 3.26 1607 1.39 2103 2.47		4 0407 0.70 WE 1037 3.40 1713 1.25 2236 2.56		19 0326 0.73 TH 0957 3.36 1626 1.13 2203 2.81		4 0310 0.68 WE 0924 3.48 1547 1.02 2133 2.93		19 0238 0.72 TH 0849 3.45 1517 0.81 2110 3.18		4 0350 1.50 SA 0927 2.63 1530 1.07 2220 2.77		19 0402 1.23 SU 0927 2.79 1553 0.67 2238 3.31	
5 0355 0.39 MO 1034 3.63 1723 1.18 2225 2.43		20 0313 0.67 TU 1004 3.25 1638 1.41 2138 2.45		5 0436 1.04 TH 1110 3.09 1752 1.39 2319 2.36		20 0358 0.94 FR 1027 3.19 1659 1.17 2249 2.71		5 0338 0.95 TH 0952 3.22 1609 1.12 2206 2.78		20 0312 0.85 FR 0919 3.31 1545 0.81 2152 3.16		5 0423 1.74 SU 0938 2.37 1544 1.18 2258 2.61		20 0513 1.46 MO 1012 2.45 1640 0.86 2341 3.14	
6 0438 0.62 TU 1120 3.42 1819 1.29 2316 2.27		21 0343 0.75 WE 1103 3.19 1715 1.43 2218 2.39		6 0502 1.42 FR 1141 2.75 1843 1.52		21 0434 1.23 SA 1100 2.93 1741 1.25 2348 2.57		6 0403 1.26 FR 1015 2.91 1625 1.24 2241 2.60		21 0350 1.09 SA 0951 3.07 1616 0.88 2240 3.05		6 0535 1.96 MO 0933 2.14 1556 1.32 2350 2.45		21 0652 1.62 TU 1115 2.11 1751 1.10	
7 0522 0.93 WE 1207 3.14 1923 1.38		22 0414 0.91 TH 1108 3.09 1800 1.45 2307 2.30		7 0022 2.17 SA 0522 1.79 1215 2.42 2008 1.60		22 0527 1.58 SU 1137 2.61 1847 1.35		7 0424 1.59 SA 1034 2.59 1637 1.37 2322 2.41		22 0442 1.40 SU 1025 2.73 1654 1.03 2340 2.88		7 1605 1.47 TU		22 0108 2.98 WE 0849 1.57 1329 1.89 1942 1.27	
8 0025 2.10 TH 0614 1.29 1258 2.85 2036 1.41		23 0448 1.14 FR 1145 2.93 1859 1.45		8 0605 2.13 SU 0934 2.03 1309 2.12 2159 1.58		23 0118 2.45 MO 0748 1.89 1234 2.27 2031 1.39		8 0430 1.90 SU 1039 2.29 1645 1.50		23 0612 1.72 MO 1105 2.36 1754 1.23		8 0457 2.36 WE 1531 1.64		23 0300 2.98 TH 1028 1.36 1544 2.00 2129 1.27	
9 0207 2.01 FR 0750 1.62 1400 2.58 2155 1.36		24 0014 2.21 SA 0535 1.43 1230 2.72 2011 1.40		9 0619 2.41 MO 1217 1.84 1626 1.98 2322 1.45		24 0350 2.55 TU 1045 1.82 1519 2.05 2215 1.28		9 0037 2.24 MO 0348 2.15 0552 2.19 1644 1.64		24 0111 2.73 TU 0842 1.83 1229 1.99 1957 1.39		9 0523 2.54 TH 1217 1.52 1745 1.85 2205 1.68		24 0424 3.09 FR 1123 1.14 1658 2.25 2248 1.16	
10 0419 2.11 SA 0953 1.79 1519 2.38 2301 1.25		25 0154 2.18 SU 0718 1.73 1331 2.50 2127 1.30		10 0640 2.65 TU 1257 1.64 1758 2.06		25 0526 2.89 WE 1209 1.53 1722 2.18 2328 1.06		10 0556 2.42 TU 1313 1.74 1819 1.80 2210 1.71		25 0336 2.79 WE 1106 1.59 1605 1.96 2157 1.32		10 0543 2.70 FR 1223 1.40 1744 2.03 2312 1.50		25 0517 3.20 SA 1204 0.98 1746 2.49 2346 1.06	
11 0602 2.37 SU 1138 1.75 1640 2.28 2348 1.14		26 0359 2.35 MO 1000 1.83 1507 2.33 2236 1.13		11 0004 1.31 WE 0700 2.84 1323 1.49 1830 2.16		26 0614 3.21 TH 1251 1.28 1814 2.39		11 0612 2.63 WE 1249 1.57 1811 1.96 2331 1.54		26 0504 3.05 TH 1158 1.31 1726 2.22 2315 1.11		11 0600 2.85 SA 1236 1.29 1759 2.23 2347 1.32		26 0557 3.25 SU 1240 0.88 1826 2.69	
12 0644 2.61 MO 1244 1.63 1740 2.25		27 0525 2.69 TU 1145 1.67 1647 2.31 2333 0.93		12 0034 1.17 TH 0720 2.98 1346 1.38 1854 2.27		27 0020 0.82 FR 0651 3.46 1327 1.09 1849 2.61		12 0630 2.80 TH 1301 1.43 1821 2.12		27 0552 3.28 FR 1234 1.09 1808 2.47		12 0617 2.99 SU 1251 1.17 1819 2.44		27 0031 1.01 MO 0628 3.23 1309 0.83 1900 2.84	
13 0023 1.05 TU 0713 2.80 1327 1.52 1821 2.25		28 0618 3.04 WE 1246 1.44 1754 2.40		13 0059 1.04 FR 0740 3.11 1406 1.32 1914 2.39		28 0100 0.62 SA 0724 3.64 1359 0.97 1921 2.80		13 0005 1.36 FR 0647 2.95 1316 1.32 1835 2.28		28 0007 0.91 SA 0629 3.44 1307 0.96 1841 2.70		13 0017 1.15 MO 0635 3.13 1310 1.04 1843 2.67		28 0111 1.02 TU 0655 3.17 1334 0.80 1932 2.96	
14 0050 0.98 WE 0737 2.95 1400 1.44 1854 2.27		29 0022 0.71 TH 0700 3.35 1332 1.23 1841 2.53		14 0119 0.90 SA 0759 3.21 1426 1.27 1932 2.51				14 0030 1.18 SA 0705 3.09 1333 1.24 1851 2.45		29 0048 0.77 SU 0659 3.52 1336 0.88 1911 2.88		14 0047 1.01 TU 0655 3.25 1330 0.89 1910 2.91		29 0145 1.09 WE 0721 3.06 1354 0.80 2004 3.03	
15 0112 0.91 TH 0800 3.05 1428 1.39 1920 2.30		30 0105 0.51 FR 0737 3.60 1412 1.08 1922 2.67		15 0141 0.78 SU 0818 3.31 1445 1.23 1954 2.63				15 0054 1.01 SU 0722 3.22 1350 1.16 1910 2.63		30 0123 0.71 MO 0726 3.53 1401 0.84 1940 3.01		15 0117 0.91 WE 0717 3.33 1352 0.74 1942 3.13		30 0218 1.19 TH 0747 2.91 1412 0.81 2036 3.05	
		31 0145 0.35 SA 0814 3.77 1448 0.99 2001 2.79								31 0154 0.74 TU 0753 3.48 1424 0.84 2012 3.08					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

CAPE FERGUSON – QUEENSLAND

LAT 19° 16' S LONG 147° 03' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0251 1.32 0812 2.72 FR 1427 0.84 2108 3.02		16 0228 1.07 0748 2.93 SA 1421 0.37 2054 3.55		1 0415 1.52 0844 2.12 MO 1452 0.89 2206 2.92		16 0422 1.04 0924 2.44 TU 1548 0.34 2230 3.64		1 0432 1.39 0914 2.09 WE 1519 0.80 2221 2.96		16 0453 0.90 1007 2.49 TH 1623 0.40 2254 3.51		1 0451 1.23 1004 2.25 SA 1559 0.86 2243 2.92		16 0532 1.04 1118 2.33 SU 1716 1.23 2323 2.65	
2 0325 1.46 0833 2.52 SA 1443 0.89 ○ 2139 2.96		17 0320 1.12 0831 2.75 SU 1501 0.39 ● 2144 3.57		2 0457 1.58 0913 2.03 TU 1522 0.96 2241 2.84		17 0521 1.08 1022 2.32 WE 1642 0.50 2323 3.50		2 0507 1.43 0947 2.06 TH 1550 0.87 2253 2.90		17 0544 0.99 1100 2.36 FR 1709 0.69 2337 3.23		2 0528 1.24 1050 2.19 SU 1630 1.05 2312 2.77		17 0624 1.19 1231 2.15 MO 1834 1.61 2357 2.27	
3 0403 1.60 0853 2.33 SU 1501 0.97 2212 2.86		18 0420 1.21 0921 2.52 MO 1548 0.51 2238 3.50		3 0549 1.63 0945 1.93 WE 1555 1.05 2319 2.75		18 0625 1.13 1129 2.20 TH 1740 0.72		3 0549 1.47 1027 2.01 FR 1623 0.97 2326 2.82		18 0641 1.09 1203 2.21 SA 1801 1.04		3 0615 1.25 1148 2.13 MO 1710 1.30 2345 2.56		18 0743 1.30 1443 2.10 TU 2111 1.80	
4 0453 1.73 0908 2.14 MO 1522 1.07 2249 2.74		19 0530 1.31 1020 2.27 TU 1645 0.69 2339 3.35		4 0656 1.66 1032 1.84 TH 1633 1.16		19 0018 3.28 0734 1.17 FR 1248 2.10 1845 0.99		4 0642 1.48 1120 1.95 SA 1658 1.11		19 0023 2.89 0746 1.16 SU 1328 2.10 1916 1.41		4 0718 1.23 1311 2.09 TU 1824 1.58		19 0046 1.93 0917 1.31 WE 1736 2.32	
5 0612 1.83 0917 1.98 TU 1545 1.20 2335 2.61		20 0652 1.36 1137 2.06 WE 1755 0.90		5 0005 2.67 0811 1.63 FR 1158 1.77 1721 1.29		20 0120 3.04 0845 1.15 SA 1415 2.09 2005 1.26		5 0002 2.72 0742 1.43 SU 1230 1.91 1743 1.30		20 0115 2.55 0859 1.18 MO 1512 2.11 2111 1.66		5 0030 2.32 0833 1.18 WE 1501 2.18 2101 1.75		20 0003 1.61 0414 1.75 TH 1045 1.23 ● 1814 2.55	
6 0814 1.83 0904 1.83 WE 1615 1.35		21 0050 3.19 0817 1.32 TH 1324 1.98 1919 1.09		6 0100 2.60 0916 1.54 SA 1338 1.77 1829 1.42		21 0229 2.81 0952 1.09 SU 1543 2.16 2137 1.45		6 0046 2.60 0841 1.34 MO 1359 1.94 1853 1.50		21 0229 2.25 1011 1.13 TU 1717 2.29 ● 2317 1.66		6 0151 2.09 0946 1.06 TH 1645 2.44 ● 2319 1.62		21 0045 1.39 0548 1.85 FR 1140 1.11 1842 2.73	
7 0042 2.50 1146 1.66 TH 1236 1.66 1712 1.51		22 0213 3.06 0937 1.21 FR 1500 2.05 2050 1.22		7 0205 2.57 1003 1.40 SU 1505 1.88 2000 1.53		22 0338 2.62 1052 1.01 MO 1708 2.33 ● 2308 1.51		7 0141 2.48 0934 1.20 TU 1529 2.09 2051 1.65		22 0407 2.08 1113 1.05 WE 1823 2.54		7 0400 2.00 1052 0.89 FR 1749 2.78		22 0114 1.23 0621 1.96 SA 1216 1.00 1906 2.85	
8 0234 2.47 1117 1.54 FR 1519 1.73 1941 1.61		23 0330 3.00 1040 1.07 SA 1619 2.22 ● 2214 1.27		8 0310 2.58 1040 1.23 MO 1614 2.08 ● 2140 1.56		23 0440 2.49 1140 0.93 TU 1815 2.54		8 0249 2.38 1024 1.03 WE 1646 2.34 ● 2249 1.64		23 0037 1.50 0528 2.03 TH 1200 0.98 1901 2.73		8 0027 1.37 0525 2.09 SA 1147 0.68 1834 3.10		23 0137 1.12 0645 2.07 SU 1245 0.89 1928 2.95	
9 0412 2.57 1127 1.40 SA 1630 1.92 2142 1.57		24 0432 2.96 1130 0.95 SU 1723 2.42 2323 1.27		9 0403 2.62 1113 1.05 TU 1708 2.33 2300 1.50		24 0022 1.48 0530 2.38 WE 1219 0.87 1901 2.72		9 0402 2.32 1110 0.85 TH 1746 2.66		24 0125 1.36 0617 2.04 FR 1235 0.91 1930 2.86		9 0112 1.12 0617 2.25 SU 1235 0.47 1914 3.38		24 0159 1.07 0706 2.18 MO 1307 0.78 1948 3.02	
10 0449 2.70 1144 1.26 SU 1709 2.14 ● 2249 1.46		25 0519 2.91 1210 0.87 MO 1814 2.61		10 0446 2.65 1145 0.86 WE 1755 2.63		25 0117 1.42 0613 2.30 TH 1250 0.84 1937 2.86		10 0009 1.49 0507 2.32 FR 1155 0.67 1835 2.98		25 0159 1.25 0652 2.07 SA 1303 0.85 1955 2.95		10 0150 0.93 0659 2.43 MO 1317 0.28 1950 3.59		25 0217 1.04 0725 2.28 TU 1328 0.69 2007 3.09	
11 0516 2.83 1203 1.10 MO 1743 2.38 2337 1.33		26 0020 1.28 0556 2.82 TU 1243 0.82 1856 2.76		11 0002 1.40 0527 2.68 TH 1216 0.67 1838 2.93		26 0201 1.37 0647 2.24 FR 1315 0.83 2007 2.95		11 0106 1.29 0601 2.37 SA 1238 0.48 1919 3.28		26 0227 1.20 0719 2.12 SU 1327 0.79 2018 3.01		11 0226 0.79 0738 2.60 TU 1358 0.16 2026 3.72		26 0235 1.02 0745 2.39 WE 1349 0.62 2026 3.13	
12 0542 2.93 1227 0.92 TU 1815 2.65		27 0108 1.30 0628 2.71 WE 1310 0.80 1932 2.88		12 0056 1.29 0607 2.69 FR 1250 0.50 1921 3.23		27 0238 1.33 0719 2.19 SA 1336 0.81 2034 3.00		12 0154 1.11 0652 2.44 SU 1322 0.32 2001 3.54		27 0250 1.18 0743 2.17 MO 1347 0.73 2040 3.05		12 0300 0.72 0818 2.70 WE 1437 0.14 2102 3.73		27 0253 0.99 0807 2.48 TH 1414 0.59 2046 3.16	
13 0018 1.22 0608 3.01 WE 1251 0.74 1850 2.93		28 0150 1.33 0657 2.60 TH 1330 0.80 2005 2.97		13 0146 1.17 0651 2.67 SA 1328 0.36 2005 3.47		28 0309 1.33 0748 2.15 SU 1357 0.79 2100 3.02		13 0238 0.96 0740 2.51 MO 1407 0.20 2044 3.70		28 0312 1.18 0805 2.22 TU 1411 0.68 2101 3.08		13 0336 0.71 0900 2.73 TH 1516 0.25 ● 2140 3.61		28 0314 0.96 0834 2.54 FR 1439 0.61 ○ 2109 3.14	
14 0100 1.12 0637 3.05 TH 1317 0.57 1928 3.20		29 0229 1.37 0725 2.47 FR 1347 0.81 2036 3.01		14 0236 1.08 0739 2.62 SU 1411 0.28 2051 3.64		29 0336 1.34 0815 2.13 MO 1421 0.78 2125 3.02		14 0321 0.87 0829 2.56 TU 1452 0.15 ● 2127 3.76		29 0331 1.18 0830 2.26 WE 1436 0.64 2125 3.09		14 0413 0.77 0942 2.66 FR 1555 0.49 2215 3.36		29 0336 0.94 0906 2.57 SA 1506 0.71 2132 3.06	
15 0142 1.07 0710 3.03 FR 1346 0.44 2009 3.41		30 0304 1.42 0751 2.35 SA 1405 0.82 2106 3.01		15 0328 1.04 0830 2.55 MO 1458 0.27 ● 2140 3.69		30 0403 1.36 0844 2.12 TU 1449 0.78 ○ 2152 3.00		15 0406 0.85 0916 2.55 WE 1537 0.22 2210 3.70		30 0355 1.20 0857 2.29 TH 1502 0.66 ○ 2149 3.07		15 0451 0.89 1027 2.52 SA 1633 0.83 2250 3.03		30 0400 0.93 0944 2.56 SU 1536 0.88 2159 2.91	
		31 0339 1.47 0817 2.23 SU 1426 0.85 ○ 2135 2.98								31 0421 1.21 0928 2.29 FR 1530 0.72 2215 3.02				31 0429 0.95 1029 2.49 MO 1612 1.13 2227 2.69	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Moon Phase Symbols ● New Moon ◐ First Quarter ○ Full Moon ◑ Last Quarter

CAPE FERGUSON – QUEENSLAND

LAT 19° 16' S LONG 147° 03' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0502 1.01 1125 2.39 TU 1702 1.43 2257 2.40		16 0442 1.27 1344 2.15 WE		1 0510 1.00 1240 2.56 TH 2001 1.65 2330 1.81		16 0351 1.32 1612 2.30 FR		1 0301 1.80 0849 1.10 SU 1544 2.97 2252 1.03		16 0332 1.62 0745 1.53 MO 1559 2.50 2322 1.27		1 0346 2.11 0936 1.20 TU 1557 2.95 2302 0.90		16 0250 1.78 0718 1.60 WE 1445 2.51 2234 1.31	
2 0559 1.11 1246 2.30 WE 1908 1.71 2337 2.08		17 0438 1.43 1714 2.34 TH		2 0715 1.16 1448 2.60 FR 2233 1.45		17 0001 1.42 0617 1.54 SA 0753 1.54 1656 2.45 2356 1.28		2 0426 2.06 1011 1.01 MO 1643 3.09 2336 0.83		17 0438 1.81 0938 1.50 TU 1637 2.59 2338 1.14		2 0500 2.35 1051 1.23 WE 1651 2.89 2347 0.77		17 0415 1.98 0923 1.67 TH 1543 2.51 2305 1.13	
3 0743 1.18 1456 2.36 TH 2202 1.69		18 0026 1.46 0544 1.61 FR 0958 1.42 1744 2.53		3 0318 1.70 0915 1.12 SA 1625 2.84 2330 1.15		18 0526 1.71 1004 1.45 SU 1722 2.59		3 0519 2.33 1112 0.92 TU 1727 3.15		18 0512 2.03 1039 1.42 WE 1703 2.68 2357 0.99		3 0556 2.58 1154 1.24 TH 1734 2.81		18 0510 2.24 1047 1.63 FR 1629 2.54 2336 0.94	
4 0152 1.79 0928 1.11 FR 1646 2.64 2345 1.40		19 0029 1.28 0551 1.78 SA 1108 1.28 1808 2.68		4 0453 1.96 1035 0.94 SU 1718 3.08		19 0009 1.15 0534 1.90 MO 1059 1.30 1745 2.72		4 0014 0.69 0601 2.56 WE 1202 0.87 1801 3.14		19 0541 2.26 1125 1.33 TH 1728 2.75		4 0025 0.69 0641 2.78 FR 1248 1.25 1810 2.71		19 0551 2.54 1149 1.53 SA 1710 2.57	
5 0447 1.88 1047 0.92 SA 1742 2.95		20 0045 1.14 0606 1.95 SU 1146 1.12 1830 2.80		5 0006 0.91 0538 2.24 MO 1131 0.74 1759 3.26		20 0025 1.05 0551 2.09 TU 1133 1.16 1803 2.82		5 0046 0.60 0639 2.75 TH 1245 0.89 1832 3.07		20 0016 0.84 0610 2.51 FR 1205 1.25 1752 2.80		5 0056 0.65 0719 2.93 SA 1334 1.27 1843 2.60		20 0006 0.75 0630 2.85 SU 1242 1.41 1750 2.60	
6 0027 1.12 0545 2.11 SU 1144 0.69 1822 3.23		21 0104 1.05 0623 2.10 MO 1215 0.98 1850 2.91		6 0040 0.74 0614 2.48 TU 1216 0.60 1831 3.36		21 0041 0.95 0612 2.28 WE 1203 1.05 1821 2.91		6 0114 0.56 0713 2.88 FR 1325 0.96 1900 2.96		21 0038 0.68 0641 2.76 SA 1244 1.18 1817 2.83		6 0121 0.64 0753 3.02 SU 1416 1.31 1914 2.48		21 0038 0.57 0707 3.15 MO 1329 1.28 1831 2.63	
7 0101 0.90 0623 2.35 MO 1229 0.48 1857 3.43		22 0122 0.98 0641 2.25 TU 1238 0.86 1908 3.00		7 0111 0.63 0646 2.69 WE 1255 0.54 1900 3.38		22 0058 0.84 0633 2.47 TH 1231 0.96 1839 2.98		7 0137 0.55 0747 2.97 SA 1403 1.07 1929 2.81		22 0102 0.52 0714 3.02 SU 1324 1.13 1847 2.83		7 0142 0.65 0824 3.07 MO 1455 1.35 1944 2.37		22 0113 0.40 0747 3.42 TU 1415 1.17 1916 2.65	
8 0133 0.75 0656 2.57 TU 1308 0.33 1929 3.56		23 0139 0.93 0700 2.40 WE 1300 0.76 1926 3.07		8 0138 0.56 0717 2.84 TH 1330 0.57 1929 3.33		23 0115 0.73 0659 2.67 FR 1300 0.90 1859 3.02		8 0158 0.57 0821 3.00 SU 1441 1.21 1957 2.62		23 0129 0.39 0751 3.24 MO 1408 1.10 1924 2.78		8 0201 0.68 0855 3.07 TU 1531 1.41 2013 2.27		23 0151 0.27 0830 3.62 WE 1502 1.09 2004 2.65	
9 0203 0.65 0729 2.74 WE 1344 0.27 2000 3.60		24 0155 0.86 0720 2.55 TH 1324 0.69 1944 3.12		9 0202 0.54 0751 2.93 FR 1403 0.68 1958 3.20		24 0135 0.60 0727 2.87 SA 1331 0.88 1921 3.02		9 0215 0.62 0856 2.98 MO 1521 1.35 2023 2.41		24 0159 0.30 0832 3.40 TU 1458 1.12 2005 2.66		9 0221 0.72 0926 3.03 WE 1607 1.47 2041 2.17		24 0233 0.21 0914 3.73 TH 1552 1.07 2054 2.60	
10 0232 0.60 0803 2.85 TH 1418 0.32 2031 3.53		25 0214 0.79 0745 2.69 FR 1349 0.67 2003 3.14		10 0226 0.55 0826 2.95 SA 1439 0.87 2027 2.99		25 0156 0.49 0800 3.04 SU 1406 0.92 1948 2.96		10 0233 0.69 0931 2.90 TU 1607 1.49 2045 2.20		25 0235 0.29 0919 3.47 WE 1554 1.18 2052 2.49		10 0245 0.78 0957 2.97 TH 1646 1.54 2108 2.08		25 0318 0.24 1001 3.74 FR 1645 1.10 2146 2.51	
11 0301 0.61 0840 2.87 FR 1453 0.49 2103 3.35		26 0232 0.71 0815 2.81 SA 1417 0.71 2026 3.10		11 0247 0.61 0902 2.89 SU 1515 1.11 2053 2.72		26 0220 0.42 0838 3.16 MO 1447 1.01 2020 2.82		11 0251 0.79 1007 2.79 WE 1703 1.62 2105 2.01		26 0318 0.36 1011 3.45 TH 1659 1.25 2146 2.29		11 0312 0.86 1030 2.88 FR 1732 1.61 2137 1.98		26 0407 0.37 1051 3.64 SA 1743 1.16 2244 2.38	
12 0329 0.68 0918 2.80 SA 1529 0.77 2133 3.07		27 0254 0.65 0848 2.88 SU 1449 0.83 2052 2.99		12 0305 0.71 0940 2.78 MO 1556 1.37 2115 2.42		27 0247 0.41 0922 3.19 TU 1539 1.17 2057 2.59		12 0312 0.92 1047 2.66 TH 1822 1.70 2118 1.84		27 0410 0.52 1109 3.34 FR 1813 1.31 2252 2.08		12 0340 0.96 1107 2.78 SA 1831 1.66 2211 1.88		27 0459 0.60 1145 3.44 SU 1848 1.22 2350 2.23	
13 0355 0.79 0958 2.65 SU 1604 1.10 2200 2.73		28 0317 0.63 0929 2.88 MO 1527 1.03 2121 2.78		13 0320 0.84 1019 2.62 TU 1653 1.61 2130 2.13		28 0322 0.49 1013 3.12 WE 1647 1.35 2140 2.31		13 0335 1.07 1138 2.53 FR 2010 1.69 2102 1.69		28 0515 0.74 1215 3.21 SA 1935 1.30		13 0411 1.09 1150 2.68 SU 1944 1.66 2304 1.78		28 0559 0.90 1242 3.19 MO 2000 1.24	
14 0416 0.94 1042 2.47 MO 1646 1.46 2223 2.37		29 0345 0.68 1016 2.81 TU 1618 1.29 2152 2.50		14 0332 0.98 1106 2.46 WE 1845 1.77 2126 1.88		29 0405 0.67 1115 3.00 TH 1818 1.48 2236 1.99		14 0403 1.23 1248 2.43 SA 2323 1.53		29 0024 1.94 0635 0.96 SU 1332 3.08 2056 1.20		14 0445 1.25 1240 2.59 MO 2058 1.59		29 0119 2.13 0718 1.23 TU 1346 2.93 2114 1.20	
15 0431 1.10 1139 2.27 TU 1831 1.76 2234 2.03		30 0417 0.81 1115 2.68 WE 1746 1.55 2228 2.16		15 0345 1.15 1218 2.30 TH		30 0512 0.90 1235 2.88 FR 2008 1.45		15 0033 1.53 0447 1.41 SU 1437 2.42 2311 1.40		30 0215 1.95 0809 1.12 MO 1449 3.01 2206 1.05		15 0052 1.71 0533 1.43 TU 1341 2.53 2157 1.46		30 0303 2.16 0859 1.48 WE 1500 2.71 2224 1.10	
				31 0027 1.75 0701 1.08 SA 1416 2.87 2149 1.26								31 0446 2.35 1038 1.58 TH 1614 2.55 2322 0.98			

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Moon Phase Symbols ● New Moon ◐ First Quarter ○ Full Moon ◑ Last Quarter

TOWNSVILLE – QUEENSLAND

LAT 19° 15' S LONG 146° 49' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0112 0.46 0742 3.72 TH 1418 1.22 1915 2.86		16 0134 0.92 0821 3.33 FR 1457 1.46 1944 2.54		1 0228 0.32 0854 4.10 SU 1532 1.02 2046 3.07		16 0205 0.74 0844 3.61 MO 1515 1.27 2021 2.96		1 0143 0.53 0758 3.99 SU 1436 0.95 1959 3.17		16 0119 0.94 0744 3.56 MO 1417 1.14 1935 3.03		1 0228 0.92 0826 3.58 WE 1450 0.93 2050 3.30		16 0148 0.94 0745 3.57 TH 1420 0.68 2022 3.54	
2 0152 0.33 0825 3.93 FR 1505 1.13 2003 2.87		17 0155 0.84 0846 3.40 SA 1521 1.46 2007 2.60		2 0302 0.35 0930 4.06 MO 1608 1.07 2126 3.05		17 0229 0.68 0908 3.67 TU 1538 1.24 2052 3.04		2 0215 0.49 0830 4.01 MO 1504 0.95 2032 3.25		17 0143 0.81 0804 3.66 TU 1438 1.04 2003 3.21		2 0255 1.12 0852 3.36 TH 1503 0.99 2122 3.23		17 0224 0.98 0815 3.49 FR 1444 0.60 2103 3.65	
3 0233 0.27 0909 4.03 SA 1552 1.10 2053 2.84		18 0219 0.77 0913 3.45 SU 1546 1.47 2034 2.65		3 0335 0.51 1007 3.90 TU 1644 1.19 2204 2.94		18 0254 0.69 0934 3.66 WE 1601 1.23 2128 3.06		3 0244 0.56 0900 3.92 TU 1530 1.00 2106 3.24		18 0207 0.75 0828 3.71 WE 1458 0.95 2036 3.34		3 0321 1.35 0915 3.10 FR 1514 1.06 2154 3.12		18 0306 1.11 0850 3.30 SA 1514 0.62 2150 3.65	
4 0315 0.30 0953 4.01 SU 1639 1.15 2141 2.77		19 0245 0.73 0940 3.47 MO 1615 1.49 2104 2.67		4 0406 0.78 1042 3.64 WE 1719 1.34 2243 2.77		19 0321 0.80 1001 3.58 TH 1626 1.24 2208 3.03		4 0312 0.75 0931 3.72 WE 1553 1.10 2140 3.15		19 0234 0.78 0854 3.68 TH 1518 0.89 2114 3.41		4 0345 1.61 0931 2.82 SA 1525 1.16 2226 2.97		19 0401 1.33 0929 3.01 SU 1549 0.74 2241 3.54	
5 0357 0.45 1037 3.88 MO 1729 1.25 2230 2.64		20 0312 0.74 1010 3.46 TU 1646 1.52 2140 2.66		5 0431 1.14 1115 3.31 TH 1755 1.50 2325 2.56		20 0351 1.01 1031 3.40 FR 1655 1.28 2255 2.92		5 0336 1.03 0959 3.44 TH 1609 1.22 2213 2.99		20 0306 0.92 0923 3.54 FR 1542 0.89 2157 3.39		5 0403 1.87 0944 2.55 SU 1539 1.28 2302 2.80		20 0520 1.58 1015 2.65 MO 1637 0.96 2341 3.35	
6 0439 0.70 1121 3.65 TU 1823 1.38 2320 2.47		21 0340 0.83 1040 3.40 WE 1723 1.55 2222 2.60		6 0451 1.53 1147 2.95 FR 1840 1.65		21 0427 1.31 1104 3.14 SA 1735 1.37 2351 2.78		6 0356 1.36 1023 3.11 FR 1617 1.35 2247 2.80		21 0342 1.17 0954 3.29 SA 1609 0.97 2245 3.28		6 0548 2.11 0943 2.30 MO 1555 1.43 2350 2.62		21 0654 1.74 1117 2.29 TU 1755 1.21	
7 0520 1.03 1206 3.36 WE 1926 1.49		22 0410 0.99 1114 3.30 TH 1808 1.57 2313 2.50		7 0020 2.35 0459 1.91 SA 1221 2.60 2003 1.75		22 0514 1.69 1143 2.80 SU 1851 1.48		7 0407 1.70 1042 2.77 SA 1625 1.48 2328 2.60		22 0429 1.50 1030 2.94 SU 1645 1.13 2341 3.09		7 0359 2.32 0503 2.33 TU 1604 1.60		22 0100 3.16 0855 1.69 WE 1312 2.04 1943 1.39	
8 0020 2.29 0609 1.40 TH 1254 3.05 2038 1.53		23 0445 1.23 1149 3.13 FR 1905 1.58		8 0623 2.28 0956 2.18 SU 1315 2.28 * 2213 1.72		23 0108 2.63 0746 2.02 MO 1239 2.45 2035 1.52		8 0409 2.02 1049 2.45 SU 1634 1.62		23 0616 1.85 1112 2.54 MO 1751 1.35		8 0126 2.48 0244 2.47 WE 0518 2.52 1501 1.76		23 0300 3.14 1027 1.46 TH 1549 2.15 2136 1.38	
9 0156 2.17 0749 1.75 FR 1352 2.76 2157 1.49		24 0015 2.41 0530 1.54 SA 1232 2.92 2014 1.54		9 0628 2.57 1215 1.97 MO 1630 2.12 2330 1.58		24 0352 2.70 1054 1.95 TU 1507 2.20 2222 1.40		9 0029 2.40 0346 2.28 MO 0603 2.35 1639 1.76		24 0100 2.90 0845 1.97 TU 1230 2.16 2000 1.52		9 0530 2.70 1212 1.65 TH 1745 1.99 2222 1.82		24 0425 3.27 1125 1.23 FR 1700 2.42 2254 1.26	
10 0415 2.26 1000 1.93 SA 1513 2.55 2305 1.38		25 0140 2.36 0715 1.86 SU 1330 2.68 2130 1.43		10 0641 2.82 1257 1.75 TU 1800 2.22		25 0526 3.06 1211 1.64 WE 1724 2.34 2334 1.15		10 0606 2.59 1325 1.87 TU 1828 1.95 2239 1.85		25 0338 2.94 1103 1.70 WE 1611 2.10 2205 1.43		10 0545 2.86 1221 1.51 FR 1745 2.19 2318 1.63		25 0518 3.40 1208 1.06 SA 1748 2.67 2352 1.14	
11 0559 2.53 1145 1.88 SU 1639 2.45 2353 1.26		26 0358 2.51 0958 1.97 MO 1500 2.50 2242 1.25		11 0010 1.43 0658 3.01 WE 1325 1.59 1831 2.33		26 0614 3.40 1255 1.36 TH 1815 2.57		11 0616 2.79 1247 1.69 WE 1813 2.11 2338 1.66		26 0505 3.23 1159 1.40 TH 1729 2.38 2321 1.20		11 0600 3.03 1238 1.38 SA 1800 2.40 2352 1.43		26 0558 3.45 1245 0.95 SU 1828 2.88	
12 0640 2.78 1247 1.75 MO 1741 2.42		27 0524 2.86 1151 1.79 TU 1643 2.48 2340 1.02		12 0038 1.28 0716 3.17 TH 1349 1.48 1855 2.45		27 0026 0.89 0651 3.67 FR 1332 1.15 1852 2.81		12 0630 2.97 1301 1.53 TH 1822 2.29		27 0553 3.48 1238 1.16 FR 1810 2.66		12 0618 3.18 1257 1.25 SU 1820 2.63		27 0038 1.09 0630 3.45 MO 1316 0.89 1902 3.05	
13 0028 1.16 0708 2.98 TU 1330 1.63 1823 2.43		28 0617 3.23 1252 1.54 WE 1752 2.57		13 0101 1.14 0737 3.30 FR 1411 1.40 1915 2.57		28 0107 0.67 0725 3.87 SA 1405 1.02 1926 3.02		13 0010 1.47 0646 3.13 FR 1319 1.42 1836 2.46		28 0013 0.99 0630 3.65 SA 1313 1.01 1844 2.90		13 0021 1.26 0637 3.33 MO 1317 1.11 1844 2.87		28 0117 1.10 0659 3.39 TU 1342 0.87 1936 3.17	
14 0053 1.08 0733 3.14 WE 1404 1.54 1855 2.45		29 0029 0.79 0700 3.56 TH 1338 1.31 1843 2.72		14 0122 0.99 0759 3.42 SA 1431 1.35 1933 2.71		15 0143 0.85 0820 3.53 SU 1452 1.31 1956 2.84		14 0035 1.28 0704 3.29 SA 1337 1.32 1853 2.64		29 0054 0.84 0700 3.75 SU 1343 0.93 1915 3.09		14 0049 1.10 0657 3.46 TU 1338 0.96 1912 3.12		29 0152 1.18 0726 3.28 WE 1401 0.87 2009 3.24	
15 0115 1.00 0758 3.25 TH 1431 1.49 1920 2.49		30 0111 0.57 0739 3.83 FR 1418 1.14 1926 2.88						15 0058 1.10 0723 3.43 SU 1357 1.23 1912 2.83		30 0129 0.77 0730 3.77 MO 1410 0.89 1945 3.23		15 0117 0.99 0719 3.55 WE 1359 0.81 1945 3.36		30 0225 1.29 0752 3.12 TH 1415 0.89 2041 3.26	
		31 0150 0.40 0816 4.02 SA 1457 1.04 2006 3.01						31 0200 0.81 0759 3.72 TU 1432 0.90 2017 3.30							

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
◑ Last Quarter

TOWNSVILLE – QUEENSLAND

LAT 19° 15' S LONG 146° 49' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0257 1.43 0815 2.93 FR 1427 0.92 2113 3.24		16 0231 1.15 0748 3.16 SA 1423 0.43 2059 3.78		1 0419 1.64 0845 2.32 MO 1453 0.98 2209 3.13		16 0430 1.11 0927 2.66 TU 1553 0.40 2233 3.89		1 0439 1.51 0913 2.29 WE 1519 0.89 2226 3.17		16 0500 0.97 1013 2.71 TH 1626 0.47 2257 3.77		1 0500 1.36 1009 2.46 SA 1555 0.94 2248 3.13		16 0539 1.16 1122 2.54 SU 1715 1.35 2330 2.87	
2 0330 1.58 0836 2.72 SA 1441 0.97 2145 3.17		17 0327 1.21 0831 2.98 SU 1502 0.46 2147 3.81		2 0500 1.71 0915 2.22 TU 1522 1.05 2243 3.04		17 0528 1.16 1027 2.53 WE 1645 0.57 2324 3.74		2 0514 1.56 0947 2.25 TH 1549 0.95 2257 3.10		17 0551 1.08 1104 2.58 FR 1711 0.77 2339 3.47		2 0536 1.38 1056 2.40 SU 1625 1.15 2317 2.97		17 0628 1.32 1222 2.34 MO 1832 1.76	
3 0409 1.73 0856 2.52 SU 1459 1.05 2216 3.06		18 0429 1.30 0922 2.73 MO 1550 0.58 2241 3.73		3 0549 1.77 0948 2.12 WE 1556 1.15 2320 2.94		18 0630 1.22 1130 2.40 TH 1741 0.81		3 0556 1.60 1030 2.20 FR 1620 1.06 2330 3.02		18 0645 1.19 1201 2.42 SA 1801 1.15		3 0624 1.39 1152 2.33 MO 1702 1.41 2350 2.77		18 0003 2.47 0742 1.45 TU 1438 2.24 2126 1.96	
4 0459 1.87 0915 2.32 MO 1421 1.16 2252 2.93		19 0536 1.41 1022 2.47 TU 1648 0.77 2338 3.57		4 0656 1.81 1037 2.02 TH 1633 1.27		19 0016 3.50 0738 1.26 FR 1242 2.29 1845 1.10		4 0646 1.61 1124 2.13 SA 1654 1.22		19 0022 3.11 0750 1.29 SU 1315 2.28 1915 1.54		4 0725 1.38 1301 2.28 TU 1810 1.72		19 0052 2.10 0930 1.47 WE 1750 2.49 2359 1.75	
5 0607 1.98 0934 2.14 TU 1546 1.30 2335 2.79		20 0656 1.46 1137 2.25 WE 1757 1.00		5 0003 2.84 0820 1.77 FR 1153 1.94 1720 1.41		20 0115 3.24 0847 1.26 SA 1411 2.25 2007 1.38		5 0005 2.91 0744 1.58 SU 1228 2.09 1737 1.41		20 0111 2.74 0902 1.31 MO 1512 2.26 2116 1.81		5 0034 2.52 0837 1.32 WE 1453 2.34 2055 1.90		20 0424 1.91 1056 1.37 TH 1819 2.73	
6 0854 1.97 0938 1.98 WE 1617 1.46		21 0045 3.39 0821 1.43 TH 1315 2.14 1920 1.21		6 0055 2.77 0925 1.67 SA 1323 1.92 1826 1.55		21 0223 2.99 0955 1.20 SU 1544 2.32 2142 1.58		6 0045 2.79 0844 1.48 MO 1345 2.11 1847 1.63		21 0221 2.42 1017 1.27 TU 1715 2.45 2326 1.79		6 0148 2.27 0953 1.20 TH 1646 2.60 2328 1.76		21 0045 1.51 0550 2.02 FR 1147 1.24 1843 2.91	
7 0033 2.66 1122 1.81 TH 1203 1.81 1713 1.63		22 0209 3.24 0938 1.31 FR 1503 2.21 2056 1.33		7 0200 2.73 1011 1.52 SU 1503 2.03 2000 1.66		22 0336 2.80 1056 1.12 MO 1707 2.50 2315 1.64		7 0137 2.67 0940 1.33 TU 1525 2.25 2047 1.79		22 0407 2.24 1120 1.18 WE 1824 2.70		7 0357 2.17 1059 1.01 FR 1750 2.96		22 0115 1.34 0622 2.14 SA 1223 1.11 1904 3.04	
8 0229 2.62 1106 1.67 FR 1528 1.87 1941 1.74		23 0330 3.18 1042 1.17 SA 1621 2.39 2218 1.38		8 0308 2.75 1046 1.35 MO 1614 2.23 2138 1.69		23 0440 2.67 1145 1.04 TU 1812 2.71		8 0245 2.56 1030 1.16 WE 1646 2.51 2250 1.78		23 0041 1.62 0530 2.21 TH 1207 1.09 1900 2.91		8 0032 1.48 0523 2.27 SA 1154 0.78 1836 3.30		23 0140 1.22 0646 2.26 SU 1249 1.00 1927 3.15	
9 0413 2.73 1126 1.52 SA 1631 2.07 2139 1.70		24 0432 3.15 1133 1.04 SU 1724 2.60 2329 1.38		9 0401 2.80 1119 1.16 TU 1708 2.50 2259 1.63		24 0029 1.59 0532 2.57 WE 1226 0.98 1859 2.90		9 0400 2.51 1116 0.96 TH 1747 2.84		24 0128 1.46 0619 2.22 FR 1242 1.02 1927 3.05		9 0118 1.22 0616 2.45 SU 1241 0.55 1916 3.60		24 0203 1.16 0707 2.38 MO 1312 0.89 1948 3.24	
10 0449 2.87 1147 1.36 SU 1709 2.30 2250 1.58		25 0520 3.10 1215 0.96 MO 1814 2.79		10 0445 2.85 1151 0.95 WE 1754 2.81		25 0123 1.53 0615 2.49 TH 1257 0.95 1934 3.05		10 0016 1.61 0503 2.52 FR 1200 0.76 1837 3.18		25 0202 1.35 0654 2.26 SA 1309 0.96 1952 3.15		10 0158 1.00 0700 2.64 MO 1324 0.35 1954 3.84		25 0223 1.13 0727 2.49 TU 1331 0.79 2010 3.31	
11 0516 3.01 1211 1.19 MO 1743 2.56 2338 1.44		26 0027 1.38 0558 3.02 TU 1249 0.91 1856 2.96		11 0004 1.52 0525 2.89 TH 1223 0.75 1839 3.14		26 0206 1.47 0650 2.43 FR 1320 0.93 2004 3.15		11 0114 1.40 0559 2.57 SA 1245 0.56 1922 3.50		26 0230 1.29 0721 2.31 SU 1330 0.90 2016 3.22		11 0234 0.85 0743 2.81 TU 1403 0.22 2031 3.98		26 0243 1.11 0746 2.59 WE 1351 0.71 2031 3.36	
12 0541 3.13 1233 1.01 TU 1815 2.84		27 0115 1.40 0630 2.92 WE 1316 0.89 1932 3.09		12 0101 1.39 0605 2.90 FR 1256 0.57 1923 3.44		27 0242 1.44 0720 2.38 SA 1339 0.91 2032 3.21		12 0201 1.19 0650 2.65 SU 1329 0.38 2005 3.77		27 0255 1.27 0745 2.36 MO 1350 0.82 2041 3.27		12 0310 0.77 0824 2.93 WE 1443 0.20 2109 3.99		27 0302 1.09 0810 2.69 TH 1414 0.67 2053 3.38	
13 0019 1.32 0607 3.22 WE 1258 0.82 1851 3.14		28 0157 1.43 0700 2.80 TH 1336 0.89 2006 3.18		13 0154 1.26 0649 2.89 SA 1333 0.42 2009 3.70		28 0313 1.43 0748 2.35 SU 1359 0.88 2100 3.23		13 0245 1.03 0741 2.73 MO 1413 0.25 2048 3.96		28 0317 1.27 0806 2.42 TU 1412 0.76 2105 3.31		13 0346 0.78 0906 2.96 TH 1520 0.32 2145 3.87		28 0322 1.07 0837 2.76 FR 1437 0.69 2115 3.36	
14 0100 1.22 0636 3.27 TH 1322 0.64 1930 3.42		29 0234 1.48 0727 2.67 FR 1351 0.89 2038 3.22		14 0245 1.17 0737 2.85 SU 1415 0.34 2056 3.88		29 0340 1.44 0815 2.33 MO 1422 0.86 2127 3.23		14 0330 0.93 0831 2.78 TU 1458 0.21 2131 4.02		29 0339 1.29 0830 2.47 WE 1436 0.72 2130 3.32		14 0422 0.85 0949 2.89 FR 1558 0.57 2222 3.62		29 0342 1.05 0910 2.79 SA 1502 0.79 2139 3.28	
15 0144 1.16 0709 3.25 FR 1350 0.50 2013 3.64		30 0309 1.53 0753 2.55 SA 1406 0.90 2108 3.22		15 0336 1.11 0830 2.76 MO 1502 0.33 2144 3.94		30 0408 1.47 0843 2.31 TU 1449 0.86 2156 3.21		15 0415 0.92 0922 2.77 WE 1542 0.27 2215 3.96		30 0403 1.31 0859 2.50 TH 1501 0.74 2156 3.30		15 0500 0.99 1033 2.74 SA 1634 0.93 2256 3.27		30 0400 1.05 0948 2.77 SU 1530 0.97 2203 3.13	
		31 0344 1.58 0817 2.43 SU 1427 0.93 2138 3.19								31 0430 1.33 0930 2.49 FR 1528 0.81 2222 3.24				31 0421 1.07 1034 2.70 MO 1602 1.23 2231 2.90	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides

◑ Last Quarter

TOWNSVILLE – QUEENSLAND

LAT 19° 15' S LONG 146° 49' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0449 1.14 TU 1129 2.60 1645 1.55 2302 2.60		16 0427 1.40 WE 1305 2.30 1600 2.25 1700 2.26		1 0459 1.13 TH 1233 2.75 2000 1.80 2340 1.99		16 0353 1.46 FR 1634 2.46 2357 1.57		1 0309 1.96 SU 0855 1.22 1545 3.15 2252 1.13		16 0345 1.77 MO 0740 1.67 1558 2.65 2317 1.39		1 0349 2.29 TU 0941 1.31 1556 3.14 2305 1.00		16 0249 1.93 WE 0724 1.74 1441 2.67 2241 1.43	
2 0554 1.26 WE 1240 2.49 1910 1.85 2346 2.27		17 0430 1.58 TH 1729 2.50		2 0721 1.30 FR 1447 2.76 2230 1.57		17 0559 1.69 SA 0718 1.68 1703 2.62 2351 1.41		2 0429 2.24 MO 1015 1.11 1644 3.28 2339 0.92		17 0440 1.98 TU 0941 1.64 1636 2.76 2340 1.24		2 0500 2.53 WE 1056 1.34 1651 3.08 2352 0.86		17 0416 2.13 TH 0920 1.80 1541 2.68 2313 1.24	
3 0749 1.33 TH 1452 2.51 2216 1.84		18 0017 1.61 FR 0550 1.78 1017 1.57 1750 2.70		3 0330 1.86 SA 0922 1.25 1627 3.01 2330 1.26		18 0525 1.88 SU 1018 1.58 1726 2.77		3 0521 2.52 TU 1116 1.01 1728 3.35		18 0512 2.20 WE 1043 1.55 1703 2.86		3 0554 2.77 TH 1200 1.34 1735 3.01		18 0510 2.41 FR 1047 1.76 1627 2.72 2343 1.04	
4 0139 1.96 FR 0934 1.25 1648 2.80 2347 1.52		19 0027 1.41 SA 0552 1.96 1115 1.40 1811 2.86		4 0457 2.14 SU 1041 1.04 1720 3.28		19 0007 1.27 MO 0535 2.08 1105 1.43 1745 2.90		4 0018 0.77 WE 0602 2.77 1208 0.97 1804 3.36		19 0001 1.09 TH 0541 2.44 1127 1.45 1728 2.94		4 0030 0.78 FR 0639 2.98 1255 1.35 1813 2.91		19 0551 2.72 SA 1153 1.65 1707 2.76	
5 0452 2.05 SA 1054 1.03 1744 3.14		20 0045 1.26 SU 0607 2.13 1152 1.24 1830 3.00		5 0010 1.00 MO 0541 2.43 1137 0.83 1800 3.47		20 0026 1.15 TU 0553 2.28 1139 1.28 1805 3.01		5 0052 0.68 TH 0640 2.96 1252 0.98 1836 3.30		20 0023 0.93 FR 0610 2.70 1207 1.36 1751 3.00		5 0102 0.73 SA 0717 3.13 1341 1.37 1846 2.80		20 0013 0.84 SU 0630 3.04 1246 1.51 1747 2.80	
6 0030 1.22 SU 0547 2.30 1149 0.78 1824 3.44		21 0106 1.15 MO 0624 2.30 1219 1.09 1851 3.11		6 0045 0.81 TU 0616 2.69 1222 0.68 1834 3.59		21 0045 1.04 WE 0613 2.47 1207 1.16 1823 3.11		6 0121 0.63 FR 0715 3.11 1332 1.05 1905 3.18		21 0045 0.77 SA 0641 2.97 1246 1.28 1816 3.04		6 0127 0.73 SU 0752 3.24 1423 1.40 1917 2.69		21 0045 0.65 MO 0708 3.36 1335 1.37 1830 2.85	
7 0107 0.98 MO 0625 2.55 1234 0.56 1900 3.66		22 0126 1.08 TU 0642 2.45 1243 0.96 1910 3.21		7 0117 0.69 WE 0649 2.91 1300 0.61 1905 3.62		22 0104 0.93 TH 0634 2.68 1234 1.06 1842 3.19		7 0145 0.63 SA 0750 3.20 1412 1.16 1934 3.02		22 0108 0.60 SU 0715 3.24 1327 1.22 1847 3.05		7 0146 0.74 MO 0825 3.29 1500 1.45 1946 2.57		22 0118 0.47 TU 0749 3.64 1423 1.25 1915 2.87	
8 0141 0.81 TU 0700 2.78 1314 0.40 1932 3.81		23 0145 1.01 WE 0701 2.61 1304 0.86 1930 3.29		8 0146 0.63 TH 0722 3.07 1336 0.64 1935 3.58		23 0124 0.81 FR 0700 2.89 1301 1.00 1900 3.24		8 0202 0.65 SU 0826 3.23 1450 1.31 2001 2.83		23 0132 0.46 MO 0753 3.47 1413 1.20 1923 3.00		8 0203 0.77 TU 0857 3.29 1537 1.51 2014 2.47		23 0155 0.33 WE 0833 3.86 1511 1.17 2003 2.87	
9 0213 0.71 WE 0733 2.97 1349 0.33 2005 3.86		24 0203 0.95 TH 0722 2.76 1326 0.78 1948 3.35		9 0212 0.61 FR 0757 3.16 1410 0.77 2004 3.44		24 0143 0.69 SA 0729 3.10 1330 0.97 1922 3.25		9 0217 0.70 MO 0900 3.20 1530 1.46 2026 2.61		24 0200 0.37 TU 0836 3.63 1504 1.21 2004 2.89		9 0222 0.80 WE 0928 3.25 1613 1.58 2041 2.37		24 0236 0.26 TH 0918 3.98 1600 1.14 2056 2.82	
10 0242 0.67 TH 0809 3.08 1423 0.39 2039 3.79		25 0222 0.88 FR 0747 2.91 1348 0.76 2008 3.37		10 0232 0.64 SA 0832 3.18 1445 0.96 2033 3.21		25 0200 0.58 SU 0802 3.27 1403 1.00 1949 3.19		10 0232 0.78 TU 0936 3.11 1615 1.61 2049 2.40		25 0236 0.36 WE 0923 3.70 1602 1.27 2052 2.71		10 0245 0.86 TH 1000 3.17 1650 1.65 2109 2.28		25 0321 0.29 FR 1006 3.99 1653 1.16 2150 2.73	
11 0310 0.69 FR 0847 3.10 1457 0.57 2111 3.60		26 0239 0.80 SA 0817 3.03 1415 0.80 2030 3.33		11 0250 0.71 SU 0909 3.11 1520 1.22 2100 2.93		26 0220 0.50 MO 0841 3.39 1444 1.11 2021 3.05		11 0250 0.88 WE 1012 2.99 1707 1.74 2112 2.20		26 0319 0.44 TH 1015 3.68 1706 1.34 2147 2.50		11 0312 0.94 FR 1033 3.08 1734 1.73 2139 2.18		26 0409 0.43 SA 1054 3.88 1749 1.23 2248 2.60	
12 0336 0.77 SA 0926 3.02 1530 0.86 2142 3.31		27 0255 0.74 SU 0853 3.10 1444 0.92 2055 3.21		12 0302 0.81 MO 0946 2.99 1603 1.49 2120 2.63		27 0245 0.49 TU 0926 3.41 1538 1.27 2059 2.82		12 0312 1.02 TH 1050 2.85 1818 1.84 2135 2.02		27 0411 0.61 FR 1111 3.57 1817 1.40 2255 2.28		12 0341 1.06 SA 1110 2.97 1830 1.79 2215 2.07		27 0500 0.67 SU 1145 3.68 1852 1.30 2350 2.44	
13 0358 0.90 SU 1005 2.87 1604 1.22 2209 2.95		28 0314 0.73 MO 0933 3.10 1518 1.12 2124 3.01		13 0315 0.94 TU 1025 2.83 1703 1.75 2137 2.33		28 0318 0.58 WE 1017 3.35 1656 1.47 2142 2.52		13 0337 1.18 FR 1136 2.71 2023 1.83 2154 1.85		28 0516 0.83 SA 1213 3.42 1937 1.40		13 0411 1.20 SU 1150 2.86 1947 1.80 2310 1.96		28 0600 1.00 MO 1238 3.41 2001 1.34	
14 0412 1.06 MO 1048 2.68 1645 1.59 2232 2.57		29 0337 0.78 TU 1022 3.03 1604 1.40 2156 2.71		14 0328 1.09 WE 1109 2.65 1837 1.93 2144 2.05		29 0400 0.77 TH 1116 3.22 1822 1.60 2240 2.19		14 0406 1.36 SA 1239 2.59 2254 1.69		29 0018 2.12 SU 0637 1.06 1326 3.28 2057 1.31		14 0445 1.37 MO 1237 2.76 2106 1.73		29 0110 2.31 TU 0720 1.35 1339 3.13 2115 1.31	
15 0419 1.23 TU 1139 2.47 1830 1.91 2247 2.21		30 0408 0.92 WE 1119 2.89 1754 1.69 2234 2.36		15 0344 1.27 TH 1208 2.48		30 0514 1.01 FR 1230 3.08 2011 1.58		15 0002 1.69 SU 0454 1.55 1430 2.57 2257 1.54		30 0214 2.11 MO 0814 1.23 1446 3.19 2207 1.15		15 0040 1.88 TU 0533 1.56 1333 2.69 2202 1.60		30 0303 2.31 WE 0902 1.61 1455 2.88 2227 1.21	
				31 0019 1.92 SA 0705 1.20 1413 3.04 2148 1.37								31 0445 2.51 TH 1044 1.70 1612 2.72 2328 1.09			

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
◑ Last Quarter

LUCINDA (OFFSHORE) – QUEENSLAND

LAT 18° 31' S LONG 146° 23' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0108 0.47 TH 0746 3.58 1410 1.24 1923 2.74		16 0133 0.91 0828 3.22 FR 1455 1.48 1947 2.45		1 0226 0.32 0901 3.95 SU 1526 1.04 2050 2.95		16 0208 0.74 0847 3.49 MO 1505 1.28 2028 2.84		1 0138 0.54 0804 3.85 SU 1430 0.98 2003 3.05		16 0115 0.94 0746 3.44 MO 1410 1.16 1939 2.91		1 0224 0.92 0831 3.45 WE 1445 0.91 2054 3.18		16 0148 0.94 0753 3.46 TH 1417 0.67 2027 3.41	
2 0150 0.34 FR 0830 3.78 1458 1.16 2010 2.75		17 0159 0.83 0852 3.28 SA 1516 1.47 2014 2.50		2 0302 0.34 0938 3.91 MO 1559 1.08 2129 2.93		17 0234 0.68 0912 3.54 TU 1528 1.23 2059 2.92		2 0212 0.50 0837 3.86 MO 1457 0.96 2037 3.12		17 0142 0.82 0808 3.55 TU 1429 1.05 2009 3.08		2 0252 1.10 0856 3.25 TH 1504 0.96 2125 3.12		17 0225 0.97 0824 3.38 FR 1446 0.59 2108 3.51	
3 0232 0.27 SA 0915 3.88 1545 1.13 2057 2.73		18 0224 0.76 0916 3.32 SU 1539 1.47 2042 2.55		3 0338 0.49 1013 3.76 TU 1631 1.18 2207 2.84		18 0302 0.69 0937 3.54 WE 1552 1.20 2133 2.94		3 0244 0.56 0907 3.77 TU 1522 0.99 2110 3.12		18 0210 0.75 0832 3.60 WE 1451 0.94 2042 3.21		3 0319 1.33 0918 3.00 FR 1523 1.03 2156 3.01		18 0306 1.10 0858 3.19 SA 1518 0.60 2153 3.51	
4 0315 0.30 SU 1000 3.87 1630 1.17 2144 2.66		19 0252 0.73 0944 3.34 MO 1603 1.48 2113 2.57		4 0411 0.75 1046 3.50 WE 1704 1.31 2246 2.67		19 0331 0.79 1005 3.45 TH 1620 1.19 2213 2.91		4 0314 0.74 0936 3.58 WE 1546 1.07 2144 3.03		19 0241 0.78 0900 3.56 TH 1516 0.86 2119 3.28		4 0346 1.57 0938 2.74 SA 1540 1.13 2228 2.87		19 0354 1.31 0936 2.91 SU 1556 0.71 2244 3.41	
5 0358 0.43 MO 1044 3.74 1718 1.27 2231 2.55		20 0320 0.74 1012 3.33 TU 1631 1.49 2147 2.55		5 0442 1.09 1119 3.19 TH 1737 1.46 2329 2.47		20 0404 0.99 1034 3.28 FR 1652 1.22 2257 2.81		5 0341 1.00 1002 3.32 TH 1608 1.17 2216 2.89		20 0315 0.91 0929 3.42 FR 1545 0.85 2200 3.26		5 0413 1.82 0953 2.47 SU 1556 1.25 2302 2.71		20 0455 1.57 1019 2.57 MO 1641 0.91 2345 3.23	
6 0440 0.66 TU 1128 3.52 1811 1.39 2322 2.39		21 0350 0.82 1042 3.28 WE 1703 1.51 2227 2.50		6 0509 1.48 1150 2.84 FR 1813 1.60		21 0441 1.28 1106 3.03 SA 1730 1.30 2352 2.67		6 0407 1.32 1026 3.01 FR 1628 1.29 2251 2.70		21 0352 1.14 1000 3.18 SA 1616 0.92 2246 3.15		6 0442 2.05 0949 2.24 MO 1609 1.39 2346 2.54		21 0645 1.77 1116 2.23 TU 1743 1.16	
7 0522 0.98 WE 1213 3.24 1915 1.50		22 0422 0.97 1114 3.18 TH 1743 1.54 2315 2.41		7 0024 2.27 0532 1.86 SA 1220 2.51 1918 1.71		22 0529 1.64 1143 2.71 SU 1823 1.42		7 0430 1.66 1045 2.69 SA 1645 1.42 2330 2.51		22 0437 1.46 1033 2.85 SU 1654 1.07 2344 2.98		7 1612 1.55 TU		22 0111 3.07 0913 1.70 WE 1304 1.97 1927 1.36	
8 0022 2.22 TH 0608 1.34 1301 2.94 2038 1.54		23 0458 1.20 1149 3.02 FR 1834 1.55		8 0657 2.20 1015 2.15 SU 1301 2.21 2217 1.69		23 0114 2.54 0705 1.99 MO 1235 2.36 2017 1.50		8 0443 1.97 1052 2.38 SU 1700 1.56		23 0543 1.81 1115 2.47 MO 1745 1.29		8 0450 2.45 1448 1.69 WE		23 0301 3.07 1041 1.47 TH 1547 2.05 2125 1.38	
9 0149 2.09 FR 0715 1.70 1400 2.66 2206 1.48		24 0015 2.31 0544 1.49 SA 1232 2.81 1954 1.53		9 0629 2.49 1236 1.95 MO 1630 2.05 2325 1.56		24 0355 2.62 1106 1.94 TU 1509 2.12 2219 1.39		9 0029 2.33 0340 2.23 MO 0701 2.29 1701 1.71		24 0110 2.81 0909 1.97 TU 1222 2.10 1937 1.49		9 0521 2.62 1228 1.63 TH 1749 1.91 2205 1.78		24 0426 3.18 1132 1.26 FR 1703 2.30 2246 1.28	
10 0442 2.17 SA 0952 1.92 1517 2.46 2309 1.37		25 0144 2.26 0700 1.81 SU 1330 2.58 2130 1.43		10 0646 2.72 1311 1.75 TU 1754 2.13		25 0530 2.95 1220 1.64 WE 1718 2.24 2330 1.16		10 0611 2.50 1428 1.81 TU 1848 1.87 2225 1.81		25 0340 2.86 1117 1.69 WE 1606 2.01 2159 1.43		10 0542 2.78 1230 1.51 FR 1746 2.10 2306 1.61		25 0520 3.30 1212 1.10 SA 1751 2.56 2344 1.17	
11 0609 2.44 SU 1148 1.87 1641 2.36 2351 1.26		26 0359 2.41 0953 1.95 MO 1508 2.41 2240 1.25		11 0003 1.41 0705 2.91 WE 1334 1.60 1827 2.23		26 0617 3.28 1300 1.39 TH 1813 2.46		11 0619 2.70 1304 1.67 WE 1813 2.02 2329 1.64		26 0508 3.13 1207 1.41 TH 1728 2.27 2315 1.22		11 0600 2.94 1244 1.40 SA 1801 2.30 2343 1.43		26 0600 3.35 1244 0.99 SU 1830 2.77	
12 0648 2.69 MO 1253 1.75 1740 2.33		27 0529 2.75 1150 1.79 TU 1647 2.39 2336 1.03		12 0031 1.27 0724 3.06 TH 1354 1.50 1851 2.35		27 0019 0.91 0656 3.55 FR 1332 1.19 1853 2.69		12 0634 2.87 1311 1.54 TH 1820 2.18		27 0556 3.37 1242 1.20 FR 1811 2.54		12 0619 3.09 1257 1.28 SU 1821 2.52		27 0030 1.12 0634 3.35 MO 1311 0.92 1907 2.94	
13 0023 1.16 TU 0716 2.88 1335 1.64 1821 2.34		28 0621 3.10 1252 1.56 WE 1754 2.48		13 0056 1.13 0743 3.19 FR 1413 1.43 1914 2.47		28 0101 0.69 0731 3.75 SA 1401 1.06 1929 2.89		13 0001 1.46 0650 3.03 FR 1325 1.44 1834 2.35		28 0006 1.01 0633 3.54 SA 1312 1.06 1845 2.78		13 0013 1.26 0639 3.23 MO 1312 1.15 1846 2.75		28 0108 1.13 0704 3.29 TU 1334 0.88 1941 3.06	
14 0048 1.07 WE 0741 3.02 1407 1.56 1854 2.36		29 0023 0.80 0704 3.43 TH 1336 1.35 1845 2.62		14 0118 0.98 0803 3.30 SA 1429 1.38 1936 2.60				14 0027 1.27 0707 3.17 SA 1339 1.35 1852 2.53		29 0047 0.86 0706 3.64 SU 1338 0.97 1918 2.97		14 0043 1.11 0700 3.36 TU 1330 0.98 1915 3.00		29 0143 1.20 0731 3.17 WE 1355 0.86 2014 3.13	
15 0111 0.99 TH 0804 3.14 1432 1.51 1922 2.40		30 0107 0.58 0745 3.70 FR 1415 1.18 1930 2.76		15 0143 0.85 0825 3.40 SU 1446 1.33 2000 2.73				15 0051 1.10 0726 3.31 SU 1353 1.27 1914 2.72		30 0122 0.79 0737 3.65 MO 1402 0.92 1951 3.11		15 0114 1.00 0725 3.44 WE 1352 0.81 1949 3.23		30 0215 1.30 0757 3.02 TH 1414 0.87 2045 3.15	
		31 0147 0.41 0824 3.88 SA 1451 1.07 2011 2.88								31 0154 0.82 0805 3.59 TU 1425 0.90 2023 3.18					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

LUCINDA (OFFSHORE) – QUEENSLAND

LAT 18° 31' S LONG 146° 23' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0245 1.43 FR 0821 2.84 1431 0.89 2115 3.13		16 0222 1.16 SA 0758 3.05 1425 0.42 2102 3.65		1 0408 1.67 MO 0852 2.26 1500 0.96 2212 3.01		16 0419 1.17 TU 0930 2.58 1550 0.39 2239 3.75		1 0430 1.54 WE 0918 2.22 1527 0.87 2228 3.04		16 0450 1.02 TH 1014 2.62 1623 0.44 2303 3.62		1 0442 1.35 SA 1013 2.38 1606 0.92 2250 3.01		16 0521 1.14 SU 1123 2.45 1711 1.28 2333 2.76	
2 0316 1.57 SA 0844 2.64 1450 0.95 2145 3.06		17 0313 1.22 SU 0841 2.88 1505 0.44 2151 3.68		2 0449 1.73 TU 0922 2.16 1530 1.03 2245 2.93		17 0519 1.22 WE 1026 2.45 1641 0.54 2330 3.61		2 0501 1.59 TH 0952 2.19 1557 0.94 2258 2.99		17 0538 1.12 FR 1104 2.49 1707 0.73 2345 3.34		2 0513 1.36 SU 1055 2.31 1638 1.11 2319 2.86		17 0601 1.30 MO 1224 2.25 1759 1.69	
3 0348 1.72 SU 0904 2.45 1511 1.03 2216 2.96		18 0411 1.33 MO 0929 2.66 1551 0.55 2245 3.60		3 0547 1.80 WE 0956 2.06 1601 1.13 2321 2.84		18 0625 1.28 TH 1128 2.32 1734 0.78		3 0539 1.62 FR 1031 2.14 1629 1.04 2330 2.91		18 0631 1.23 SA 1201 2.34 1753 1.10		3 0552 1.37 MO 1148 2.24 1717 1.37 2352 2.67		18 0007 2.37 TU 0709 1.44 1433 2.14 2146 1.93	
4 0426 1.86 MO 0925 2.26 1532 1.14 2251 2.83		19 0523 1.45 TU 1023 2.41 1644 0.74 2345 3.45		4 0717 1.82 TH 1038 1.97 1638 1.24		19 0025 3.39 FR 0737 1.32 1240 2.20 1833 1.07		4 0630 1.64 SA 1119 2.07 1703 1.19		19 0030 3.00 SU 0740 1.32 1314 2.19 1852 1.50		4 0649 1.38 TU 1300 2.18 1815 1.65		19 0053 2.03 WE 0936 1.46 1745 2.40	
5 0535 1.99 TU 0944 2.09 1557 1.27 2333 2.70		20 0657 1.52 WE 1132 2.18 1747 0.97		5 0005 2.75 FR 0843 1.78 1140 1.88 1722 1.37		20 0123 3.15 SA 0853 1.31 1404 2.15 1946 1.36		5 0005 2.81 SU 0740 1.61 1221 2.02 1745 1.37		20 0120 2.65 MO 0905 1.34 1509 2.15 2101 1.80		5 0035 2.43 WE 0826 1.34 1457 2.23 2040 1.88		20 0015 1.72 TH 0430 1.85 1057 1.35 1822 2.62	
6 1625 1.42 WE		21 0055 3.29 TH 0831 1.47 1310 2.06 1906 1.18		6 0100 2.68 SA 0945 1.67 1311 1.85 1823 1.51		21 0228 2.92 SU 1003 1.24 1545 2.21 2127 1.58		6 0047 2.70 MO 0850 1.51 1343 2.02 1846 1.58		21 0230 2.35 TU 1024 1.28 1733 2.36 2331 1.79		6 0152 2.20 TH 0955 1.21 1652 2.50 2327 1.75		21 0057 1.51 FR 0548 1.95 1144 1.23 1848 2.80	
7 0038 2.58 TH 1714 1.58		22 0214 3.17 FR 0951 1.35 1457 2.11 2039 1.33		7 0209 2.65 SU 1024 1.53 1500 1.93 1947 1.63		22 0337 2.73 MO 1100 1.15 1718 2.40 2310 1.66		7 0141 2.58 TU 0945 1.36 1525 2.15 2030 1.76		22 0410 2.18 WE 1121 1.19 1831 2.61		7 0403 2.11 FR 1059 1.02 1754 2.84		22 0123 1.35 SA 0621 2.06 1217 1.10 1911 2.93	
8 0300 2.56 FR 1119 1.65 1542 1.79 1923 1.71		23 0330 3.10 SA 1050 1.21 1625 2.28 2207 1.40		8 0315 2.68 MO 1053 1.37 1617 2.13 2126 1.67		23 0443 2.59 TU 1145 1.06 1822 2.61		8 0252 2.48 WE 1031 1.18 1650 2.40 2238 1.76		23 0049 1.64 TH 0529 2.14 1203 1.09 1907 2.80		8 0033 1.50 SA 0524 2.21 1151 0.79 1839 3.17		23 0145 1.26 SU 0645 2.17 1245 0.98 1932 3.03	
9 0415 2.67 SA 1136 1.52 1641 1.98 2134 1.68		24 0433 3.07 SU 1137 1.08 1730 2.49 2320 1.41		9 0407 2.72 TU 1120 1.19 1712 2.40 2247 1.62		24 0027 1.63 WE 0534 2.50 1222 0.99 1906 2.80		9 0408 2.43 TH 1115 0.98 1749 2.72		24 0135 1.49 FR 0617 2.15 1236 1.02 1935 2.94		9 0115 1.26 SU 0618 2.37 1238 0.56 1920 3.46		24 0203 1.20 MO 0707 2.29 1308 0.87 1953 3.11	
10 0452 2.80 SU 1153 1.38 1714 2.20 2241 1.57		25 0522 3.02 MO 1214 0.99 1819 2.69		10 0451 2.77 WE 1147 0.98 1758 2.70 2351 1.53		25 0122 1.57 TH 0616 2.42 1251 0.95 1942 2.95		10 0002 1.62 FR 0513 2.45 1157 0.78 1839 3.06		25 0207 1.39 SA 0652 2.19 1303 0.94 2000 3.04		10 0153 1.06 MO 0704 2.55 1321 0.35 2000 3.69		25 0221 1.17 TU 0728 2.40 1330 0.77 2015 3.18	
11 0519 2.93 MO 1210 1.22 1745 2.45 2329 1.44		26 0018 1.42 TU 0601 2.94 1245 0.93 1901 2.86		11 0533 2.80 TH 1218 0.77 1842 3.02		26 0205 1.52 FR 0652 2.36 1315 0.91 2012 3.04		11 0102 1.43 SA 0608 2.50 1242 0.57 1925 3.37		26 0232 1.34 SU 0720 2.23 1328 0.87 2024 3.10		11 0228 0.91 TU 0747 2.71 1402 0.22 2038 3.82		26 0237 1.15 WE 0750 2.50 1354 0.69 2035 3.23	
12 0545 3.04 TU 1229 1.04 1818 2.73		27 0106 1.44 WE 0635 2.84 1309 0.89 1939 2.98		12 0046 1.41 FR 0615 2.82 1253 0.58 1927 3.32		27 0241 1.48 SA 0724 2.31 1339 0.88 2040 3.10		12 0152 1.24 SU 0659 2.57 1327 0.39 2010 3.63		27 0254 1.31 MO 0746 2.29 1352 0.80 2047 3.15		12 0302 0.82 WE 0829 2.82 1442 0.19 2115 3.83		27 0254 1.12 TH 0815 2.59 1419 0.65 2057 3.25	
13 0011 1.33 WE 0614 3.13 1251 0.84 1855 3.02		28 0147 1.47 TH 0705 2.72 1330 0.88 2012 3.07		13 0139 1.29 SA 0700 2.80 1332 0.43 2013 3.57		28 0311 1.47 SU 0753 2.28 1402 0.86 2107 3.12		13 0238 1.09 MO 0748 2.64 1412 0.25 2055 3.81		28 0314 1.31 TU 0811 2.34 1417 0.74 2111 3.18		13 0337 0.81 TH 0910 2.85 1520 0.30 2152 3.71		28 0313 1.08 FR 0844 2.66 1445 0.67 2119 3.23	
14 0052 1.22 TH 0645 3.17 1318 0.65 1934 3.30		29 0225 1.51 FR 0732 2.60 1351 0.87 2043 3.11		14 0231 1.21 SU 0747 2.75 1415 0.33 2100 3.74		29 0338 1.48 MO 0820 2.26 1429 0.84 2133 3.11		14 0322 0.99 TU 0836 2.68 1457 0.20 2138 3.87		29 0333 1.32 WE 0836 2.39 1444 0.71 2134 3.18		14 0411 0.87 FR 0951 2.78 1557 0.53 2227 3.47		29 0333 1.04 SA 0916 2.69 1513 0.77 2143 3.16	
15 0135 1.16 FR 0719 3.15 1349 0.50 2016 3.52		30 0300 1.56 SA 0800 2.47 1411 0.88 2113 3.11		15 0324 1.16 MO 0837 2.68 1501 0.32 2149 3.80		30 0403 1.50 TU 0848 2.25 1457 0.84 2200 3.09		15 0406 0.97 WE 0925 2.68 1540 0.26 2221 3.81		30 0353 1.33 TH 0904 2.41 1510 0.72 2158 3.16		15 0445 0.99 SA 1035 2.64 1633 0.88 2300 3.14		30 0358 1.02 SU 0953 2.67 1544 0.94 2208 3.01	
		31 0333 1.61 SU 0826 2.36 1434 0.91 2142 3.08								31 0416 1.34 FR 0936 2.41 1537 0.79 2223 3.11				31 0425 1.04 MO 1035 2.60 1618 1.18 2236 2.79	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

LUCINDA (OFFSHORE) – QUEENSLAND

LAT 18° 31' S LONG 146° 23' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0458 1.10 1128 2.50 TU 1703 1.49 2309 2.50		16 0459 1.36 1317 2.21 WE		1 0512 1.08 1238 2.64 TH 2028 1.78 2344 1.93		16 0358 1.43 1600 2.37 FR		1 0302 1.87 0845 1.21 SU 1545 3.04 2300 1.13		16 0403 1.70 0734 1.63 MO 1600 2.57 2325 1.38		1 0349 2.18 0930 1.32 TU 1557 3.02 2310 1.02		16 0244 1.85 0707 1.69 WE 1448 2.57 2249 1.42	
2 0543 1.20 1240 2.38 WE 1822 1.80 2351 2.18		17 0513 1.54 1719 2.40 TH		2 0652 1.27 1453 2.66 FR 2243 1.54		17 0102 1.52 1654 2.52 SA 2358 1.39		2 0431 2.13 1010 1.13 MO 1645 3.16 2343 0.95		17 0449 1.90 0935 1.61 TU 1640 2.67 2345 1.25		2 0505 2.41 1050 1.36 WE 1653 2.97 2351 0.90		17 0426 2.04 0911 1.77 TH 1546 2.58 2315 1.25	
3 0715 1.31 1459 2.41 TH 2233 1.80		18 0052 1.57 0540 1.71 FR 1015 1.54 1750 2.59		3 0321 1.78 0920 1.24 SA 1630 2.90 2336 1.26		18 0529 1.81 1008 1.55 SU 1723 2.66		3 0524 2.40 1112 1.04 TU 1730 3.23		18 0518 2.11 1036 1.53 WE 1708 2.76		3 0600 2.66 1155 1.36 TH 1739 2.89		18 0516 2.31 1041 1.74 FR 1633 2.62 2340 1.06	
4 0142 1.89 0936 1.25 FR 1654 2.69 2356 1.51		19 0037 1.40 0553 1.88 SA 1112 1.38 1814 2.74		4 0458 2.04 1039 1.05 SU 1723 3.15		19 0012 1.27 0538 1.99 MO 1058 1.41 1745 2.79		4 0017 0.81 0606 2.65 WE 1201 0.98 1808 3.23		19 0002 1.11 0545 2.34 TH 1120 1.44 1732 2.83		4 0026 0.81 0645 2.86 FR 1248 1.37 1817 2.80		19 0555 2.61 1143 1.64 SA 1716 2.65	
5 0446 1.97 1053 1.03 SA 1747 3.01		20 0052 1.27 0608 2.04 SU 1146 1.23 1834 2.87		5 0014 1.03 0542 2.32 MO 1133 0.84 1803 3.34		20 0030 1.16 0555 2.18 TU 1132 1.27 1806 2.90		5 0047 0.71 0645 2.85 TH 1245 0.99 1842 3.17		20 0020 0.96 0614 2.59 FR 1200 1.35 1758 2.89		5 0056 0.75 0724 3.02 SA 1335 1.39 1851 2.69		20 0008 0.86 0631 2.92 SU 1234 1.51 1758 2.70	
6 0035 1.24 0545 2.21 SU 1146 0.79 1828 3.30		21 0110 1.17 0624 2.20 MO 1214 1.08 1854 2.98		6 0045 0.86 0618 2.58 TU 1216 0.69 1839 3.45		21 0045 1.07 0615 2.37 WE 1201 1.15 1826 2.99		6 0114 0.65 0721 2.99 FR 1324 1.05 1912 3.06		21 0040 0.79 0645 2.86 SA 1238 1.27 1826 2.93		6 0121 0.73 0759 3.13 SU 1416 1.42 1923 2.58		21 0039 0.66 0711 3.23 MO 1323 1.38 1842 2.73	
7 0107 1.03 0625 2.45 MO 1230 0.56 1904 3.52		22 0126 1.11 0643 2.35 TU 1237 0.95 1913 3.08		7 0113 0.74 0653 2.80 WE 1256 0.62 1911 3.49		22 0100 0.96 0638 2.57 TH 1229 1.05 1845 3.07		7 0138 0.63 0757 3.08 SA 1401 1.16 1941 2.90		22 0102 0.62 0719 3.12 SU 1319 1.20 1859 2.93		7 0144 0.73 0831 3.18 MO 1455 1.46 1953 2.47		22 0115 0.47 0753 3.51 TU 1411 1.26 1927 2.76	
8 0137 0.86 0702 2.68 TU 1310 0.40 1939 3.66		23 0142 1.05 0703 2.51 WE 1301 0.84 1932 3.16		8 0139 0.66 0728 2.95 TH 1331 0.64 1942 3.43		23 0116 0.84 0703 2.78 FR 1259 0.98 1907 3.12		8 0200 0.64 0831 3.11 SU 1438 1.29 2007 2.71		23 0130 0.47 0758 3.34 MO 1402 1.17 1935 2.88		8 0206 0.75 0903 3.17 TU 1530 1.51 2021 2.37		23 0155 0.33 0837 3.72 WE 1459 1.18 2014 2.75	
9 0206 0.75 0739 2.85 WE 1347 0.33 2013 3.70		24 0157 0.98 0727 2.66 TH 1326 0.77 1952 3.22		9 0204 0.62 0802 3.04 FR 1405 0.75 2011 3.29		24 0135 0.70 0733 2.98 SA 1330 0.95 1931 3.12		9 0220 0.68 0905 3.08 MO 1515 1.44 2033 2.51		24 0203 0.37 0841 3.50 TU 1451 1.19 2016 2.77		9 0230 0.78 0933 3.13 WE 1605 1.57 2050 2.28		24 0238 0.26 0923 3.83 TH 1549 1.15 2102 2.71	
10 0234 0.70 0815 2.96 TH 1422 0.38 2045 3.63		25 0214 0.89 0753 2.80 FR 1352 0.74 2014 3.24		10 0228 0.63 0837 3.06 SA 1439 0.93 2038 3.08		25 0158 0.57 0808 3.15 SU 1405 0.97 2000 3.06		10 0241 0.76 0939 3.00 TU 1555 1.58 2100 2.31		25 0241 0.35 0928 3.57 WE 1545 1.26 2102 2.60		10 0255 0.85 1004 3.06 TH 1644 1.64 2118 2.19		25 0323 0.28 1011 3.84 FR 1642 1.18 2154 2.63	
11 0302 0.70 0851 2.98 FR 1457 0.55 2115 3.45		26 0232 0.80 0824 2.92 SA 1421 0.77 2037 3.20		11 0249 0.69 0913 3.00 SU 1513 1.17 2104 2.81		26 0223 0.49 0846 3.26 MO 1445 1.06 2032 2.92		11 0302 0.87 1014 2.89 WE 1646 1.72 2124 2.12		26 0324 0.42 1018 3.54 TH 1650 1.35 2155 2.41		11 0322 0.93 1037 2.96 FR 1730 1.72 2149 2.10		26 0410 0.41 1100 3.74 SA 1739 1.25 2249 2.50	
12 0329 0.76 0929 2.91 SA 1530 0.82 2145 3.17		27 0255 0.73 0859 2.99 SU 1453 0.88 2103 3.09		12 0311 0.78 0948 2.89 MO 1547 1.43 2128 2.52		27 0253 0.48 0930 3.29 TU 1531 1.22 2109 2.70		12 0325 1.00 1052 2.75 TH 1833 1.82 2149 1.94		27 0414 0.58 1115 3.44 FR 1812 1.42 2256 2.20		12 0351 1.04 1112 2.86 SA 1837 1.78 2225 2.00		27 0459 0.64 1151 3.55 SU 1844 1.33 2352 2.35	
13 0354 0.87 1008 2.77 SU 1603 1.15 2213 2.83		28 0320 0.71 0938 2.99 MO 1530 1.07 2132 2.88		13 0330 0.91 1026 2.73 TU 1627 1.69 2148 2.23		28 0329 0.56 1019 3.22 WE 1630 1.42 2152 2.42		13 0349 1.16 1139 2.61 FR 2107 1.78 2214 1.79		28 0513 0.79 1221 3.30 SA 1944 1.42		13 0421 1.18 1151 2.75 SU 2006 1.78 2312 1.90		28 0553 0.95 1245 3.29 MO 1959 1.37	
14 0417 1.01 1049 2.58 MO 1637 1.51 2237 2.47		29 0349 0.76 1023 2.91 TU 1614 1.33 2205 2.60		14 0347 1.07 1109 2.55 WE 1841 1.91 2158 1.97		29 0412 0.73 1119 3.09 TH 1807 1.60 2246 2.11		14 0417 1.32 1253 2.50 SA 2240 1.64 2331 1.65		29 0018 2.04 0625 1.03 SU 1333 3.17 2108 1.32		14 0456 1.34 1240 2.66 MO 2128 1.70		29 0110 2.23 0700 1.31 TU 1345 3.02 2120 1.33	
15 0440 1.18 1140 2.38 TU 1723 1.85 2254 2.13		30 0424 0.88 1119 2.78 WE 1717 1.63 2244 2.27		15 0401 1.25 1213 2.38 TH		30 0511 0.96 1238 2.96 FR 2030 1.57		15 0505 1.50 1448 2.49 SU 2303 1.51		30 0206 2.02 0756 1.22 MO 1448 3.08 2216 1.17		15 0030 1.82 0544 1.51 TU 1340 2.59 2217 1.57		30 0255 2.22 0843 1.60 WE 1457 2.78 2232 1.23	
				31 0015 1.86 0646 1.17 SA 1418 2.94 2202 1.36								31 0456 2.41 1041 1.71 TH 1613 2.62 2328 1.10			

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ◐ First Quarter ○ Full Moon ◑ Last Quarter

CLUMP POINT – QUEENSLAND

LAT 17° 51' S LONG 146° 06' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0058 0.42 0741 3.27 TH 1356 1.19 1924 2.49		16 0130 0.83 0825 2.95 FR 1440 1.41 1950 2.22		1 0220 0.29 0858 3.63 SU 1513 1.00 2050 2.69		16 0203 0.68 0844 3.22 MO 1454 1.21 2030 2.59		1 0131 0.50 0801 3.55 SU 1417 0.95 2001 2.79		16 0109 0.88 0743 3.18 MO 1358 1.12 1939 2.66		1 0219 0.86 0830 3.18 WE 1440 0.84 2052 2.93		16 0143 0.89 0753 3.19 TH 1410 0.62 2025 3.14	
2 0141 0.29 0826 3.46 FR 1444 1.10 2012 2.49		17 0156 0.76 0849 3.01 SA 1502 1.39 2016 2.27		2 0258 0.30 0933 3.59 MO 1546 1.02 2129 2.68		17 0230 0.63 0907 3.27 TU 1518 1.16 2100 2.66		2 0206 0.46 0833 3.56 MO 1446 0.91 2036 2.87		17 0136 0.76 0805 3.28 TU 1419 0.99 2009 2.82		2 0249 1.03 0856 3.00 TH 1503 0.88 2123 2.88		17 0222 0.91 0826 3.10 FR 1441 0.53 2105 3.23	
3 0225 0.23 0911 3.55 SA 1530 1.08 2059 2.48		18 0220 0.70 0913 3.05 SU 1526 1.39 2044 2.31		3 0334 0.43 1009 3.45 TU 1620 1.09 2207 2.60		18 0300 0.64 0933 3.27 WE 1546 1.12 2134 2.69		3 0239 0.51 0904 3.48 TU 1514 0.93 2109 2.87		18 0206 0.71 0830 3.32 WE 1444 0.88 2042 2.95		3 0319 1.24 0918 2.77 FR 1525 0.94 2153 2.78		18 0303 1.03 0900 2.93 SA 1515 0.53 2149 3.24	
4 0309 0.25 0955 3.54 SU 1615 1.11 2145 2.42		19 0247 0.67 0939 3.07 MO 1551 1.39 2114 2.33		4 0409 0.67 1043 3.22 WE 1655 1.20 2245 2.45		19 0330 0.73 1001 3.19 TH 1615 1.10 2211 2.66		4 0311 0.68 0933 3.30 WE 1541 0.98 2143 2.79		19 0238 0.73 0859 3.29 TH 1512 0.80 2118 3.01		4 0348 1.46 0937 2.52 SA 1544 1.04 2223 2.66		19 0351 1.22 0938 2.67 SU 1552 0.63 2240 3.14	
5 0353 0.37 1039 3.42 MO 1700 1.19 2230 2.32		20 0316 0.68 1006 3.07 TU 1621 1.39 2147 2.32		5 0444 1.00 1115 2.93 TH 1730 1.33 2326 2.27		20 0403 0.92 1031 3.03 FR 1648 1.12 2254 2.58		5 0341 0.92 1000 3.06 TH 1607 1.07 2215 2.66		20 0314 0.85 0928 3.16 FR 1542 0.78 2159 3.00		5 0416 1.69 0949 2.29 SU 1600 1.15 2254 2.51		20 0448 1.46 1021 2.36 MO 1637 0.81 2342 2.98	
6 0436 0.58 1123 3.23 TU 1748 1.30 2319 2.18		21 0346 0.75 1036 3.02 WE 1655 1.40 2226 2.28		6 0515 1.36 1145 2.62 FR 1808 1.46		21 0442 1.19 1103 2.80 SA 1727 1.19 2347 2.45		6 0410 1.22 1023 2.78 FR 1631 1.19 2248 2.50		21 0352 1.06 1000 2.93 SA 1615 0.84 2244 2.90		6 0448 1.90 0942 2.08 MO 1616 1.28 2334 2.36		21 0617 1.67 1116 2.04 TU 1737 1.05	
7 0520 0.88 1209 2.97 WE 1846 1.41		22 0419 0.89 1108 2.93 TH 1733 1.42 2311 2.20		7 0015 2.09 0543 1.72 SA 1209 2.31 1858 1.57		22 0529 1.52 1138 2.50 SU 1816 1.29		7 0436 1.54 1041 2.48 SA 1652 1.31 2324 2.32		22 0437 1.36 1033 2.62 SU 1652 0.97 2339 2.75		7 0542 2.08 0634 2.09 TU 1631 1.43		22 0115 2.85 0924 1.62 WE 1301 1.81 1915 1.25	
8 0015 2.02 0607 1.22 TH 1258 2.70 2013 1.46		23 0457 1.10 1144 2.79 FR 1821 1.43		8 0808 2.04 1005 2.03 SU 1218 2.05 2203 1.57		23 0112 2.33 0650 1.86 MO 1223 2.18 1951 1.38		8 0458 1.84 1042 2.22 SU 1709 1.44		23 0538 1.68 1111 2.27 MO 1741 1.17		8 0346 2.31 1420 1.56 WE		23 0307 2.87 1047 1.41 TH 1538 1.87 2111 1.28	
9 0137 1.90 0708 1.56 FR 1359 2.44 2201 1.40		24 0009 2.11 0543 1.38 SA 1226 2.60 1929 1.42		9 0627 2.30 1326 1.83 MO 1633 1.89 2311 1.45		24 0358 2.43 1107 1.84 TU 1512 1.95 2204 1.30		9 0015 2.16 0511 2.09 MO 0732 2.13 1727 1.57		24 0111 2.60 0916 1.87 TU 1212 1.93 1917 1.36		9 0457 2.45 1257 1.54 TH 1734 1.75 2159 1.65		24 0423 2.97 1131 1.22 FR 1657 2.10 2232 1.20	
10 0454 1.99 0921 1.80 SA 1525 2.26 2301 1.29		25 0140 2.06 0654 1.67 SU 1324 2.38 2108 1.33		10 0644 2.51 1324 1.66 TU 1743 1.95 2351 1.32		25 0525 2.73 1218 1.58 WE 1708 2.05 2317 1.09		10 0559 2.32 1425 1.66 TU 1952 1.72 * 2210 1.68		25 0343 2.68 1130 1.61 WE 1553 1.85 2145 1.33		10 0531 2.59 1234 1.45 FR 1740 1.92 2255 1.50		25 0516 3.06 1203 1.08 SA 1745 2.33 2331 1.11	
11 0612 2.24 1136 1.79 SU 1644 2.17 2341 1.18		26 0359 2.21 0936 1.83 MO 1509 2.21 2225 1.17		11 0701 2.68 1334 1.54 WE 1820 2.04		26 0614 3.02 1250 1.35 TH 1806 2.25		11 0610 2.50 1327 1.58 WE 1751 1.85 2313 1.53		26 0502 2.91 1207 1.37 TH 1718 2.07 2302 1.15		11 0556 2.73 1238 1.35 SA 1758 2.10 2332 1.34		26 0557 3.11 1231 0.97 SU 1826 2.54	
12 0648 2.46 1245 1.68 MO 1739 2.14		27 0524 2.52 1134 1.71 TU 1644 2.19 2323 0.96		12 0022 1.18 0720 2.82 TH 1345 1.45 1848 2.15		27 0010 0.85 0652 3.27 FR 1319 1.17 1848 2.46		12 0628 2.66 1315 1.48 TH 1810 2.00 2350 1.36		27 0551 3.12 1233 1.18 FR 1803 2.32 2356 0.95		12 0616 2.86 1247 1.25 SU 1819 2.30		27 0018 1.06 0632 3.10 MO 1259 0.88 1902 2.70	
13 0012 1.08 0715 2.64 TU 1325 1.58 1820 2.13		28 0617 2.85 1237 1.50 WE 1750 2.26		13 0049 1.04 0740 2.94 FR 1359 1.38 1913 2.26		28 0053 0.65 0728 3.45 SA 1348 1.03 1926 2.65		13 0645 2.80 1317 1.39 FR 1830 2.15		28 0630 3.27 1259 1.04 SA 1840 2.54		13 0003 1.18 0635 2.99 MO 1300 1.11 1845 2.52		28 0058 1.06 0704 3.03 TU 1325 0.83 1937 2.82	
14 0039 0.99 0738 2.78 WE 1354 1.50 1854 2.15		29 0013 0.75 0700 3.15 TH 1322 1.30 1843 2.38		14 0114 0.91 0800 3.04 SA 1415 1.33 1937 2.37				14 0018 1.19 0704 2.94 SA 1327 1.32 1850 2.32		29 0038 0.81 0703 3.36 SU 1326 0.94 1915 2.73		14 0034 1.04 0658 3.10 TU 1318 0.94 1915 2.75		29 0134 1.12 0732 2.92 WE 1348 0.80 2010 2.89	
15 0105 0.90 0801 2.88 TH 1417 1.44 1924 2.18		30 0058 0.54 0741 3.39 FR 1400 1.14 1930 2.52		15 0138 0.79 0821 3.14 SU 1432 1.27 2002 2.49				15 0044 1.03 0723 3.06 SU 1340 1.23 1914 2.49		30 0115 0.74 0734 3.38 MO 1352 0.87 1948 2.86		15 0107 0.94 0724 3.18 WE 1343 0.77 1948 2.96		30 0208 1.22 0759 2.78 TH 1411 0.79 2042 2.90	
		31 0140 0.38 0819 3.56 SA 1437 1.04 2011 2.63								31 0148 0.76 0803 3.31 TU 1416 0.84 2020 2.93					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

* Extra Tides

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

CLUMP POINT – QUEENSLAND

LAT 17° 51' S LONG 146° 06' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0240 1.34 0823 2.60 FR 1431 0.82 2112 2.88		16 0215 1.09 0801 2.79 SA 1418 0.37 2058 3.36		1 0358 1.57 0852 2.05 MO 1456 0.89 2208 2.76		16 0405 1.11 0933 2.34 TU 1545 0.33 2235 3.44		1 0418 1.45 0921 2.01 WE 1522 0.81 2225 2.79		16 0436 0.96 1014 2.39 TH 1619 0.38 2300 3.31		1 0435 1.25 1012 2.16 SA 1604 0.84 2245 2.77		16 0513 1.03 1118 2.25 SU 1712 1.16 2330 2.52	
2 0312 1.47 0845 2.42 SA 1451 0.87 2141 2.82		17 0305 1.14 0845 2.62 SU 1500 0.38 2146 3.38		2 0434 1.62 0918 1.96 TU 1523 0.95 2239 2.69		17 0501 1.15 1028 2.24 WE 1636 0.47 2328 3.31		2 0447 1.48 0952 1.99 TH 1552 0.86 2253 2.73		17 0521 1.04 1101 2.28 FR 1704 0.65 2342 3.06		2 0507 1.25 1053 2.11 SU 1638 1.02 2315 2.63		17 0554 1.17 1215 2.06 MO 1758 1.54	
3 0345 1.60 0903 2.24 SU 1510 0.95 2210 2.73		18 0400 1.24 0931 2.42 MO 1545 0.48 2240 3.31		3 0520 1.69 0948 1.88 WE 1554 1.03 2315 2.60		18 0603 1.22 1126 2.12 TH 1730 0.69		3 0521 1.51 1029 1.94 FR 1624 0.96 2325 2.67		18 0611 1.14 1155 2.13 SA 1751 1.00		3 0545 1.25 1144 2.04 MO 1717 1.26 2348 2.45		18 0001 2.17 0646 1.30 TU 1531 1.98 2156 1.81	
4 0419 1.73 0920 2.08 MO 1530 1.05 2242 2.61		19 0505 1.36 1026 2.20 TU 1639 0.65 2342 3.18		4 0729 1.72 1027 1.80 TH 1630 1.14		19 0023 3.12 0717 1.27 FR 1231 2.01 1829 0.96		4 0604 1.53 1115 1.89 SA 1700 1.09		19 0027 2.75 0713 1.23 SU 1304 1.99 1847 1.37		4 0636 1.26 1255 1.98 TU 1813 1.53		19 0030 1.86 0920 1.35 WE 1732 2.21	
5 0505 1.85 0933 1.93 TU 1555 1.16 2323 2.49		20 0635 1.45 1132 2.00 WE 1742 0.87		5 0001 2.53 0905 1.67 FR 1125 1.72 1714 1.26		20 0123 2.90 0843 1.26 SA 1355 1.95 1938 1.24		5 0000 2.59 0703 1.51 SU 1214 1.83 1744 1.27		20 0118 2.43 0845 1.26 MO 1522 1.97 2032 1.67		5 0030 2.23 0759 1.23 WE 1506 2.05 2026 1.75		20 0047 1.61 0423 1.70 TH 1043 1.25 1816 2.41	
6 1623 1.30 WE		21 0056 3.04 0830 1.42 TH 1301 1.88 1859 1.07		6 0102 2.47 0958 1.58 SA 1300 1.68 1815 1.40		21 0230 2.69 0958 1.19 SU 1544 2.01 2108 1.47		6 0043 2.49 0827 1.42 MO 1338 1.83 1844 1.47		21 0235 2.16 1015 1.20 TU 1733 2.18 2324 1.69		6 0146 2.01 0938 1.12 TH 1648 2.30 2313 1.65		21 0108 1.43 0533 1.77 FR 1130 1.13 1843 2.57	
7 0043 2.38 1702 1.45 TH		22 0218 2.94 0953 1.30 FR 1448 1.91 2027 1.22		7 0215 2.46 1029 1.46 SU 1500 1.76 1945 1.51		22 0341 2.52 1053 1.10 MO 1720 2.19 2250 1.56		7 0138 2.38 0930 1.28 TU 1528 1.95 2027 1.63		22 0416 2.01 1111 1.11 WE 1830 2.40		7 0402 1.93 1045 0.94 FR 1748 2.60		22 0123 1.30 0611 1.87 SA 1206 1.01 1906 2.68	
8 0321 2.41 1137 1.55 FR 1540 1.64 1901 1.58		23 0332 2.89 1048 1.17 SA 1620 2.07 2152 1.30		8 0317 2.48 1049 1.31 MO 1615 1.94 2122 1.55		23 0444 2.40 1135 1.00 TU 1821 2.40		8 0253 2.28 1016 1.11 WE 1646 2.20 2225 1.65		23 0047 1.56 0527 1.96 TH 1153 1.01 1904 2.58		8 0020 1.43 0519 2.01 SA 1140 0.73 1834 2.90		23 0135 1.22 0639 1.97 SU 1236 0.89 1928 2.78	
9 0415 2.50 1140 1.44 SA 1638 1.81 2129 1.56		24 0432 2.85 1129 1.05 SU 1726 2.27 2304 1.33		9 0405 2.52 1108 1.13 TU 1708 2.19 2237 1.51		24 0010 1.55 0535 2.30 WE 1211 0.92 1904 2.58		9 0409 2.24 1100 0.91 TH 1744 2.49 2345 1.53		24 0130 1.44 0615 1.96 FR 1227 0.93 1931 2.70		9 0101 1.21 0616 2.15 SU 1229 0.51 1916 3.17		24 0149 1.17 0704 2.08 MO 1303 0.79 1949 2.85	
10 0449 2.61 1150 1.33 SU 1713 2.01 2230 1.46		25 0520 2.79 1202 0.95 MO 1815 2.46		10 0449 2.55 1134 0.93 WE 1752 2.47 2339 1.43		25 0106 1.50 0618 2.22 TH 1243 0.87 1939 2.71		10 0512 2.23 1145 0.71 FR 1832 2.80		25 0156 1.35 0651 1.99 SA 1258 0.85 1956 2.79		10 0139 1.02 0704 2.31 MO 1315 0.31 1956 3.38		25 0205 1.13 0729 2.18 TU 1328 0.70 2011 2.91	
11 0516 2.72 1201 1.18 MO 1743 2.24 2317 1.35		26 0003 1.34 0600 2.71 TU 1233 0.88 1858 2.62		11 0532 2.57 1206 0.72 TH 1836 2.77		26 0149 1.45 0655 2.15 FR 1311 0.83 2009 2.79		11 0046 1.36 0608 2.27 SA 1231 0.51 1919 3.09		26 0217 1.29 0722 2.03 SU 1326 0.78 2020 2.85		11 0215 0.87 0748 2.46 TU 1357 0.18 2034 3.50		26 0223 1.09 0752 2.27 WE 1351 0.63 2031 2.96	
12 0542 2.81 1216 1.00 TU 1815 2.50		27 0051 1.36 0636 2.61 WE 1300 0.83 1935 2.74		12 0034 1.32 0616 2.57 FR 1243 0.53 1921 3.04		27 0225 1.42 0729 2.10 SA 1338 0.80 2038 2.84		12 0137 1.19 0700 2.32 SU 1317 0.34 2005 3.32		27 0238 1.26 0750 2.08 MO 1352 0.72 2045 2.89		12 0250 0.79 0830 2.56 WE 1437 0.15 2112 3.50		27 0242 1.05 0817 2.35 TH 1415 0.59 2052 2.98	
13 0000 1.24 0612 2.88 WE 1240 0.80 1851 2.77		28 0133 1.39 0707 2.49 TH 1326 0.80 2009 2.82		13 0128 1.22 0703 2.55 SA 1324 0.37 2007 3.27		28 0255 1.40 0759 2.07 SU 1404 0.78 2105 2.86		13 0224 1.04 0751 2.39 MO 1404 0.21 2050 3.48		28 0300 1.24 0815 2.12 TU 1417 0.68 2108 2.91		13 0326 0.77 0910 2.60 TH 1515 0.25 2147 3.39		28 0302 1.01 0845 2.42 FR 1442 0.61 2115 2.96	
14 0044 1.15 0645 2.92 TH 1309 0.60 1930 3.03		29 0212 1.43 0736 2.37 FR 1349 0.79 2040 2.86		14 0219 1.14 0751 2.50 SU 1408 0.28 2055 3.43		29 0324 1.40 0827 2.05 MO 1430 0.78 2132 2.85		14 0309 0.95 0839 2.43 TU 1450 0.16 2133 3.54		29 0320 1.24 0841 2.16 WE 1442 0.65 2130 2.91		14 0400 0.81 0951 2.55 FR 1554 0.47 2223 3.17		29 0327 0.96 0916 2.45 SA 1511 0.70 2140 2.89	
15 0129 1.09 0722 2.88 FR 1342 0.45 2013 3.23		30 0247 1.47 0803 2.25 SA 1412 0.81 2110 2.86		15 0312 1.10 0841 2.43 MO 1455 0.26 2145 3.48		30 0351 1.41 0853 2.03 TU 1455 0.78 2158 2.82		15 0352 0.93 0927 2.44 WE 1535 0.21 2216 3.48		30 0343 1.25 0907 2.19 TH 1507 0.66 2154 2.90		15 0436 0.90 1032 2.42 SA 1632 0.79 2257 2.87		30 0353 0.93 0952 2.44 SU 1543 0.86 2206 2.76	
		31 0322 1.51 0828 2.14 SU 1433 0.84 2139 2.82								31 0407 1.25 0937 2.19 FR 1534 0.72 2218 2.85				31 0422 0.94 1032 2.38 MO 1619 1.08 2235 2.55	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

* Extra Tides

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

CLUMP POINT – QUEENSLAND

LAT 17° 51' S LONG 146° 06' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0456 0.99 1122 2.28 TU 1704 1.36 2306 2.29		16 0507 1.23 1459 2.05 WE		1 0507 0.95 1234 2.41 TH 2041 1.68 2336 1.75		16 0414 1.29 1530 2.22 FR		1 0253 1.68 0830 1.12 SU 1545 2.81 2301 1.08		16 0356 1.53 0708 1.50 MO 1600 2.39 2329 1.29		1 0344 1.95 0913 1.23 TU 1556 2.78 2303 0.98		16 0240 1.66 0656 1.55 WE 1449 2.37 2250 1.34	
2 0539 1.08 1234 2.18 WE 1813 1.66 2343 2.00		17 0529 1.39 1651 2.22 TH		2 0631 1.14 1505 2.47 FR 2257 1.44		17 0115 1.38 1633 2.33 SA		2 0425 1.91 0956 1.05 MO 1643 2.91 2337 0.92		17 0448 1.71 0924 1.49 TU 1637 2.46 2343 1.19		2 0502 2.18 1033 1.28 WE 1650 2.72 2341 0.86		17 0428 1.85 0856 1.64 TH 1545 2.38 2306 1.19	
3 0653 1.18 1516 2.22 TH 2244 1.68		18 0126 1.43 0458 1.54 FR 0957 1.42 1737 2.38		3 0314 1.62 0904 1.15 SA 1627 2.58 2338 1.19		18 0015 1.30 0523 1.63 SU 0955 1.43 1712 2.45		3 0518 2.16 1059 0.97 TU 1727 2.96		18 0517 1.90 1023 1.42 WE 1703 2.53 2355 1.06		3 0557 2.41 1140 1.29 TH 1736 2.65		18 0514 2.10 1025 1.62 FR 1630 2.40 2326 1.00	
4 0141 1.73 0920 1.15 FR 1649 2.49 2358 1.43		19 0052 1.31 0537 1.69 SA 1055 1.28 1804 2.52		4 0447 1.84 1026 0.98 SU 1719 2.90		19 0014 1.20 0532 1.79 MO 1045 1.30 1739 2.56		4 0007 0.79 0600 2.39 WE 1150 0.93 1805 2.96		19 0543 2.11 1107 1.34 TH 1728 2.60		4 0014 0.76 0641 2.61 FR 1233 1.30 1815 2.55		19 0548 2.37 1127 1.54 SA 1713 2.43 2352 0.80	
5 0436 1.79 1041 0.96 SA 1743 2.77		20 0054 1.21 0558 1.84 SU 1133 1.13 1828 2.64		5 0006 1.00 0534 2.09 MO 1122 0.79 1800 3.06		20 0023 1.12 0550 1.97 TU 1121 1.18 1801 2.66		5 0035 0.68 0640 2.58 TH 1234 0.93 1839 2.90		20 0008 0.91 0609 2.35 FR 1147 1.26 1754 2.65		5 0045 0.69 0719 2.76 SA 1320 1.32 1851 2.45		20 0625 2.67 1219 1.42 SU 1756 2.46	
6 0028 1.20 0537 2.00 SU 1136 0.73 1824 3.02		21 0101 1.14 0617 1.99 MO 1203 0.99 1848 2.74		6 0033 0.84 0613 2.33 TU 1207 0.65 1835 3.16		21 0035 1.03 0612 2.14 WE 1151 1.07 1821 2.74		6 0103 0.61 0716 2.73 FR 1315 0.99 1911 2.79		21 0026 0.74 0639 2.60 SA 1227 1.18 1824 2.67		6 0113 0.65 0755 2.86 SU 1401 1.34 1924 2.34		21 0026 0.59 0704 2.95 MO 1308 1.30 1841 2.48	
7 0055 1.00 0620 2.22 MO 1222 0.52 1900 3.23		22 0113 1.07 0639 2.13 TU 1230 0.87 1909 2.83		7 0100 0.71 0649 2.54 WE 1247 0.57 1908 3.19		22 0048 0.92 0634 2.32 TH 1219 0.98 1842 2.81		7 0130 0.57 0752 2.81 SA 1352 1.08 1940 2.63		22 0050 0.56 0714 2.84 SU 1309 1.12 1859 2.66		7 0139 0.65 0828 2.90 MO 1439 1.38 1955 2.23		22 0104 0.41 0746 3.21 TU 1358 1.19 1928 2.49	
8 0124 0.84 0700 2.43 TU 1303 0.36 1935 3.35		23 0128 1.01 0701 2.27 WE 1255 0.78 1929 2.90		8 0128 0.62 0725 2.69 TH 1325 0.59 1940 3.14		23 0104 0.79 0700 2.52 FR 1250 0.91 1904 2.85		8 0153 0.57 0827 2.84 SU 1429 1.20 2008 2.46		23 0120 0.40 0752 3.06 MO 1354 1.09 1937 2.60		8 0203 0.67 0900 2.90 TU 1515 1.42 2023 2.14		23 0145 0.28 0831 3.40 WE 1446 1.11 2015 2.48	
9 0154 0.72 0737 2.60 WE 1342 0.29 2009 3.39		24 0144 0.93 0726 2.41 TH 1320 0.71 1948 2.95		9 0155 0.57 0800 2.78 FR 1400 0.69 2009 3.00		24 0124 0.65 0730 2.71 SA 1323 0.88 1930 2.85		9 0216 0.61 0900 2.82 MO 1504 1.33 2033 2.27		24 0155 0.30 0835 3.20 TU 1442 1.10 2018 2.50		9 0228 0.71 0930 2.86 WE 1549 1.47 2050 2.05		24 0230 0.21 0917 3.51 TH 1535 1.09 2105 2.45	
10 0224 0.66 0815 2.70 TH 1417 0.33 2042 3.32		25 0202 0.84 0752 2.54 FR 1347 0.68 2010 2.97		10 0220 0.57 0834 2.80 SA 1433 0.85 2037 2.80		25 0148 0.51 0804 2.88 SU 1400 0.89 2000 2.79		10 0239 0.68 0933 2.75 TU 1543 1.47 2057 2.08		25 0233 0.28 0921 3.27 WE 1534 1.16 2104 2.35		10 0251 0.77 1000 2.79 TH 1625 1.54 2115 1.97		25 0316 0.23 1006 3.51 FR 1627 1.11 2156 2.38	
11 0253 0.64 0850 2.72 FR 1452 0.49 2113 3.15		26 0224 0.74 0823 2.66 SA 1417 0.70 2035 2.93		11 0245 0.61 0909 2.75 SU 1507 1.07 2103 2.56		26 0215 0.42 0843 2.99 MO 1441 0.97 2033 2.65		11 0300 0.78 1007 2.64 WE 1626 1.60 2116 1.91		26 0316 0.35 1013 3.24 TH 1634 1.25 2156 2.17		11 0315 0.85 1032 2.71 FR 1704 1.61 2141 1.90		26 0404 0.35 1055 3.42 SA 1720 1.18 2248 2.27	
12 0322 0.69 0927 2.67 SA 1527 0.74 2143 2.89		27 0248 0.66 0857 2.73 SU 1451 0.80 2102 2.82		12 0309 0.69 0944 2.65 MO 1543 1.31 2127 2.29		27 0247 0.40 0925 3.01 TU 1528 1.12 2110 2.44		12 0320 0.90 1044 2.51 TH 1736 1.71 2129 1.77		27 0407 0.49 1111 3.15 FR 1747 1.34 2257 1.99		12 0342 0.95 1105 2.61 SA 1758 1.67 2213 1.81		27 0455 0.56 1146 3.25 SU 1821 1.26 2347 2.14	
13 0350 0.78 1004 2.54 SU 1602 1.05 2210 2.58		28 0315 0.63 0935 2.73 MO 1529 0.98 2132 2.63		13 0331 0.82 1019 2.50 TU 1622 1.55 2144 2.03		28 0323 0.47 1014 2.95 WE 1622 1.31 2152 2.18		13 0342 1.04 1131 2.38 FR		28 0506 0.70 1217 3.02 SA 1929 1.36		13 0413 1.07 1145 2.52 SU 2030 1.68 2256 1.73		28 0549 0.85 1242 3.02 MO 1936 1.30	
14 0419 0.91 1045 2.37 MO 1639 1.38 2233 2.25		29 0345 0.67 1019 2.67 TU 1613 1.22 2204 2.37		14 0350 0.97 1100 2.34 WE 1714 1.76 2134 1.81		29 0406 0.63 1113 2.83 TH 1741 1.49 2245 1.91		14 0407 1.19 1319 2.29 SA		29 0013 1.85 0617 0.92 SU 1334 2.91 2108 1.27		14 0447 1.22 1232 2.44 MO 2148 1.59		29 0100 2.02 0652 1.19 TU 1344 2.77 2108 1.27	
15 0445 1.07 1130 2.18 TU 1721 1.70 2245 1.95		30 0421 0.78 1113 2.54 WE 1711 1.49 2241 2.06		15 0403 1.12 1202 2.18 TH		30 0502 0.85 1236 2.71 FR 2039 1.49		15 0443 1.35 1505 2.31 SU 2321 1.40		30 0155 1.82 0743 1.11 MO 1450 2.84 2216 1.13		15 0013 1.65 0533 1.38 TU 1337 2.39 2228 1.48		30 0249 2.00 0821 1.49 WE 1458 2.56 2225 1.17	
				31 0014 1.68 0633 1.06 SA 1426 2.71 2213 1.28								31 0500 2.19 1021 1.62 TH 1614 2.41 2317 1.05			

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

* Extra Tides

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

MOURILYAN HARBOUR – QUEENSLAND

LAT 17° 36' S LONG 146° 07' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0054 0.49 TH 0745 3.16 1358 1.25 1922 2.42		16 0128 0.88 FR 0828 2.87 1441 1.45 1947 2.18		1 0216 0.38 SU 0902 3.48 1515 1.08 2049 2.61		16 0200 0.75 MO 0846 3.12 1456 1.28 2029 2.53		1 0129 0.59 SU 0806 3.42 1420 1.04 2000 2.71		16 0107 0.94 MO 0745 3.09 1359 1.19 1940 2.60		1 0216 0.93 WE 0830 3.09 1439 0.92 2051 2.85		16 0140 0.95 TH 0754 3.08 1409 0.71 2027 3.04	
2 0137 0.37 FR 0830 3.33 1445 1.17 2010 2.42		17 0153 0.81 SA 0851 2.92 1503 1.43 2014 2.23		2 0254 0.39 MO 0938 3.45 1548 1.10 2127 2.60		17 0227 0.69 TU 0911 3.16 1520 1.22 2100 2.60		2 0203 0.54 MO 0837 3.42 1447 1.00 2035 2.78		17 0133 0.83 TU 0808 3.17 1419 1.07 2010 2.75		2 0247 1.08 TH 0855 2.92 1501 0.94 2122 2.81		17 0219 0.98 FR 0826 3.01 1439 0.62 2106 3.14	
3 0221 0.31 SA 0915 3.41 1531 1.15 2056 2.40		18 0217 0.75 SU 0915 2.96 1527 1.43 2041 2.27		3 0330 0.51 TU 1012 3.33 1622 1.16 2204 2.53		18 0256 0.70 WE 0936 3.16 1547 1.18 2133 2.63		3 0236 0.60 TU 0906 3.35 1515 1.01 2108 2.79		18 0202 0.77 WE 0833 3.21 1444 0.96 2043 2.86		3 0317 1.28 FR 0917 2.71 1523 1.00 2152 2.73		18 0302 1.09 SA 0900 2.84 1513 0.61 2150 3.14	
4 0305 0.33 SU 1000 3.40 1616 1.18 2141 2.35		19 0244 0.72 MO 0941 2.98 1553 1.42 2112 2.29		4 0406 0.73 WE 1044 3.13 1656 1.26 2242 2.40		19 0327 0.79 TH 1003 3.10 1616 1.16 2211 2.60		4 0307 0.74 WE 0934 3.20 1541 1.05 2141 2.73		19 0235 0.80 TH 0900 3.18 1511 0.88 2119 2.93		4 0348 1.50 SA 0936 2.48 1542 1.08 2222 2.61		19 0351 1.27 SU 0936 2.61 1551 0.69 2239 3.06	
5 0349 0.44 MO 1043 3.30 1703 1.25 2227 2.26		20 0313 0.73 TU 1008 2.98 1623 1.43 2145 2.28		5 0440 1.04 TH 1115 2.87 1731 1.37 2322 2.23		20 0400 0.97 FR 1031 2.95 1649 1.18 2253 2.52		5 0338 0.98 TH 1000 2.98 1606 1.12 2214 2.61		20 0311 0.91 FR 0929 3.06 1541 0.86 2159 2.92		5 0419 1.71 SU 0947 2.26 1559 1.18 2253 2.48		20 0451 1.49 MO 1017 2.32 1635 0.86 2343 2.91	
6 0432 0.64 TU 1127 3.13 1753 1.35 2315 2.13		21 0343 0.80 WE 1107 2.94 1657 1.44 2223 2.24		6 0512 1.38 FR 1142 2.58 1809 1.48		21 0440 1.23 SA 1102 2.74 1728 1.24 2346 2.41		6 0408 1.26 FR 1022 2.72 1630 1.22 2246 2.46		21 0350 1.12 SA 0959 2.85 1614 0.90 2243 2.83		6 0455 1.91 MO 0923 2.07 1614 1.30 2334 2.33		21 0622 1.68 TU 1111 2.02 1735 1.08	
7 0517 0.92 WE 1211 2.90 1851 1.43		22 0416 0.93 TH 1108 2.86 1736 1.45 2308 2.16		7 0012 2.06 SA 0541 1.72 1204 2.30 1858 1.58		22 0528 1.54 SU 1136 2.46 1818 1.32		7 0435 1.56 SA 1039 2.45 1651 1.34 2321 2.29		22 0437 1.40 SU 1031 2.57 1651 1.02 2338 2.69		7 1627 1.44 TU		22 0124 2.80 WE 0925 1.65 1254 1.79 1910 1.27	
8 0011 1.98 TH 0604 1.24 1259 2.65 2012 1.47		23 0454 1.13 FR 1143 2.73 1827 1.46		8 0508 2.02 SU 0612 2.02 1202 2.05 2159 1.59		23 0113 2.30 MO 0655 1.86 1217 2.17 1950 1.40		8 0500 1.84 SU 1038 2.20 1710 1.45		23 0541 1.70 MO 1107 2.25 1740 1.20		8 0344 2.30 WE 1411 1.56		23 0311 2.82 TH 1049 1.44 1535 1.85 2106 1.31	
9 0139 1.87 FR 0706 1.57 1358 2.41 2200 1.42		24 0006 2.08 SA 0540 1.40 1224 2.55 1936 1.44		9 0624 2.27 MO 1344 1.83 1633 1.88 2311 1.47		24 0359 2.41 TU 1111 1.85 1510 1.94 2200 1.33		9 0012 2.13 MO 0521 2.09 0734 2.12 * 1729 1.57		24 0117 2.55 TU 0907 1.88 1201 1.93 1913 1.37		9 0453 2.42 TH 1310 1.54 1730 1.74 2155 1.65		24 0427 2.91 FR 1132 1.27 1656 2.06 2229 1.23	
10 0456 1.98 SA 0911 1.80 1522 2.23 2301 1.32		25 0142 2.03 SU 0654 1.68 1319 2.35 2104 1.36		10 0645 2.47 TU 1333 1.67 1741 1.93 2349 1.34		25 0528 2.68 WE 1220 1.61 1706 2.02 2316 1.13		10 0547 2.29 TU 1421 1.66 2002 1.71 * 2205 1.68		25 0345 2.65 WE 1132 1.63 1548 1.83 2140 1.36		10 0529 2.56 FR 1239 1.47 1737 1.90 2253 1.51		25 0519 2.99 SA 1204 1.14 1745 2.28 2328 1.15	
11 0612 2.22 SU 1133 1.80 1643 2.14 2340 1.21		26 0401 2.19 MO 0930 1.84 1507 2.19 2222 1.20		11 0703 2.63 WE 1340 1.56 1817 2.02		26 0618 2.95 TH 1252 1.40 1804 2.20		11 0607 2.47 WE 1335 1.58 1746 1.84 2311 1.54		26 0506 2.85 TH 1209 1.41 1715 2.03 2300 1.19		11 0555 2.68 SA 1240 1.39 1756 2.07 2330 1.37		26 0600 3.03 SU 1232 1.03 1825 2.48	
12 0650 2.43 MO 1246 1.70 1738 2.11		27 0526 2.48 TU 1136 1.73 1642 2.16 2321 1.01		12 0020 1.21 TH 0723 2.75 1348 1.48 1845 2.11		27 0008 0.91 FR 0658 3.17 1321 1.23 1847 2.40		12 0627 2.61 TH 1321 1.50 1807 1.98 2348 1.38		27 0556 3.04 FR 1234 1.23 1801 2.27 2353 1.01		12 0616 2.80 SU 1248 1.30 1818 2.26		27 0015 1.11 MO 0633 3.01 1259 0.96 1902 2.64	
13 0010 1.11 TU 0718 2.59 1328 1.61 1818 2.10		28 0620 2.78 WE 1239 1.53 1749 2.22		13 0046 1.08 FR 0742 2.86 1400 1.43 1911 2.22		28 0051 0.72 SA 0733 3.33 1350 1.11 1925 2.58		13 0645 2.74 FR 1320 1.43 1827 2.12		28 0633 3.18 SA 1300 1.11 1839 2.48		13 0000 1.22 MO 0637 2.92 1300 1.18 1845 2.46		28 0055 1.12 TU 0704 2.95 1324 0.90 1937 2.75	
14 0037 1.03 WE 0742 2.72 1356 1.53 1851 2.11		29 0010 0.81 TH 0705 3.06 1323 1.35 1842 2.33		14 0112 0.96 SA 0802 2.96 1415 1.38 1935 2.33				14 0017 1.22 SA 0705 2.86 1329 1.37 1849 2.27		29 0035 0.88 SU 0706 3.25 1327 1.02 1914 2.66		14 0030 1.09 TU 0700 3.01 1318 1.02 1915 2.68		29 0131 1.17 WE 0731 2.85 1346 0.87 2010 2.81	
15 0102 0.95 TH 0805 2.81 1419 1.48 1920 2.14		30 0055 0.61 FR 0746 3.28 1402 1.21 1928 2.45		15 0136 0.84 SU 0824 3.04 1434 1.33 2001 2.44				15 0042 1.07 SU 0725 2.98 1341 1.29 1913 2.43		30 0112 0.81 MO 0737 3.26 1353 0.96 1947 2.78		15 0103 1.00 WE 0726 3.08 1342 0.85 1949 2.88		30 0206 1.27 TH 0757 2.71 1408 0.86 2041 2.83	
		31 0137 0.46 SA 0826 3.42 1440 1.12 2010 2.55								31 0145 0.83 TU 0805 3.20 1416 0.92 2019 2.85					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
◑ Last Quarter

MOURILYAN HARBOUR – QUEENSLAND

LAT 17° 36' S LONG 146° 07' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0239 1.38 FR 1429 0.87 2111 2.82		16 0215 1.15 SA 0800 2.71 1415 0.45 2059 3.25		1 0400 1.59 MO 0848 2.03 1453 0.93 2207 2.71		16 0407 1.17 TU 0930 2.29 1541 0.40 2239 3.32		1 0419 1.47 WE 0916 2.00 1518 0.85 2225 2.73		16 0438 1.03 TH 1011 2.33 1615 0.45 2301 3.21		1 0436 1.28 SA 1010 2.13 1600 0.88 2245 2.71		16 0514 1.07 SU 1115 2.21 1708 1.19 2327 2.48	
2 0313 1.51 SA 0842 2.39 1448 0.92 2140 2.76		17 0306 1.20 SU 0843 2.56 1456 0.45 2147 3.27		2 0438 1.64 TU 0913 1.95 1519 0.99 2239 2.64		17 0504 1.21 WE 1023 2.19 1632 0.54 2331 3.21		2 0448 1.50 TH 0947 1.97 1548 0.90 2253 2.68		17 0524 1.10 FR 1059 2.23 1700 0.71 2343 2.98		2 0508 1.28 SU 1050 2.08 1633 1.06 2313 2.58		17 0554 1.19 MO 1211 2.03 1755 1.56 2356 2.15	
3 0348 1.63 SU 0900 2.22 1507 0.99 2209 2.68		18 0403 1.30 MO 0929 2.37 1543 0.54 2242 3.21		3 0524 1.69 WE 0941 1.88 1550 1.07 2315 2.57		18 0607 1.27 TH 1121 2.08 1727 0.75		3 0524 1.53 FR 1024 1.93 1620 0.99 2324 2.62		18 0615 1.19 SA 1152 2.10 1747 1.04		3 0547 1.29 MO 1140 2.01 1715 1.29 2345 2.41		18 0646 1.31 TU 1538 1.98 2153 1.82	
4 0426 1.75 MO 0915 2.06 1527 1.08 2241 2.58		19 0509 1.41 TU 1021 2.16 1636 0.71 2346 3.09		4 0650 1.73 TH 1016 1.80 1627 1.17		19 0027 3.04 FR 0718 1.31 1229 1.98 1826 1.00		4 0609 1.54 SA 1109 1.87 1656 1.12 2359 2.55		19 0027 2.70 SU 0715 1.26 1302 1.97 1845 1.39		4 0640 1.28 TU 1252 1.96 1812 1.54		19 0015 1.86 WE 0902 1.37 1730 2.19	
5 0518 1.86 TU 0918 1.92 1550 1.19 2322 2.46		20 0636 1.48 WE 1127 1.97 1739 0.91		5 0001 2.50 FR 0903 1.69 1112 1.72 1711 1.28		20 0127 2.84 SA 0838 1.30 1355 1.93 1936 1.27		5 0709 1.52 SU 1207 1.82 1740 1.29		20 0116 2.40 MO 0837 1.29 1532 1.96 2028 1.68		5 0025 2.21 WE 0759 1.25 1514 2.04 2023 1.75		20 0106 1.62 TH 0419 1.70 1041 1.28 1815 2.39	
6 1617 1.32 WE		21 0103 2.97 TH 0827 1.45 1258 1.86 1856 1.11		6 0105 2.45 SA 1001 1.60 1245 1.67 1813 1.41		21 0231 2.65 SU 0954 1.23 1548 1.99 2104 1.48		6 0040 2.45 MO 0821 1.44 1336 1.81 1843 1.49		21 0230 2.14 TU 1010 1.23 1733 2.16 2320 1.72		6 0138 2.00 TH 0930 1.15 1649 2.28 2315 1.67		21 0114 1.44 FR 0530 1.76 1129 1.16 1844 2.53	
7 0127 2.36 TH 1700 1.46		22 0223 2.89 FR 0952 1.34 1447 1.89 2024 1.25		7 0221 2.43 SU 1030 1.48 1506 1.74 1945 1.52		22 0340 2.49 MO 1051 1.14 1721 2.17 2244 1.58		7 0134 2.35 TU 0923 1.31 1533 1.94 2027 1.64		22 0414 1.99 WE 1109 1.14 1830 2.38		7 0400 1.92 FR 1042 0.98 1750 2.56		22 0127 1.33 SA 0607 1.85 1203 1.05 1907 2.63	
8 0317 2.40 FR 1154 1.57 1544 1.64 1900 1.58		23 0335 2.84 SA 1048 1.21 1622 2.04 2147 1.33		8 0319 2.45 MO 1049 1.35 1618 1.92 2116 1.56		23 0442 2.37 TU 1133 1.05 1823 2.37		8 0251 2.26 WE 1012 1.15 1648 2.18 2221 1.66		23 0047 1.59 TH 0524 1.94 1150 1.05 1906 2.54		8 0019 1.46 SA 0517 1.98 1137 0.78 1838 2.84		23 0138 1.26 SU 0636 1.95 1233 0.93 1929 2.71	
9 0413 2.48 SA 1143 1.47 1639 1.80 2122 1.57		24 0433 2.79 SU 1129 1.10 1727 2.24 2300 1.36		9 0406 2.48 TU 1107 1.18 1709 2.16 2232 1.53		24 0005 1.58 WE 0532 2.27 1209 0.97 1907 2.54		9 0407 2.21 TH 1057 0.96 1745 2.46 2347 1.56		24 0130 1.47 FR 0611 1.94 1224 0.97 1934 2.66		9 0101 1.26 SU 0615 2.11 1226 0.57 1920 3.08		24 0150 1.21 MO 0701 2.05 1300 0.83 1950 2.78	
10 0449 2.58 SU 1151 1.37 1713 1.98 2225 1.48		25 0520 2.74 MO 1201 1.01 1816 2.42 2359 1.38		10 0448 2.51 WE 1131 0.98 1754 2.43 2336 1.46		25 0104 1.54 TH 0615 2.19 1239 0.91 1942 2.66		10 0510 2.21 FR 1142 0.77 1835 2.74		25 0157 1.38 SA 0647 1.97 1255 0.90 1959 2.73		10 0140 1.09 MO 0703 2.26 1310 0.39 2000 3.26		25 0205 1.18 TU 0726 2.14 1325 0.75 2012 2.84	
11 0516 2.67 MO 1201 1.23 1744 2.20 2313 1.38		26 0600 2.66 TU 1231 0.94 1859 2.57		11 0531 2.53 TH 1202 0.78 1837 2.71		26 0148 1.49 FR 0651 2.13 1307 0.87 2012 2.74		11 0047 1.40 SA 0606 2.23 1228 0.58 1923 3.00		26 0218 1.33 SU 0718 2.01 1323 0.83 2022 2.78		11 0216 0.96 TU 0746 2.40 1352 0.27 2038 3.37		26 0223 1.15 WE 0750 2.23 1348 0.68 2032 2.88	
12 0543 2.75 TU 1215 1.06 1816 2.45 2357 1.28		27 0048 1.40 WE 0633 2.56 1258 0.89 1936 2.69		12 0034 1.37 FR 0615 2.52 1240 0.59 1923 2.96		27 0224 1.45 SA 0724 2.08 1334 0.85 2040 2.78		12 0138 1.24 SU 0700 2.28 1314 0.42 2009 3.22		27 0238 1.30 MO 0746 2.05 1349 0.77 2045 2.82		12 0252 0.88 WE 0828 2.49 1432 0.24 2115 3.37		27 0242 1.11 TH 0816 2.31 1412 0.65 2054 2.90	
13 0613 2.82 WE 1238 0.87 1853 2.70		28 0131 1.43 TH 0704 2.45 1322 0.85 2010 2.76		13 0128 1.27 SA 0701 2.49 1320 0.45 2010 3.17		28 0255 1.43 SU 0754 2.05 1400 0.83 2107 2.79		13 0225 1.11 MO 0749 2.33 1400 0.30 2054 3.36		28 0300 1.29 TU 0813 2.10 1414 0.73 2109 2.83		13 0327 0.86 TH 0908 2.53 1511 0.33 2149 3.27		28 0302 1.06 FR 0845 2.37 1437 0.67 2115 2.88	
14 0041 1.20 TH 0645 2.84 1306 0.68 1932 2.94		29 0211 1.47 FR 0732 2.33 1345 0.84 2041 2.80		14 0221 1.20 SU 0749 2.44 1404 0.36 2058 3.31		29 0324 1.43 MO 0822 2.03 1426 0.82 2132 2.79		14 0310 1.03 TU 0837 2.37 1445 0.25 2138 3.41		29 0321 1.29 WE 0838 2.14 1438 0.70 2131 2.84		14 0401 0.89 FR 0948 2.48 1549 0.53 2223 3.08		29 0326 1.02 SA 0915 2.40 1506 0.75 2140 2.82	
15 0127 1.15 FR 0721 2.81 1339 0.53 2015 3.13		30 0248 1.50 SA 0759 2.22 1408 0.85 2110 2.79		15 0314 1.17 MO 0838 2.37 1451 0.34 2147 3.36		30 0351 1.44 TU 0849 2.01 1451 0.83 2159 2.76		15 0354 1.01 WE 0924 2.38 1530 0.30 2220 3.36		30 0343 1.29 TH 0905 2.16 1502 0.71 2155 2.83		15 0436 0.96 SA 1030 2.37 1628 0.84 2256 2.80		30 0352 0.99 SU 0951 2.39 1539 0.90 2205 2.69	
		31 0325 1.54 SU 0824 2.12 1430 0.88 2138 2.76								31 0408 1.29 FR 0935 2.16 1530 0.77 2218 2.78				31 0421 0.99 MO 1031 2.34 1615 1.12 2232 2.50	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
◑ Last Quarter

MOURILYAN HARBOUR – QUEENSLAND

LAT 17° 36' S LONG 146° 07' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0455 1.03 1120 2.25 TU 1701 1.39 2302 2.26		16 0506 1.24 1503 2.04 WE		1 0505 0.97 1234 2.38 TH 2009 1.69 2326 1.74		16 0401 1.29 1531 2.20 FR		1 0250 1.66 0825 1.14 SU 1549 2.76 2303 1.12		16 0411 1.52 0657 1.50 MO 1559 2.36 2333 1.32		1 0346 1.92 0908 1.25 TU 1558 2.73 2303 1.02		16 0256 1.64 0652 1.55 WE 1453 2.34 2252 1.36	
2 0539 1.11 1232 2.15 WE 1815 1.67 2337 1.98		17 0530 1.39 1652 2.20 TH		2 0626 1.15 1507 2.44 FR 2300 1.46		17 0116 1.36 1633 2.31 SA		2 0424 1.87 0951 1.09 MO 1645 2.84 2337 0.96		17 0451 1.69 0915 1.50 TU 1635 2.43 2344 1.22		2 0503 2.14 1029 1.31 WE 1651 2.67 2341 0.91		17 0430 1.83 0847 1.65 TH 1545 2.35 2306 1.21	
3 0652 1.20 1517 2.21 TH 2250 1.69		18 0129 1.43 0459 1.53 FR 0952 1.43 1736 2.36		3 0307 1.60 0857 1.17 SA 1629 2.64 2339 1.23		18 0028 1.30 0525 1.61 SU 0951 1.44 1711 2.42		3 0517 2.11 1055 1.02 TU 1729 2.89		18 0517 1.87 1017 1.44 WE 1703 2.49 2355 1.10		3 0558 2.36 1136 1.33 TH 1735 2.59		18 0514 2.07 1017 1.64 FR 1630 2.37 2323 1.04	
4 0117 1.72 0911 1.18 FR 1650 2.46 2358 1.45		19 0100 1.32 0534 1.67 SA 1053 1.30 1804 2.48		4 0445 1.81 1022 1.02 SU 1721 2.84		19 0017 1.23 0531 1.77 MO 1043 1.32 1738 2.52		4 0006 0.84 0600 2.34 WE 1146 0.97 1805 2.88		19 0543 2.07 1102 1.37 TH 1727 2.55		4 0013 0.81 0643 2.55 FR 1231 1.34 1814 2.50		19 0549 2.33 1124 1.57 SA 1712 2.39 2349 0.84	
5 0432 1.77 1037 1.00 SA 1745 2.72		20 0058 1.24 0555 1.82 SU 1131 1.16 1827 2.59		5 0006 1.04 0532 2.05 MO 1119 0.84 1801 2.98		20 0024 1.15 0549 1.93 TU 1119 1.21 1800 2.61		5 0035 0.74 0640 2.52 TH 1231 0.98 1839 2.82		20 0006 0.96 0609 2.30 FR 1144 1.30 1753 2.59		5 0043 0.74 0722 2.69 SA 1319 1.36 1848 2.39		20 0626 2.61 1219 1.46 SU 1755 2.41	
6 0027 1.23 0534 1.96 SU 1133 0.79 1827 2.95		21 0103 1.17 0615 1.96 MO 1201 1.03 1848 2.68		6 0033 0.90 0611 2.28 TU 1204 0.70 1837 3.07		21 0035 1.07 0610 2.10 WE 1148 1.11 1821 2.69		6 0101 0.67 0717 2.66 FR 1312 1.04 1910 2.71		21 0023 0.79 0639 2.53 SA 1225 1.22 1823 2.61		6 0109 0.71 0758 2.78 SU 1400 1.38 1920 2.29		21 0022 0.65 0706 2.87 MO 1310 1.35 1840 2.42	
7 0055 1.05 0618 2.17 MO 1219 0.58 1903 3.13		22 0113 1.12 0637 2.09 TU 1228 0.92 1909 2.76		7 0100 0.78 0648 2.47 WE 1245 0.64 1910 3.09		22 0047 0.98 0633 2.27 TH 1216 1.02 1842 2.74		7 0127 0.63 0753 2.74 SA 1350 1.13 1938 2.57		22 0046 0.61 0715 2.77 SU 1308 1.17 1858 2.60		7 0134 0.70 0830 2.82 MO 1439 1.41 1949 2.19		22 0100 0.47 0749 3.10 TU 1359 1.24 1926 2.43	
8 0124 0.91 0659 2.37 TU 1300 0.44 1939 3.24		23 0127 1.06 0700 2.23 WE 1252 0.82 1929 2.82		8 0128 0.70 0724 2.62 TH 1321 0.65 1940 3.04		23 0102 0.85 0700 2.46 FR 1246 0.96 1904 2.78		8 0150 0.63 0827 2.77 SU 1428 1.24 2004 2.40		23 0116 0.46 0753 2.97 MO 1354 1.14 1934 2.54		8 0200 0.71 0900 2.82 TU 1515 1.45 2017 2.10		23 0142 0.35 0834 3.28 WE 1448 1.18 2014 2.41	
9 0155 0.81 0736 2.53 WE 1337 0.37 2012 3.27		24 0143 0.99 0725 2.36 TH 1316 0.76 1949 2.87		9 0154 0.65 0759 2.70 FR 1356 0.75 2008 2.91		24 0121 0.71 0730 2.64 SA 1320 0.93 1930 2.77		9 0213 0.65 0900 2.74 MO 1505 1.37 2029 2.23		24 0150 0.36 0836 3.10 TU 1443 1.16 2015 2.43		9 0224 0.75 0930 2.78 WE 1550 1.50 2044 2.02		24 0226 0.29 0921 3.37 TH 1538 1.15 2102 2.38	
10 0224 0.75 0813 2.62 TH 1413 0.41 2043 3.20		25 0201 0.90 0753 2.49 FR 1343 0.73 2011 2.88		10 0218 0.64 0833 2.72 SA 1430 0.91 2035 2.73		25 0145 0.58 0805 2.80 SU 1358 0.95 2000 2.71		10 0235 0.72 0931 2.68 TU 1545 1.49 2051 2.05		25 0230 0.34 0922 3.16 WE 1536 1.21 2100 2.29		10 0247 0.81 1000 2.72 TH 1627 1.55 2108 1.95		25 0313 0.30 1009 3.38 FR 1630 1.18 2152 2.31	
11 0252 0.73 0849 2.65 FR 1447 0.55 2113 3.05		26 0222 0.80 0823 2.59 SA 1414 0.76 2035 2.85		11 0242 0.67 0907 2.68 SU 1505 1.12 2100 2.50		26 0213 0.48 0844 2.90 MO 1439 1.03 2031 2.58		11 0256 0.81 1004 2.58 WE 1630 1.61 2108 1.89		26 0314 0.40 1014 3.14 TH 1637 1.30 2151 2.12		11 0312 0.89 1031 2.65 FR 1706 1.62 2131 1.87		26 0400 0.41 1059 3.30 SA 1724 1.23 2245 2.21	
12 0320 0.76 0926 2.60 SA 1523 0.79 2141 2.82		27 0246 0.72 0858 2.66 SU 1447 0.85 2101 2.74		12 0306 0.74 0942 2.59 MO 1542 1.34 2123 2.26		27 0245 0.46 0925 2.93 TU 1527 1.16 2107 2.39		12 0315 0.93 1041 2.47 TH 1739 1.71 2106 1.76		27 0403 0.54 1113 3.05 FR 1751 1.38 2251 1.95		12 0338 0.98 1104 2.56 SA 1758 1.68 2200 1.80		27 0451 0.61 1149 3.15 SU 1826 1.30 2344 2.09	
13 0349 0.83 1002 2.49 SU 1559 1.09 2207 2.54		28 0313 0.69 0935 2.67 MO 1526 1.02 2130 2.57		13 0329 0.85 1016 2.46 TU 1623 1.57 2138 2.01		28 0320 0.52 1013 2.88 WE 1625 1.34 2147 2.14		13 0335 1.06 1128 2.35 FR		28 0502 0.73 1222 2.94 SA 1929 1.39		13 0409 1.09 1143 2.48 SU 2021 1.69 2240 1.71		28 0546 0.89 1245 2.95 MO 1940 1.33	
14 0416 0.94 1042 2.33 MO 1636 1.40 2230 2.23		29 0344 0.71 1018 2.61 TU 1612 1.25 2201 2.32		14 0346 0.99 1056 2.31 WE 1721 1.76 2012 1.81		29 0403 0.67 1112 2.76 TH 1745 1.51 2239 1.88		14 0359 1.20 1332 2.27 SA		29 0008 1.81 0614 0.95 SU 1340 2.85 2108 1.30		14 0443 1.23 1231 2.41 MO 2200 1.60 2354 1.63		29 0059 1.98 0651 1.21 TU 1345 2.72 2105 1.30	
15 0443 1.09 1127 2.15 TU 1721 1.70 2238 1.94		30 0419 0.81 1111 2.50 WE 1713 1.51 2236 2.04		15 0400 1.13 1159 2.16 TH		30 0500 0.87 1242 2.66 FR 2035 1.51		15 0430 1.35 1502 2.30 SU 2340 1.41		30 0155 1.78 0740 1.14 MO 1454 2.78 2216 1.16		15 0529 1.39 1340 2.36 TU 2232 1.49		30 0255 1.97 0818 1.50 WE 1458 2.52 2224 1.20	
				31 0004 1.66 0628 1.07 SA 1431 2.67 2215 1.31								31 0502 2.16 1014 1.64 TH 1613 2.37 2317 1.08			

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
◑ Last Quarter

CAIRNS – QUEENSLAND

LAT 16° 55' S LONG 145° 46' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0100 0.39 TH 1348 1.16 1930 2.36		16 0137 0.79 FR 1438 1.38 1948 2.12		1 0224 0.25 SU 0917 3.48 1510 0.97 2100 2.55		16 0214 0.64 MO 0858 3.08 1455 1.17 2035 2.47		1 0133 0.45 SU 0821 3.42 1415 0.92 2015 2.66		16 0117 0.82 MO 0755 3.05 1356 1.07 1946 2.55		1 0226 0.79 WE 0845 3.04 1446 0.79 2102 2.81		16 0153 0.83 TH 0805 3.04 1418 0.57 2037 3.00	
2 0144 0.26 FR 0845 3.31 1437 1.08 2017 2.36		17 0203 0.73 SA 0900 2.88 1500 1.37 2015 2.17		2 0303 0.25 MO 0952 3.44 1546 0.98 2137 2.54		17 0241 0.59 TU 0922 3.13 1522 1.11 2105 2.54		2 0211 0.40 MO 0853 3.42 1445 0.87 2047 2.73		17 0146 0.72 TU 0819 3.14 1422 0.95 2018 2.70		2 0259 0.95 TH 0904 2.87 1513 0.82 2130 2.77		17 0232 0.86 FR 0833 2.95 1452 0.48 2116 3.09	
3 0229 0.19 SA 0930 3.40 1524 1.06 2104 2.34		18 0229 0.67 SU 0925 2.92 1525 1.36 2043 2.20		3 0342 0.38 TU 1024 3.31 1623 1.04 2214 2.47		18 0312 0.61 WE 0946 3.12 1551 1.06 2138 2.56		3 0245 0.45 TU 0921 3.33 1516 0.87 2118 2.73		18 0217 0.66 WE 0845 3.17 1450 0.83 2051 2.81		3 0330 1.16 FR 0924 2.66 1538 0.90 2159 2.68		18 0313 0.96 SA 0902 2.79 1528 0.48 2159 3.09	
4 0314 0.21 SU 1013 3.39 1610 1.08 2150 2.29		19 0257 0.64 MO 0951 2.94 1551 1.35 2113 2.22		4 0419 0.61 WE 1055 3.09 1700 1.15 2251 2.34		19 0344 0.70 TH 1011 3.05 1624 1.04 2214 2.54		4 0320 0.61 WE 0946 3.16 1547 0.92 2150 2.67		19 0250 0.69 TH 0910 3.13 1521 0.75 2126 2.87		4 0400 1.39 SA 0941 2.44 1600 1.00 2228 2.56		19 0358 1.14 SU 0936 2.55 1605 0.58 2248 3.00	
5 0400 0.32 MO 1054 3.29 1657 1.16 2236 2.20		20 0327 0.66 TU 1018 2.94 1622 1.35 2145 2.21		5 0456 0.93 TH 1124 2.82 1736 1.28 2330 2.16		20 0419 0.88 FR 1036 2.90 1658 1.06 2255 2.46		5 0353 0.86 TH 1010 2.93 1616 1.02 2222 2.55		20 0327 0.80 FR 0934 3.01 1553 0.73 2204 2.86		5 0430 1.62 SU 0952 2.21 1620 1.12 2258 2.42		20 0448 1.37 MO 1015 2.26 1648 0.75 2350 2.85	
6 0445 0.53 TU 1136 3.11 1746 1.26 2325 2.06		21 0359 0.73 WE 1046 2.90 1656 1.35 2223 2.17		6 0530 1.29 FR 1149 2.52 1812 1.41		21 0459 1.14 SA 1103 2.68 1736 1.13 2347 2.34		6 0425 1.16 FR 1030 2.67 1644 1.14 2253 2.40		21 0405 1.00 SA 1000 2.80 1628 0.78 2247 2.77		6 0504 1.82 MO 0945 2.01 1641 1.25 2335 2.28		21 0600 1.61 TU 1104 1.96 1739 0.99	
7 0529 0.82 WE 1219 2.87 1841 1.36		22 0434 0.86 TH 1115 2.81 1735 1.36 2307 2.10		7 0016 1.99 SA 0601 1.65 1207 2.24 1853 1.51		22 0543 1.45 SU 1131 2.40 1820 1.23		7 0454 1.47 SA 1044 2.40 1707 1.26 2327 2.23		22 0449 1.28 SU 1030 2.51 1705 0.91 2344 2.62		7 0550 2.00 TU 0707 2.02 1704 1.39		22 0122 2.73 WE 0907 1.59 1304 1.73 1909 1.20	
8 0020 1.92 TH 0615 1.16 1305 2.61 1955 1.42		23 0513 1.07 FR 1147 2.67 1819 1.37		8 0514 1.97 SU 0648 1.95 1148 2.00 2219 1.52		23 0114 2.22 MO 0645 1.78 1201 2.10 1930 1.34		8 0523 1.77 SU 1040 2.15 1729 1.39		23 0542 1.60 MO 1100 2.19 1748 1.11		8 0403 2.25 WE 1412 1.48 1623 1.55 * 1740 1.53		23 0312 2.77 TH 1042 1.40 1537 1.81 2111 1.23	
9 0143 1.80 FR 0710 1.49 1404 2.36 2157 1.37		24 0006 2.01 SA 0558 1.32 1226 2.49 1915 1.37		9 0612 2.22 MO 1414 1.76 1643 1.84 2315 1.39		24 0413 2.33 TU 1041 1.79 1531 1.88 2209 1.25		9 0009 2.07 MO 0217 2.00 0757 2.07 * 1754 1.51		24 0117 2.48 TU 0909 1.81 1129 1.87 1859 1.31		9 0451 2.38 TH 1333 1.49 1700 1.70 2214 1.58		24 0425 2.87 FR 1123 1.22 1650 2.02 2230 1.15	
10 0511 1.91 SA 0905 1.75 1530 2.18 2257 1.26		25 0142 1.96 SU 0655 1.60 1323 2.28 2115 1.31		10 0641 2.42 TU 1334 1.63 1736 1.89 2352 1.25		25 0528 2.63 WE 1215 1.56 1711 1.98 2315 1.04		10 0522 2.24 TU 1427 1.58 1648 1.67 * 2230 1.61		25 0352 2.58 WE 1148 1.58 1559 1.79 2146 1.28		10 0528 2.51 FR 1229 1.43 1727 1.85 2301 1.43		25 0522 2.95 SA 1153 1.07 1746 2.24 2330 1.05	
11 0611 2.16 SU 1120 1.75 1648 2.10 2336 1.14		26 0411 2.11 MO 0942 1.78 1519 2.13 2229 1.13		11 0703 2.58 WE 1325 1.51 1814 1.97		26 0620 2.91 TH 1243 1.34 1809 2.16		11 0600 2.42 WE 1353 1.53 1730 1.79 2318 1.45		26 0504 2.80 TH 1206 1.36 1713 1.99 2300 1.09		11 0556 2.63 SA 1225 1.34 1752 2.02 2338 1.27		26 0608 3.00 SU 1223 0.95 1832 2.44	
12 0647 2.37 MO 1230 1.65 1740 2.07		27 0532 2.42 TU 1120 1.66 1653 2.11 2322 0.92		12 0024 1.11 TH 0725 2.71 1335 1.42 1845 2.06		27 0008 0.80 FR 0704 3.15 1312 1.15 1857 2.36		12 0626 2.56 TH 1308 1.45 1759 1.93 2354 1.28		27 0558 3.01 FR 1226 1.17 1804 2.23 2354 0.90		12 0620 2.76 SU 1236 1.22 1819 2.21		27 0016 1.00 MO 0646 2.98 1253 0.85 1914 2.60	
13 0010 1.03 TU 0717 2.54 1314 1.55 1818 2.06		28 0626 2.74 WE 1223 1.47 1758 2.18		13 0054 0.98 FR 0747 2.82 1352 1.35 1912 2.16		28 0053 0.60 SA 0745 3.33 1343 1.01 1938 2.53		13 0648 2.69 FR 1306 1.37 1824 2.07		28 0641 3.16 SA 1251 1.02 1848 2.44		13 0010 1.12 MO 0643 2.88 1255 1.07 1849 2.42		28 0058 1.00 TU 0719 2.91 1323 0.78 1949 2.71	
14 0041 0.94 WE 0744 2.67 1345 1.47 1852 2.07		29 0011 0.70 TH 0714 3.03 1312 1.28 1852 2.28		14 0120 0.85 SA 0811 2.92 1411 1.30 1939 2.27		15 0146 0.74 SU 0833 3.01 1431 1.24 2006 2.38		14 0023 1.12 SA 0710 2.82 1317 1.29 1849 2.22		29 0038 0.75 SU 0719 3.24 1320 0.91 1927 2.62		14 0042 0.99 TU 0709 2.98 1319 0.90 1923 2.64		29 0134 1.05 WE 0745 2.80 1350 0.75 2021 2.78	
15 0110 0.86 TH 0809 2.76 1414 1.41 1922 2.09		30 0058 0.50 FR 0758 3.26 1354 1.12 1939 2.39						15 0050 0.96 SU 0732 2.94 1334 1.19 1916 2.39		30 0116 0.68 MO 0753 3.24 1349 0.83 2001 2.74		15 0116 0.88 WE 0736 3.04 1347 0.72 2000 2.84		30 0210 1.14 TH 0806 2.66 1417 0.74 2050 2.79	
		31 0142 0.34 SA 0839 3.42 1432 1.02 2021 2.49								31 0152 0.69 TU 0821 3.17 1418 0.79 2033 2.80					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
◑ Last Quarter

CAIRNS – QUEENSLAND

LAT 16° 55' S LONG 145° 46' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0243 1.26 FR 1442 0.78 2118 2.77		16 0219 1.02 SA 1429 0.33 2113 3.21		1 0347 1.52 MO 1506 0.86 2209 2.66		16 0357 1.07 TU 1548 0.29 2248 3.30		1 0411 1.41 WE 1531 0.79 2230 2.68		16 0430 0.92 TH 1625 0.33 2312 3.20		1 0436 1.19 SA 1619 0.83 2251 2.66		16 0516 0.97 SU 1722 1.11 2335 2.43	
2 0315 1.40 SA 0844 2.34 1504 0.83 2145 2.72		17 0306 1.07 SU 1509 0.33 2200 3.23		2 0421 1.58 TU 1534 0.92 2239 2.59		17 0452 1.12 WE 1640 0.43 2339 3.19		2 0440 1.44 TH 1602 0.84 2259 2.63		17 0516 0.99 FR 1710 0.60 2351 2.95		2 0510 1.19 SU 1054 2.04 1655 1.00 2317 2.53		17 0556 1.11 MO 1805 1.48	
3 0346 1.53 SU 0902 2.18 1526 0.91 2213 2.63		18 0357 1.17 MO 0930 2.31 1554 0.43 2252 3.17		3 0500 1.64 WE 0942 1.84 1606 1.00 2315 2.51		18 0553 1.19 TH 1130 2.03 1733 0.64		3 0514 1.47 FR 1637 0.93 2330 2.57		18 0605 1.09 SA 1200 2.06 1757 0.94		3 0547 1.19 MO 1144 1.97 1735 1.22 2346 2.36		18 0000 2.10 TU 0639 1.25 1620 1.93 * 2147 1.79 2359 1.81	
4 0419 1.66 MO 0921 2.02 1548 1.01 2243 2.53		19 0455 1.31 TU 1025 2.10 1644 0.60 2353 3.05		4 0559 1.69 TH 0658 1.70 0741 1.70 1016 1.75 1643 1.11		19 0031 3.01 FR 0701 1.24 1236 1.94 1830 0.91		4 0554 1.48 SA 1110 1.82 1715 1.06		19 0034 2.66 SU 0701 1.19 1306 1.93 1848 1.30		4 0631 1.20 TU 1254 1.92 1824 1.47		19 0922 1.33 WE 1726 2.16	
5 0458 1.78 TU 0938 1.88 1615 1.13 2321 2.41		20 0618 1.42 WE 1743 0.82		5 0000 2.44 FR 0907 1.64 1105 1.67 1726 1.22		20 0130 2.81 SA 0820 1.24 1358 1.89 1936 1.18		5 0005 2.49 SU 0643 1.46 1209 1.77 1757 1.22		20 0122 2.35 MO 0823 1.24 1510 1.89 2015 1.62		5 0021 2.15 WE 0732 1.20 1502 1.97 1954 1.70		20 0140 1.56 TH 0431 1.65 1044 1.23 1810 2.35	
6 1646 1.26 WE		21 0104 2.93 TH 0812 1.40 1306 1.80 1858 1.03		6 0100 2.38 SA 0952 1.55 1239 1.62 1821 1.34		21 0233 2.61 SU 0940 1.18 1537 1.94 2102 1.41		6 0046 2.40 MO 0753 1.40 1335 1.76 1849 1.41		21 0235 2.08 TU 1004 1.19 1733 2.11 2301 1.67		6 0132 1.93 TH 0941 1.11 1655 2.23 2255 1.61		21 0124 1.41 FR 0529 1.72 1130 1.10 1842 2.49	
7 0019 2.30 TH 1432 1.45 1500 1.45 * 1729 1.39		22 0223 2.84 FR 0936 1.29 1450 1.85 2025 1.17		7 0217 2.37 SU 1017 1.44 1459 1.68 1934 1.45		22 0342 2.44 MO 1039 1.08 1717 2.11 2240 1.51		7 0143 2.29 TU 0928 1.27 1525 1.88 2009 1.58		22 0418 1.94 WE 1103 1.09 1825 2.33		7 0413 1.87 FR 1045 0.92 1752 2.52		22 0113 1.29 SA 0606 1.81 1207 0.97 1909 2.60	
8 0337 2.34 FR 1302 1.52 1600 1.59 1844 1.51		23 0334 2.79 SA 1034 1.17 1615 1.99 2148 1.25		8 0321 2.40 MO 1038 1.29 1615 1.87 2117 1.50		23 0445 2.32 TU 1125 0.98 1819 2.32 2353 1.51		8 0300 2.20 WE 1016 1.09 1652 2.12 2230 1.59		23 0030 1.55 TH 0526 1.90 1147 0.99 1902 2.50		8 0000 1.41 SA 0526 1.95 1138 0.71 1843 2.80		23 0122 1.20 SU 0637 1.90 1240 0.86 1934 2.68	
9 0419 2.43 SA 1128 1.43 1636 1.75 2135 1.50		24 0436 2.75 SU 1115 1.04 1725 2.18 2300 1.27		9 0410 2.44 TU 1102 1.10 1711 2.11 2245 1.46		24 0538 2.22 WE 1204 0.90 1904 2.49		9 0415 2.16 TH 1101 0.89 1752 2.41 2340 1.47		24 0112 1.42 FR 0613 1.90 1226 0.90 1934 2.62		9 0048 1.20 SU 0622 2.07 1228 0.49 1930 3.06		24 0140 1.14 MO 0705 2.00 1309 0.75 1959 2.75	
10 0451 2.53 SU 1134 1.31 1709 1.93 2237 1.40		25 0528 2.69 MO 1152 0.93 1819 2.37 2357 1.28		10 0455 2.47 WE 1133 0.89 1800 2.38 2345 1.37		25 0049 1.47 TH 0620 2.14 1239 0.83 1942 2.62		10 0517 2.16 FR 1146 0.68 1845 2.70		25 0140 1.33 SA 0649 1.92 1300 0.82 2002 2.70		10 0130 1.01 MO 0712 2.21 1315 0.30 2014 3.26		25 0200 1.10 TU 0731 2.09 1336 0.67 2022 2.81	
11 0518 2.63 MO 1150 1.15 1744 2.15 2324 1.29		26 0610 2.61 TU 1226 0.85 1904 2.53		11 0539 2.48 TH 1209 0.68 1848 2.66		26 0134 1.42 FR 0655 2.07 1312 0.79 2015 2.70		11 0036 1.31 SA 0614 2.18 1232 0.49 1934 2.97		26 0206 1.26 SU 0721 1.95 1331 0.75 2030 2.75		11 0208 0.86 TU 0758 2.35 1400 0.16 2053 3.37		26 0220 1.06 WE 0757 2.18 1401 0.61 2044 2.85	
12 0547 2.71 TU 1214 0.96 1822 2.40		27 0045 1.30 WE 0645 2.51 1258 0.79 1943 2.65		12 0036 1.26 FR 0623 2.47 1248 0.49 1936 2.92		27 0213 1.38 SA 0726 2.02 1343 0.77 2045 2.74		12 0127 1.15 SU 0707 2.22 1319 0.31 2022 3.19		27 0231 1.23 MO 0749 1.99 1400 0.70 2055 2.78		12 0246 0.76 WE 0840 2.44 1442 0.13 2130 3.37		27 0242 1.02 TH 0823 2.26 1428 0.59 2105 2.87	
13 0008 1.18 WE 0620 2.77 1242 0.75 1902 2.66		28 0126 1.33 TH 0713 2.39 1327 0.76 2016 2.72		13 0126 1.16 SA 0708 2.43 1330 0.34 2024 3.14		28 0247 1.36 SU 0754 1.99 1410 0.76 2113 2.75		13 0215 1.01 MO 0758 2.28 1407 0.19 2107 3.34		28 0256 1.21 TU 0815 2.04 1427 0.66 2118 2.80		13 0323 0.73 TH 0920 2.48 1522 0.21 2202 3.26		28 0305 0.96 FR 0852 2.32 1455 0.61 2127 2.85	
14 0051 1.09 TH 0654 2.79 1315 0.56 1945 2.90		29 0205 1.37 FR 0737 2.28 1354 0.75 2047 2.75		14 0215 1.08 SU 0755 2.38 1414 0.25 2112 3.28		29 0317 1.36 MO 0819 1.97 1436 0.76 2140 2.74		14 0301 0.92 TU 0846 2.32 1454 0.14 2150 3.40		29 0317 1.21 WE 0841 2.08 1452 0.64 2141 2.80		14 0400 0.76 FR 1000 2.45 1602 0.42 2235 3.05		29 0331 0.91 SA 0923 2.35 1526 0.69 2148 2.78	
15 0135 1.03 FR 0730 2.75 1350 0.41 2028 3.09		30 0241 1.41 SA 0759 2.17 1419 0.77 2115 2.75		15 0304 1.05 MO 0845 2.31 1500 0.23 2200 3.33		30 0345 1.38 TU 0845 1.96 1502 0.76 2204 2.71		15 0346 0.89 WE 0933 2.33 1540 0.18 2231 3.35		30 0341 1.21 TH 0908 2.11 1518 0.65 2203 2.79		15 0438 0.84 SA 1040 2.34 1642 0.73 2306 2.77		30 0401 0.88 SU 0958 2.35 1600 0.84 2211 2.65	
		31 0315 1.46 SU 0821 2.08 1442 0.81 2142 2.71								31 0407 1.20 FR 0939 2.11 1547 0.71 2227 2.74				31 0433 0.89 MO 1036 2.30 1637 1.06 2234 2.46	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
● Last Quarter

CAIRNS – QUEENSLAND

LAT 16° 55' S LONG 145° 46' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0508 0.93 TU 1125 2.21 1720 1.32 2300 2.21		16 0525 1.18 1248 1.96 1333 1.95 1550 2.01		1 0520 0.90 1240 2.33 2058 1.65 ★ 2303 1.70		16 0219 1.27 0326 1.28 0452 1.26 1546 2.18		1 0300 1.62 0829 1.08 1548 2.74 2258 1.08		16 0020 1.36 0415 1.48 0635 1.45 1608 2.33 2333 1.28		1 0341 1.87 0909 1.19 1600 2.70 2255 0.97		16 0243 1.57 0652 1.49 1451 2.29 2245 1.32	
2 0548 1.02 1236 2.11 1815 1.60 2327 1.94		17 0554 1.34 1647 2.18		2 0620 1.09 1515 2.40 2307 1.42		17 0132 1.29 0431 1.42 0534 1.42 1633 2.29		2 0419 1.84 0953 1.03 1646 2.82 2329 0.92		17 0451 1.64 0929 1.45 1642 2.40 2335 1.17		2 0500 2.09 1030 1.24 1657 2.64 2332 0.84		17 0446 1.77 0836 1.61 1550 2.30 2300 1.15	
3 0642 1.13 1530 2.15 2225 1.65 2353 1.66		18 0147 1.36 0445 1.51 1008 1.38 1730 2.33		3 0326 1.56 0905 1.12 1629 2.61 2338 1.19		18 0047 1.26 0500 1.58 1003 1.39 1711 2.40		3 0517 2.08 1057 0.95 1735 2.87		18 0518 1.82 1028 1.39 1708 2.46 2345 1.05		3 0600 2.32 1134 1.26 1745 2.56		18 0521 2.01 1030 1.59 1637 2.33 2324 0.96	
4 0923 1.14 1652 2.41 2357 1.42		19 0115 1.28 0523 1.64 1059 1.24 1803 2.45		4 0442 1.77 1023 0.95 1722 2.81		19 0013 1.19 0523 1.73 1049 1.26 1741 2.49		4 0000 0.77 0606 2.30 1149 0.90 1817 2.86		19 0545 2.02 1113 1.31 1733 2.52		4 0008 0.73 0648 2.52 1227 1.27 1827 2.46		19 0557 2.28 1130 1.50 1721 2.35 2355 0.76	
5 0439 1.74 1038 0.94 1745 2.68		20 0047 1.20 0549 1.78 1136 1.09 1830 2.56		5 0000 1.00 0532 2.01 1120 0.77 1808 2.97		20 0015 1.11 0546 1.89 1125 1.14 1805 2.58		5 0030 0.66 0651 2.49 1234 0.90 1854 2.79		20 0002 0.89 0615 2.25 1153 1.23 1801 2.56		5 0042 0.65 0730 2.67 1313 1.29 1900 2.34		20 0636 2.56 1219 1.38 1804 2.36	
6 0018 1.19 0536 1.93 1133 0.72 1832 2.93		21 0050 1.12 0615 1.92 1207 0.96 1854 2.65		6 0026 0.83 0618 2.24 1208 0.62 1849 3.06		21 0026 1.02 0612 2.05 1157 1.04 1828 2.66		6 0101 0.57 0731 2.63 1315 0.95 1925 2.67		21 0027 0.70 0649 2.49 1233 1.15 1832 2.57		6 0114 0.61 0807 2.76 1354 1.31 1928 2.23		21 0030 0.55 0718 2.83 1307 1.26 1848 2.37	
7 0046 1.00 0626 2.13 1222 0.50 1915 3.12		22 0104 1.06 0640 2.05 1236 0.84 1917 2.73		7 0055 0.70 0700 2.44 1249 0.55 1926 3.08		22 0043 0.90 0639 2.23 1227 0.96 1850 2.71		7 0131 0.53 0807 2.71 1353 1.04 1949 2.52		22 0056 0.52 0728 2.72 1315 1.09 1906 2.54		7 0144 0.61 0841 2.79 1432 1.35 1952 2.13		22 0110 0.37 0803 3.07 1354 1.15 1933 2.37	
8 0117 0.83 0710 2.33 1305 0.34 1954 3.24		23 0122 0.99 0705 2.18 1303 0.75 1939 2.80		8 0126 0.60 0739 2.58 1329 0.56 1958 3.01		23 0103 0.77 0709 2.42 1259 0.89 1915 2.75		8 0200 0.53 0840 2.73 1430 1.16 2010 2.35		23 0129 0.37 0808 2.92 1359 1.05 1941 2.48		8 0212 0.64 0912 2.78 1510 1.39 2015 2.04		23 0152 0.24 0849 3.25 1442 1.08 2020 2.35	
9 0150 0.70 0750 2.48 1345 0.27 2029 3.26		24 0142 0.90 0732 2.32 1330 0.69 2000 2.84		9 0156 0.54 0815 2.66 1405 0.65 2024 2.87		24 0129 0.62 0742 2.60 1333 0.86 1941 2.73		9 0227 0.57 0911 2.71 1506 1.29 2030 2.18		24 0205 0.27 0851 3.06 1444 1.06 2018 2.37		9 0237 0.69 0942 2.74 1545 1.45 2038 1.97		24 0236 0.18 0936 3.35 1530 1.06 2108 2.31	
10 0222 0.62 0828 2.58 1423 0.30 2100 3.19		25 0204 0.80 0801 2.44 1359 0.67 2023 2.85		10 0226 0.53 0847 2.68 1441 0.81 2046 2.68		25 0157 0.48 0818 2.75 1411 0.87 2007 2.66		10 0252 0.66 0942 2.64 1543 1.43 2051 2.01		25 0245 0.25 0937 3.12 1532 1.12 2101 2.23		10 0301 0.75 1010 2.67 1620 1.52 2101 1.90		25 0323 0.19 1023 3.36 1622 1.09 2159 2.25	
11 0255 0.60 0902 2.61 1500 0.45 2127 3.02		26 0230 0.70 0833 2.55 1430 0.70 2045 2.81		11 0255 0.57 0919 2.65 1516 1.02 2108 2.46		26 0228 0.39 0856 2.85 1451 0.94 2035 2.53		11 0315 0.76 1013 2.54 1621 1.56 2107 1.85		26 0328 0.31 1028 3.10 1628 1.22 2152 2.06		11 0326 0.83 1039 2.59 1657 1.59 2127 1.82		26 0411 0.31 1110 3.29 1715 1.15 2253 2.15	
12 0328 0.63 0937 2.56 1537 0.69 2152 2.78		27 0258 0.62 0907 2.61 1505 0.79 2108 2.70		12 0323 0.66 0952 2.55 1553 1.26 2128 2.21		27 0301 0.38 0937 2.88 1535 1.07 2106 2.33		12 0337 0.89 1047 2.42 1710 1.68 ★ 2115 1.72		27 0415 0.45 1124 3.02 1736 1.32 2255 1.88		12 0353 0.93 1111 2.51 1743 1.65 2154 1.75		27 0501 0.51 1200 3.13 1815 1.22 2353 2.03	
13 0400 0.72 1014 2.45 1615 1.00 2216 2.49		28 0329 0.59 0944 2.62 1544 0.95 2132 2.52		13 0348 0.79 1027 2.42 1630 1.50 2141 1.97		28 0339 0.44 1025 2.83 1624 1.26 2144 2.09		13 0400 1.02 1130 2.30		28 0511 0.65 1230 2.92 1918 1.35		13 0424 1.05 1147 2.43 2106 1.65 2227 1.66		28 0555 0.80 1252 2.92 1925 1.27	
14 0430 0.86 1052 2.30 1651 1.33 2236 2.18		29 0401 0.63 1025 2.57 1626 1.17 2200 2.28		14 0411 0.94 1103 2.27 1713 1.71 1915 1.78		29 0420 0.59 1124 2.72 1728 1.45 2231 1.83		14 0427 1.17 1409 2.21		29 0017 1.75 0618 0.88 1343 2.82 2059 1.26		14 0500 1.19 1234 2.36 2214 1.56 2345 1.57		29 0108 1.92 0655 1.13 1352 2.68 2056 1.25	
15 0459 1.02 1134 2.12 1732 1.64 2235 1.89		30 0438 0.73 1118 2.45 1716 1.43 2230 1.99		15 0430 1.10 1153 2.11 1344 2.08 1432 2.08		30 0511 0.80 1245 2.62 2040 1.47		15 0201 1.33 0313 1.34 0508 1.31 1523 2.26		30 0203 1.74 0741 1.07 1454 2.76 2208 1.12		15 0547 1.34 1336 2.31 2234 1.45		30 0249 1.91 0815 1.43 1502 2.48 2216 1.14	
				31 0006 1.59 0626 1.01 1432 2.64 2211 1.28										31 0503 2.10 1012 1.58 1617 2.33 2310 1.02	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

◯ Full Moon

* Extra Tides
◐ Last Quarter

PORT DOUGLAS – QUEENSLAND

LAT 16° 28' S LONG 145° 28' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0058 0.34 TH 1354 1.09 1925 2.25		16 0133 0.73 FR 1439 1.31 1949 2.01		1 0222 0.21 SU 1513 0.91 2053 2.43		16 0209 0.58 MO 1456 1.11 2029 2.34		1 0132 0.41 SU 1416 0.85 2005 2.54		16 0113 0.75 MO 1357 1.01 1941 2.41		1 0222 0.73 WE 1444 0.72 2053 2.67		16 0148 0.76 TH 1415 0.51 2028 2.84	
2 0143 0.22 FR 0830 3.18 1443 1.02 2013 2.25		17 0159 0.67 SA 0850 2.76 1503 1.29 2013 2.05		2 0301 0.22 MO 0938 3.30 1547 0.92 2130 2.43		17 0236 0.53 TU 0911 2.99 1521 1.05 2059 2.41		2 0208 0.35 MO 0838 3.27 1446 0.81 2039 2.60		17 0141 0.64 TU 0808 3.00 1420 0.88 2010 2.55		2 0253 0.89 TH 0856 2.73 1509 0.75 2122 2.62		17 0228 0.78 FR 0826 2.82 1446 0.42 2107 2.93	
3 0228 0.16 SA 0915 3.27 1529 0.99 2100 2.23		18 0224 0.61 SU 0915 2.80 1528 1.28 2038 2.08		3 0339 0.34 TU 1013 3.17 1623 0.98 2207 2.35		18 0306 0.54 WE 0936 2.99 1550 1.00 2131 2.43		3 0243 0.40 TU 0908 3.18 1516 0.81 2111 2.60		18 0213 0.59 WE 0833 3.03 1447 0.77 2043 2.66		3 0324 1.09 FR 0916 2.52 1532 0.82 2152 2.53		18 0309 0.89 SA 0858 2.65 1522 0.42 2151 2.93	
4 0313 0.18 SU 1000 3.25 1615 1.02 2145 2.18		19 0252 0.58 MO 0941 2.82 1554 1.28 2106 2.10		4 0415 0.57 WE 1045 2.95 1700 1.08 2245 2.21		19 0339 0.63 TH 1003 2.91 1621 0.98 2208 2.40		4 0315 0.55 WE 0935 3.02 1545 0.86 2143 2.53		19 0245 0.62 TH 0900 3.00 1516 0.69 2118 2.72		4 0354 1.31 SA 0931 2.30 1553 0.92 2221 2.42		19 0355 1.08 SU 0932 2.41 1600 0.51 2241 2.85	
5 0358 0.29 MO 1043 3.15 1700 1.09 2231 2.08		20 0322 0.59 TU 1009 2.81 1624 1.28 2139 2.09		5 0451 0.88 TH 1116 2.69 1735 1.20 2325 2.04		20 0414 0.81 FR 1030 2.77 1655 1.00 2251 2.32		5 0348 0.79 TH 1000 2.80 1614 0.95 2215 2.42		20 0321 0.73 FR 0928 2.87 1548 0.67 2158 2.71		5 0424 1.53 SU 0938 2.09 1610 1.03 2253 2.28		20 0449 1.31 MO 1012 2.13 1643 0.69 2344 2.71	
6 0442 0.49 TU 1127 2.96 1749 1.19 2320 1.95		21 0354 0.66 WE 1108 2.77 1657 1.29 2216 2.05		6 0524 1.23 FR 1144 2.39 1814 1.33		21 0452 1.07 SA 1100 2.55 1732 1.07 2345 2.20		6 0418 1.08 FR 1022 2.54 1640 1.06 2247 2.26		21 0400 0.94 SA 0956 2.66 1622 0.72 2243 2.62		6 0456 1.73 MO 0915 1.91 1629 1.15 2332 2.14		21 0611 1.53 TU 1102 1.84 1737 0.92	
7 0526 0.77 WE 1212 2.73 1845 1.28		22 0428 0.80 TH 1110 2.68 1735 1.30 2302 1.97		7 0015 1.87 SA 0554 1.57 1201 2.12 1900 1.43		22 0537 1.39 SU 1130 2.28 1819 1.16		7 0446 1.39 SA 1034 2.27 1701 1.18 2321 2.10		22 0445 1.22 SU 1026 2.38 1700 0.85 2340 2.48		7 0542 1.91 TU 0654 1.92 1648 1.29		22 0123 2.60 WE 0921 1.50 1306 1.62 1912 1.12	
8 0017 1.81 TH 0613 1.10 1301 2.48 2002 1.34		23 0506 1.00 FR 1144 2.55 1821 1.30		8 0849 1.89 SU 0952 1.88 1120 1.89 * 2209 1.43		23 0115 2.10 MO 0648 1.71 1204 1.99 1945 1.26		8 0512 1.68 SU 1023 2.04 1720 1.30		23 0541 1.53 MO 1057 2.06 1745 1.04		8 0357 2.13 WE 1409 1.39 1625 1.44 1717 1.44		23 0311 2.64 TH 1049 1.30 1535 1.69 2110 1.15	
9 0145 1.71 FR 0710 1.43 1404 2.24 2157 1.29		24 0004 1.89 SA 0550 1.26 1224 2.37 1925 1.30		9 0627 2.11 MO 1402 1.67 1642 1.73 2312 1.31		24 0409 2.23 TU 1114 1.70 1529 1.77 2204 1.17		9 0010 1.95 MO 0206 1.91 0748 1.97 * 1741 1.43		24 0118 2.35 TU 0915 1.72 1131 1.75 1908 1.23		9 0452 2.26 TH 1317 1.39 1715 1.59 2206 1.48		24 0422 2.73 FR 1129 1.13 1650 1.90 2230 1.07	
10 0512 1.82 SA 0915 1.66 1530 2.08 2259 1.18		25 0143 1.85 SU 0653 1.54 1320 2.17 2108 1.22		10 0644 2.31 TU 1334 1.54 1744 1.79 2350 1.18		25 0523 2.51 WE 1219 1.46 1708 1.87 2316 0.97		10 0531 2.13 TU 1423 1.49 2006 1.56 * 2220 1.52		25 0348 2.47 WE 1142 1.48 1555 1.68 2144 1.20		10 0529 2.39 FR 1239 1.33 1737 1.75 2257 1.34		25 0515 2.82 SA 1158 0.99 1742 2.12 2329 0.97	
11 0617 2.06 SU 1129 1.66 1647 1.99 2338 1.06		26 0415 2.02 MO 0937 1.70 1515 2.02 2223 1.06		11 0700 2.46 WE 1330 1.43 1820 1.86		26 0613 2.78 TH 1248 1.25 1806 2.05		11 0600 2.30 WE 1343 1.44 1743 1.69 2314 1.37		26 0500 2.68 TH 1207 1.26 1713 1.88 2300 1.02		11 0555 2.51 SA 1231 1.25 1758 1.91 2333 1.18		26 0559 2.86 SU 1226 0.88 1825 2.31	
12 0650 2.26 MO 1239 1.56 1740 1.96		27 0526 2.32 TU 1130 1.58 1648 2.00 2320 0.86		12 0022 1.05 TH 0719 2.59 1338 1.34 1849 1.95		27 0009 0.75 FR 0654 3.01 1316 1.08 1851 2.24		12 0623 2.45 TH 1314 1.36 1808 1.82 2350 1.21		27 0550 2.87 FR 1230 1.09 1801 2.11 2354 0.83		12 0616 2.63 SU 1240 1.14 1819 2.08		27 0015 0.92 MO 0635 2.85 1255 0.78 1902 2.46	
13 0010 0.97 TU 0715 2.43 1319 1.47 1820 1.94		28 0617 2.62 WE 1234 1.39 1753 2.06		13 0050 0.92 FR 0740 2.70 1353 1.28 1915 2.05		28 0053 0.55 SA 0731 3.18 1346 0.94 1930 2.41		13 0644 2.58 FR 1310 1.29 1830 1.96		28 0630 3.01 SA 1255 0.95 1841 2.32		13 0005 1.04 MO 0637 2.74 1256 1.00 1845 2.28		28 0056 0.93 TU 0707 2.78 1322 0.72 1938 2.57	
14 0039 0.88 WE 0737 2.55 1348 1.39 1854 1.95		29 0011 0.65 TH 0702 2.90 1319 1.21 1845 2.17		14 0116 0.79 SA 0801 2.80 1412 1.22 1938 2.15				14 0019 1.05 SA 0704 2.70 1320 1.21 1851 2.10		29 0037 0.69 SU 0706 3.09 1322 0.84 1917 2.49		14 0037 0.90 TU 0700 2.84 1317 0.83 1916 2.49		29 0132 0.98 WE 0735 2.67 1348 0.68 2010 2.63	
15 0107 0.80 TH 0801 2.64 1415 1.34 1923 1.97		30 0058 0.45 FR 0745 3.13 1400 1.05 1932 2.28		15 0143 0.68 SU 0824 2.88 1432 1.17 2002 2.25				15 0045 0.89 SU 0724 2.81 1336 1.12 1915 2.26		30 0115 0.62 MO 0739 3.10 1350 0.77 1951 2.60		15 0112 0.80 WE 0726 2.90 1345 0.66 1950 2.69		30 0206 1.07 TH 0759 2.53 1413 0.68 2040 2.65	
		31 0142 0.29 SA 0825 3.28 1436 0.95 2015 2.38								31 0149 0.63 TU 0808 3.03 1417 0.73 2022 2.66					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
◑ Last Quarter

PORT DOUGLAS – QUEENSLAND

LAT 16° 28' S LONG 145° 28' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0239 1.19 FR 1436 0.70 2109 2.63		16 0217 0.95 SA 0800 2.52 1424 0.26 2100 3.06		1 0353 1.44 MO 0838 1.86 1458 0.77 2203 2.52		16 0403 1.00 TU 0932 2.11 1547 0.24 2238 3.14		1 0417 1.33 WE 0910 1.82 1525 0.71 2224 2.54		16 0435 0.85 TH 1015 2.16 1623 0.28 2302 3.03		1 0437 1.12 SA 1007 1.95 1614 0.74 2245 2.52		16 0516 0.90 SU 1119 2.04 1717 1.03 2330 2.30	
2 0312 1.32 SA 0838 2.20 1457 0.75 2138 2.57		17 0306 1.01 SU 0842 2.37 1505 0.28 2148 3.08		2 0430 1.49 TU 0900 1.79 1525 0.83 2235 2.45		17 0500 1.04 WE 1027 2.01 1639 0.38 2330 3.02		2 0446 1.36 TH 0940 1.80 1557 0.76 2253 2.50		17 0519 0.92 FR 1103 2.06 1708 0.54 2345 2.80		2 0510 1.12 SU 1048 1.90 1648 0.91 2314 2.39		17 0556 1.03 MO 1215 1.87 1801 1.39 2357 1.97	
3 0344 1.45 SU 0853 2.04 1516 0.83 2207 2.49		18 0400 1.11 MO 0927 2.18 1550 0.38 2243 3.01		3 0515 1.55 WE 0928 1.72 1557 0.92 2314 2.37		18 0559 1.11 TH 1127 1.91 1732 0.59		3 0520 1.38 FR 1016 1.76 1630 0.85 2326 2.44		18 0608 1.02 SA 1157 1.93 1754 0.87		3 0547 1.12 MO 1139 1.84 1728 1.14 2345 2.23		18 0644 1.16 TU 1603 1.81 2140 1.68 2358 1.69	
4 0417 1.58 MO 0906 1.90 1537 0.92 2239 2.38		19 0503 1.24 TU 1021 1.97 1641 0.55 2345 2.90		4 0641 1.59 TH 0959 1.64 1633 1.02		19 0027 2.85 FR 0706 1.16 1234 1.81 1830 0.84		4 0601 1.39 SA 1103 1.70 1707 0.97		19 0030 2.51 SU 0705 1.11 1304 1.80 1847 1.22		4 0634 1.12 TU 1253 1.78 1818 1.39		19 0911 1.23 WE 1729 2.03	
5 0459 1.69 TU 0913 1.77 1602 1.03 2319 2.27		20 0628 1.33 WE 1130 1.79 1743 0.76		5 0000 2.31 FR 0901 1.55 1044 1.57 1716 1.13		20 0127 2.66 SA 0827 1.16 1357 1.77 1937 1.11		5 0002 2.36 SU 0655 1.37 1206 1.65 1750 1.14		20 0120 2.22 MO 0830 1.15 1521 1.78 2023 1.52		5 0022 2.03 WE 0747 1.12 1521 1.85 2021 1.61		20 0126 1.46 TH 0428 1.55 1039 1.14 1812 2.22	
6 1633 1.17 WE		21 0101 2.78 TH 0817 1.31 1306 1.69 1859 0.96		6 0102 2.26 SA 0956 1.46 1245 1.51 1815 1.26		21 0233 2.47 SU 0945 1.10 1540 1.82 2106 1.32		6 0045 2.27 MO 0811 1.30 1334 1.64 1845 1.33		21 0237 1.97 TU 1003 1.10 1733 1.99 2311 1.57		6 0132 1.82 TH 0932 1.02 1651 2.11 2307 1.52		21 0118 1.31 FR 0531 1.61 1128 1.02 1839 2.36	
7 0033 2.17 TH 0144 2.16 0207 2.16 1715 1.30		22 0222 2.70 FR 0945 1.20 1449 1.73 2026 1.09		7 0217 2.25 SU 1020 1.35 1503 1.57 1941 1.36		22 0342 2.31 MO 1043 1.00 1715 1.99 2242 1.42		7 0139 2.17 TU 0920 1.17 1535 1.76 2029 1.49		22 0416 1.83 WE 1104 1.01 1828 2.19		7 0408 1.75 FR 1041 0.85 1746 2.39		22 0118 1.20 SA 0610 1.70 1205 0.90 1902 2.47	
8 0331 2.22 FR 1232 1.41 1557 1.48 1838 1.42		23 0333 2.66 SA 1041 1.08 1615 1.88 2150 1.16		8 0319 2.27 MO 1038 1.21 1620 1.75 2128 1.40		23 0444 2.19 TU 1128 0.91 1815 2.18 2358 1.42		8 0254 2.08 WE 1011 1.00 1652 2.00 2226 1.50		23 0041 1.45 TH 0526 1.78 1148 0.91 1900 2.36		8 0015 1.32 SA 0521 1.82 1138 0.65 1834 2.67		23 0127 1.13 SU 0641 1.79 1237 0.79 1926 2.55	
9 0418 2.31 SA 1143 1.34 1642 1.63 2135 1.40		24 0432 2.62 SU 1121 0.97 1721 2.06 2300 1.18		9 0407 2.30 TU 1100 1.03 1710 1.98 2241 1.36		24 0534 2.10 WE 1205 0.83 1858 2.35		9 0411 2.03 TH 1058 0.82 1745 2.28 2341 1.39		24 0119 1.33 FR 0614 1.78 1225 0.83 1928 2.47		9 0058 1.12 SU 0617 1.94 1229 0.43 1918 2.91		24 0143 1.07 MO 0707 1.88 1306 0.69 1949 2.62	
10 0450 2.40 SU 1143 1.23 1713 1.81 2233 1.30		25 0521 2.56 MO 1156 0.86 1812 2.24 2357 1.20		10 0450 2.33 WE 1130 0.83 1755 2.25 2340 1.28		25 0055 1.38 TH 0617 2.01 1239 0.77 1933 2.47		10 0513 2.03 FR 1144 0.62 1834 2.57		25 0145 1.25 SA 0652 1.80 1259 0.76 1953 2.55		10 0136 0.93 MO 0707 2.09 1315 0.24 2000 3.10		25 0201 1.03 TU 0731 1.97 1332 0.60 2013 2.67	
11 0516 2.49 MO 1153 1.08 1744 2.02 2320 1.20		26 0602 2.48 TU 1228 0.78 1854 2.39		11 0533 2.34 TH 1206 0.62 1839 2.53		26 0139 1.34 FR 0654 1.95 1311 0.73 2005 2.55		11 0042 1.24 SA 0609 2.05 1231 0.43 1922 2.83		26 0209 1.19 SU 0724 1.83 1329 0.69 2019 2.61		11 0213 0.79 TU 0751 2.22 1400 0.11 2039 3.21		26 0222 0.99 WE 0755 2.05 1358 0.54 2033 2.71	
12 0543 2.57 TU 1213 0.89 1817 2.26		27 0045 1.22 WE 0637 2.38 1258 0.72 1931 2.50		12 0034 1.18 FR 0617 2.34 1245 0.43 1924 2.78		27 0216 1.30 SA 0727 1.90 1340 0.70 2034 2.59		12 0134 1.08 SU 0701 2.10 1319 0.26 2008 3.05		27 0233 1.15 MO 0752 1.87 1357 0.63 2045 2.64		12 0249 0.70 WE 0833 2.32 1440 0.08 2115 3.21		27 0243 0.95 TH 0818 2.12 1423 0.51 2055 2.73	
13 0003 1.09 WE 0613 2.64 1239 0.69 1854 2.52		28 0127 1.26 TH 0707 2.26 1325 0.69 2005 2.57		13 0126 1.09 SA 0703 2.30 1327 0.28 2011 2.99		28 0250 1.28 SU 0756 1.86 1406 0.69 2103 2.61		13 0222 0.94 MO 0752 2.15 1407 0.14 2053 3.19		28 0258 1.14 TU 0816 1.91 1423 0.59 2109 2.66		13 0326 0.67 TH 0913 2.35 1520 0.16 2151 3.11		28 0305 0.90 FR 0845 2.18 1450 0.53 2117 2.71	
14 0046 1.01 TH 0646 2.66 1311 0.49 1934 2.75		29 0205 1.29 FR 0733 2.15 1350 0.68 2036 2.60		14 0217 1.02 SU 0750 2.25 1411 0.19 2058 3.13		29 0321 1.28 MO 0822 1.84 1432 0.68 2130 2.60		14 0307 0.86 TU 0841 2.19 1454 0.09 2137 3.24		29 0320 1.13 WE 0840 1.95 1447 0.56 2131 2.66		14 0401 0.70 FR 0953 2.31 1559 0.36 2225 2.90		29 0330 0.85 SA 0915 2.21 1520 0.61 2141 2.64	
15 0131 0.95 FR 0722 2.62 1346 0.34 2015 2.94		30 0243 1.34 SA 0757 2.04 1414 0.70 2106 2.60		15 0310 0.99 MO 0840 2.19 1459 0.18 2147 3.18		30 0350 1.30 TU 0845 1.83 1458 0.69 2157 2.58		15 0351 0.83 WE 0928 2.20 1539 0.13 2220 3.18		30 0344 1.13 TH 0904 1.97 1514 0.57 2155 2.65		15 0438 0.78 SA 1034 2.20 1638 0.66 2259 2.62		30 0359 0.82 SU 0951 2.20 1554 0.76 2205 2.51	
		31 0318 1.38 SU 0818 1.94 1435 0.73 2134 2.57								31 0409 1.13 FR 0933 1.98 1543 0.63 2219 2.60				31 0430 0.82 MO 1031 2.15 1630 0.97 2230 2.32	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
◑ Last Quarter

PORT DOUGLAS – QUEENSLAND

LAT 16° 28' S LONG 145° 28' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER					OCTOBER					NOVEMBER					DECEMBER													
Time		m		Time		m		Time		m		Time		m		Time		m		Time		m						
1	0504	0.86	16	0518	1.10	1	0515	0.84	16	0430	1.17	1	0300	1.52	16	0007	1.27	1	0344	1.77	16	0336	1.48					
	1121	2.06		1237	2.20		1540	2.06		0828	1.02		0417	1.39		0912	1.12		0645	1.43								
	TU	1714		1.24	2058		1.56	FR		1547	2.60		MO	0616		1.37	TU		1559	2.58		WE	1453	2.18				
	2257	2.08		2259	1.58		2302	1.00		1608	2.21		2259	0.90		2250	1.24											
2	0545	0.95	17	0542	1.25	2	0622	1.02	17	0121	1.21	2	0421	1.73	17	0457	1.55	2	0500	1.99	17	0447	1.68					
	1234	1.97		1515	2.28		1633	2.17		0954	0.96		0927	1.37		1030	1.17		0901	1.52								
	WE	1815		1.52	FR		2313	1.32		SA	1644		2.69	TU		1642	2.28		WE	1653		2.52	TH	1549	2.19			
	2325	1.82		2325	1.82		2333	0.84		2344	1.09		2336	0.77		2300	1.09											
3	0645	1.06	18	0137	1.28	3	0323	1.46	18	0036	1.17	3	0516	1.97	18	0523	1.72	3	0555	2.21	18	0520	1.91					
	1531	2.04		0901	1.05		0510	1.48		1058	0.88		1025	1.30		1135	1.19		1027	1.50								
	TH	2259		1.55	SA		1627	2.48		SU	0959		1.30	TU		1707	2.34		TH	1739		2.44	FR	1633	2.20			
	1730	2.21		2341	1.10		1712	2.28		2350	0.98		2322	0.90														
4	0018	1.56	19	0105	1.19	4	0442	1.66	19	0020	1.10	4	0002	0.71	19	0545	1.92	4	0010	0.67	19	0552	2.17					
	0915	1.05		1025	0.89		0530	1.63		0600	2.19		1109	1.23		0639	2.39		1127	1.42								
	FR	1649		2.29	SU		1718	2.68		MO	1046		1.18	WE		1148	0.83		TH	1730		2.39	FR	1229	1.20			
	1800	2.33		1740	2.38		1808	2.73		1819	2.34		2351	0.70														
5	0000	1.32	20	0053	1.11	5	0004	0.92	20	0021	1.03	5	0032	0.60	20	0003	0.83	5	0042	0.60	20	0628	2.45					
	0436	1.63		0531	1.90		0552	1.79		0642	2.37		0612	2.13		0719	2.53		1219	1.31								
	SA	1038		0.87	MO		1121	0.71		TU	1122		1.06	TH		1232	0.83		FR	1149		1.15	SA	1315	1.22			
	1741	2.55		1800	2.83		1803	2.46		1844	2.67		1756	2.43		1854	2.23		1759	2.24								
6	0025	1.11	21	0056	1.05	6	0030	0.76	21	0030	0.95	6	0101	0.52	21	0024	0.65	6	0112	0.56	21	0027	0.50					
	0535	1.81		0614	2.12		0614	1.94		0719	2.50		0642	2.37		0755	2.62		0708	2.72								
	SU	1135		0.65	TU		1207	0.56		WE	1153		0.96	SA		1230	1.07		SU	1357		1.24	MO	1308	1.19			
	1824	2.79		1838	2.92		1823	2.53		1915	2.55		1826	2.44		1924	2.12		1843	2.25								
7	0051	0.92	22	0108	0.99	7	0058	0.64	22	0045	0.84	7	0130	0.48	22	0052	0.47	7	0140	0.55	22	0107	0.33					
	0622	2.01		0652	2.31		0636	2.11		0755	2.58		0717	2.60		0829	2.66		0750	2.95								
	MO	1222		0.44	WE		1248	0.49		TH	1223		0.87	SU		1313	1.01		MO	1436		1.27	TU	1358	1.09			
	1903	2.97		1913	2.94		1844	2.58		1942	2.40		1900	2.42		1952	2.02		1928	2.26								
8	0121	0.76	23	0124	0.92	8	0127	0.54	23	0102	0.71	8	0156	0.47	23	0124	0.31	8	0207	0.58	23	0149	0.20					
	0703	2.20		0729	2.45		0703	2.28		0828	2.60		0757	2.80		0900	2.66		0835	3.12								
	TU	1304		0.29	TH		1326	0.49		FR	1254		0.81	SU		1428	1.09		TU	1514		1.32	WE	1446	1.02			
	1940	3.09		1944	2.88		1906	2.61		2005	2.23		1935	2.36		2016	1.93		2015	2.24								
9	0152	0.64	24	0143	0.84	9	0155	0.48	24	0125	0.56	9	0222	0.51	24	0200	0.22	9	0231	0.63	24	0234	0.14					
	0742	2.35		0803	2.53		0733	2.46		0900	2.58		0839	2.93		0930	2.62		0922	3.22								
	WE	1344		0.21	FR		1401	0.58		SA	1329		0.78	MO		1505	1.22		TU	1445		1.00	WE	1550	1.37	TH	1536	1.00
	2015	3.11		2012	2.75		1932	2.60		2028	2.06		2015	2.26		2038	1.85		2103	2.20								
10	0224	0.57	25	0203	0.74	10	0223	0.47	25	0152	0.42	10	0245	0.59	25	0239	0.20	10	0254	0.69	25	0321	0.16					
	0818	2.45		0837	2.55		0808	2.62		0932	2.52		0925	2.99		1001	2.56		1010	3.23								
	TH	1421		0.24	SA		1437	0.74		SU	1407		0.80	TU		1544	1.35		WE	1536		1.07	TH	1628	1.43			
	2045	3.04		2037	2.56		2000	2.53		2045	1.89		2058	2.11		2056	1.78		2154	2.13								
11	0255	0.55	26	0227	0.64	11	0251	0.50	26	0222	0.33	11	0307	0.69	26	0323	0.27	11	0316	0.77	26	0409	0.27					
	0853	2.47		0910	2.51		0845	2.72		1006	2.42		1016	2.97		1031	2.48		1100	3.14								
	FR	1457		0.38	SU		1512	0.95		MO	1447		0.87	WE		1626	1.48		TH	1634		1.16	SA	1720	1.08			
	2115	2.88		2100	2.33		2030	2.40		2055	1.74		2148	1.94		2115	1.72		2248	2.03								
12	0326	0.58	27	0254	0.56	12	0317	0.59	27	0256	0.32	12	0326	0.81	27	0412	0.41	12	0343	0.86	27	0500	0.47					
	0929	2.43		0944	2.42		0928	2.75		1042	2.30		1115	2.88		1105	2.40		1151	2.99								
	SA	1532		0.62	MO		1548	1.18		TU	1532		1.01	FR		1745	1.24		SA	1800		1.56	SU	1818	1.15			
	2143	2.64		2121	2.08		2103	2.21		2046	1.62		2252	1.77		2136	1.65		2350	1.91								
13	0357	0.66	28	0323	0.53	13	0342	0.71	28	0332	0.38	13	0346	0.94	28	0509	0.61	13	0413	0.97	28	0552	0.75					
	1006	2.31		1019	2.29		1015	2.69		1128	2.18		1222	2.77		1144	2.31		1246	2.78								
	SU	1609		0.92	TU		1626	1.41		WE	1625		1.19	SA		1922	1.26		SU	2056		1.56	MO	1930	1.20			
	2209	2.36		2130	1.85		2141	1.97								2153	1.56											
14	0427	0.79	29	0356	0.56	14	0400	0.86	29	0414	0.54	14	0412	1.08	29	0016	1.65	14	0448	1.11	29	0105	1.81					
	1045	2.16		1059	2.14		1115	2.58		1402	2.11		0617	0.83		1231	2.24		0653	1.07								
	MO	1645		1.24	WE		1713	1.62		TH	1737		1.38	SU		1340	2.68		2246	1.47		TU	1348	2.55				
	2229	2.05		1926	1.68		2228	1.71					2104	1.18		2323	1.47		2100	1.17								
15	0454	0.94	30	0431	0.67	15	0415	1.01	30	0505	0.75	15	0446	1.23	30	0203	1.64	15	0533	1.27	30	0254	1.82					
	1130	1.99		1157	1.99		1242	2.48		1519	2.15		0741	1.01		1335	2.19		0819	1.36								
	TU	1727		1.54	TH		1329	1.97		FR	2043		1.38	MO		1454	2.62		TU	2244		1.36	WE	1501	2.36			
	2220	1.78		1411	1.98								2213	1.04					2218	1.07								

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
◑ Last Quarter

LEGGATT ISLAND – QUEENSLAND

LAT 14° 31' S LONG 144° 50' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0115 0.43 TH 0759 3.10 1413 1.14 1932 2.36		16 0145 0.84 FR 0845 2.78 1507 1.39 1954 2.06		1 0236 0.25 SU 0910 3.42 1530 0.93 2056 2.55		16 0217 0.67 MO 0854 3.01 1514 1.19 2030 2.43		1 0148 0.45 SU 0815 3.36 1434 0.89 2011 2.66		16 0129 0.85 MO 0758 2.99 1418 1.09 1949 2.49		1 0236 0.81 WE 0844 2.96 1500 0.85 2101 2.74		16 0201 0.86 TH 0802 2.96 1430 0.65 2037 2.87	
2 0157 0.28 FR 0841 3.27 1500 1.05 2018 2.37		17 0205 0.76 SA 0904 2.81 1527 1.38 2015 2.11		2 0314 0.28 MO 0945 3.36 1606 0.97 2130 2.54		17 0244 0.60 TU 0915 3.06 1536 1.14 2059 2.50		2 0223 0.41 MO 0846 3.33 1504 0.87 2043 2.71		17 0154 0.73 TU 0817 3.07 1438 0.98 2016 2.63		2 0306 0.97 TH 0905 2.78 1522 0.89 2131 2.68		17 0238 0.89 FR 0831 2.89 1459 0.56 2116 2.95	
3 0240 0.20 SA 0925 3.35 1547 1.02 2102 2.35		18 0229 0.70 SU 0923 2.84 1545 1.37 2039 2.17		3 0348 0.43 TU 1020 3.21 1641 1.07 2204 2.46		18 0312 0.61 WE 0940 3.07 1603 1.12 2130 2.52		3 0256 0.48 TU 0916 3.23 1533 0.90 2115 2.70		18 0223 0.67 WE 0840 3.10 1502 0.89 2047 2.72		3 0334 1.19 FR 0921 2.58 1539 0.97 2201 2.59		18 0319 1.00 SA 0903 2.74 1530 0.55 2201 2.96	
4 0323 0.24 SU 1008 3.32 1634 1.06 2145 2.30		19 0255 0.66 MO 0945 2.87 1610 1.37 2106 2.21		4 0421 0.68 WE 1051 2.99 1715 1.20 2237 2.33		19 0343 0.71 TH 1005 3.01 1631 1.12 2205 2.49		4 0327 0.65 WE 0943 3.07 1600 0.98 2145 2.63		19 0254 0.70 TH 0905 3.08 1529 0.82 2122 2.77		4 0400 1.43 SA 0930 2.37 1551 1.06 2230 2.47		19 0405 1.18 SU 0937 2.52 1605 0.64 2255 2.90	
5 0405 0.37 MO 1052 3.20 1721 1.16 2227 2.20		20 0324 0.67 TU 1011 2.88 1638 1.38 2136 2.22		5 0450 1.00 TH 1118 2.74 1749 1.34 2311 2.16		20 0415 0.90 FR 1031 2.88 1703 1.15 2245 2.41		5 0355 0.90 TH 1005 2.85 1624 1.08 2214 2.51		20 0328 0.82 FR 0931 2.97 1558 0.81 2201 2.75		5 0425 1.67 SU 0930 2.17 1559 1.16 2304 2.33		20 0504 1.41 MO 1015 2.25 1645 0.81	
6 0446 0.61 TU 1136 3.00 1811 1.28 2311 2.07		21 0354 0.74 WE 1040 2.86 1712 1.41 2209 2.18		6 0515 1.35 FR 1138 2.48 1826 1.47		21 0449 1.16 SA 1058 2.68 1739 1.22 2341 2.29		6 0419 1.19 FR 1020 2.61 1644 1.20 2243 2.36		21 0405 1.03 SA 0959 2.78 1629 0.87 2248 2.67		6 0450 1.89 MO 0853 2.03 1600 1.27		21 0003 2.79 TU 0637 1.61 1106 1.96 1743 1.03	
7 0528 0.91 WE 1222 2.77 1905 1.40		22 0426 0.89 TH 1111 2.79 1751 1.44 2247 2.11		7 0000 1.99 SA 0533 1.69 1144 2.23 1915 1.56		22 0532 1.49 SU 1124 2.43 1826 1.31		7 0439 1.51 SA 1024 2.37 1657 1.32 2317 2.19		22 0448 1.32 SU 1026 2.51 1702 0.98 2352 2.55		7 0004 2.20 TU 1547 1.38		22 0138 2.71 WE 0910 1.61 1307 1.74 1921 1.24	
8 0005 1.92 TH 0612 1.24 1311 2.54 2014 1.47		23 0500 1.09 FR 1144 2.66 1839 1.46 2343 2.01		8 1007 2.04 SU 2227 1.60		23 0132 2.19 MO 0659 1.81 1155 2.14 1952 1.38		8 0447 1.80 SU 1002 2.17 1701 1.44		23 0552 1.64 MO 1054 2.21 1748 1.16		8 0527 2.26 WE 1457 1.47		23 0323 2.74 TH 1054 1.41 1558 1.80 2129 1.28	
9 0154 1.81 FR 0710 1.56 1411 2.32 2151 1.46		24 0541 1.36 SA 1221 2.50 1944 1.45		9 0641 2.26 MO 1359 1.77 1727 1.81 2357 1.45		24 0416 2.32 TU 1138 1.84 1502 1.90 2211 1.31		9 0107 2.03 MO 0258 2.03 0801 2.11 1637 1.54		24 0140 2.46 TU 0823 1.84 1125 1.89 1919 1.33		9 0549 2.40 TH 1300 1.45 1845 1.74 2259 1.65		24 0442 2.85 FR 1139 1.22 1716 2.03 2256 1.19	
10 0516 1.94 SA 0914 1.81 1540 2.16 2317 1.35		25 0148 1.94 SU 0649 1.64 1315 2.30 2109 1.38		10 0700 2.47 TU 1340 1.61 1825 1.87		25 0542 2.63 WE 1231 1.56 1721 1.97 2337 1.08		10 0622 2.30 TU 1507 1.58 2102 1.70 2335 1.66		25 0358 2.57 WE 1146 1.60 1600 1.79 2158 1.32		10 0608 2.52 FR 1253 1.39 1825 1.87 2334 1.49		25 0535 2.93 SA 1214 1.08 1803 2.26 2351 1.08	
11 0626 2.19 SU 1200 1.79 1709 2.08		26 0424 2.10 MO 0934 1.82 1503 2.13 2235 1.22		11 0030 1.30 WE 0722 2.63 1353 1.49 1853 1.93		26 0628 2.92 TH 1302 1.31 1819 2.16		11 0635 2.48 WE 1330 1.50 1844 1.80		26 0518 2.80 TH 1215 1.35 1732 2.00 2324 1.12		11 0624 2.62 SA 1258 1.31 1828 2.03		26 0616 2.95 SU 1245 0.98 1842 2.44	
12 0003 1.22 MO 0703 2.40 1306 1.68 1804 2.04		27 0545 2.41 TU 1149 1.69 1653 2.10 2340 0.99		12 0054 1.17 TH 0744 2.73 1409 1.40 1913 2.01		27 0029 0.82 FR 0706 3.14 1333 1.11 1900 2.36		12 0006 1.50 TH 0654 2.61 1330 1.41 1849 1.92		27 0607 3.00 FR 1244 1.15 1817 2.24		12 0001 1.31 SU 0638 2.72 1307 1.22 1841 2.20		27 0035 1.02 MO 0650 2.92 1314 0.90 1916 2.57	
13 0036 1.10 TU 0733 2.56 1347 1.56 1843 2.01		28 0634 2.73 WE 1254 1.47 1802 2.16		13 0115 1.04 FR 0802 2.81 1425 1.34 1929 2.10		28 0111 0.60 SA 0742 3.29 1403 0.97 1936 2.53		13 0028 1.33 FR 0711 2.71 1338 1.33 1858 2.05		28 0015 0.91 SA 0645 3.13 1312 1.01 1854 2.44		13 0028 1.15 MO 0654 2.82 1321 1.09 1902 2.38		28 0114 1.02 TU 0721 2.84 1341 0.84 1951 2.66	
14 0103 1.00 WE 0800 2.67 1419 1.48 1912 2.01		29 0030 0.74 TH 0715 3.02 1338 1.25 1855 2.28		14 0133 0.90 SA 0819 2.87 1439 1.29 1945 2.21		15 0154 0.78 SU 0835 2.94 1454 1.24 2006 2.33		14 0046 1.17 SA 0727 2.81 1349 1.26 1909 2.19		29 0056 0.76 SU 0719 3.18 1340 0.91 1927 2.60		14 0057 1.01 TU 0713 2.90 1340 0.94 1930 2.56		29 0149 1.07 WE 0748 2.72 1407 0.81 2024 2.71	
15 0126 0.92 TH 0825 2.74 1445 1.42 1933 2.02		30 0115 0.51 FR 0755 3.24 1417 1.07 1938 2.40						15 0106 1.00 SU 0741 2.90 1401 1.18 1926 2.34		30 0132 0.69 MO 0750 3.17 1408 0.85 2000 2.71		15 0128 0.90 WE 0736 2.96 1403 0.78 2001 2.73		30 0223 1.16 TH 0812 2.58 1430 0.81 2057 2.71	
		31 0157 0.34 SA 0833 3.38 1454 0.96 2018 2.50								31 0205 0.71 TU 0818 3.09 1435 0.83 2030 2.75					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

LEGGATT ISLAND – QUEENSLAND

LAT 14° 31' S LONG 144° 50' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0256 1.29 FR 1448 0.84 2128 2.67		16 0231 1.06 SA 1435 0.37 2114 3.09		1 0428 1.55 MO 1458 0.88 2223 2.56		16 0425 1.07 TU 1554 0.31 2250 3.21		1 0445 1.43 WE 1522 0.79 2230 2.60		16 0454 0.93 TH 1630 0.37 2312 3.08		1 0451 1.24 SA 1611 0.82 2246 2.62		16 0529 1.03 SU 1716 1.13 2328 2.38	
2 0329 1.43 SA 0846 2.24 1502 0.89 2158 2.61		17 0320 1.11 SU 1513 0.37 2202 3.13		2 0515 1.61 TU 1519 0.94 2252 2.50		17 0522 1.11 WE 1645 0.47 2344 3.10		2 0514 1.47 TH 1552 0.85 2300 2.57		17 0539 1.03 FR 1712 0.65 2354 2.85		2 0523 1.26 SU 1034 2.04 1642 1.00 2313 2.52		17 0606 1.17 MO 1759 1.50 2345 2.09	
3 0401 1.58 SU 0858 2.09 1515 0.96 2227 2.52		18 0417 1.21 MO 0932 2.28 1556 0.46 2258 3.09		3 0615 1.66 WE 0928 1.78 1545 1.03 2329 2.44		18 0623 1.18 TH 1123 2.00 1738 0.71		3 0548 1.50 FR 1008 1.88 1624 0.95 2332 2.53		18 0628 1.14 SA 1150 2.03 1757 0.99		3 0600 1.27 MO 1120 1.96 1716 1.23 2341 2.37		18 0652 1.29 TU 1506 1.90 1952 1.80 2245 1.84	
4 0441 1.72 MO 0902 1.95 1527 1.05 2300 2.42		19 0527 1.32 TU 1024 2.08 1645 0.65		4 0726 1.69 TH 0948 1.73 1615 1.14		19 0041 2.93 FR 0727 1.25 1234 1.90 1837 0.99		4 0632 1.52 SA 1045 1.83 1659 1.09		19 0038 2.59 SU 0722 1.24 1306 1.89 1849 1.35		4 0647 1.28 TU 1246 1.88 1809 1.49		19 0815 1.38 WE 1752 2.14	
5 0636 1.84 TU 0827 1.85 1539 1.15 2348 2.32		20 0002 2.99 WE 0651 1.40 1130 1.90 1748 0.87		5 0019 2.39 FR 0854 1.67 1010 1.67 1657 1.27		20 0142 2.74 SA 0838 1.28 1411 1.84 1946 1.26		5 0010 2.47 SU 0726 1.51 1141 1.77 1740 1.26		20 0127 2.32 MO 0831 1.30 1537 1.88 2019 1.65		5 0016 2.18 WE 0757 1.26 1520 1.94 2022 1.71		20 0115 1.59 TH 0442 1.62 1115 1.31 1830 2.35	
6 1550 1.28 WE		21 0117 2.88 TH 0823 1.39 1310 1.78 1909 1.09		6 0122 2.37 SA 1017 1.59 1240 1.61 1807 1.41		21 0248 2.56 SU 0955 1.25 1612 1.92 2117 1.48		6 0052 2.39 MO 0827 1.45 1338 1.73 1842 1.45		21 0232 2.08 TU 1008 1.28 1746 2.09 2330 1.72		6 0130 1.98 TH 0928 1.17 1706 2.19 2315 1.65		21 0116 1.41 FR 0606 1.69 1205 1.17 1858 2.50	
7 0127 2.26 TH 1549 1.42		22 0237 2.80 FR 0950 1.32 1513 1.82 2042 1.25		7 0226 2.37 SU 1040 1.49 1523 1.68 2000 1.52		22 0359 2.40 MO 1100 1.17 1738 2.11 2259 1.57		7 0143 2.30 TU 0930 1.34 1551 1.84 2033 1.61		22 0420 1.93 WE 1129 1.17 1841 2.31		7 0352 1.87 FR 1053 0.99 1804 2.49		22 0132 1.28 SA 0641 1.78 1238 1.04 1923 2.59	
8 0350 2.30 FR 1223 1.49 1830 1.60 1908 1.60		23 0354 2.75 SA 1054 1.21 1646 2.00 2213 1.31		8 0323 2.38 MO 1102 1.35 1647 1.85 2141 1.54		23 0500 2.29 TU 1149 1.07 1834 2.30		8 0247 2.21 WE 1026 1.18 1714 2.07 2235 1.63		23 0058 1.58 TH 0544 1.87 1216 1.05 1916 2.48		8 0031 1.42 SA 0525 1.92 1157 0.75 1848 2.78		23 0150 1.19 SU 0704 1.86 1303 0.92 1945 2.65	
9 0444 2.39 SA 1206 1.42 1731 1.76 2150 1.56		24 0454 2.71 SU 1139 1.10 1746 2.19 2323 1.32		9 0412 2.40 TU 1128 1.18 1737 2.07 2259 1.50		24 0016 1.56 WE 0551 2.19 1228 0.97 1918 2.46		9 0402 2.14 TH 1116 0.97 1808 2.36		24 0141 1.44 FR 0634 1.86 1252 0.95 1946 2.59		9 0115 1.18 SU 0625 2.06 1246 0.50 1928 3.03		24 0209 1.13 MO 0723 1.95 1324 0.81 2005 2.69	
10 0510 2.49 SU 1210 1.32 1744 1.94 2258 1.45		25 0541 2.65 MO 1215 1.00 1832 2.36		10 0456 2.41 WE 1156 0.98 1818 2.32		25 0115 1.51 TH 0633 2.10 1301 0.89 1955 2.58		10 0000 1.51 FR 0515 2.12 1203 0.74 1854 2.65		25 0212 1.34 SA 0710 1.87 1321 0.86 2014 2.65		10 0153 0.98 MO 0712 2.21 1330 0.28 2006 3.20		25 0226 1.09 TU 0740 2.05 1344 0.70 2022 2.72	
11 0533 2.57 MO 1221 1.19 1808 2.14 2344 1.33		26 0016 1.32 TU 0619 2.56 1248 0.92 1914 2.50		11 0000 1.41 TH 0540 2.41 1228 0.76 1900 2.58		26 0203 1.45 FR 0709 2.02 1330 0.83 2028 2.64		11 0102 1.34 SA 0615 2.15 1249 0.51 1937 2.92		26 0239 1.27 SU 0736 1.90 1345 0.79 2038 2.68		11 0230 0.83 TU 0754 2.36 1412 0.15 2045 3.28		26 0242 1.06 WE 0758 2.14 1405 0.62 2039 2.76	
12 0558 2.64 TU 1239 1.02 1838 2.35		27 0102 1.34 WE 0652 2.45 1317 0.85 1951 2.59		12 0053 1.31 FR 0624 2.40 1303 0.55 1941 2.83		27 0245 1.41 SA 0739 1.96 1354 0.80 2057 2.67		12 0154 1.16 SU 0708 2.20 1334 0.31 2019 3.14		27 0302 1.23 MO 0758 1.94 1406 0.73 2059 2.69		12 0306 0.74 WE 0834 2.45 1451 0.12 2121 3.26		27 0259 1.02 TH 0819 2.23 1429 0.58 2057 2.78	
13 0024 1.22 WE 0625 2.69 1302 0.83 1912 2.57		28 0145 1.37 TH 0722 2.33 1344 0.81 2026 2.65		13 0145 1.20 SA 0710 2.38 1342 0.37 2025 3.05		28 0320 1.38 SU 0803 1.92 1415 0.78 2122 2.66		13 0241 1.00 MO 0757 2.27 1419 0.17 2102 3.28		28 0322 1.22 TU 0816 1.99 1426 0.67 2117 2.70		13 0342 0.73 TH 0913 2.48 1529 0.22 2157 3.15		28 0319 0.98 FR 0845 2.29 1455 0.59 2118 2.78	
14 0104 1.13 TH 0656 2.70 1330 0.63 1949 2.78		29 0226 1.40 FR 0748 2.21 1406 0.80 2059 2.67		14 0235 1.12 SU 0758 2.34 1423 0.26 2111 3.20		29 0352 1.38 MO 0825 1.90 1434 0.77 2145 2.65		14 0326 0.91 TU 0843 2.32 1503 0.12 2145 3.31		29 0341 1.22 WE 0837 2.05 1449 0.63 2136 2.71		14 0417 0.79 FR 0950 2.43 1605 0.45 2230 2.94		29 0342 0.95 SA 0915 2.32 1523 0.67 2140 2.73	
15 0146 1.07 FR 0730 2.67 1400 0.47 2030 2.96		30 0305 1.44 SA 0810 2.09 1425 0.81 2129 2.66		15 0329 1.07 MO 0845 2.29 1507 0.23 2159 3.25		30 0419 1.40 TU 0846 1.90 1457 0.77 2207 2.62		15 0410 0.88 WE 0928 2.32 1546 0.19 2229 3.24		30 0400 1.23 TH 0900 2.09 1515 0.64 2158 2.71		15 0453 0.89 SA 1030 2.32 1641 0.76 2301 2.68		30 0407 0.94 SU 0947 2.31 1553 0.83 2202 2.62	
		31 0345 1.49 SU 0829 1.98 1441 0.84 2157 2.62								31 0424 1.23 FR 0929 2.11 1543 0.69 2221 2.69				31 0434 0.95 MO 1025 2.26 1627 1.05 2226 2.45	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

LEGGATT ISLAND – QUEENSLAND

LAT 14° 31' S LONG 144° 50' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0505 0.99 1115 2.16 TU 1708 1.33 2248 2.23		16 0500 1.20 1411 1.98 WE		1 0510 0.91 1257 2.32 TH 1935 1.65 2242 1.73		16 0332 1.22 1637 2.16 FR		1 0255 1.61 0830 1.13 SU 1600 2.71 2306 1.13		16 0014 1.37 1632 2.29 MO 2358 1.30		1 0403 1.87 0924 1.25 TU 1617 2.66 2310 1.07		16 0307 1.60 0645 1.56 WE 1455 2.28 2302 1.40	
2 0544 1.07 1245 2.07 WE 1822 1.62 2313 1.98		17 0444 1.34 1730 2.18 TH		2 0623 1.10 1505 2.38 FR 2318 1.46		17 0139 1.29 1718 2.29 SA		2 0438 1.82 1010 1.08 MO 1659 2.80 2345 0.97		17 0542 1.67 0933 1.52 TU 1700 2.36		2 0518 2.09 1048 1.29 WE 1711 2.61 2352 0.94		17 0505 1.78 0910 1.65 TH 1549 2.28 2319 1.25	
3 0648 1.16 1514 2.13 TH		18 0141 1.38 0635 1.50 FR 1043 1.47 1801 2.35		3 0250 1.56 0850 1.16 SA 1636 2.59 2345 1.21		18 0031 1.24 0622 1.60 SU 1035 1.48 1745 2.39		3 0532 2.07 1115 0.99 TU 1744 2.84		18 0001 1.21 0549 1.84 WE 1043 1.44 1720 2.42		3 0612 2.30 1152 1.30 TH 1755 2.53		18 0544 2.00 1042 1.63 FR 1636 2.29 2343 1.06	
4 0856 1.18 1659 2.39 FR		19 0059 1.26 0622 1.63 SA 1139 1.32 1827 2.47		4 0454 1.75 1039 1.01 SU 1730 2.79		19 0031 1.17 0613 1.74 MO 1118 1.35 1805 2.48		4 0017 0.83 0615 2.28 WE 1205 0.93 1821 2.82		19 0011 1.10 0608 2.02 TH 1128 1.35 1740 2.47		4 0028 0.83 0655 2.48 FR 1244 1.30 1832 2.43		19 0615 2.24 1145 1.54 SA 1719 2.30	
5 0006 1.43 0433 1.72 SA 1050 1.01 1753 2.67		20 0104 1.17 0633 1.76 SU 1208 1.17 1848 2.56		5 0014 1.00 0545 2.00 MO 1139 0.81 1812 2.94		20 0041 1.10 0620 1.89 TU 1146 1.21 1821 2.55		5 0048 0.73 0653 2.45 TH 1248 0.92 1854 2.74		20 0025 0.95 0631 2.21 FR 1207 1.26 1803 2.50		5 0100 0.74 0735 2.61 SA 1330 1.30 1905 2.32		20 0012 0.84 0649 2.50 SU 1238 1.42 1803 2.31	
6 0035 1.18 0545 1.91 SU 1153 0.75 1834 2.91		21 0117 1.10 0645 1.90 MO 1231 1.03 1907 2.62		6 0043 0.84 0624 2.23 TU 1224 0.65 1847 3.01		21 0053 1.02 0633 2.04 WE 1213 1.09 1836 2.60		6 0117 0.65 0730 2.57 FR 1327 0.96 1923 2.63		21 0045 0.78 0700 2.41 SA 1245 1.18 1831 2.51		6 0129 0.68 0812 2.69 SU 1414 1.32 1936 2.21		21 0044 0.62 0726 2.76 MO 1326 1.29 1847 2.33	
7 0105 0.97 0630 2.13 MO 1240 0.52 1911 3.08		22 0131 1.04 0700 2.02 TU 1252 0.90 1924 2.67		7 0113 0.71 0700 2.42 WE 1303 0.56 1920 3.01		22 0106 0.93 0653 2.20 TH 1239 0.99 1852 2.65		7 0145 0.60 0806 2.64 SA 1404 1.05 1950 2.48		22 0109 0.59 0733 2.62 SU 1326 1.12 1902 2.50		7 0156 0.67 0845 2.73 MO 1455 1.35 2002 2.10		22 0120 0.42 0805 3.00 TU 1414 1.17 1932 2.35	
8 0136 0.80 0709 2.33 TU 1320 0.34 1945 3.17		23 0145 0.98 0716 2.15 WE 1313 0.79 1939 2.72		8 0142 0.63 0735 2.55 TH 1340 0.57 1950 2.94		23 0122 0.80 0716 2.35 FR 1309 0.91 1912 2.68		8 0211 0.59 0842 2.66 SU 1442 1.17 2014 2.31		23 0137 0.43 0810 2.81 MO 1409 1.09 1939 2.45		8 0219 0.68 0917 2.72 TU 1536 1.39 2024 2.00		23 0200 0.26 0847 3.19 WE 1502 1.08 2018 2.36	
9 0207 0.69 0745 2.48 WE 1358 0.27 2019 3.17		24 0201 0.91 0736 2.27 TH 1337 0.70 1956 2.76		9 0210 0.58 0810 2.63 FR 1415 0.65 2018 2.80		24 0142 0.66 0745 2.51 SA 1341 0.88 1935 2.67		9 0234 0.62 0916 2.64 MO 1520 1.30 2033 2.13		24 0210 0.31 0850 2.96 TU 1455 1.10 2018 2.36		9 0238 0.73 0947 2.67 WE 1616 1.46 2044 1.92		24 0243 0.19 0931 3.29 TH 1552 1.05 2105 2.33	
10 0238 0.63 0820 2.57 TH 1432 0.30 2050 3.09		25 0219 0.82 0801 2.38 FR 1403 0.67 2015 2.78		10 0237 0.57 0845 2.64 SA 1448 0.82 2043 2.62		25 0205 0.53 0818 2.64 SU 1415 0.89 2001 2.62		10 0252 0.69 0950 2.57 TU 1600 1.45 2047 1.96		25 0246 0.27 0936 3.03 WE 1548 1.15 2101 2.23		10 0254 0.79 1014 2.60 TH 1658 1.53 2101 1.86		25 0328 0.21 1018 3.30 FR 1645 1.08 2152 2.27	
11 0309 0.63 0856 2.59 FR 1507 0.45 2120 2.92		26 0240 0.73 0830 2.47 SA 1432 0.69 2037 2.75		11 0302 0.61 0919 2.59 SU 1521 1.03 2103 2.40		26 0232 0.44 0855 2.74 MO 1454 0.97 2030 2.50		11 0305 0.78 1023 2.47 WE 1653 1.60 2055 1.82		26 0327 0.32 1027 3.04 TH 1650 1.24 2149 2.08		11 0313 0.86 1040 2.52 FR 1745 1.61 2119 1.81		26 0415 0.34 1107 3.21 SA 1739 1.16 2243 2.16	
12 0339 0.68 0930 2.54 SA 1540 0.70 2145 2.70		27 0304 0.66 0903 2.53 SU 1505 0.79 2100 2.66		12 0324 0.70 0954 2.49 MO 1555 1.28 2116 2.16		27 0301 0.40 0937 2.78 TU 1539 1.11 2103 2.33		12 0317 0.90 1100 2.36 TH 1900 1.69 2042 1.71		27 0414 0.47 1125 2.97 FR 1805 1.32 2245 1.91		12 0335 0.95 1110 2.45 SA 1843 1.67 2138 1.76		27 0503 0.56 1200 3.05 SU 1838 1.25 2342 2.03	
13 0406 0.77 1007 2.42 SU 1612 1.01 2206 2.43		28 0330 0.64 0940 2.54 MO 1541 0.96 2126 2.50		13 0339 0.82 1031 2.36 TU 1632 1.53 2117 1.94		28 0334 0.45 1026 2.75 WE 1634 1.29 2140 2.10		13 0330 1.02 1150 2.25 FR		28 0510 0.68 1234 2.86 SA 1931 1.35		13 0400 1.08 1149 2.38 SU 2001 1.68 2150 1.70		28 0556 0.86 1257 2.84 MO 1945 1.32	
14 0430 0.90 1046 2.27 MO 1645 1.34 2215 2.15		29 0358 0.66 1024 2.49 TU 1623 1.19 2151 2.28		14 0348 0.95 1115 2.22 WE 1749 1.75 2030 1.78		29 0414 0.59 1129 2.67 TH 1758 1.47 2226 1.85		14 0340 1.16 1327 2.18 SA		29 0007 1.77 0622 0.92 SU 1351 2.77 2100 1.31		14 0430 1.22 1244 2.32 MO		29 0104 1.91 0659 1.20 TU 1401 2.62 2104 1.33	
15 0449 1.05 1138 2.10 TU 1726 1.66 2157 1.91		30 0430 0.76 1122 2.40 WE 1722 1.46 2217 2.02		15 0351 1.09 1249 2.09 TH		30 0504 0.80 1255 2.60 FR 2015 1.49 2358 1.62		15 0329 1.31 1537 2.21 SU		30 0206 1.73 0749 1.13 MO 1509 2.71 2216 1.20		15 0504 1.39 1349 2.29 TU 2259 1.53		30 0315 1.91 0826 1.49 WE 1517 2.44 2228 1.25	
				31 0629 1.03 1436 2.62 SA 2213 1.32								31 0514 2.10 1028 1.63 TH 1634 2.31 2330 1.12			

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

TWIN ISLAND – QUEENSLAND

LAT 10° 27' S LONG 142° 26' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0433 0.54 TH 1105 3.57 1814 0.70 2303 2.06		16 0406 0.86 1130 3.23 1902 0.95 2321 1.78		1 0545 0.36 1208 3.83 1918 0.37		16 0502 0.71 1136 3.34 1848 0.90 2352 2.21		1 0502 0.54 1111 3.73 1817 0.33 2331 2.43		16 0436 0.97 1042 3.29 1751 0.79 2309 2.37		1 0550 0.85 1135 3.29 1826 0.66		16 0534 1.03 1104 3.15 1800 0.66 2351 3.04	
2 0508 0.47 1142 3.75 1858 0.53 2347 2.04		17 0424 0.77 1139 3.24 1917 1.01 2340 1.85		2 0019 2.22 0619 0.36 1243 3.77 1950 0.49		17 0529 0.63 1200 3.40 1910 0.90		2 0535 0.44 1142 3.72 1845 0.44		17 0504 0.84 1105 3.36 1811 0.78 2336 2.53		2 0005 2.78 0617 1.02 1157 3.08 1841 0.75		17 0615 1.04 1138 3.02 1826 0.69	
3 0545 0.45 1221 3.81 1941 0.47		18 0445 0.68 1153 3.25 1927 1.06		3 0052 2.20 0651 0.49 1316 3.61 2023 0.67		18 0022 2.30 0544 0.64 1228 3.40 1936 0.91		3 0000 2.48 0606 0.47 1212 3.62 1911 0.57		18 0537 0.78 1133 3.40 1835 0.75		3 0029 2.83 0640 1.24 1211 2.81 1840 0.86		18 0025 3.21 0659 1.11 1214 2.77 1845 0.79	
4 0030 1.99 0624 0.49 1303 3.76 2023 0.52		19 0004 1.91 0500 0.64 1215 3.26 1944 1.08		4 0125 2.13 0715 0.75 1345 3.35 2055 0.88		19 0055 2.33 0532 0.73 1254 3.31 2003 0.97		4 0028 2.50 0633 0.64 1238 3.43 1934 0.73		19 0007 2.68 0611 0.82 1202 3.34 1901 0.76		4 0046 2.85 0638 1.49 1205 2.50 1732 0.86		19 0100 3.29 0747 1.26 1249 2.42 1718 0.84	
5 0113 1.92 0701 0.61 1345 3.63 2106 0.63		20 0033 1.93 0510 0.63 1243 3.25 2011 1.11		5 0155 2.01 0552 1.02 1407 2.99 2127 1.12		20 0130 2.31 0550 0.93 1319 3.09 2026 1.11		5 0055 2.49 0653 0.92 1259 3.15 1953 0.91		20 0041 2.79 0645 0.96 1231 3.16 1924 0.85		5 0058 2.81 0554 1.67 1113 2.24 1736 0.86		20 0140 3.24 0854 1.43 1327 1.99 1736 0.94	
6 0155 1.81 0732 0.84 1428 3.40 2152 0.80		21 0105 1.90 0527 0.67 1311 3.20 2044 1.17		6 0222 1.87 0559 1.22 1351 2.59 2154 1.37		21 0205 2.22 0612 1.23 1339 2.73 1859 1.28		6 0118 2.44 0536 1.18 1300 2.80 1948 1.11		21 0115 2.83 0723 1.22 1259 2.84 1928 1.01		6 0106 2.72 0606 1.87 1018 2.17 1730 0.87		21 0232 3.09 1120 1.44 1415 1.53 1749 1.11	
7 0239 1.66 0600 1.07 1509 3.09 2247 0.97		22 0139 1.83 0548 0.80 1339 3.07 2123 1.26		7 0245 1.73 0600 1.44 1221 2.36 1916 1.44		22 0248 2.09 0625 1.60 1318 2.27 1854 1.32		7 0133 2.35 0548 1.39 1206 2.49 1819 1.10		22 0151 2.78 0811 1.55 1320 2.38 1805 1.04		7 0058 2.60 0603 2.03 0948 2.24 1713 0.84		22 0401 2.90 1403 1.09	
8 0330 1.51 0605 1.27 1547 2.72		23 0218 1.71 0609 1.02 1408 2.85 2222 1.38		8 0324 1.62 0514 1.59 1050 2.48 1841 1.35 2259 1.73		23 0420 1.96 0542 1.94 0949 2.29 1830 1.34 2255 1.81		8 0136 2.26 0558 1.62 1119 2.37 1814 1.05		23 0235 2.63 1018 1.87 1147 1.89 * 1811 1.13		8 0021 2.50 0536 2.15 0852 2.36 1646 0.79 2354 2.42		23 0559 2.89 1449 0.75 2155 2.09	
9 0012 1.08 1625 2.31		24 0310 1.59 0614 1.32 1431 2.51		9 0302 1.52 1036 2.67 1734 1.13 2307 1.80		24 0155 1.64 0935 2.65 1645 1.10 2247 1.92		9 0110 2.17 0548 1.82 1026 2.45 1749 0.97		24 0409 2.46 0646 2.34 0810 2.38 1722 1.17 2304 1.97		9 0354 2.17 0852 2.52 1624 0.75 2326 2.31		24 0106 1.82 0730 3.03 1522 0.55 2158 2.24	
10 0158 1.06 1043 2.35 1610 1.91 1759 1.93		25 0129 1.35 1114 2.27 2019 1.64 2129 1.65		10 0325 1.45 1025 2.84 1725 0.89 2303 1.84		25 0248 1.46 0941 2.97 1640 0.74 2239 2.00		10 0015 2.14 0454 1.93 1003 2.57 1713 0.84 2338 2.14		25 0013 1.96 0833 2.74 1549 0.80 2230 2.11		10 0326 2.02 0901 2.67 1623 0.72 2303 2.22		25 0230 1.57 0821 3.15 1551 0.47 2202 2.37	
11 0245 1.02 1045 2.60 1702 1.57 2102 1.79		26 0216 1.23 1027 2.49 1755 1.58 2150 1.72		11 0343 1.36 1026 3.00 1734 0.73 2303 1.88		26 0325 1.25 0954 3.26 1658 0.48 2238 2.10		11 0342 1.86 0946 2.72 1657 0.70 2318 2.13		26 0225 1.73 0854 3.04 1605 0.51 2225 2.21		11 0322 1.82 0907 2.82 1630 0.73 2245 2.17		26 0318 1.34 0900 3.20 1618 0.48 2214 2.50	
12 0315 1.00 1043 2.81 1729 1.28 2154 1.76		27 0252 1.12 1007 2.79 1650 1.22 2156 1.79		12 0355 1.26 1037 3.13 1751 0.67 2306 1.91		27 0358 1.00 1015 3.49 1722 0.34 2248 2.23		12 0344 1.71 0949 2.87 1700 0.62 2306 2.12		27 0309 1.43 0915 3.26 1629 0.37 2226 2.31		12 0330 1.59 0916 2.96 1639 0.76 2222 2.22		27 0358 1.20 0933 3.18 1644 0.54 2234 2.63	
13 0335 0.99 1047 3.00 1753 1.06 2226 1.75		28 0324 0.99 1013 3.13 1709 0.86 2215 1.89		13 0403 1.14 1051 3.20 1809 0.71 2307 1.94		28 0430 0.75 1042 3.65 1749 0.29 2307 2.35		13 0350 1.54 1000 3.01 1714 0.62 2258 2.11		28 0344 1.15 0942 3.42 1653 0.34 2233 2.42		13 0350 1.39 0935 3.08 1651 0.76 2227 2.37		28 0434 1.15 1005 3.09 1706 0.61 2300 2.76	
14 0347 0.97 1100 3.14 1818 0.94 2249 1.74		29 0357 0.83 1032 3.43 1738 0.57 2243 2.02		14 0417 0.99 1103 3.24 1823 0.80 2312 2.00				14 0359 1.34 1010 3.11 1727 0.69 2247 2.14		29 0416 0.92 1010 3.50 1719 0.38 2250 2.52		14 0420 1.22 1000 3.16 1710 0.73 2249 2.58		29 0509 1.18 1035 2.95 1724 0.68 2325 2.88	
15 0356 0.93 1116 3.21 1842 0.91 2307 1.75		30 0431 0.64 1100 3.67 1811 0.39 2314 2.13		15 0438 0.84 1116 3.28 1834 0.88 2328 2.11				15 0413 1.15 1023 3.20 1738 0.76 2250 2.23		30 0448 0.79 1039 3.50 1744 0.47 2314 2.62		15 0456 1.10 1030 3.19 1734 0.69 2318 2.81		30 0542 1.26 1101 2.78 1737 0.72 2348 3.00	
		31 0507 0.47 1133 3.80 1845 0.32 2346 2.20								31 0519 0.76 1108 3.43 1806 0.56 2339 2.71					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
◑ Last Quarter

TWIN ISLAND – QUEENSLAND

LAT 10° 27' S LONG 142° 26' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0613 1.36 1123 2.58 FR 1737 0.75		16 0618 1.08 1124 2.57 SA 1753 0.66		1 0743 1.47 1202 1.86 MO 1645 0.79		16 0044 3.76 0808 0.69 TU 1258 2.06 1852 0.71		1 0005 3.13 0759 1.29 WE 1230 1.84 1704 0.81		16 0118 3.77 0831 0.55 TH 1332 2.16 1931 0.62		1 0046 3.16 0806 1.16 SA 1319 2.04 1742 0.83		16 0155 3.11 0900 0.97 SU 1420 2.17 1805 1.33	
2 0007 3.09 0641 1.47 SA 1141 2.36 ○ 1648 0.73		17 0010 3.53 0708 1.04 SU 1207 2.36 *● 1817 0.74		2 0014 3.14 0813 1.51 TU 1228 1.73 1658 0.87		17 0133 3.70 0900 0.71 WE 1348 1.94 1935 0.87		2 0030 3.08 0814 1.33 TH 1259 1.80 1719 0.85		17 0201 3.60 0913 0.69 FR 1415 2.06 2008 0.91		2 0113 3.07 0833 1.23 SU 1356 1.97 1805 1.04		17 0212 2.65 0930 1.23 MO 1459 2.02 1813 1.61	
3 0019 3.12 0705 1.59 SU 1156 2.12 1700 0.75		18 0049 3.60 0804 1.04 MO 1252 2.10 1702 0.82		3 0034 3.03 1054 1.55 WE 1245 1.59 1706 0.94		18 0225 3.56 0954 0.77 TH 1444 1.82 2021 1.10		3 0056 3.01 0845 1.39 FR 1327 1.72 1739 0.91		18 0241 3.31 0959 0.88 SA 1501 1.92 * 1836 1.28		3 0138 2.87 0856 1.34 MO 1440 1.88 1824 1.33		18 0042 2.23 0707 1.41 TU 1601 1.90 1754 1.85 2204 2.32	
4 0032 3.08 0730 1.71 MO 1043 1.86 1707 0.83		19 0136 3.54 0913 1.06 TU 1345 1.83 1729 0.97		4 0054 2.90 1717 0.99 TH		19 0318 3.35 1052 0.86 FR 1545 1.70 * 1840 1.38		4 0126 2.93 0928 1.44 SA 1401 1.63 1801 1.03		19 0319 2.92 1052 1.08 SU 1556 1.78 1836 1.55		4 0201 2.57 0741 1.44 TU 1543 1.81 1820 1.67		19 0643 1.35 1048 1.69 WE 1256 1.66 2200 2.57	
5 0046 2.96 0805 1.84 TU 0924 1.87 1704 0.89		20 0234 3.39 1032 1.03 WE 1456 1.58 1752 1.19		5 0115 2.77 1731 1.07 FR		20 0414 3.08 1202 0.93 SA 2106 1.73 * 2254 1.68		5 0201 2.81 1053 1.48 SU 1456 1.54 1817 1.22		20 0355 2.46 1207 1.22 MO 2213 2.16		5 0019 2.20 0741 1.49 WE 1050 1.59 1321 1.50 2206 2.32		20 0504 1.13 1055 1.80 TH 1441 1.59 ● 2154 2.77	
6 0053 2.81 1659 0.91 WE		21 0345 3.21 1158 0.96 TH 1638 1.46 1800 1.43		6 0159 2.64 1730 1.19 SA		21 0515 2.78 1325 0.94 SU 2145 2.05		6 0243 2.64 1330 1.38 MO 1616 1.51 1758 1.46		21 0306 1.99 0430 2.00 TU 1341 1.25 ● 2218 2.48		6 0656 1.54 1024 1.66 TH 1408 1.39 ● 2135 2.62		21 0456 0.87 1047 1.85 FR 1513 1.48 2156 2.94	
7 0041 2.67 1647 0.94 TH		22 0502 3.07 1327 0.84 FR 2118 1.91 2355 1.74		7 0340 2.53 1445 1.17 SU		22 0055 1.85 0627 2.50 MO 1424 0.92 ● 2204 2.34		7 0330 2.40 1402 1.26 TU 2329 2.21		22 0443 1.59 0843 1.72 WE 1435 1.23 2217 2.72		7 0432 1.30 0955 1.73 FR 1444 1.24 2135 2.96		22 0507 0.70 1043 1.90 SA 1530 1.35 2208 3.07	
8 0033 2.52 0626 2.30 FR 0734 2.31 1553 0.95		23 0619 2.98 1428 0.72 SA 2134 2.13 ●		8 0456 2.47 1449 1.08 MO 2344 2.13 ●		23 0305 1.76 0744 2.27 TU 1503 0.91 2215 2.60		8 0226 2.04 0430 2.12 WE 1430 1.16 ● 2200 2.40		23 0506 1.25 0949 1.74 TH 1509 1.20 2223 2.94		8 0442 0.95 0952 1.86 SA 1518 1.04 2153 3.29		23 0526 0.65 1045 1.96 SU 1541 1.21 2224 3.16	
9 0015 2.33 0245 2.28 SA 0733 2.45 1543 0.93 2327 2.18		24 0136 1.69 0725 2.91 SU 1508 0.67 2147 2.33		9 0218 2.03 0609 2.42 TU 1505 0.99 2157 2.25		24 0415 1.58 0848 2.12 WE 1532 0.92 2231 2.83		9 0327 1.73 0800 1.91 TH 1459 1.06 2145 2.75		24 0530 1.01 1018 1.77 FR 1528 1.15 2238 3.09		9 0509 0.66 1013 2.02 SU 1555 0.81 2221 3.57		24 0545 0.70 1048 2.00 MO 1555 1.06 2238 3.19	
10 0228 2.07 0747 2.60 SU 1543 0.90 ● 2249 2.12		25 0255 1.57 0817 2.82 MO 1540 0.68 2205 2.53		10 0311 1.80 0758 2.39 WE 1529 0.90 2152 2.57		25 0510 1.40 0939 2.01 TH 1551 0.94 2252 3.02		10 0417 1.39 0904 1.95 FR 1529 0.93 2203 3.12		25 0555 0.87 1042 1.81 SA 1538 1.08 2257 3.17		10 0540 0.47 1042 2.18 MO 1636 0.58 2256 3.76		25 0600 0.80 1055 2.06 TU 1614 0.92 2253 3.21	
11 0249 1.85 0814 2.73 MO 1550 0.86 2201 2.22		26 0348 1.49 0901 2.69 TU 1606 0.71 2229 2.72		11 0359 1.57 0855 2.37 TH 1555 0.81 2214 2.94		26 0554 1.26 1019 1.93 FR 1559 0.93 2314 3.13		11 0502 1.06 0953 2.02 SA 1602 0.78 2232 3.44		26 0619 0.84 1100 1.85 SU 1550 0.99 2314 3.19		11 0614 0.36 1116 2.31 TU 1718 0.40 2334 3.85		26 0613 0.91 1108 2.14 WE 1635 0.81 2312 3.24	
12 0324 1.65 0845 2.81 TU 1607 0.80 2206 2.47		27 0434 1.45 0940 2.54 WE 1628 0.76 2254 2.89		12 0446 1.32 0945 2.35 FR 1625 0.72 2245 3.28		27 0632 1.17 1051 1.87 SA 1558 0.89 2332 3.18		12 0546 0.77 1038 2.11 SU 1641 0.63 2309 3.68		27 0642 0.90 1115 1.88 MO 1608 0.90 2326 3.18		12 0648 0.35 1152 2.38 WE 1800 0.33		27 0624 0.96 1130 2.24 TH 1655 0.74 2334 3.28	
13 0404 1.47 0921 2.84 WE 1630 0.73 2230 2.77		28 0517 1.43 1014 2.38 TH 1641 0.79 2318 3.03		13 0535 1.08 1032 2.30 SA 1657 0.65 2319 3.55		28 0704 1.15 1116 1.84 SU 1603 0.84 2344 3.18		13 0629 0.57 1122 2.17 MO 1724 0.51 2350 3.81		28 0700 1.00 1130 1.94 TU 1630 0.80 2337 3.18		13 0014 3.84 0722 0.42 TH 1230 2.40 ● 1838 0.39		28 0643 0.96 1159 2.33 FR 1658 0.74 ○	
14 0446 1.31 1000 2.81 TH 1658 0.67 2300 3.07		29 0557 1.43 1044 2.23 FR 1642 0.79 2339 3.13		14 0626 0.88 1121 2.24 SU 1732 0.61		29 0730 1.18 1139 1.84 MO 1624 0.80 2348 3.16		14 0711 0.46 1206 2.21 TU 1808 0.44 ●		29 0709 1.09 1150 2.01 WE 1650 0.73 2357 3.19		14 0051 3.72 0755 0.55 FR 1306 2.37 1913 0.61		29 0000 3.28 0705 0.95 SA 1230 2.39 1710 0.81	
15 0531 1.17 1042 2.72 FR 1726 0.64 2334 3.34		30 0635 1.43 1110 2.10 SA 1613 0.76 2351 3.19		15 0000 3.71 0717 0.75 MO 1209 2.16 ● 1811 0.63		30 0750 1.23 1202 1.85 TU 1646 0.79 ○		15 0034 3.84 0751 0.46 WE 1249 2.21 1851 0.47		30 0719 1.12 1216 2.06 TH 1704 0.70 ○		15 0126 3.48 0828 0.74 SA 1344 2.29 1942 0.97		30 0025 3.21 0730 0.98 SU 1305 2.41 1732 0.97	
		31 0710 1.44 1135 1.98 SU 1626 0.74 ○ 2359 3.20								31 0021 3.19 0740 1.14 FR 1246 2.07 1720 0.73				31 0049 3.02 0747 1.07 MO 1342 2.37 1759 1.24	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides

◑ Last Quarter

TWIN ISLAND – QUEENSLAND

LAT 10° 27' S LONG 142° 26' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0112 2.70 TU 0626 1.14 1424 2.28 1821 1.60		16 0601 1.06 WE 1411 2.21 1753 2.01 2127 2.33		1 0107 1.84 TH 0553 1.05 1530 2.57		16 0445 0.86 FR 1215 2.39 1650 2.24 2001 2.36		1 0159 0.73 SU 0924 1.97 1216 1.74 1845 3.03		16 0325 0.82 MO 1138 2.32 1440 2.21 1920 2.38		1 0153 0.60 TU 0922 2.07 1300 1.66 1854 2.87		16 0256 1.03 WE 1217 2.33 1412 2.30 1551 2.32	
2 0114 2.28 WE 0633 1.20 1530 2.17 1830 1.98 2101 2.12		17 0530 1.01 TH 1231 2.08 1455 2.05 2116 2.52		2 0537 1.19 FR 1853 2.64		17 0405 0.76 SA 1121 2.33 1504 2.13 2016 2.51		2 0243 0.49 MO 0929 2.17 1342 1.52 1944 3.14		17 0325 0.79 TU 1110 2.23 1431 2.04 1936 2.48		2 0241 0.51 WE 0941 2.33 1431 1.56 1954 2.74		17 0252 0.96 TH 1131 2.30 1445 2.09 1706 2.18	
3 0628 1.28 TH 2050 2.48		18 0435 0.83 FR 1113 2.10 1459 1.89 2112 2.68		3 0304 0.88 SA 0958 2.00 1316 1.73 1958 2.97		18 0352 0.67 SU 1059 2.26 1459 1.96 2030 2.64		3 0317 0.37 TU 0937 2.34 1443 1.30 2028 3.19		18 0328 0.77 WE 1047 2.19 1446 1.86 2000 2.55		3 0318 0.48 TH 1000 2.57 1534 1.45 2045 2.58		18 0301 0.89 FR 1050 2.37 1522 1.86 1958 2.09	
4 0422 1.20 FR 1030 1.86 1352 1.60 2056 2.83		19 0426 0.67 SA 1053 2.10 1512 1.73 2116 2.83		4 0327 0.56 SU 0952 2.15 1418 1.43 2030 3.22		19 0358 0.65 MO 1038 2.20 1500 1.77 2040 2.77		4 0348 0.33 WE 0951 2.51 1530 1.17 2106 3.15		19 0333 0.73 TH 1015 2.26 1515 1.69 2030 2.59		4 0348 0.51 FR 1022 2.80 1627 1.36 2128 2.41		19 0319 0.82 SA 1015 2.59 1601 1.60 2050 2.08	
5 0405 0.83 SA 1014 1.96 1437 1.36 2110 3.15		20 0434 0.60 SU 1039 2.10 1522 1.54 2128 2.97		5 0353 0.37 MO 0953 2.28 1502 1.15 2102 3.40		20 0407 0.66 TU 1024 2.18 1508 1.57 2052 2.88		5 0417 0.37 TH 1015 2.66 1614 1.12 2142 3.03		20 0347 0.69 FR 1004 2.47 1552 1.53 2102 2.59		5 0415 0.56 SA 1048 2.99 1715 1.30 2206 2.23		20 0341 0.74 SU 1017 2.91 1644 1.34 2135 2.08	
6 0424 0.55 SU 1008 2.08 1515 1.10 2132 3.42		21 0447 0.61 MO 1031 2.12 1531 1.35 2140 3.07		6 0420 0.30 TU 1001 2.41 1542 0.92 2135 3.50		21 0415 0.68 WE 1008 2.23 1529 1.40 2112 2.96		6 0443 0.44 FR 1043 2.81 1655 1.14 2215 2.85		21 0408 0.64 SA 1020 2.74 1632 1.37 2140 2.55		6 0432 0.62 SU 1115 3.13 1802 1.26 2241 2.06		21 0407 0.65 MO 1038 3.24 1728 1.08 2220 2.08	
7 0449 0.39 MO 1015 2.22 1552 0.82 2201 3.62		22 0501 0.67 TU 1025 2.16 1546 1.17 2155 3.15		7 0448 0.31 WE 1021 2.54 1619 0.79 2208 3.50		22 0426 0.70 TH 1010 2.37 1558 1.27 2136 3.00		7 0504 0.52 SA 1111 2.93 1733 1.21 2245 2.63		22 0432 0.59 SU 1045 3.04 1715 1.23 2220 2.47		7 0441 0.66 MO 1139 3.20 1847 1.24 2310 1.92		22 0437 0.56 TU 1107 3.52 1815 0.85 2305 2.08	
8 0517 0.32 TU 1034 2.37 1630 0.60 2234 3.73		23 0513 0.75 WE 1030 2.24 1609 1.03 2215 3.19		8 0515 0.37 TH 1048 2.64 1657 0.76 2240 3.41		23 0444 0.68 FR 1030 2.56 1633 1.19 2205 2.99		8 0520 0.60 SU 1137 3.03 1812 1.31 2311 2.40		23 0459 0.56 MO 1115 3.30 1802 1.10 2302 2.34		8 0419 0.67 TU 1158 3.22 1930 1.25 2335 1.81		23 0513 0.50 WE 1144 3.70 1902 0.68 2351 2.05	
9 0547 0.33 WE 1101 2.48 1708 0.47 2309 3.75		24 0525 0.80 TH 1046 2.36 1637 0.94 2238 3.22		9 0541 0.46 FR 1117 2.74 1732 0.84 2311 3.24		24 0506 0.66 SA 1057 2.78 1714 1.13 2237 2.92		9 0523 0.66 MO 1159 3.10 1850 1.41 2333 2.17		24 0525 0.57 TU 1150 3.48 1852 1.01 2346 2.18		9 0415 0.65 WE 1204 3.19 2012 1.28 2359 1.71		24 0551 0.49 TH 1226 3.77 1949 0.59	
10 0616 0.39 TH 1133 2.56 1745 0.47 2344 3.66		25 0544 0.80 FR 1112 2.49 1710 0.91 2304 3.22		10 0603 0.56 SA 1146 2.82 1807 1.00 2338 2.99		25 0530 0.64 SU 1129 2.99 1756 1.12 2312 2.79		10 0426 0.65 TU 1212 3.11 1931 1.51 2351 1.93		25 0421 0.64 WE 1229 3.55 1947 0.96		10 0433 0.67 TH 1210 3.13 2058 1.33		25 0038 2.00 FR 0631 0.54 1312 3.75 2037 0.58	
11 0645 0.49 FR 1206 2.60 1819 0.61		26 0606 0.78 SA 1143 2.64 1745 0.95 2332 3.16		11 0622 0.66 SU 1215 2.87 1841 1.23		26 0554 0.66 MO 1201 3.15 1841 1.16 2348 2.57		11 0442 0.67 WE 1222 3.06 2050 1.61		26 0033 1.98 TH 0444 0.70 1314 3.52 2051 0.93		11 0022 1.60 FR 0450 0.75 1227 3.02 2202 1.38		26 0126 1.91 SA 0714 0.68 1400 3.64 2127 0.64	
12 0015 3.46 SA 0712 0.62 1239 2.61 1852 0.88		27 0630 0.78 SU 1215 2.76 1824 1.07		12 0000 2.69 MO 0628 0.79 1238 2.89 1913 1.48		27 0435 0.72 TU 0537 0.74 0607 0.74 1236 3.23 1930 1.24		12 0001 1.67 TH 0455 0.76 1238 2.93		27 0125 1.76 FR 0510 0.84 1411 3.40 2202 0.90		12 0044 1.47 SA 0500 0.82 1247 2.89		27 0216 1.79 SU 0756 0.91 1450 3.44 2221 0.74	
13 0043 3.17 SU 0735 0.79 1310 2.58 1919 1.24		28 0002 2.99 MO 0650 0.84 1250 2.82 1906 1.26		13 0007 2.35 TU 0510 0.80 1254 2.83 1943 1.74 2309 2.02		28 0027 2.27 WE 0453 0.73 1315 3.21 2033 1.34		13 0455 0.85 FR 1251 2.75		28 0229 1.55 SA 0535 1.05 1516 3.25 2318 0.83		13 0507 0.88 SU 1304 2.75		28 0313 1.65 MO 0618 1.20 1542 3.15 2328 0.83	
14 0100 2.77 MO 0746 1.01 1338 2.49 1743 1.53		29 0030 2.71 TU 0527 0.89 1327 2.81 1958 1.51		14 0519 0.83 WE 1305 2.70 1809 1.97 1922 1.98		29 0108 1.91 TH 0515 0.84 1408 3.09 2229 1.33		14 0440 0.88 SA 1244 2.57		29 0352 1.41 SU 0552 1.29 1628 3.10		14 0515 0.94 MO 1318 2.62		29 0428 1.54 TU 0619 1.46 0907 1.64 1007 1.63 1637 2.79	
15 0023 2.35 TU 0601 1.08 1359 2.36 1757 1.79 2306 2.14		30 0059 2.32 WE 0541 0.93 1411 2.71 2129 1.75		15 0517 0.88 TH 1308 2.54 1810 2.15 1949 2.18		30 0205 1.52 FR 0531 1.03 1530 2.94		15 0412 0.87 SU 1209 2.44		30 0043 0.73 MO 0900 1.79 1118 1.67 1744 2.98		15 0509 1.03 TU 1336 2.47		30 0057 0.86 WE 0945 2.05 1221 1.89 1750 2.42	
				31 0047 1.05 SA 0420 1.24 0514 1.23 1715 2.91										31 0209 0.82 TH 1010 2.41 1507 1.75 1929 2.13	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
◑ Last Quarter

THURSDAY ISLAND – QUEENSLAND

LAT 10° 35' S LONG 142° 13' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0515 1.24 1143 3.67 TH 1906 0.80 2348 1.79		16 0028 1.66 0430 1.57 FR 1205 3.41 1945 0.94		1 0028 1.89 0623 1.42 SU 1242 3.90 2011 0.63		16 0005 1.90 0522 1.53 MO 1216 3.42 * 1951 1.11		1 0548 1.42 1140 3.77 SU 1905 0.60		16 0515 1.60 1112 3.33 MO 1842 0.94 2345 2.12		1 0017 2.34 0645 1.62 WE 1204 2.95 1925 1.27		16 0618 1.53 1130 2.89 TH 1849 1.12	
2 0547 1.35 1218 3.81 FR 1950 0.64		17 0012 1.62 0233 1.51 SA 1225 3.39 2012 1.02		2 0057 1.87 0645 1.48 MO 1317 3.78 * 2050 0.82		17 0023 1.94 0342 1.43 TU 1239 3.39 ● 2018 1.22		2 0011 2.10 0620 1.43 MO 1213 3.66 1940 0.82		17 0542 1.54 1136 3.32 TU 1906 1.06		2 0041 2.41 0717 1.74 TH 1221 2.68 ○ 1937 1.49		17 0018 2.70 0704 1.50 FR 1204 2.68 ● 1915 1.27	
3 0030 1.72 0617 1.45 SA 1300 3.86 * 2035 0.59		18 0015 1.64 0301 1.40 SU 1247 3.35 2039 1.13		3 0127 1.83 0400 1.44 TU 1352 3.57 2132 1.05		18 0049 1.98 0406 1.39 WE 1301 3.32 2048 1.33		3 0034 2.11 0646 1.51 TU 1244 3.47 ○ 2013 1.08		18 0005 2.22 0613 1.53 WE 1201 3.26 1933 1.17		3 0103 2.48 0754 1.87 FR 1228 2.39 * 1624 1.58		18 0053 2.86 0756 1.49 SA 1239 2.38 * 1938 1.47	
4 0112 1.64 0330 1.39 SU 1344 3.82 2122 0.65		19 0034 1.66 0332 1.30 MO 1311 3.31 ● 2108 1.24		4 0158 1.77 0420 1.43 WE 1420 3.27 2219 1.27		19 0121 2.01 0428 1.43 TH 1322 3.19 2122 1.44		4 0101 2.12 0357 1.62 WE 1309 3.21 * 2043 1.33		19 0033 2.32 0648 1.57 TH 1228 3.12 ● 2000 1.30		4 0123 2.51 0848 2.00 SA 1112 2.12 * 1626 1.39		19 0133 2.96 0900 1.48 SU 1314 2.01 1620 1.38	
5 0153 1.56 0356 1.33 MO 1426 3.68 2213 0.77		20 0100 1.67 0401 1.24 TU 1332 3.26 2142 1.32		5 0229 1.70 0437 1.48 TH 1439 2.90 2329 1.45		20 0159 2.02 0445 1.56 FR 1341 2.95 2205 1.57		5 0127 2.12 0413 1.67 TH 1324 2.89 2108 1.57		20 0107 2.43 0730 1.66 FR 1255 2.89 * 2028 1.47		5 0136 2.50 0445 2.21 SU 0641 2.28 1631 1.19 2357 2.48		20 0223 2.98 1032 1.40 MO 1348 1.58 1632 1.26	
6 0234 1.45 0420 1.31 TU 1507 3.45 2312 0.91		21 0131 1.65 0427 1.23 WE 1353 3.19 2225 1.37		6 0304 1.63 0445 1.55 FR 1237 2.51 1759 2.14 1925 2.17		21 0242 2.00 0458 1.75 SA 1349 2.60 * 2320 1.71		6 0151 2.12 0430 1.76 FR 1315 2.54 * 2129 1.80		21 0145 2.50 0827 1.80 SA 1319 2.54 * 2051 1.67		6 0446 2.28 0721 2.42 MO 1637 0.99 2337 2.54		21 0338 2.94 1252 1.13 TU 1419 1.15 1622 1.11	
7 0321 1.34 0433 1.30 WE 1546 3.14		22 0210 1.60 0446 1.28 TH 1412 3.07 2340 1.39		7 0139 1.50 1000 2.71 SA 1749 1.82 2119 2.14		22 0347 1.99 0457 1.96 SU 0835 2.43 1744 1.73 2048 2.08		7 0215 2.09 0441 1.88 SA 0908 2.35 1710 1.60 2347 2.06		22 0229 2.52 0957 1.92 SU 1334 2.10 * 1701 1.53		7 0422 2.29 0757 2.56 TU 1641 0.82 2323 2.61		22 0556 2.99 1500 0.77 WE 2224 2.37	
8 0033 1.00 1035 2.43 TH 1115 2.43 1622 2.77		23 0259 1.54 0500 1.39 FR 1430 2.86		8 0251 1.49 1010 2.97 SU 1741 1.47 2229 2.20		23 0131 1.73 0853 2.78 MO 1730 1.44 2201 2.21		8 0439 1.97 0904 2.60 SU 1711 1.32 * 2239 2.24		23 0335 2.50 0504 2.44 MO 0703 2.55 1704 1.32 2228 2.17		8 0343 2.23 0826 2.67 WE 1640 0.70 2319 2.65		23 0130 2.20 0718 3.12 TH 1530 0.49 2235 2.48	
9 0205 1.00 1029 2.70 FR 1453 2.30 * 2000 2.38		24 0113 1.33 1442 2.55 SA 1830 2.19 1940 2.21		9 0333 1.51 1022 3.15 MO 1736 1.15 ● 2314 2.25		24 0228 1.70 0919 3.12 TU 1705 1.07 ○ 2245 2.32		9 0317 1.98 0918 2.81 MO 1710 1.04 2255 2.41		24 0036 2.14 0746 2.87 TU 1626 1.02 2227 2.36		9 0343 2.15 0849 2.78 TH 1637 0.63 2327 2.62		24 0242 2.00 0813 3.21 FR 1602 0.35 ● 2300 2.52	
10 0301 1.00 1045 2.95 SA 1658 1.97 2130 2.21		25 0200 1.27 1002 2.70 SU 1817 1.96 2109 2.16		10 0401 1.56 1032 3.27 TU 1744 0.90 2348 2.24		25 0316 1.65 0946 3.39 WE 1708 0.73 2319 2.34		10 0336 1.93 0932 2.96 TU 1708 0.81 2317 2.51		25 0215 2.04 0828 3.15 WE 1617 0.66 2246 2.48		10 0349 2.07 0906 2.87 FR 1642 0.61 ● 2340 2.52		25 0331 1.82 0856 3.22 SA 1634 0.35 2326 2.50	
11 0340 1.06 1100 3.14 SU 1739 1.61 ● 2241 2.09		26 0240 1.25 1007 3.00 MO 1750 1.63 ● 2218 2.14		11 0422 1.63 1045 3.35 WE 1759 0.75		26 0359 1.60 1012 3.59 TH 1729 0.50 2346 2.28		11 0356 1.90 0946 3.07 WE 1711 0.66 ● 2339 2.52		26 0309 1.89 0905 3.35 TH 1635 0.41 ● 2311 2.50		11 0359 1.98 0919 2.97 SA 1656 0.64 2352 2.39		26 0413 1.69 0932 3.16 SU 1705 0.46 2347 2.45	
12 0409 1.17 1112 3.26 MO 1804 1.31 2331 1.98		27 0318 1.28 1024 3.27 TU 1736 1.26 2309 2.11		12 0016 2.18 0436 1.67 TH 1058 3.39 1818 0.71		27 0437 1.53 1037 3.72 FR 1758 0.41		12 0412 1.87 1000 3.15 TH 1722 0.60 2358 2.43		27 0351 1.74 0936 3.48 FR 1702 0.32 2335 2.44		12 0413 1.87 0938 3.05 SU 1713 0.70 2351 2.26		27 0453 1.62 1005 3.02 MO 1735 0.66 2348 2.44	
13 0427 1.33 1120 3.35 TU 1830 1.09		28 0357 1.33 1043 3.51 WE 1748 0.91 2345 2.05		13 0034 2.06 0447 1.68 FR 1114 3.42 1840 0.75		28 0000 2.18 0514 1.46 SA 1106 3.79 1831 0.45 2358 2.11		13 0425 1.83 1015 3.21 FR 1738 0.62		28 0429 1.61 1006 3.53 SA 1732 0.37 2350 2.33		13 0432 1.76 1000 3.09 MO 1733 0.78 2329 2.23		28 0531 1.61 1037 2.82 TU 1801 0.91 2352 2.50	
14 0010 1.87 0433 1.46 WE 1132 3.40 1855 0.96		29 0435 1.37 1102 3.70 TH 1818 0.65		14 0025 1.94 0459 1.64 SA 1131 3.43 1902 0.86		15 0004 1.88 0512 1.58 SU 1153 3.43 1926 0.98		14 0011 2.29 0439 1.76 SA 1030 3.27 1757 0.70		29 0504 1.53 1036 3.50 SU 1804 0.52 2346 2.27		14 0501 1.66 1028 3.08 TU 1757 0.88 2328 2.34		29 0611 1.62 1105 2.58 WE 1820 1.15	
15 0034 1.76 0430 1.55 TH 1147 3.42 1920 0.91		30 0000 1.97 0513 1.39 FR 1130 3.85 1854 0.52						15 0003 2.15 0455 1.68 SU 1049 3.31 1818 0.82 2344 2.08		30 0539 1.50 1108 3.39 MO 1835 0.75 2356 2.29		15 0537 1.59 1057 3.02 WE 1823 0.99 2348 2.51		30 0010 2.60 0651 1.65 TH 1128 2.33 1827 1.36	
		31 0006 1.92 0550 1.40 SA 1204 3.92 1931 0.52								31 0612 1.54 1139 3.20 TU 1903 1.01					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

○ First Quarter

○ Full Moon

* Extra Tides

● Last Quarter

THURSDAY ISLAND – QUEENSLAND

LAT 10° 35' S LONG 142° 13' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0031 2.70 FR 0734 1.67 1145 2.09 1535 1.39		16 0006 3.05 0715 1.23 SA 1154 2.15 * 1840 1.28		1 0057 2.93 0943 1.22 MO 1227 1.44 1526 1.11		16 0130 3.56 0908 0.56 TU 1337 1.55 1557 1.27		1 0119 2.93 0930 1.10 WE 1256 1.46 1555 1.13		16 0200 3.57 0933 0.56 TH 1407 1.58 1626 1.26		1 0127 2.89 0936 1.28 SA 1345 1.64 1647 1.18		16 0222 2.72 1029 1.26 SU 1450 1.68 1646 1.52	
2 0049 2.77 SA 0824 1.67 1201 1.88 ○ 1539 1.25		17 0045 3.23 0811 1.09 SU 1237 1.90 * 1542 1.32		2 0103 2.87 1037 1.22 TU 1253 1.36 1547 1.06		17 0220 3.53 1001 0.57 WE 1429 1.42 1622 1.25		2 0139 2.86 1007 1.20 TH 1321 1.44 1623 1.09		17 0239 3.37 1024 0.75 FR 1447 1.48 1645 1.28		2 0139 2.78 1016 1.35 SU 1424 1.60 1702 1.29		17 0226 2.28 0545 1.85 MO 0715 1.89 * 1205 1.45 2115 2.33	
3 0101 2.79 SU 1042 1.63 1219 1.67 1549 1.13		18 0130 3.32 0915 0.97 MO 1323 1.63 1600 1.25		3 0056 2.78 1137 1.22 WE 1316 1.28 1609 1.01		18 0310 3.42 1100 0.64 TH 1527 1.28 1640 1.23		3 0150 2.79 1100 1.27 FR 1350 1.39 1646 1.08		18 0316 3.05 1126 0.93 SA 1535 1.38 1655 1.32		3 0152 2.60 1131 1.41 MO 1515 1.56 1712 1.45		18 0536 1.52 0913 1.91 TU 1406 1.48 2136 2.63	
4 0107 2.76 MO 1600 1.02		19 0227 3.32 1026 0.87 TU 1420 1.35 1617 1.21		4 0038 2.70 1249 1.18 TH 1333 1.19 1630 0.99		19 0400 3.22 1211 0.72 FR		4 0204 2.73 1230 1.26 SA 1431 1.32 1704 1.12		19 0349 2.64 1253 1.03 SU 2159 2.27		4 0200 2.33 0615 1.75 TU 0757 1.81 1324 1.38 2135 2.29		19 0530 1.17 1022 2.03 WE 1508 1.48 2157 2.84	
5 0007 2.70 TU 1613 0.92 2345 2.69		20 0330 3.26 1143 0.77 WE		5 0036 2.62 1643 0.99 FR		20 0452 2.94 1338 0.74 SA 2218 2.26		5 0231 2.63 1328 1.18 SU 1536 1.25 1710 1.21		20 0140 2.09 0413 2.18 MO 1418 1.06 * 2216 2.58		5 0615 1.57 0920 1.84 WE 1409 1.35 2137 2.58		20 0522 0.83 1107 2.12 TH 1547 1.49 ○ 2213 2.97	
6 1623 0.84 WE 2345 2.66		21 0438 3.18 1307 0.67 TH 2212 2.21		6 0051 2.52 0213 2.51 SA 0345 2.52 1446 0.98		21 0115 2.07 0602 2.62 SU 1449 0.73 2242 2.49		6 0304 2.47 1404 1.09 MO 2304 2.30		21 0546 1.70 0944 2.01 TU 1515 1.10 ○ 2236 2.82		6 0559 1.34 1022 1.90 TH 1449 1.34 ○ 2153 2.85		21 0526 0.58 1141 2.13 FR 1615 1.52 2226 3.04	
7 0356 2.42 TH 0640 2.46 1625 0.81 2341 2.60		22 0002 2.15 0553 3.09 FR 1436 0.55 2225 2.35		7 0045 2.39 0201 2.38 SU 0457 2.47 1459 0.90 2326 2.36		22 0307 1.92 0824 2.35 MO 1536 0.77 ○ 2306 2.69		7 0157 2.20 0339 2.24 TU 1436 1.04 2234 2.46		22 0534 1.30 1053 1.96 WE 1555 1.17 2253 2.98		7 0531 1.03 1103 1.93 FR 1529 1.33 2212 3.10		22 0540 0.44 1207 2.08 SA 1636 1.55 2241 3.08	
8 0321 2.34 FR 0720 2.54 1602 0.77 2327 2.53		23 0159 2.05 0715 2.98 SA 1527 0.48 ○ 2251 2.47		8 0229 2.22 0720 2.42 MO 1518 0.84 ○ 2318 2.41		23 0421 1.70 0938 2.13 TU 1612 0.88 2326 2.84		8 0637 1.86 0902 1.95 WE 1508 1.03 * 2237 2.67		23 0549 0.97 1143 1.90 TH 1625 1.29 2304 3.07		8 0528 0.70 1133 1.91 SA 1609 1.32 2232 3.32		23 0600 0.41 1224 1.96 SU 1651 1.55 2257 3.10	
9 0314 2.25 SA 0750 2.63 1558 0.73 2330 2.46		24 0310 1.89 0820 2.84 SU 1605 0.52 2320 2.56		9 0309 2.04 0815 2.37 TU 1542 0.83 2317 2.49		24 0524 1.45 1034 1.93 WE 1640 1.05 2337 2.94		9 0425 1.58 1001 1.88 TH 1541 1.07 2245 2.89		24 0610 0.74 1221 1.82 FR 1645 1.41 2316 3.12		9 0553 0.44 1149 1.85 SU 1649 1.28 2300 3.50		24 0622 0.48 1219 1.83 MO 1701 1.51 2315 3.10	
10 0320 2.13 SU 0818 2.71 1609 0.71 ○ 2339 2.40		25 0403 1.77 0908 2.66 MO 1637 0.64 2345 2.63		10 0356 1.82 0900 2.28 WE 1609 0.86 2314 2.63		25 0614 1.21 1115 1.75 TH 1658 1.23 2345 3.01		10 0515 1.21 1040 1.81 FR 1615 1.13 2255 3.13		25 0633 0.61 1247 1.72 SA 1653 1.49 2333 3.14		10 0627 0.30 1150 1.82 MO 1730 1.23 2336 3.62		25 0645 0.62 1202 1.75 TU 1709 1.45 2336 3.10	
11 0338 1.99 MO 0848 2.76 1627 0.73 2343 2.36		26 0453 1.66 0947 2.43 TU 1705 0.83 2355 2.69		11 0446 1.58 0943 2.17 TH 1639 0.95 2309 2.86		26 0652 1.03 1143 1.60 FR 1654 1.38		11 0557 0.87 1105 1.76 SA 1653 1.19 2317 3.36		26 0658 0.59 1240 1.61 SU 1639 1.50 2352 3.13		11 0703 0.27 1207 1.82 TU 1809 1.19		26 0707 0.78 1157 1.75 WE 1714 1.38 2359 3.07	
12 0408 1.84 TU 0919 2.74 1648 0.78 2327 2.40		27 0542 1.57 1021 2.19 WE 1726 1.06 2357 2.77		12 0540 1.31 1027 2.04 FR 1712 1.05 2327 3.12		27 0000 3.07 0726 0.92 SA 1200 1.49 1419 1.42		12 0639 0.59 1136 1.74 SU 1731 1.22 2353 3.54		27 0724 0.66 1224 1.56 MO 1613 1.45		12 0015 3.65 0742 0.37 WE 1235 1.82 1845 1.20		27 0730 0.94 1209 1.80 TH 1533 1.31	
13 0448 1.70 WE 0954 2.67 1715 0.86 2315 2.58		28 0630 1.47 1050 1.96 TH 1734 1.26		13 0632 1.04 1112 1.92 SA 1745 1.17		28 0017 3.08 0757 0.88 SU 1205 1.44 1429 1.33		13 0721 0.42 1213 1.72 MO 1811 1.24		28 0014 3.10 0749 0.78 TU 1216 1.57 1508 1.33		13 0053 3.58 0820 0.54 TH 1307 1.81 * 1915 1.28		28 0019 3.02 0752 1.07 FR 1230 1.87 ○ 1554 1.27	
14 0533 1.54 TH 1031 2.54 1743 0.97 2334 2.82		29 0011 2.87 0718 1.38 FR 1114 1.77 * 1455 1.37		14 0000 3.34 0725 0.79 SU 1200 1.80 * 1817 1.28		29 0037 3.06 0828 0.91 MO 1213 1.44 1456 1.25		14 0034 3.65 0804 0.36 TU 1250 1.70 * 1847 1.26		29 0036 3.06 0815 0.93 WE 1227 1.61 1532 1.23		14 0129 3.39 0900 0.77 FR 1340 1.78 * 1616 1.34		29 0037 2.95 0816 1.18 SA 1300 1.93 1617 1.31	
15 0622 1.38 FR 1112 2.37 1812 1.11		30 0029 2.94 0806 1.30 SA 1134 1.62 1453 1.26		15 0042 3.50 0816 0.63 MO 1247 1.68 * 1530 1.30		30 0059 3.00 0859 0.99 TU 1231 1.46 ○ 1525 1.19		15 0117 3.66 0847 0.42 WE 1329 1.65 * 1603 1.28		30 0058 3.01 0839 1.07 TH 1247 1.64 ○ 1600 1.15		15 0200 3.10 0941 1.02 SA 1414 1.73 1634 1.41		30 0054 2.83 0842 1.29 SU 1333 1.97 1637 1.43	
		31 0045 2.96 0854 1.24 SU 1200 1.52 ○ 1507 1.18								31 0115 2.95 0905 1.19 FR 1313 1.65 1626 1.13				31 0109 2.64 0908 1.42 MO 1412 1.98 1652 1.62	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
● Last Quarter

THURSDAY ISLAND – QUEENSLAND

LAT 10° 35' S LONG 142° 13' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0115 2.34 0524 1.54 TU 1501 1.97 ★ 1702 1.83		16 0456 1.07 1057 2.07 WE 1418 1.92 2042 2.58		1 0455 1.09 1905 2.62		16 0422 0.68 1109 2.52 FR 1511 2.17 1958 2.58		1 0254 0.49 1021 2.39 SU 1402 2.05 1930 3.15		16 0350 0.70 1117 2.61 MO 1512 2.28 1932 2.60		1 0253 0.48 1034 2.58 TU 1439 2.05 1948 2.92		16 0256 0.94 1117 2.65 WE 1505 2.42 ★ 1620 2.43	
2 0014 2.00 0530 1.36 WE 0928 1.78 1231 1.76 2014 2.42		17 0454 0.80 1046 2.26 TH 1510 1.85 2106 2.73		2 0434 0.92 1033 2.18 FR 1340 2.03 1945 2.89		17 0421 0.56 1105 2.57 SA 1524 2.07 2026 2.66		2 0332 0.32 1040 2.48 MO 1459 1.86 2019 3.17		17 0346 0.67 1118 2.58 TU 1518 2.18 2002 2.63		2 0337 0.48 1100 2.75 WE 1543 1.89 2045 2.70		17 0310 0.90 1111 2.72 TH 1529 2.24 ★ 2015 2.31	
3 0532 1.17 1017 1.97 TH 1358 1.71 2042 2.73		18 0451 0.57 1105 2.38 FR 1538 1.79 2125 2.83		3 0356 0.60 1033 2.31 SA 1436 1.87 2024 3.11		18 0420 0.49 1114 2.56 SU 1536 1.99 2045 2.73		3 0407 0.27 1106 2.51 TU 1545 1.72 2101 3.09		18 0356 0.67 1128 2.56 WE 1536 2.07 2032 2.62		3 0413 0.57 1126 2.88 TH 1639 1.75 2131 2.44		18 0329 0.90 1113 2.82 FR 1605 2.02 2057 2.20	
4 0500 0.90 1040 2.10 FR 1446 1.64 2111 3.01		19 0454 0.42 1126 2.39 SA 1559 1.74 2142 2.90		4 0410 0.34 1051 2.35 SU 1519 1.70 2100 3.26		19 0429 0.47 1127 2.48 MO 1548 1.91 2100 2.80		4 0440 0.34 1131 2.52 WE 1630 1.64 2139 2.94		19 0411 0.70 1138 2.55 TH 1603 1.95 2102 2.56		4 0444 0.76 1146 2.98 FR 1732 1.60 2212 2.17		19 0351 0.95 1116 2.94 SA 1649 1.76 2135 2.08	
5 0449 0.58 1104 2.16 SA 1530 1.54 2138 3.23		20 0505 0.37 1145 2.32 SU 1615 1.69 2157 2.95		5 0437 0.21 1115 2.32 MO 1600 1.55 2132 3.33		20 0442 0.51 1140 2.38 TU 1602 1.82 2117 2.84		5 0511 0.52 1147 2.53 TH 1715 1.59 2215 2.71		20 0429 0.76 1139 2.58 FR 1640 1.81 2134 2.46		5 0509 0.99 1154 3.07 SA 1826 1.45 2246 1.91		20 0417 1.03 1115 3.11 SU 1737 1.48 2214 1.97	
6 0504 0.34 1127 2.12 SU 1609 1.44 2204 3.40		21 0523 0.40 1157 2.18 MO 1630 1.63 2212 3.00		6 0507 0.21 1134 2.24 TU 1638 1.45 2206 3.31		21 0458 0.58 1147 2.27 WE 1622 1.74 2141 2.85		6 0539 0.76 1147 2.59 FR 1800 1.58 2247 2.44		21 0451 0.86 1125 2.70 SA 1723 1.66 2210 2.32		6 0524 1.22 1205 3.16 SU 1917 1.32 2316 1.70		21 0447 1.14 1121 3.33 MO 1826 1.20 2256 1.87	
7 0532 0.22 1143 2.04 MO 1647 1.34 2236 3.50		22 0542 0.51 1158 2.04 TU 1645 1.57 2230 3.02		7 0539 0.33 1137 2.19 WE 1716 1.40 2241 3.21		22 0515 0.69 1139 2.22 TH 1648 1.67 2206 2.80		7 0601 1.02 1201 2.70 SA 1846 1.56 2315 2.16		22 0516 0.98 1128 2.90 SU 1811 1.49 2249 2.16		7 0507 1.40 1224 3.21 MO 2005 1.21 ★ 2337 1.55		22 0519 1.24 1145 3.54 TU 1913 0.95 2341 1.79	
8 0605 0.23 1141 1.98 TU 1725 1.26 2311 3.52		23 0601 0.65 1143 1.95 WE 1703 1.51 2251 3.01		8 0611 0.54 1141 2.21 TH 1755 1.42 2315 3.02		23 0535 0.81 1125 2.29 FR 1723 1.61 2233 2.71		8 0613 1.26 1225 2.80 SU 1937 1.54 2336 1.90		23 0544 1.13 1150 3.12 MO 1903 1.31 2331 1.99		8 0236 1.30 1247 3.21 TU 2048 1.16 2357 1.45		23 0300 1.40 0408 1.42 WE 0550 1.35 1223 3.70 2000 0.77	
9 0639 0.35 1151 1.97 WE 1801 1.24 2346 3.44		24 0622 0.80 1136 1.98 TH 1728 1.47 2314 2.97		9 0640 0.79 1202 2.29 FR 1835 1.49 2345 2.75		24 0557 0.93 1135 2.45 SA 1804 1.55 2305 2.57		9 0313 1.32 1248 2.87 MO 2038 1.51 2355 1.68		24 0310 1.31 0434 1.36 TU 0609 1.28 1225 3.30 1959 1.14		9 0253 1.21 1310 3.16 WE 2132 1.14		24 0028 1.72 0316 1.35 TH 1307 3.78 ★ 2048 0.67	
10 0714 0.55 1215 2.00 TH 1837 1.29		25 0643 0.94 1150 2.07 FR 1759 1.46 2337 2.89		10 0704 1.06 1229 2.38 SA 1916 1.58		25 0620 1.07 1200 2.64 SU 1850 1.50 2339 2.38		10 0320 1.18 1309 2.87 TU 2218 1.42		25 0015 1.79 0321 1.25 WE 1308 3.41 ★ 2059 0.99		10 0020 1.39 0314 1.15 TH 1331 3.07 2220 1.17		25 0115 1.63 0342 1.31 FR 1355 3.79 2138 0.66	
11 0020 3.27 0746 0.80 FR 1245 2.03 ★ 1911 1.41		26 0705 1.06 1214 2.19 SA 1837 1.49		11 0008 2.45 0720 1.31 SU 1256 2.45 ★ 2002 1.68		26 0644 1.22 1231 2.82 MO 1942 1.45		11 0015 1.49 0332 1.06 WE 1317 2.82 2330 1.29		26 0102 1.58 0342 1.20 TH 1401 3.43 2202 0.86		11 0045 1.34 0335 1.10 FR 1349 2.95 2318 1.19		26 0203 1.52 0408 1.29 SA 1443 3.70 2233 0.71	
12 0050 3.00 0817 1.06 SA 1315 2.06 ★ 1948 1.59		27 0001 2.76 0729 1.18 SU 1245 2.32 ○ 1920 1.55		12 0022 2.14 0401 1.40 MO 1320 2.49 ★ 2107 1.75		27 0015 2.14 0348 1.30 TU 1309 2.93 ★ 2043 1.39		12 0034 1.31 0345 0.97 TH 1255 2.73		27 0158 1.37 0404 1.17 FR 1501 3.40 2311 0.76		12 0109 1.27 0356 1.06 SA 1243 2.84		27 0256 1.40 0430 1.30 SU 1530 3.52 2339 0.77	
13 0111 2.66 0843 1.32 SU 1344 2.08 ★ 1619 1.72		28 0028 2.56 0749 1.33 MO 1319 2.42 ★ 2014 1.63		13 0024 1.84 0407 1.21 TU 1340 2.48 1642 2.23 1800 2.26		28 0052 1.84 0400 1.19 WE 1357 2.97 2205 1.29		13 0355 0.88 1139 2.68 FR		28 0316 1.17 0415 1.15 SA 1604 3.33		13 0031 1.18 0123 1.18 SU 0414 1.03 1222 2.77		28 1619 3.23 MO	
14 0116 2.28 0901 1.57 MO 1414 2.07 ★ 1633 1.86 1930 2.12		29 0053 2.27 0435 1.38 TU 1400 2.46 ★ 2129 1.70		14 0415 1.03 1345 2.41 WE 1640 2.30 1842 2.38		29 0130 1.49 0417 1.11 TH 1505 2.95		14 0403 0.81 1130 2.66 SA 1505 2.46 1800 2.51		29 0026 0.67 1712 3.23 SU		14 0423 1.01 1218 2.71 MO		29 0100 0.80 1006 2.42 TU 1221 2.31 1716 2.85	
15 0454 1.35 1450 2.02 TU 1633 1.96 2010 2.36		30 0114 1.90 0445 1.24 WE 1457 2.45 1707 2.31 1824 2.34		15 0420 0.85 1129 2.44 TH 1525 2.29 1923 2.48		30 0008 1.05 0216 1.13 FR 0424 1.03 1641 2.96		15 0403 0.75 1125 2.64 SU 1509 2.36 1858 2.55		30 0150 0.56 1015 2.40 MO 1308 2.20 1832 3.09		15 0332 1.00 1203 2.64 TU		30 0216 0.79 1022 2.72 WE 1445 2.16 2004 2.53	
				31 0143 0.76 1026 2.28 SA 1218 2.23 1830 3.06										31 0309 0.81 1045 3.00 TH 1611 1.86 ○ 2134 2.30	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
◑ Last Quarter

HAMMOND ROCK – QUEENSLAND

LAT 10° 30' S LONG 142° 13' E

Tidal Stream Predictions (Rates in knots)

2026

Time Zone -1000

JANUARY

FEBRUARY

MARCH

Slack Time			Maximum Time Rate			Slack Time			Maximum Time Rate			Slack Time			Maximum Time Rate			Slack Time			Maximum Time Rate			
1 TH	0128	0516	4.72	16 FR	0228	0556	4.43	1 SU	0300	0649	6.43	16 MO	0300	0000	-3.31	1 SU	0218	0558	5.83	16 MO	0210	0537	4.90	
	0852	1059	-1.20		0954	1200	-1.16		1039	1301	-1.68		0639	5.80	0941		1218	-1.97	0907		1145	-2.23		
	1313	1639	3.25		1415	1721	2.36		1500	1817	4.07		1023	1244	-1.97		1418	1720	3.07		1418	1720	3.07	
	1940	2238	-3.27		2011	2344	-3.03		2125				1459	1813	3.84		2115				2008	2331	-3.49	
2 FR	0215	0605	5.58	17 SA	0254	0629	5.10	2 MO	0343	0037	-3.55	17 TU	0327	0025	-3.46	2 MO	0257	0011	-3.66	17 TU	0234	0605	5.40	
	0952	1200	-1.31		1027	1232	-1.36		0729	6.62	0708		6.06	0634	6.16		0927	1208	-2.66					
	1410	1728	3.52		1444	1753	2.85		1110	1333	-1.97		1044	1307	-2.19		1005	1246	-2.38		1442	1753	4.03	
	2030	2325	-3.48		1539	1858	4.66		2213				1524	1844	4.51		1459	1815	4.28		2050	2358	-3.66	
3 SA ○	0301	0652	6.14	18 SU		0010	-3.18	3 TU	0422	0116	-3.67	18 WE	0355	0048	-3.57	3 TU ○	0332	0042	-3.80	18 WE	0300	0632	5.68	
	1043	1254	-1.46		0321	0701	5.54		0805	6.47	0735		6.11	0707	6.17		0949	1228	-2.96					
	1500	1814	3.84		1057	1303	-1.49		1141	1402	-2.17		1105	1327	-2.35		1030	1308	-2.67		1507	1826	4.81	
	2122				1511	1824	3.36		2257				1551	1915	5.00		1530	1849	4.93		2130			
4 SU		0014	-3.60	19 MO ●		0035	-3.26	4 WE	0500	0155	-3.65	19 TH	0424	0115	-3.65	4 WE	0405	0108	-3.81	19 TH ●		0024	-3.75	
	0348	0739	6.37		0349	0733	5.74		0840	6.03	0801		6.00	0736	5.94		0330	0659	5.75					
	1128	1341	-1.60		1124	1332	-1.57		1212	1431	-2.24		1130	1346	-2.50		1056	1329	-2.85		1014	1245	-3.18	
	1547	1859	4.13		1538	1855	3.82		1651	2015	5.01		1621	1947	5.23		1600	1922	5.29		1534	1859	5.34	
5 MO		0104	-3.62	20 TU		0100	-3.34	5 TH	0538	0232	-3.47	20 FR	0456	0145	-3.66	5 TH	0436	0133	-3.72	20 FR		0053	-3.77	
	0436	0825	6.28		0419	0804	5.73		0912	5.36	0829		5.76	0801	5.50		0725	5.66						
	1210	1425	-1.70		1149	1358	-1.63		1245	1503	-2.16		1156	1411	-2.62		1351	-2.90	1040		1307	-3.35		
	1632	1945	4.28		1607	1926	4.17		1727	2053	4.61		1654	2023	5.14		1630	1954	5.26		1605	1932	5.56	
6 TU		0159	-3.55	21 WE		0127	-3.43	6 FR	0018	0309	-3.11	21 SA		0222	-3.49	6 FR		0202	-3.50	21 SA		0128	-3.68	
	0525	0911	5.88		0450	0834	5.58		0612	0942	4.53		0530	0858	5.35		0827	4.91	0434		0753	5.39		
	1253	1509	-1.73		1215	1422	-1.71		1318	1537	-1.92		1227	1443	-2.66		1416	-2.78	1109		1335	-3.44		
	1715	2031	4.18		1638	2000	4.34		1802	2130	3.83		1731	2102	4.70		1701	2027	4.83		1640	2010	5.40	
7 WE		0256	-3.38	22 TH		0200	-3.49	7 SA	0057	0345	-2.55	22 SU	0030	0304	-3.05	7 SA		0232	-3.12	22 SU		0206	-3.38	
	0613	0956	5.24		0524	0904	5.34		0643	1009	3.60		0604	0930	4.73		0533	0849	4.21		0510	0825	4.91	
	1337	1553	-1.67		1242	1448	-1.81		1352	1614	-1.57		1300	1522	-2.54		1212	1444	-2.52		1141	1410	-3.38	
	1800	2118	3.77		1714	2036	4.28		1843	2211	2.81		1816	2149	3.95		1732	2100	4.04		1721	2052	4.86	
8 TH		0350	-3.08	23 FR		0238	-3.42	8 SU	0138	0422	-1.83	23 MO	0127	0354	-2.29	8 SU		0303	-2.58	23 MO		0025	-2.81	
	0700	1039	4.43		0600	0935	5.01		0708	1035	2.65		0641	1007	3.91		0557	0911	3.41		0548	0900	4.21	
	1424	1639	-1.52		1314	1523	-1.88		1426	1654	-1.20		1340	1608	-2.29		1230	1510	-2.17		1215	1450	-3.16	
	1848	2208	3.08		1754	2117	3.95		1933	2300	1.73		1916	2252	3.01		1805	2132	3.02		1813	2144	3.97	
9 FR		0439	-2.61	24 SA		0324	-3.13	9 MO ○	0241	0507	-1.00	24 TU ○	0252	0455	-1.28	9 MO	0059	0335	-1.86	24 TU		0129	-1.97	
	0747	1123	3.54		0637	1010	4.57		0726	1100	1.77		0717	1050	2.92		0616	0929	2.59		0630	0939	3.27	
	1515	1728	-1.33		1351	1605	-1.89		1501	1749	-0.91		1428	1707	-1.93		1241	1532	-1.81		1252	1538	-2.75	
	1947	2303	2.22		1842	2207	3.39		2117				2047				1848	2210	1.91		1925	2302	2.95	
10 SA		0529	-2.03	25 SU		0416	-2.58	10 TU		0112	0.96	25 WE		0107	2.37	10 TU		0411	-1.01	25 WE		0300	-0.99	
	0835	1211	2.68		0715	1050	4.00		0509	0616	-0.18		0514	0627	-0.31		0630	0943	1.82		0720	1025	2.19	
	1609	1824	-1.19		1435	1656	-1.85		0727	1125	1.01		0756	1152	1.90		1245	1555	-1.49		1338	1644	-2.24	
	2115				1944	2311	2.72		1553	2005	-0.91		2258				2005	2335	0.91		2111			
11 SU ○		0018	1.44	26 MO ○		0518	-1.80	11 WE	0003	0343	1.54	26 TH		0315	3.06	11 WE ○		0512	-0.12	26 TH ○		0125	2.60	
	0339	0622	-1.38		0758	1137	3.31		0837	0.20	0809		0905	-0.10	0615		0952	1.12	0525		0708	-0.42		
	0927	1310	1.98		1528	1755	-1.79		1426	0.49	0958		1410	1.35	1245		1630	-1.18	0846		1140	1.13		
	1700	1941	-1.23		2109				1714	2200	-1.52		1710	2128	-2.06		2320				1449	1930	-2.06	
12 MO		0231	1.23	27 TU		0052	2.28	12 TH		0108	0434	2.54	27 FR		0424	4.17	12 TH		0307	1.24	27 FR		0301	3.22
	0525	0731	-0.83		0444	0633	-0.96		0919	1100	-0.22	0847		1047	-0.72	0755		0.30	0707	0913		-0.74		
	1031	1433	1.57		0845	1238	2.62		1247	1555	0.83	1236		1556	1.78	1000		0.45	1135	1429		0.91		
	1747	2126	-1.58		1629	1907	-1.82		1820	2238	-2.15	1834		2244	-2.77	1235		2057	-1.43	1645		2128	-2.70	
13 TU		0357	1.83	28 WE		0312	2.81	13 FR		0143	0509	3.58	28 SA		0515	5.15	13 FR		0405	2.22	28 SA		0038	4.06
	0708	0916	-0.59		0923	1129	-0.74		0923	1129	-0.74	0915		1142	-1.41	0838		1129	-0.27	0753		1035	-1.52	
	1149	1537	1.50		1342	1635	1.44		1342	1635	1.44	1344		1655	2.58	1351		1509	0.15	1309		1556	1.59	
	1826	2220	-2.06		1911	2306	-2.67		1911	2306	-2.67	1938		2333	-3.33	1622		2156	-2.15	1817		2235	-3.35	
14 WE		0445	2.68	29 TH		0426	3.94	14 SA		0210	0540	4.53	14 SA		0439	3.24	14 SA		0439	3.24	29 SU		0131	4.73
	0826	1038	-0.70		0837	1020	-0.45		0941	1153	-1.23	0847		1047	-0.72	0835		1059	-0.97	0825		1122	-2.25	
	1256	1617	1.63		1152	1542	2.29		1409	1709	2.21	1236		1556	1.78	1344		1606	1.00	1353		1649	2.49	
	1900	2252	-2.48		1840	2210	-2.51		1955	2333	-3.06	1834		2244	-2.77	1821		2232	-2.76	1921		2322	-3.77	
15 TH		0522	3.59	30 FR		0520	5.04	15 SU		0235	0610	5.29	15 SU		0509	4.16	15 SU		0509	4.16	30 MO		0213	5.10
	0915	1124	-0.93		0930	1134	-0.87		1001	1218	-1.65	0849		1121	-1.65	0849		1121	-1.65	0851		1154	-2.80	
	1341	1650	1.93		1318	1644	2.76		1433	1742	3.04	1358		1645	2.02	1358		1645	2.02	1425		1730	3.37	
	1935	2318	-2.80		1940	2310	-2.97		2036			1920		2303	-3.21	1920		2303	-3.21	2012		2357	-3.92	
31 SA	</																							

© Commonwealth of Australia 2025, Bureau of Meteorology
Positive (+) Direction 59° Negative (-) Direction 239°

Moon Phase Symbols ● New Moon ○ First Quarter ○ Full Moon ○ Last Quarter

HAMMOND ROCK – QUEENSLAND

LAT 10° 30' S LONG 142° 13' E

Tidal Stream Predictions (Rates in knots)

2026

Time Zone -1000

APRIL

	Slack Time	Maximum Time	Rate		Slack Time	Maximum Time	Rate
1	0318	0024	-3.89	16	0232	0550	4.72
WE	0637	0637	5.06	TH	0850	1140	-3.64
	0940	1236	-3.38		1448	1805	4.68
	1520	1833	4.69		2106	2355	-3.67
	2137						
2	0347	0045	-3.77	17	0305	0619	4.80
TH	0700	0700	4.80	FR	0919	1202	-3.88
○	1003	1252	-3.49	●	1519	1842	5.22
	1548	1903	4.97		2152		
	2215						
3	0415	0107	-3.62	18	0341	0649	4.72
FR	0723	0723	4.45	SA	0951	1231	-4.01
	1028	1313	-3.48		1553	1920	5.41
	1615	1933	4.91		2239		
	2250						
4	0442	0134	-3.39	19	0420	0723	4.46
SA	0745	0745	4.01	SU	1025	1306	-4.03
	1049	1336	-3.33		1634	2003	5.23
	1645	2004	4.51		2330		
	2324						
5	0507	0204	-3.04	20	0502	0158	-3.07
SU	0807	0807	3.47	MO	0900	0800	4.02
	1107	1400	-3.10		1100	1346	-3.89
	1716	2036	3.80		1725	2053	4.67
	2357						
6	0532	0234	-2.54	21	0026	0248	-2.52
MO	0829	0829	2.87	TU	0550	0840	3.37
	1120	1422	-2.83		1139	1432	-3.59
	1753	2110	2.90		1828	2157	3.86
7	0031	0306	-1.91	22	0132	0353	-1.85
TU	0556	0847	2.25	WE	0645	0925	2.53
	1130	1443	-2.61		1221	1529	-3.15
	1844	2150	1.92		1949	2331	3.12
8	0116	0343	-1.18	23	0259	0531	-1.31
WE	0621	0906	1.62	TH	0756	1022	1.59
	1137	1506	-2.39		1312	1711	-2.74
	2002	2314	1.06		2130		
9	0245	0446	-0.46	24	0110	2.91	
TH	0656	0929	0.99	FR	0724	0709	-1.25
	1144	1544	-2.10	○	0944	1209	0.83
	2219			●	1425	1929	-2.90
					2313		
10	0146	1.07		25	0230	3.13	
FR	0544	0707	-0.22	SA	0557	0838	-1.62
●	0829	1003	0.30		1158	1412	0.87
	1138	1917	-1.90		1614	2055	-3.30
	2356						
11	0302	1.76		26	0026	0336	3.50
SA	0642	0842	-0.67	SU	0647	0956	-2.28
		1342	-0.16		1305	1535	1.47
		2038	-2.41		1746	2204	-3.65
12	0038	0346	2.59	27	0118	0427	3.78
SU	0709	0945	-1.42	MO	0724	1046	-2.93
	1321	1515	0.66		1345	1630	2.24
	1704	2130	-2.91		1852	2255	-3.81
13	0108	0421	3.37	28	0200	0506	3.85
MO	0732	1025	-2.18	TU	0754	1121	-3.40
	1334	1608	1.74		1417	1712	2.98
	1830	2210	-3.29		1945	2331	-3.77
14	0135	0452	4.02	29	0234	0537	3.77
TU	0757	1055	-2.82	WE	0820	1145	-3.69
	1356	1650	2.86		1445	1745	3.60
	1930	2246	-3.52		2031	2358	-3.62
15	0203	0522	4.47	30	0304	0603	3.59
WE	0823	1119	-3.30	TH	0845	1201	-3.82
	1421	1729	3.87		1513	1816	4.06
	2019	2320	-3.64		2113		

MAY

	Slack Time	Maximum Time	Rate		Slack Time	Maximum Time	Rate
1	0332	0019	-3.45	16	0245	0542	3.62
FR	0625	0625	3.39	SA	0830	1124	-4.25
	0909	1218	-3.86		1507	1831	4.90
	1540	1846	4.31		2142		
	2152						
2	0400	0045	-3.29	17	0329	0018	-3.14
SA	0647	0647	3.18	SU	0620	0620	3.59
○	0932	1240	-3.80	●	0908	1202	-4.32
	1608	1917	4.29		1548	1916	5.14
	2229				2235		
3	0114	-3.09		18	0108	-2.97	
SU	0428	0711	2.91	MO	0415	0700	3.46
	0953	1304	-3.66		0949	1245	-4.28
	1639	1950	4.01		1637	2006	5.04
	2305				2330		
4	0145	-2.80		19	0201	-2.74	
MO	0456	0735	2.60	TU	0505	0745	3.20
	1012	1329	-3.49		1033	1333	-4.13
	1714	2026	3.48		1735	2103	4.64
	2341						
5	0219	-2.41		20	0028	0303	-2.45
TU	0525	0800	2.23	WE	0600	0831	2.80
	1030	1352	-3.34		1121	1430	-3.87
	1757	2104	2.80		1842	2212	4.08
6	0018	0255	-1.95	21	0129	0419	-2.19
WE	0557	0824	1.84	TH	0659	0926	2.25
	1047	1418	-3.23		1211	1548	-3.59
	1850	2151	2.08		1957	2325	3.53
7	0102	0338	-1.47	22	0236	0531	-2.09
TH	0635	0851	1.42	FR	0809	1034	1.63
	1106	1451	-3.10		1307	1738	-3.50
	1958	2302	1.51		2121		
8	0159	0450	-1.11	23	0036	3.10	
FR	0730	0926	0.92	SA	0346	0638	-2.13
	1129	1542	-2.89	○	0941	1203	1.14
	2119			●	1414	1854	-3.53
					2245		
9	0029	1.34		24	0146	2.82	
SA	0316	0618	-1.09	SU	0448	0746	-2.35
	0856	1020	0.38		1126	1333	1.02
	1158	1746	-2.72		1540	2003	-3.50
	2239				2358		
10	0137	1.58		25	0252	2.67	
SU	0433	0727	-1.46	MO	0539	0859	-2.74
○	1127	1228	0.11		1241	1500	1.29
●	1320	1917	-2.89		1708	2115	-3.43
	2334						
11	0231	2.04		26	0056	0346	2.57
MO	0526	0825	-2.05	TU	0619	1001	-3.22
	1226	1412	0.61		1331	1605	1.82
	1555	2015	-3.10		1818	2216	-3.34
12	0015	0316	2.56	27	0143	0430	2.44
TU	0606	0912	-2.70	WE	0653	1044	-3.59
	1258	1523	1.51		1409	1651	2.41
	1740	2106	-3.23		1916	2300	-3.20
13	0051	0355	3.00	28	0222	0502	2.29
WE	0643	0949	-3.29	TH	0723	1112	-3.80
	1328	1617	2.55		1440	1730	2.96
	1852	2155	-3.29		2008	2333	-3.05
14	0128	0430	3.34	29	0255	0529	2.17
TH	0717	1021	-3.74	FR	0749	1132	-3.89
	1359	1704	3.54		1508	1802	3.42
	1952	2244	-3.29		2055		
15	0205	0506	3.55	30	0001	-2.94	
FR	0753	1051	-4.06	SA	0326	0553	2.09
	1431	1748	4.35		0815	1152	-3.90
	2047	2330	-3.24		1535	1835	3.74
					2138		
				31	0031	-2.85	
				SU	0618	2.06	
				○	0841	1216	-3.85
					1604	1909	3.87
					2219		

JUNE

	Slack Time	Maximum Time	Rate		Slack Time	Maximum Time	Rate
1		0105	-2.73	16		0119	-2.66
MO	0424	0645	2.03	TU	0416	0648	2.84
	0907	1243	-3.76		0930	1237	-4.30
	1637	1945	3.78		1641	2011	5.14
	2258				2330		
2		0141	-2.57	17		0216	-2.71
TU	0454	0715	1.98	WE	0506	0738	2.92
	0935	1310	-3.68		1023	1334	-4.24
	1714	2022	3.49		1737	2105	4.91
	2334						
3		0217	-2.36	18		0315	-2.75
WE	0524	0743	1.91	TH	0556	0830	2.88
	1003	1338	-3.64		1116	1444	-4.15
	1756	2102	3.07		1837	2201	4.46
4		0255	-2.14	19		0409	-2.77
TH	0557	0813	1.79	FR	0649	0927	2.64
	1034	1410	-3.64		1209	1605	-4.08
	1842	2145	2.62		1941	2256	3.84
5		0338	-1.97	20		0501	-2.76
FR	0635	0846	1.60	SA	0749	1027	2.22
	1107	1450	-3.62		1301	1711	-3.95
	1931	2233	2.24		2048	2351	3.12
6		0429	-1.91	21		0554	-2.74
SA	0724	0929	1.32	SU	0903	1132	1.68
	1144	1545	-3.53		1358	1808	-3.66
	2025	2323	1.99		2200		
7		0525	-2.02	22		0048	2.39
SU	0827	1025	0.98	MO	0339	0650	-2.75
	1230	1700	-3.40		1035	1247	1.20
	2120				1505	1905	-3.25
					2314		
8		0015	1.90	23		0151	1.78
MO	0257	0619	-2.29	TU	0427	0754	-2.85
	0949	1145	0.75		1206	1419	1.05
	1336	1813	-3.28		1627	2010	-2.83
	2216						
9		0105	1.94	24		0256	1.37
TU	0350	0710	-2.69	WE	0509	0908	-3.08
	1113	1313	0.89		1315	1540	1.37
	1514	1914	-3.14		1745	2130	-2.54
	2310						
10		0157	2.06	25		0349	1.14
WE	0442	0759	-3.14	TH	0546	1007	-3.37
	1213	1438	1.44		1400	1634	1.91
	1701	2013	-2.96		1856	2235	-2.44
11		0247	2.20	26		0429	1.03
TH	0530	0845	-3.56	FR	0619	1045	-3.59
	1258	1551	2.32		1434	1716	2.51
	1826	2115	-2.78		1957	2320	-2.43
12		0338	2.33	27		0500	1.05
FR	0615	0930	-3.90	SA	0652	1113	-3.72
	1338	1649	3.28		1502	1753	3.09
	1937	2220	-2.66		2048	2357	-2.48
13		0427	2.46	28		0529	1.18
SA	0700	1013	-4.13	SU	0727	1138	-3.79
	1418	1740	4.12		1530	1827	3.57
	2042	2322	-2.62		2133		
14		0514	2.57	29		0030	-2.56
SU	0747	1058	-4.26	MO	0357	0600	1.40
	1501	1829	4.75		0803	1205	-3.82
	2142				1558	1901	3.88
					2214		
15		0022	-2.62	30		0105	-2.60
MO	0326	0600	2.71	TU	0421	0630	1.66
	0837	1145	-4.31		0843	1234	-3.82
	1548	1918	5.09		1629	1937	3.98
	2237				2249		

HAMMOND ROCK – QUEENSLAND

LAT 10° 30' S LONG 142° 13' E

Tidal Stream Predictions (Rates in knots)

2026

Time Zone -1000

JULY

	Slack Time	Maximum Time	Rate		Slack Time	Maximum Time	Rate
1	0445	0139	-2.60	16	0453	0212	-3.02
WE	0922	0701	1.91	TH	1020	0734	3.25
	1701	1303	-3.83		1725	1343	-4.38
	2321	2013	3.89		2355	2048	5.11
2	0511	0212	-2.57	17	0536	0253	-3.18
TH	1000	0733	2.13	FR	1113	0823	3.46
	1737	1333	-3.87		1816	1445	-4.38
	2350	2047	3.65		2131	2131	4.60
3	0539	0243	-2.55	18	0622	0334	-3.25
FR	1037	0806	2.27	SA	1200	0912	3.35
	1814	1406	-3.93		1909	1540	-4.24
		2121	3.34		2215	2215	3.85
4	0017	0314	-2.57	19	0112	0415	-3.19
SA	0614	0841	2.28	SU	0715	1000	2.88
	1115	1445	-3.96		1246	1629	-3.90
	1853	2154	3.03		2003	2256	2.94
5	0046	0347	-2.67	20	0148	0500	-3.04
SU	0655	0921	2.12	MO	0817	1053	2.14
	1154	1530	-3.89		1333	1715	-3.37
	1934	2229	2.74		2102	2339	1.98
6	0118	0428	-2.80	21	0224	0549	-2.83
MO	0747	1011	1.83	TU	0941	1158	1.31
	1238	1625	-3.67	○	1428	1807	-2.72
	2019	2308	2.46		2215		
7	0155	0515	-2.97	22	0255	0648	-2.68
TU	0852	1112	1.48	WE	1129	1338	0.80
	1333	1726	-3.30		1546	1911	-2.10
	2110	2352	2.15		2355		
8	0238	0605	-3.16	23	0321	0134	0.38
WE	1012	1230	1.28	TH	0811	0811	-2.70
○	1457	1829	-2.83		1302	1520	1.01
	2209				1723	2046	-1.74
9	0327	0044	1.83	24	0219	0303	0.07
TH	1130	0700	-3.35	FR	0345	0938	-2.98
	1645	1410	1.51		1352	1621	1.65
	2317	1938	-2.35		1849	2227	-1.81
10	0422	0145	1.56	25	0318	0400	0.09
FR	1233	0757	-3.55	SA	0441	1028	-3.30
	1822	1543	2.30		1423	1704	2.40
		2059	-2.05		1955	2321	-2.07
11	0030	0257	1.46	26	0328	0440	0.33
SA	0520	0856	-3.75	SU	0550	1100	-3.58
	1326	1646	3.31		1448	1740	3.13
	1943	2226	-2.03		2044	2356	-2.36
12	0140	0404	1.59	27	0336	0513	0.74
SU	0621	0954	-3.94	MO	0651	1129	-3.78
	1414	1739	4.22		1514	1814	3.74
	2049	2340	-2.23		2123		
13	0238	0502	1.91	28	0347	0025	-2.62
MO	0723	1050	-4.10	TU	0745	0545	1.27
	1500	1829	4.89		1539	1157	-3.91
	2144				2157	1845	4.17
14	0327	0038	-2.50	29	0402	0054	-2.81
TU	0826	0554	2.36	WE	0833	0617	1.83
●	1546	1145	-4.23		1606	1226	-3.98
	2231	1916	5.28		2226	1917	4.36
15	0411	0128	-2.77	30	0421	0122	-2.94
WE	0925	0645	2.84	TH	0917	0649	2.37
	1635	1241	-4.32	○	1635	1254	-4.02
	2315	2003	5.35		2252	1947	4.34
				31	0444	0147	-3.01
				FR	0958	0721	2.80
					1705	1321	-4.06
					2315	2016	4.17

AUGUST

	Slack Time	Maximum Time	Rate		Slack Time	Maximum Time	Rate
1	0510	0210	-3.08	16	0549	0245	-3.62
SA	1036	0753	3.07	SU	1144	0846	3.88
	1737	1350	-4.09		1828	1500	-4.02
	2340	2044	3.93		2123	2123	3.58
2	0542	0231	-3.19	17	0635	0321	-3.46
SU	1114	0827	3.14	MO	1224	0928	3.28
	1811	1425	-4.07		1912	1541	-3.53
		2111	3.63		2155	2155	2.67
3	0006	0300	-3.32	18	0730	0400	-3.16
MO	0620	0905	2.97	TU	1304	1014	2.36
	1152	1506	-3.89		2000	1623	-2.88
	1848	2142	3.27		2224	2224	1.70
4	0034	0335	-3.42	19	0847	0442	-2.79
TU	0708	0950	2.57	WE	1351	1110	1.34
	1236	1555	-3.50		2101	1713	-2.13
	1930	2216	2.81		2254	2254	0.75
5	0105	0419	-3.43	20	0055	0536	-2.45
WE	0810	1045	2.03	TH	1048	1300	0.61
	1333	1652	-2.88	○	1511	1825	-1.44
	2021	2259	2.20		2329	2329	-0.10
6	0141	0512	-3.38	21	0713	0713	-2.32
TH	0930	1206	1.56	FR	1245	1502	0.87
○	1501	1801	-2.16		1715	2026	-1.17
	2126	2350	1.52				
7	0223	0615	-3.31	22	0145	0145	-0.71
FR	1104	1416	1.71	SA	0909	0909	-2.65
	1658	1932	-1.60		1332	1605	1.62
	2258				1849	2236	-1.53
8	0103	0103	0.92	23	0337	0337	-0.52
SA	0319	0730	-3.32	SU	1004	1004	-3.13
	1224	1545	2.62		1400	1645	2.47
	1840	2127	-1.56		1945	2315	-2.04
9	0045	0245	0.76	24	0420	0420	-0.01
SU	0440	0853	-3.51	MO	1038	1038	-3.55
	1323	1645	3.67		1717	1717	3.27
	1955	2256	-1.95		2024	2336	-2.51
10	0158	0405	1.14	25	0320	0454	0.70
MO	0605	1005	-3.81	TU	0630	1108	-3.87
	1411	1735	4.54		1446	1747	3.92
	2049	2354	-2.44		2055		
11	0244	0504	1.80	26	0000	0000	-2.92
TU	0720	1103	-4.10	WE	0321	0527	1.52
	1455	1820	5.12		0732	1136	-4.06
	2131				1509	1816	4.36
12	0037	0037	-2.87	27	0024	0024	-3.23
WE	0320	0554	2.56	TH	0331	0600	2.32
	0825	1157	-4.30		0823	1203	-4.13
	1537	1901	5.38		1533	1845	4.56
	2209				2145		
13	0112	0112	-3.22	28	0047	0047	-3.43
TH	0355	0640	3.30	FR	0349	0630	3.03
●	0922	1247	-4.43	○	0907	1230	-4.13
	1619	1940	5.31		1600	1912	4.56
	2244				2209		
14	0143	0143	-3.47	29	0107	0107	-3.55
FR	0430	0723	3.85	SA	0411	0702	3.55
	1013	1334	-4.44		0947	1256	-4.10
	1701	2016	4.96		1627	1937	4.43
	2316				2233		
15	0214	0214	-3.62	30	0124	0124	-3.66
SA	0509	0805	4.07	SU	0438	0734	3.85
	1100	1418	-4.32		1027	1326	-4.03
	1745	2051	4.36		1658	2001	4.20
	2348				2258		
				31	0145	0145	-3.79
				MO	0510	0808	3.87
					1106	1400	-3.87
					1731	2030	3.88
					2324		

SEPTEMBER

	Slack Time	Maximum Time	Rate		Slack Time	Maximum Time	Rate
1		0215	-3.87	16		0259	-3.29
TU	0548	0847	3.60	WE	0649	0938	2.45
	1148	1442	-3.53		1240	1537	-2.36
	1810	2100	3.42		1900	2121	1.58
	2352				2343		
2		0251	-3.85	17		0331	-2.86
WE	0637	0932	3.06	TH	0759	1030	1.41
	1238	1530	-2.95		1327	1627	-1.61
	1854	2137	2.77		1951	2142	0.74
					2330		
3	0022	0336	-3.68	18		0407	-2.46
TH	0742	1032	2.34	FR	0953	1228	0.67
	1345	1632	-2.17		1454	1754	-0.96
	1950	2220	1.94			2157	-0.05
4	0054	0430	-3.39	19		0542	-2.16
FR	0910	1220	1.81	SA	1204	1432	0.94
●	1529	1803	-1.43	●	1714	2003	-0.89
	2112	2315	1.02			2210	-0.76
5	0130	0548	-3.10	20		0818	-2.47
SA	1057	1427	2.24	SU	1254	1534	1.68
	1729	2013	-1.28		1833	2212	-1.42
	2329						
6		0058	0.33	21		0254	-0.81
SU	0232	0746	-3.14	MO		0916	-3.00
	1220	1541	3.18		1323	1612	2.49
	1855	2154	-1.75		1915	2233	-2.08
7	0123	0302	0.51	22		0347	-0.07
MO	0432	0925	-3.57	TU		0957	-3.48
	1317	1636	4.10		1346	1643	3.25
	1949	2300	-2.42		1945	2256	-2.70
8	0205	0414	1.24	23	0243	0426	0.87
TU	0612	1030	-4.00	WE	0610	1030	-3.82
	1402	1721	4.75		1408	1711	3.85
	2030	2343	-3.00		2011	2319	-3.23
9	0236	0505	2.14	24	0243	0501	1.87
WE	0724	1119	-4.27	TH	0715	1100	-4.00
	1443	1800	5.09		1430	1738	4.26
	2103				2034	2343	-3.63
10		0015	-3.43	25	0256	0535	2.82
TH	0305	0548	3.04	FR	0806	1129	-4.03
	0822	1159	-4.38		1454	1804	4.47
	1519	1836	5.11		2059		
	2133						
11		0041	-3.74	26		0002	-3.88
FR	0335	0628	3.79	SA	0315	0608	3.60
●	0913	1233	-4.35	●	0851	1157	-3.96
	1556	1908	4.88		1519	1830	4.50
	2202				2123		
12		0103	-3.94	27		0019	-4.05
SA	0406	0704	4.28	SU	0339	0641	4.15
	1000	1308	-4.21	○	0934	1227	-3.84
	1631	1936	4.47		1548	1854	4.40
	2230				2149		
13		0128	-4.01	28		0039	-4.17
SU	0440	0742	4.40	MO	0407	0715	4.42
	1043	1344	-3.96		1017	1300	-3.66
	1708	2004	3.91		1620	1922	4.19
	2258				2217		
14		0156	-3.92	29		0105	-4.24
MO	0517	0818	4.10	TU	0441	0752	4.38
	1123	1419	-3.57		1101	1340	-3.36
	1744	2030	3.23		1657	1953	3.83
	2321				2246		
15		0227	-3.67	30		0139	-4.21
TU	0600	0857	3.41	WE	0523	0834	4.03
	1200	1457	-3.04		1151	1425	-2.88
	1821	2057	2.44		1739	2029	3.27
	2338				2318		

HAMMOND ROCK – QUEENSLAND

LAT 10° 30' S LONG 142° 13' E

Tidal Stream Predictions (Rates in knots)

2026

Time Zone -1000

OCTOBER

NOVEMBER

DECEMBER

Slack Time Maximum Time Rate			Slack Time Maximum Time Rate			Slack Time Maximum Time Rate			Slack Time Maximum Time Rate			Slack Time Maximum Time Rate			Slack Time Maximum Time Rate		
1	0616	0219 -4.03	16	0715	0238 -3.02	1	0031	0415 -3.13	16	0842	0327 -2.67	1	0200	0606 -3.13	16	0038	0415 -2.64
TH	0927	3.40	FR	1007	1.75	SU	0846	1232 3.36	MO	1212	1.85	TU	0930	1305 3.83	WE	0807	1142 2.66
	1252	1519 -2.21		1323	1556 -1.22		1611	1843 -1.37		1547	1812 -0.79		1645	1915 -1.77		1518	1751 -1.19
	1830	2109 2.51		1853	2058 0.95		2110	2324 0.92		2020	2158 0.46		2202			2015	2258 1.32
	2350			2254			2348										
2	0729	0307 -3.70	17	0842	0305 -2.70	2	0139	0634 -3.13	17	0951	0527 -2.47	2	0325	0048 1.61	17	0137	0530 -2.33
FR	1044	2.68	SA	1147	1.13	MO	1018	1348 3.53	TU	1315	1.97	WE	0715	-3.00	TH	0855	1230 2.59
	1414	1639 -1.48		1449	1731 -0.73		1722	2000 -1.79		1645	1915 -1.16		1044	1412 3.58		1605	1846 -1.55
	1938	2157 1.59		2007	2120 0.28		2315			2251	2357 0.11		1735	2026 -2.17		2147	
			2232									2335					
3	0025	0409 -3.26	18	1035	0345 -2.39	3	0317	0122 0.83	18	0054	0652 -2.54	3	0456	0221 1.77	18	0033	1.19
SA	0903	1245 2.46	SU	1331	1.21	TU	0755	-3.39	WE	1048	1406 2.29	TH	0824	-2.79	FR	0314	0638 -2.01
	1602	1846 -1.19		1648	1915 -0.79		1133	1454 3.81		1488	1512 3.41		0946	1322 2.63			
	2121	2306 0.65		2156	-0.38		1813	2112 -2.41		1815	2133 -2.68		1651	1940 -2.01			
4	0109	0610 -2.97	19	1145	0705 -2.41	4	0031	0250 1.33	19	0007	0150 0.49	4	0042	0339 2.30	19	0217	1.61
SU	1046	1416 2.95	MO	1437	1.73	WE	0500	0904 -3.58	TH	0328	0750 -2.64	FR	0613	0935 -2.57	SA	0509	0744 -1.71
	1741	2025 -1.53		1752	2031 -1.29		1231	1547 4.02		1132	1450 2.71		1241	1600 3.25		1042	1416 2.76
						1851	2209 -3.06	1757	2057 -2.41	1757	2057 -2.41	1851	2224 -3.15	1736	2031 -2.50		
5	0004	0129 0.28	20		0133 -0.67	5	0117	0356 2.10	20	0040	0306 1.34	5	0130	0434 2.96	20	0016	0342 2.54
MO	0245	0815 -3.32	TU	0811	-2.81	TH	0615	1004 -3.62	FR	0523	0841 -2.68	SA	0719	1033 -2.37	SU	0639	0851 -1.49
	1205	1524 3.66		1224	1521 2.38		1317	1630 4.05		1210	1528 3.13		1137	1511 2.96			
	1842	2145 -2.21		1828	2126 -1.98		1923	2249 -3.56		1828	2135 -3.03		1923	2300 -3.44		1820	2118 -2.94
6	0113	0307 0.81	21	0221	0258 0.08	6	0154	0445 2.89	21	0110	0403 2.39	6	0209	0517 3.58	21	0102	0440 3.64
TU	0451	0929 -3.78	WE	0334	0859 -3.19	FR	0716	1050 -3.51	SA	0639	0930 -2.65	SU	0816	1115 -2.17	MO	0753	1000 -1.39
	1300	1615 4.26		1252	1555 3.02		1356	1705 3.93		1245	1603 3.49		1232	1602 3.20			
	1924	2240 -2.92		1855	2202 -2.70		1952	2318 -3.88		1900	2205 -3.52		1953	2325 -3.56		1904	2202 -3.29
7	0148	0410 1.68	22	0149	0349 1.09	7	0226	0525 3.58	22	0139	0450 3.42	7	0241	0554 4.09	22	0144	0529 4.66
WE	0617	1025 -4.09	TH	0546	0939 -3.45	SA	0810	1124 -3.28	SU	0742	1018 -2.57	MO	0908	1147 -2.02	TU	0858	1104 -1.41
	1345	1659 4.60		1317	1625 3.56		1429	1733 3.72		1432	1734 2.89		1326	1650 3.45			
	1958	2318 -3.49		1920	2231 -3.32		2019	2339 -4.03		2022	2345 -3.58		1950	2245 -3.54			
8	0217	0458 2.59	23	0159	0431 2.18	8	0256	0600 4.09	23	0210	0532 4.31	8	0311	0628 4.46	23	0225	0615 5.49
TH	0721	1109 -4.18	FR	0655	1016 -3.55	SU	0858	1152 -3.03	MO	0839	1105 -2.44	TU	0954	1217 -1.92	WE	0955	1200 -1.48
	1422	1734 4.65		1343	1653 3.95		1459	1758 3.51		1359	1712 3.88		1418	1736 3.72			
	2028	2346 -3.86		1945	2256 -3.78		2045	2357 -4.06		2009	2303 -4.06		2039	2328 -3.70			
9	0245	0537 3.42	24	0217	0510 3.18	9	0325	0633 4.38	24	0243	0615 4.97	9	0340	0007 -3.53	24	0308	0700 6.04
FR	0815	1143 -4.08	SA	0749	1051 -3.51	MO	0942	1221 -2.79	TU	0934	1151 -2.29	WE	1036	0701 4.66	TH	1046	1253 -1.56
	1457	1805 4.49		1409	1720 4.16		1527	1821 3.29		1439	1749 3.93		1510	1822 3.97			
	2055			2013	2315 -4.08		2111			2047	2338 -4.15		2122			2129	
10	0314	0006 -4.09	25	0241	0547 4.00	10	0355	0019 -3.99	25	0320	0658 5.36	10	0410	0033 -3.43	25	0355	0015 -3.78
SA	0902	0613 4.05	SU	0839	1126 -3.39	TU	1025	0707 4.43	WE	1029	1239 -2.11	TH	0736	4.66	FR	0355	0748 6.30
	1528	1831 4.21		1438	1747 4.24		1523	1830 3.88		1116	1325 -1.71		1136	1345 -1.64			
	2121			2041	2336 -4.27		2129			1600	1858 2.90		1600	1909 4.16			
						2136					2152		2220				
11	0344	0025 -4.20	26	0309	0624 4.58	11	0428	0046 -3.81	26	0404	0746 5.47	11	0443	0102 -3.31	26	0105	-3.79
SU	0946	0646 4.41	MO	0928	1202 -3.21	WE	0742	4.21	TH	0746	5.47	FR	0813	4.45	SA	0446	0838 6.25
	1559	1856 3.85		1511	1816 4.19		1107	1329 -2.25		1126	1331 -1.90		1156	1401 -1.53		1224	1439 -1.69
	2146			2112			1626	1915 2.76		1612	1913 3.71		1628	1927 2.83		1648	1958 4.21
						2200					2221		2312				
12	0415	0048 -4.18	27	0341	0002 -4.37	12	0503	0115 -3.56	27	0457	0104 -4.00	12	0518	0130 -3.21	27	0202	-3.71
MO	1028	0720 4.43	TU	0701	4.86	TH	0819	3.77	FR	0841	5.31	SA	0851	4.09	SU	0930	5.93
	1630	1313 -3.34		1016	1243 -2.95		1149	1406 -1.88		1224	1432 -1.66		1235	1439 -1.31		1314	1532 -1.71
	2210	1920 3.43		1548	1850 4.01		1656	1943 2.39		1704	2000 3.42		1658	1957 2.69		1738	2049 4.04
13	0449	0115 -4.02	28	0418	0036 -4.36	13	0545	0143 -3.31	28	0556	0156 -3.77	13	0557	0200 -3.13	28	0004	0310 -3.55
TU	1107	0756 4.11	WE	0744	4.84	FR	0901	3.17	SA	0944	4.96	SU	0931	3.65	MO	0634	1021 5.38
	1701	1347 -2.95		1108	1329 -2.60		1234	1447 -1.45		1327	1548 -1.47		1313	1519 -1.11		1405	1625 -1.68
	2230	1946 2.91		1630	1927 3.67		1729	2010 1.96		1801	2052 2.97		1730	2028 2.47		1830	2145 3.62
			2221		2241				2355		2321						
14	0529	0144 -3.72	29	0506	0115 -4.23	14	0635	0211 -3.09	29	0702	0300 -3.47	14	0638	0234 -3.05	29	0058	0419 -3.28
WE	1147	0832 3.47	TH	0833	4.51	SA	0953	2.53	SU	1051	4.55	MO	1013	3.22	TU	0731	1113 4.66
	1734	1424 -2.46		1206	1420 -2.14		1326	1539 -1.02		1435	1702 -1.43		1352	1604 -0.98		1500	1719 -1.64
	2246	2012 2.30		1719	2008 3.15		1807	2037 1.50		1906	2155 2.40		1810	2102 2.15		1930	2248 3.00
15	0615	0212 -3.37	30	0200	-3.96	15	0243	-2.90	30	0052	0440 -3.22	15	0721	0315 -2.90	30	0159	0520 -2.87
TH	0914	2.63	FR	0936	3.97	SU	1100	2.04	MO	1159	4.16	TU	1056	2.88	WE	1208	3.85
	1230	1504 -1.86		1315	1529 -1.60		1430	1655 -0.74		0815	1809 -1.53		1432	1657 -1.00		1555	1816 -1.60
	1809	2036 1.64		1817	2055 2.45		1900	2109 0.99		2024	2317 1.87		1902	2148 1.74		2049	
2255			2342		2321												
31	0720	0255 -3.56	31	0606	0936 3.97												
SA	1103	3.49	FR	0936	3.97												
	1438	1714 -1.27		1315	1529 -1.60												
	1930	2151 1.64		1817	2055 2.45												
</																	

© Commonwealth of Australia 2025, Bureau of Meteorology

Positive (+) Direction 59° Negative (-) Direction 239°

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

GOODS ISLAND – QUEENSLAND

LAT 10° 33' S LONG 142° 08' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0308 2.45 0554 2.34 TH 1236 3.99 2033 0.90		16 1216 3.73 2117 1.14 FR		1 1308 3.98 2202 0.95 SU		16 1225 3.54 2356 1.34 MO		1 0507 2.82 0631 2.78 SU 1158 3.83 2016 1.02		16 1120 3.40 1950 1.32 MO		1 0546 2.92 1300 2.45 WE 1640 2.71 2345 1.69		16 0434 2.76 1150 2.30 TH 1525 2.47 * 2018 1.76	
2 1305 4.01 2123 0.75 FR		17 1231 3.67 2303 1.16 SA		2 0747 3.12 0823 3.11 MO 1407 3.76 ○		17 1259 3.39 TU ●		2 0609 2.92 0724 2.88 MO 1238 3.56 2300 1.23		17 1148 3.22 2029 1.49 TU		2 0617 2.97 1332 2.06 TH 1809 2.73 ○		17 0455 2.82 1230 1.89 FR 1745 2.58 * ● 2109 2.05	
3 1345 3.98 2242 0.70 SA ○		18 1259 3.59 SU		3 0038 0.97 0815 3.22 TU 0946 3.16 1627 3.57		18 0053 1.32 1047 3.23 WE 1452 3.19 * 1559 3.20		3 0651 3.02 0825 2.94 TU 1524 3.26 ○		18 0638 2.83 0731 2.82 WE 1012 3.01 2358 1.58		3 0044 1.88 0639 3.00 FR 1405 1.70 1915 2.79		18 0500 2.93 1310 1.47 SA 1853 2.76	
4 1445 3.90 SU		19 0027 1.14 1335 3.50 MO ●		4 0141 0.99 0845 3.30 WE 1222 3.07 1749 3.42		19 0133 1.34 0846 3.13 TH 1423 2.94 1728 3.13		4 0023 1.29 0726 3.11 WE 1331 2.86 1711 3.13		19 0647 2.89 0854 2.77 TH 1009 2.80 ● 1322 2.64 1645 2.85		4 0128 2.06 0652 3.04 SA 1436 1.40 2016 2.87		19 0008 2.28 0518 3.07 SU 1349 1.08 1957 2.94	
5 0041 0.68 0848 3.28 MO 1020 3.24 1612 3.78		20 0123 1.11 1037 3.37 TU 1206 3.34 1418 3.40		5 0227 1.07 0911 3.39 TH 1514 2.75 1905 3.26		20 0201 1.41 0845 3.20 FR 1458 2.61 1848 3.09		5 0120 1.39 0754 3.18 TH 1425 2.47 1836 3.06		20 0040 1.68 0704 2.98 FR 1350 2.26 1826 2.89		5 0159 2.22 0706 3.10 SU 1505 1.14 2111 2.98		20 0045 2.43 0548 3.23 MO 1430 0.74 2056 3.09	
6 0149 0.66 0918 3.36 TU 1158 3.16 1730 3.65		21 0205 1.09 1034 3.34 WE 1312 3.24 1657 3.30		6 0300 1.22 0930 3.49 FR 1601 2.38 2018 3.12		21 0219 1.52 0851 3.31 SA 1534 2.23 2002 3.08		6 0203 1.54 0815 3.25 FR 1503 2.10 1945 3.02		21 0111 1.82 0718 3.08 SA 1427 1.85 1933 2.98		6 0220 2.33 0726 3.17 MO 1531 0.94 2156 3.09		21 0119 2.51 0627 3.39 TU 1510 0.48 2149 3.19	
7 0241 0.69 0948 3.43 WE 1313 3.02 1842 3.48		22 0237 1.10 1004 3.32 TH 1456 3.07 1805 3.23		7 0322 1.41 0945 3.61 SA 1640 2.02 2125 3.00		22 0228 1.66 0858 3.47 SU 1610 1.82 2105 3.09		7 0233 1.73 0830 3.33 SA 1538 1.75 2046 3.01		22 0133 1.98 0726 3.23 SU 1503 1.43 2033 3.08		7 0244 2.39 0752 3.23 TU 1558 0.79 2234 3.16		22 0157 2.53 0711 3.51 WE 1547 0.32 2236 3.23	
8 0320 0.78 1013 3.50 TH 1536 2.82 1952 3.27		23 0257 1.15 1001 3.37 FR 1556 2.81 1913 3.13		8 0336 1.62 1000 3.73 SU 1712 1.69 2224 2.92		23 0242 1.81 0908 3.68 MO 1643 1.42 2204 3.10		8 0253 1.92 0842 3.44 SU 1607 1.44 2140 3.03		23 0155 2.13 0738 3.42 MO 1539 1.06 2129 3.17		8 0311 2.42 0821 3.26 WE 1623 0.70 2308 3.17		23 0238 2.50 0759 3.57 TH 1622 0.27 2317 3.20	
9 0347 0.94 1032 3.60 FR 1657 2.49 2104 3.05		24 0300 1.24 1003 3.47 SA 1636 2.49 2028 3.04		9 0351 1.83 1015 3.83 MO 1741 1.41 ● 2318 2.85		24 0310 1.97 0927 3.88 TU 1714 1.09 ● 2300 3.09		9 0308 2.07 0858 3.54 MO 1634 1.18 2229 3.07		24 0223 2.25 0804 3.62 TU 1613 0.76 2221 3.23		9 0338 2.44 0847 3.28 TH 1649 0.67 2339 3.12		24 0322 2.45 0848 3.55 FR 1656 0.31 ● 2359 3.12	
10 0403 1.15 1050 3.71 SA 1744 2.16 2214 2.82		25 0301 1.35 1007 3.63 SU 1712 2.11 2140 2.95		10 0412 2.04 1031 3.88 TU 1806 1.21		25 0345 2.15 0952 4.04 WE 1743 0.85 2358 3.02		10 0330 2.19 0917 3.61 TU 1700 1.00 2313 3.08		25 0258 2.33 0837 3.78 WE 1645 0.56 2311 3.21		10 0404 2.46 0909 3.29 FR 1715 0.71 ●		25 0408 2.40 0937 3.43 SA 1730 0.45	
11 0419 1.39 1108 3.81 SU 1824 1.84 ● 2320 2.63		26 0322 1.50 1019 3.82 MO 1745 1.71 ● 2245 2.88		11 0012 2.80 0433 2.25 WE 1048 3.89 1832 1.09		26 0424 2.33 1021 4.12 TH 1814 0.72		11 0356 2.31 0939 3.65 WE 1724 0.89 ● 2354 3.05		26 0337 2.40 0914 3.86 TH 1716 0.48 ●		11 0013 3.03 0427 2.50 SA 0930 3.28 1739 0.79		26 0041 3.03 0457 2.37 SU 1025 3.20 1803 0.68	
12 0436 1.67 1126 3.86 MO 1859 1.57		27 0353 1.73 1038 3.99 TU 1815 1.35 2352 2.80		12 0108 2.74 0450 2.46 TH 1104 3.85 1900 1.05		27 0101 2.91 0503 2.50 FR 1050 4.11 1849 0.72		12 0422 2.42 1000 3.65 TH 1749 0.86		27 0000 3.13 0417 2.45 FR 0951 3.85 1749 0.52		12 0051 2.90 0447 2.53 SU 0954 3.24 1802 0.91		27 0128 2.95 0549 2.35 MO 1116 2.88 1838 0.99	
13 0028 2.49 0452 1.97 TU 1143 3.87 1929 1.36		28 0429 2.01 1100 4.12 WE 1844 1.06		13 0217 2.68 0430 2.63 FR 1118 3.80 1930 1.10		28 0229 2.80 0545 2.65 SA 1122 4.01 1930 0.84		13 0036 2.97 0445 2.53 FR 1016 3.62 1816 0.91		28 0055 3.00 0500 2.50 SA 1028 3.74 1825 0.67		13 0138 2.79 0515 2.54 MO 1023 3.14 1829 1.06		28 0221 2.90 0648 2.31 TU 1307 2.52 1914 1.34	
14 0144 2.42 0450 2.26 WE 1157 3.84 1959 1.22		29 0104 2.71 0504 2.31 TH 1125 4.18 1917 0.87		14 1133 3.73 2005 1.19 SA				14 0125 2.84 0500 2.62 SA 1033 3.58 1845 1.02		29 0202 2.87 0546 2.56 SU 1103 3.52 1904 0.90		14 0241 2.72 0558 2.53 TU 1057 2.94 1900 1.25		29 0315 2.88 1126 2.05 WE 1534 2.32 1949 1.71	
15 1208 3.79 2032 1.15 TH		30 0254 2.66 0538 2.59 FR 1152 4.19 1957 0.80		15 1156 3.65 2050 1.31 SU				15 0237 2.72 0453 2.68 SU 1055 3.51 1915 1.17		30 0356 2.82 0635 2.61 MO 1137 3.22 1947 1.19		15 0352 2.72 0654 2.48 WE 0926 2.67 * 1936 1.48		30 0358 2.88 1221 1.67 TH 1725 2.37 2028 2.06	
		31 1226 4.12 2045 0.84 SA								31 0504 2.87 0730 2.64 TU 1413 2.85 * 2038 1.50					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
◑ Last Quarter

GOODS ISLAND – QUEENSLAND

LAT 10° 33' S LONG 142° 08' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0425 2.88 FR 1259 1.34 1844 2.51 2329 2.33		16 0252 2.99 1130 1.18 SA 1800 2.47 2023 2.27		1 0336 2.85 1319 0.67 MO 2125 2.90		16 0300 3.30 1221 0.34 TU 2029 2.83 2230 2.75		1 0137 2.81 1333 0.65 WE 2145 2.85		16 0342 3.19 1327 0.34 TH 2048 2.77 2323 2.61		1 0329 2.49 0512 2.53 SA 1433 0.78 2146 2.71		16 0258 2.06 0711 2.71 SU 1446 0.85 2101 2.89	
2 0445 2.89 1330 1.08 SA 2000 2.69 ○		17 0327 3.09 1217 0.83 SU 1913 2.71 2128 2.57 ●		2 0017 2.71 0410 2.80 TU 1355 0.62 2149 2.97		17 0403 3.29 1335 0.25 WE 2111 2.91 2358 2.69		2 0032 2.69 0215 2.72 TH 1417 0.64 2211 2.85		17 0517 3.07 1424 0.36 FR 2121 2.83		2 0336 2.30 0632 2.47 SU 1500 0.86 2145 2.74		17 0345 1.64 0824 2.64 MO 1515 1.07 2120 3.00	
3 0025 2.48 0508 2.91 SU 1400 0.89 2103 2.87		18 0405 3.19 1307 0.55 MO 2019 2.90 2347 2.70		3 0105 2.67 0452 2.76 WE 1432 0.59 2216 2.99		18 0515 3.25 1433 0.21 TH 2148 2.95		3 0128 2.61 0458 2.64 FR 1456 0.63 * 2230 2.83		18 0100 2.46 0638 2.95 SA 1509 0.44 2149 2.91		3 0401 2.04 0746 2.44 MO 1515 0.98 2146 2.81		18 0424 1.26 0928 2.58 TU 1533 1.30 2137 3.11	
4 0108 2.56 0536 2.92 1429 0.76 MO 2143 3.00		19 0448 3.28 1357 0.34 TU 2114 3.04		4 0146 2.60 0539 2.74 TH 1508 0.58 2241 2.98		19 0100 2.57 0627 3.17 FR 1521 0.23 2221 2.98		4 0330 2.52 0605 2.59 SA 1527 0.65 2240 2.82		19 0347 2.17 0757 2.80 SU 1544 0.60 2211 3.01		4 0431 1.74 0848 2.42 TU 1515 1.13 2149 2.93		19 0458 0.93 1024 2.54 WE 1547 1.52 2155 3.21	
5 0144 2.58 0609 2.93 TU 1457 0.66 2214 3.09		20 0039 2.69 0540 3.34 WE 1445 0.22 2159 3.10		5 0225 2.54 0624 2.72 FR 1542 0.58 2301 2.95		20 0202 2.42 0740 3.05 SA 1600 0.32 2249 3.02		5 0412 2.38 0706 2.54 SU 1549 0.72 2245 2.84		20 0442 1.79 0911 2.64 MO 1607 0.83 2230 3.13		5 0502 1.40 0945 2.42 WE 1516 1.28 2157 3.09		20 0528 0.67 1117 2.51 TH 1610 1.72 ● 2215 3.25	
6 0216 2.55 0645 2.93 WE 1527 0.60 2241 3.12		21 0127 2.62 0637 3.36 TH 1530 0.17 2237 3.11		6 0301 2.48 0709 2.71 SA 1608 0.60 2317 2.92		21 0326 2.23 0851 2.87 SU 1630 0.49 2313 3.09		6 0449 2.19 0811 2.48 MO 1554 0.82 2248 2.90		21 0526 1.41 1018 2.49 TU 1622 1.09 ● 2250 3.23		6 0531 1.06 1042 2.42 TH 1541 1.47 ● 2213 3.25		21 0553 0.52 1210 2.47 FR 1637 1.91 2234 3.24	
7 0248 2.51 0719 2.93 TH 1557 0.57 2307 3.10		22 0215 2.50 0739 3.31 FR 1609 0.20 2312 3.10		7 0339 2.42 0755 2.68 SU 1623 0.66 2331 2.92		22 0523 1.95 1002 2.64 MO 1652 0.73 ● 2336 3.16		7 0525 1.94 0918 2.40 TU 1545 0.94 2254 3.00		22 0603 1.09 1121 2.35 WE 1641 1.36 2311 3.28		7 0557 0.75 1140 2.39 FR 1614 1.69 2234 3.38		22 0617 0.45 1304 2.40 SA 1705 2.08 2253 3.19	
8 0317 2.48 0750 2.94 FR 1624 0.59 2330 3.04		23 0308 2.38 0842 3.19 SA 1643 0.32 ● 2343 3.08		8 0417 2.32 0846 2.61 MO 1624 0.75 ● 2344 2.94		23 0624 1.64 1114 2.39 TU 1714 1.03		8 0558 1.64 1024 2.32 WE 1601 1.10 ● 2306 3.12		23 0636 0.85 1225 2.23 TH 1704 1.65 2330 3.28		8 0621 0.50 1246 2.34 SA 1651 1.93 2300 3.47		23 0644 0.47 1416 2.33 SU 1729 2.24 2307 3.12	
9 0343 2.46 0820 2.95 SA 1647 0.64 2356 2.98		24 0406 2.26 0944 2.98 SU 1713 0.52		9 0505 2.16 0947 2.48 TU 1636 0.87		24 0001 3.20 0715 1.35 WE 1228 2.17 1736 1.37		9 0627 1.31 1130 2.24 TH 1632 1.34 2325 3.24		24 0705 0.68 1337 2.17 FR 1730 1.93 2345 3.23		9 0649 0.35 1420 2.28 SU 1731 2.15 2328 3.50		24 0713 0.57 2316 3.04 MO	
10 0407 2.44 0853 2.93 SU 1703 0.72 ●		25 0014 3.07 0512 2.13 MO 1050 2.69 1741 0.80		10 0000 2.99 0602 1.92 WE 1101 2.31 1702 1.08		25 0026 3.20 0803 1.11 TH 1357 2.03 1800 1.72		10 0651 0.98 1244 2.17 FR 1708 1.65 2347 3.33		25 0732 0.61 1633 2.18 SA 1746 2.17 2358 3.15		10 0725 0.30 1703 2.35 MO 1816 2.33		25 0746 0.72 2330 2.95 TU	
11 0022 2.91 0436 2.40 MO 0931 2.85 1718 0.83		26 0046 3.07 0648 1.97 TU 1211 2.37 1809 1.14		11 0019 3.05 0657 1.61 TH 1229 2.14 1737 1.37		26 0046 3.16 0850 0.92 FR 1633 2.08 1817 2.05		11 0717 0.68 1426 2.15 SA 1745 1.96		26 0801 0.61 SU		11 0000 3.46 0808 0.35 TU 1815 2.47 1912 2.45		26 0829 0.90 2349 2.83 WE	
12 0050 2.87 0516 2.31 TU 1019 2.67 1743 0.99		27 0119 3.05 0906 1.70 WE 1347 2.12 1836 1.51		12 0044 3.11 0745 1.27 FR 1410 2.07 1815 1.73		27 0104 3.10 0939 0.80 SA		12 0011 3.39 0752 0.47 SU 1656 2.28 1827 2.25		27 0004 3.07 0838 0.67 MO		12 0042 3.34 0903 0.49 WE 1859 2.57 2013 2.53		27 1145 0.96 2211 2.71 TH	
13 0118 2.86 0609 2.16 WE 1132 2.42 1815 1.24		28 0151 3.02 1028 1.38 TH 1610 2.09 1902 1.89		13 0111 3.17 0833 0.94 SA 1645 2.22 1857 2.10		28 0114 3.02 1039 0.73 SU		13 0038 3.42 0835 0.36 MO 1841 2.47 1915 2.47		28 0011 2.99 1025 0.77 TU		13 0134 3.13 1209 0.56 TH 1936 2.65 ● 2122 2.54		28 1243 0.96 2205 2.63 FR ○	
14 0148 2.87 0709 1.94 TH 1346 2.20 * 1852 1.55		29 0218 2.98 1125 1.10 FR 1806 2.26 1923 2.24		14 0139 3.23 0929 0.66 SU 1818 2.46 1944 2.43		29 0105 2.95 1145 0.69 MO		14 0115 3.41 0930 0.35 TU 1932 2.62 ● 2024 2.61		29 0031 2.90 1217 0.77 WE		14 0409 2.93 1315 0.59 FR 2009 2.72		29 0252 2.41 0412 2.43 SA 1325 1.01 2012 2.59	
15 0220 2.92 1043 1.58 FR 1636 2.24 1934 1.92		30 0245 2.94 1207 0.90 SA		15 0212 3.28 1050 0.46 MO 1936 2.68 ● 2048 2.66		30 0110 2.89 1243 0.67 TU 2122 2.83 ○ 2333 2.75		15 0205 3.32 1208 0.37 WE 2012 2.71 2142 2.66		30 0058 2.80 1315 0.75 TH 2204 2.75 ○		15 0047 2.43 0545 2.81 SA 1406 0.68 2038 2.80		30 0242 2.18 0609 2.41 SU 1356 1.11 2016 2.64	
		31 0309 2.89 1245 0.76 SU 2110 2.76 ○ 2315 2.71								31 0042 2.67 0109 2.67 FR 1359 0.74 2207 2.73				31 0300 1.88 0718 2.44 MO 1418 1.26 2026 2.72	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ○ First Quarter ○ Full Moon * Extra Tides ● Last Quarter

GOODS ISLAND – QUEENSLAND

LAT 10° 33' S LONG 142° 08' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0330 1.54 TU 0816 2.49 1431 1.42 2032 2.83		16 0354 0.82 WE 0939 2.70 1455 1.84 2029 3.05		1 0325 0.70 TH 0927 2.83 1408 2.12 1922 3.15		16 0345 0.49 FR 1030 3.02 1449 2.34 1951 3.02		1 0400 0.23 SU 1101 3.15 1452 2.51 2006 3.43		16 0408 0.62 MO 1119 3.19 1529 2.60 1949 2.96		1 0410 0.47 TU 1116 3.37 1535 2.57 2103 3.19		16 0400 0.94 WE 1110 3.37 1705 2.66 2017 2.85	
2 0400 1.19 WE 0911 2.56 1440 1.58 2039 3.00		17 0423 0.60 TH 1027 2.75 1515 1.95 2053 3.11		2 0357 0.45 FR 1015 2.91 1437 2.19 1957 3.30		17 0411 0.44 SA 1102 3.04 1520 2.34 2023 3.01		2 0430 0.26 MO 1136 3.11 1538 2.45 2100 3.33		17 0430 0.69 TU 1140 3.16 1600 2.58 2023 2.90		2 0436 0.65 WE 1142 3.42 1650 2.40 2215 2.90		17 0358 1.04 TH 1120 3.43 1801 2.46 2122 2.69	
3 0430 0.85 TH 1001 2.63 1458 1.73 2055 3.18		18 0448 0.45 FR 1110 2.78 1544 2.04 2119 3.13		3 0428 0.28 SA 1059 2.92 1512 2.23 2036 3.40		18 0437 0.44 SU 1132 3.00 1550 2.35 2049 2.99		3 0500 0.37 TU 1212 3.06 1630 2.39 2153 3.12		18 0445 0.79 WE 1201 3.13 1634 2.53 2101 2.78		3 0503 0.92 TH 1211 3.47 1857 2.15 2338 2.57		18 0406 1.17 FR 1131 3.50 1846 2.20 2239 2.52	
4 0459 0.57 FR 1051 2.66 1528 1.87 2120 3.35		19 0513 0.39 SA 1150 2.75 1614 2.13 2144 3.12		4 0456 0.21 SU 1143 2.87 1551 2.26 2117 3.43		19 0502 0.50 MO 1203 2.91 1617 2.38 2108 2.96		4 0532 0.58 WE 1252 3.02 1729 2.34 2254 2.80		19 0456 0.93 TH 1225 3.11 1718 2.43 2153 2.59		4 0531 1.26 FR 1242 3.50 2028 1.82		19 0428 1.37 SA 1148 3.59 1924 1.89	
5 0526 0.36 SA 1143 2.63 1603 2.01 2150 3.45		20 0537 0.40 SU 1231 2.66 1642 2.22 2203 3.07		5 0526 0.23 MO 1231 2.77 1635 2.29 2159 3.35		20 0526 0.61 TU 1238 2.81 1642 2.41 2128 2.90		5 0605 0.88 TH 1336 3.00 1838 2.24		20 0513 1.11 FR 1248 3.12 2032 2.27 2315 2.34		5 0107 2.31 SA 0559 1.65 1312 3.50 2141 1.50		20 0000 2.37 SU 0457 1.65 1209 3.67 1953 1.57	
6 0552 0.26 SU 1242 2.54 1644 2.14 2223 3.49		21 0603 0.49 MO 1319 2.54 1704 2.30 2217 3.02		6 0559 0.35 TU 1331 2.66 1723 2.32 2239 3.17		21 0547 0.76 WE 1320 2.72 1712 2.42 2151 2.78		6 0036 2.45 FR 0638 1.25 1422 3.00 2229 1.92		21 0539 1.36 SA 1314 3.14 2141 1.95		6 0329 2.21 SU 0622 2.06 1340 3.47 2243 1.22		21 0130 2.29 MO 0527 2.00 1231 3.73 2018 1.25	
7 0623 0.26 MO 1402 2.43 1727 2.26 2257 3.43		22 0631 0.64 TU 1434 2.43 1718 2.37 2231 2.94		7 0635 0.57 WE 1510 2.61 1816 2.34 2320 2.88		22 0608 0.95 TH 1412 2.66 1755 2.40 2209 2.58		7 0243 2.22 SA 0711 1.66 1502 3.01 2337 1.53		22 0122 2.15 SU 0610 1.69 1342 3.19 2227 1.59		7 1404 3.43 MO 2333 1.03		22 0425 2.38 TU 0551 2.35 1256 3.80 2053 0.99	
8 0700 0.36 TU 1626 2.43 1815 2.35 2334 3.28		23 0700 0.83 WE 2247 2.81		8 0715 0.87 TH 1623 2.65 1916 2.33		23 0632 1.17 FR 1510 2.65 1852 2.32 2033 2.39		8 0509 2.28 SU 0745 2.07 1535 3.02		23 0430 2.19 MO 0645 2.06 1412 3.26 2308 1.24		8 1428 3.38 TU		23 1326 3.85 WE 2143 0.80	
9 0744 0.56 WE 1730 2.51 1910 2.42		24 0730 1.03 TH 1751 2.46 1823 2.46 2136 2.66		9 0137 2.51 FR 0757 1.22 1705 2.71		24 0702 1.44 SA 1550 2.68 2350 1.97		9 0025 1.20 MO 0641 2.49 0819 2.43 1601 3.04		24 0604 2.47 TU 0720 2.44 1445 3.34 2348 0.94		9 0017 0.91 WE 1452 3.32		24 1408 3.87 TH 2308 0.69	
10 0016 3.03 TH 0837 0.81 1812 2.59 2010 2.44		25 0803 1.25 FR 1756 2.50 1938 2.45 2126 2.52		10 0004 2.08 SA 0417 2.36 1102 1.55 1735 2.76		25 0400 2.13 SU 0739 1.75 1608 2.74		10 0104 0.95 TU 0814 2.74 1136 2.69 1628 3.06		25 1523 3.44 WE		10 0058 0.85 TH 0930 3.22 1128 3.16 1527 3.26		25 1511 3.86 FR	
11 0257 2.71 FR 1151 0.93 1845 2.67		26 0843 1.46 SA 0941 1.48 1148 1.39 1814 2.56		11 0100 1.67 SU 0600 2.43 1210 1.77 1756 2.81		26 0020 1.60 MO 0548 2.31 0822 2.07 1617 2.84		11 0139 0.78 WE 0907 2.96 1230 2.77 1658 3.06		26 0033 0.70 TH 0838 3.02 0936 3.02 1606 3.52		11 0136 0.83 FR 0944 3.30 1228 3.11 1616 3.20		26 0048 0.62 SA 0906 3.26 1046 3.21 1630 3.81	
12 0051 2.29 SA 0503 2.60 1252 1.06 1915 2.74		27 0132 2.05 SU 0528 2.29 1233 1.52 1832 2.62		12 0140 1.30 MO 0711 2.55 1301 1.98 1810 2.85		27 0055 1.24 TU 0657 2.54 1155 2.38 1640 2.97		12 0211 0.69 TH 0939 3.11 1310 2.78 1732 3.06		27 0124 0.52 FR 0913 3.19 1206 3.03 1657 3.59		12 0214 0.82 SA 1007 3.34 1315 3.03 1707 3.15		27 0155 0.57 SU 0932 3.34 1219 3.11 1743 3.72	
13 0201 1.87 SU 0637 2.58 1340 1.24 1938 2.80		28 0149 1.72 MO 0640 2.41 1306 1.68 1845 2.69		13 0215 0.99 TU 0815 2.69 1337 2.16 1824 2.91		28 0131 0.92 WE 0800 2.78 1230 2.52 1710 3.11		13 0242 0.63 FR 1007 3.20 1346 2.73 1809 3.04		28 0215 0.41 SA 0948 3.28 1256 2.96 1753 3.60		13 0249 0.81 SU 1030 3.35 1400 2.96 1753 3.10		28 0246 0.58 MO 1000 3.41 1326 2.95 1854 3.57	
14 0244 1.47 MO 0745 2.60 1416 1.46 1956 2.87		29 0218 1.36 TU 0740 2.55 1329 1.85 1849 2.80		14 0248 0.76 WE 0910 2.83 1357 2.28 1847 2.97		29 0209 0.64 TH 0857 2.97 1300 2.60 1745 3.26		14 0311 0.60 SA 1033 3.23 1422 2.68 1845 3.02		29 0300 0.36 SU 1021 3.32 1344 2.84 1853 3.55		14 0321 0.82 MO 1048 3.34 1446 2.88 1838 3.04		29 0325 0.66 TU 1023 3.50 1444 2.75 2008 3.35	
15 0321 1.11 TU 0845 2.64 1440 1.67 2010 2.96		30 0251 1.02 WE 0835 2.70 1347 2.00 1857 2.97		15 0318 0.60 TH 0954 2.94 1419 2.33 1917 3.01		30 0247 0.43 FR 0945 3.10 1333 2.61 1828 3.37		15 0341 0.59 SU 1058 3.23 1457 2.63 1919 2.99		30 0338 0.37 MO 1050 3.34 1435 2.71 1957 3.42		15 0346 0.86 TU 1100 3.35 1545 2.80 1925 2.96		30 0350 0.82 WE 1043 3.62 1656 2.44 2124 3.09	
				31 0325 0.29 SA 1025 3.15 1411 2.57 1915 3.44								31 0411 1.05 TH 1104 3.75 1800 2.06 2240 2.83			

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
◑ Last Quarter

BOOBY ISLAND – QUEENSLAND

LAT 10° 36' S LONG 141° 54' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0253 3.06 0653 2.83 TH 1248 4.34 2047 0.90		16 1237 4.02 2134 1.20 FR		1 0649 3.64 0901 3.44 SU 1358 4.27 2221 0.88		16 0715 3.55 0907 3.46 MO 1339 3.79 2237 1.38		1 0518 3.43 0748 3.27 SU 1235 4.07 2055 1.07		16 0523 3.28 0735 3.22 MO 1204 3.61 2031 1.41		1 0521 3.49 1127 2.52 WE 1623 3.32 2258 1.72		16 0353 3.35 0923 2.34 TH 1539 3.08 2116 1.79	
2 0545 3.31 0803 3.19 FR 1328 4.35 2142 0.70		17 0731 3.52 0843 3.50 SA 1310 3.94 2227 1.18		2 0728 3.76 1002 3.40 MO 1523 4.17 2358 0.93		17 0733 3.60 1004 3.40 TU 1513 3.75 ●		2 0612 3.55 0853 3.23 MO 1412 3.89 2200 1.19		17 0554 3.35 0837 3.16 TU 1338 3.48 2120 1.49		2 0545 3.52 1225 2.15 TH 1738 3.32 ○		17 0424 3.44 1140 1.92 FR 1700 3.19 ● 2211 2.03	
3 0655 3.60 0915 3.40 SA 1420 4.33 2242 0.61		18 0749 3.64 0951 3.55 SU 1403 3.88 2332 1.17		3 0800 3.83 1103 3.29 TU 1645 4.10		18 0010 1.35 0751 3.63 WE 1106 3.27 1630 3.74		3 0645 3.63 0956 3.11 TU 1555 3.80 2354 1.29		18 0612 3.40 0937 3.00 WE 1528 3.44 2212 1.58		3 0007 1.92 0601 3.55 FR 1306 1.81 1845 3.34		18 0452 3.55 1223 1.47 SA 1819 3.35 2314 2.26	
4 0744 3.79 1021 3.45 SU 1524 4.29 2352 0.59		19 0815 3.71 1047 3.52 MO 1513 3.84 ●		4 0104 0.97 0828 3.86 WE 1216 3.12 1754 3.99		19 0050 1.36 0803 3.66 TH 1257 3.04 1735 3.74		4 0712 3.68 1136 2.91 WE 1710 3.75		19 0620 3.46 1207 2.72 TH 1646 3.48 ● 2318 1.69		4 0043 2.13 0618 3.58 SA 1342 1.54 1945 3.38		19 0520 3.66 1304 1.06 SU 1930 3.51	
5 0825 3.89 1120 3.40 MO 1631 4.23		20 0032 1.14 0840 3.74 TU 1140 3.45 1618 3.83		5 0146 1.09 0848 3.90 TH 1402 2.87 1858 3.83		20 0116 1.42 0809 3.72 FR 1352 2.73 1836 3.70		5 0045 1.41 0730 3.72 TH 1317 2.58 1815 3.68		20 0624 3.55 1255 2.33 FR 1754 3.53		5 0112 2.33 0639 3.62 SU 1415 1.32 2037 3.42		20 0016 2.45 0550 3.78 MO 1345 0.74 2030 3.63	
6 0104 0.62 0900 3.93 TU 1218 3.29 1738 4.13		21 0115 1.13 0902 3.76 WE 1234 3.35 1715 3.82		6 0219 1.29 0904 3.95 FR 1503 2.57 2000 3.63		21 0135 1.54 0815 3.83 SA 1437 2.38 1939 3.65		6 0121 1.59 0742 3.75 FR 1404 2.26 1916 3.58		21 0019 1.82 0638 3.67 SA 1335 1.92 1900 3.58		6 0140 2.49 0702 3.64 MO 1446 1.16 2125 3.47		21 0106 2.59 0626 3.87 TU 1428 0.53 2126 3.70	
7 0200 0.70 0930 3.95 WE 1324 3.15 1845 3.97		22 0146 1.15 0918 3.78 TH 1337 3.20 1812 3.77		7 0245 1.53 0921 4.03 SA 1553 2.27 2103 3.44		22 0156 1.71 0830 3.98 SU 1520 2.00 2044 3.59		7 0148 1.82 0755 3.82 SA 1445 1.95 2016 3.49		22 0053 2.00 0659 3.81 SU 1415 1.53 2004 3.63		7 0211 2.61 0729 3.65 TU 1519 1.05 2210 3.51		22 0151 2.69 0707 3.92 WE 1513 0.42 2218 3.71	
8 0242 0.84 0955 3.98 TH 1451 2.96 1950 3.74		23 0209 1.21 0928 3.83 FR 1439 2.98 1912 3.66		8 0309 1.81 0940 4.11 SU 1638 1.98 2207 3.28		23 0227 1.93 0852 4.13 MO 1601 1.64 2149 3.55		8 0211 2.06 0813 3.88 SU 1523 1.70 2115 3.44		23 0130 2.20 0724 3.95 MO 1455 1.19 2107 3.67		8 0245 2.70 0757 3.63 WE 1553 0.99 2252 3.52		23 0237 2.74 0753 3.91 TH 1600 0.41 2308 3.67	
9 0316 1.05 1016 4.04 FR 1607 2.70 2057 3.47		24 0227 1.30 0936 3.94 SA 1532 2.69 2017 3.53		9 0332 2.11 1000 4.16 MO 1718 1.73 2311 3.19		24 0303 2.20 0916 4.27 TU 1644 1.32 2256 3.51		9 0235 2.28 0834 3.93 MO 1600 1.49 2210 3.42		24 0208 2.40 0754 4.07 TU 1536 0.93 2207 3.68		9 0318 2.77 0827 3.61 TH 1628 0.98 2332 3.49		24 0328 2.76 0844 3.84 FR 1648 0.49 ● 2356 3.61	
10 0347 1.33 1039 4.12 SA 1707 2.40 2205 3.20		25 0251 1.46 0951 4.08 SU 1621 2.33 2128 3.40		10 0356 2.39 1021 4.18 TU 1757 1.52		25 0343 2.48 0945 4.36 WE 1729 1.08		10 0302 2.48 0858 3.95 TU 1634 1.33 2302 3.41		25 0250 2.58 0828 4.14 WE 1620 0.77 2305 3.66		10 0353 2.82 0857 3.58 FR 1703 1.00 ●		25 0428 2.76 0938 3.69 SA 1736 0.63	
11 0415 1.65 1101 4.17 SU 1800 2.09 2317 2.99		26 0323 1.71 1011 4.23 MO 1707 1.93 ● 2241 3.30		11 0015 3.16 0420 2.67 WE 1040 4.16 1833 1.38		26 0003 3.47 0426 2.76 TH 1015 4.39 1816 0.95		11 0333 2.66 0921 3.95 WE 1709 1.23 ● 2353 3.41		26 0334 2.75 0906 4.16 TH 1707 0.71 ●		11 0015 3.44 0429 2.88 SA 0928 3.54 1740 1.05		26 0045 3.54 0541 2.71 SU 1040 3.45 1823 0.86	
12 0439 2.01 1123 4.20 MO 1847 1.81		27 0400 2.03 1034 4.35 TU 1753 1.55 2357 3.23		12 0122 3.16 0443 2.92 TH 1059 4.12 1911 1.31		27 0114 3.42 0515 3.02 FR 1050 4.36 1907 0.92		12 0405 2.82 0945 3.92 TH 1745 1.19		27 0004 3.60 0424 2.88 FR 0946 4.11 1756 0.75		12 0059 3.36 0513 2.92 SU 1004 3.47 1817 1.13		27 0133 3.48 0651 2.59 MO 1204 3.18 1909 1.14	
13 0035 2.88 0500 2.38 TU 1144 4.19 1930 1.57		28 0441 2.41 1059 4.44 WE 1841 1.24		13 0243 3.19 0450 3.14 FR 1120 4.05 1951 1.30		28 0234 3.38 0632 3.20 SA 1134 4.25 2000 0.97		13 0045 3.37 0437 2.97 FR 1010 3.88 1822 1.21		28 0104 3.52 0529 2.98 SA 1032 3.97 1845 0.87		13 0145 3.30 0615 2.92 MO 1051 3.36 1858 1.24		28 0221 3.44 0801 2.40 TU 1349 2.97 1954 1.46	
14 0204 2.88 0513 2.73 WE 1200 4.14 2009 1.38		29 0116 3.22 0524 2.80 TH 1127 4.48 1930 1.01		14 1148 3.97 2036 1.32 SA				14 0140 3.32 0508 3.09 SA 1038 3.82 1902 1.26		29 0208 3.44 0643 3.00 SU 1130 3.76 1936 1.04		14 0233 3.27 0719 2.83 TU 1205 3.19 1941 1.38		29 0305 3.43 1011 2.11 WE 1523 2.89 2042 1.80	
15 1216 4.08 2049 1.26 TH		30 0250 3.26 0625 3.14 FR 1201 4.46 2022 0.89		15 0701 3.46 0802 3.45 SU 1229 3.88 2127 1.36				15 0246 3.27 0608 3.19 SU 1112 3.73 1945 1.33		30 0318 3.41 0750 2.93 MO 1302 3.51 2028 1.26		15 0317 3.29 0819 2.64 WE 1358 3.06 2027 1.57		30 0343 3.43 1118 1.74 TH 1658 2.92 2135 2.12	
		31 0600 3.44 0750 3.37 SA 1249 4.38 2117 0.86								31 0436 3.44 0857 2.78 TU 1500 3.37 2124 1.49					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ○ First Quarter ○ Full Moon ○ Last Quarter

BOOBY ISLAND – QUEENSLAND

LAT 10° 36' S LONG 141° 54' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0413 3.43 FR 1200 1.41 1817 3.05 2247 2.39		16 0305 3.50 1015 1.12 SA 1734 3.04 2136 2.39		1 0358 3.26 1226 0.69 MO 2014 3.28		16 0325 3.67 1137 0.18 TU 2002 3.43 2323 2.83		1 0344 3.11 1241 0.66 WE 2040 3.24		16 0415 3.59 1247 0.22 TH 2031 3.37		1 0105 2.59 0531 3.03 SA 1346 0.79 2053 3.15		16 0154 2.07 0655 3.26 SU 1407 0.83 2035 3.37	
2 0439 3.42 1235 1.15 SA 1917 3.19 2353 2.57		17 0338 3.59 1129 0.74 SU 1855 3.30 2244 2.62		2 0004 2.82 0430 3.23 TU 1302 0.66 2049 3.34		17 0423 3.68 1248 0.12 WE 2048 3.49		2 0017 2.77 0438 3.09 TH 1327 0.66 2109 3.23		17 0000 2.63 0531 3.53 FR 1347 0.26 2102 3.38		2 0200 2.41 0625 2.99 SU 1411 0.88 2103 3.18		17 0249 1.73 0800 3.12 MO 1437 1.10 2053 3.43	
3 0504 3.42 1307 0.97 SU 2006 3.31		18 0415 3.67 1221 0.45 MO 1954 3.49 2348 2.74		3 0046 2.79 0506 3.19 WE 1342 0.66 2123 3.35		18 0018 2.76 0526 3.66 TH 1352 0.13 2128 3.49		3 0100 2.70 0528 3.07 FR 1406 0.68 2134 3.21		18 0112 2.45 0643 3.43 SA 1431 0.39 2128 3.41		3 0246 2.19 0722 2.93 MO 1428 1.00 2113 3.26		18 0337 1.41 0906 2.98 TU 1504 1.41 2115 3.49	
4 0036 2.68 0530 3.41 MO 1337 0.86 2048 3.40		19 0457 3.74 1312 0.26 TU 2047 3.60		4 0125 2.74 0545 3.17 TH 1421 0.68 2155 3.34		19 0114 2.64 0632 3.58 FR 1445 0.19 2201 3.49		4 0146 2.61 0615 3.04 SA 1438 0.72 2156 3.22		19 0244 2.20 0751 3.27 SU 1508 0.61 2150 3.46		4 0330 1.90 0824 2.87 TU 1444 1.17 2125 3.37		19 0421 1.13 1011 2.87 WE 1531 1.72 2137 3.53	
5 0114 2.73 0559 3.39 TU 1410 0.80 2128 3.46		20 0042 2.78 0545 3.77 WE 1403 0.19 2135 3.63		5 0201 2.69 0627 3.14 FR 1458 0.70 2224 3.32		20 0217 2.50 0742 3.45 SA 1530 0.33 2231 3.50		5 0237 2.51 0707 2.99 SU 1501 0.78 2212 3.25		20 0350 1.89 0900 3.06 MO 1541 0.90 2214 3.52		5 0411 1.58 0928 2.82 WE 1510 1.38 2144 3.49		20 0502 0.91 1114 2.82 TH 1600 2.00 2200 3.52	
6 0149 2.74 0630 3.36 WE 1445 0.77 2204 3.47		21 0131 2.75 0639 3.75 TH 1455 0.19 2218 3.62		6 0241 2.65 0710 3.10 SA 1529 0.74 2250 3.31		21 0338 2.31 0852 3.24 SU 1610 0.55 2300 3.53		6 0330 2.34 0804 2.90 MO 1520 0.88 2225 3.31		21 0446 1.57 1008 2.85 TU 1612 1.23 2238 3.57		6 0450 1.23 1034 2.79 TH 1545 1.66 2205 3.60		21 0542 0.76 1215 2.80 FR 1632 2.26 2222 3.48	
7 0225 2.74 0704 3.33 TH 1520 0.78 2240 3.46		22 0224 2.68 0738 3.66 FR 1545 0.27 2258 3.59		7 0323 2.59 0757 3.04 SU 1555 0.79 2314 3.33		22 0452 2.05 1003 3.00 MO 1647 0.85 2330 3.56		7 0420 2.11 0908 2.79 TU 1543 1.03 2241 3.41		22 0536 1.27 1118 2.68 WE 1643 1.60 2302 3.57		7 0530 0.90 1142 2.79 FR 1624 1.97 2230 3.68		22 0618 0.68 1316 2.80 SA 1709 2.49 2243 3.40	
8 0300 2.73 0740 3.30 FR 1555 0.81 2314 3.43		23 0324 2.60 0842 3.51 SA 1631 0.42 2335 3.56		8 0414 2.48 0852 2.94 MO 1621 0.88 2335 3.36		23 0556 1.76 1117 2.75 TU 1723 1.22		8 0507 1.79 1018 2.69 WE 1615 1.26 2300 3.51		23 0622 1.02 1230 2.59 TH 1715 1.96 2325 3.54		8 0613 0.63 1253 2.80 SA 1710 2.30 2258 3.72		23 0656 0.67 1427 2.80 SU 1807 2.68 2303 3.31	
9 0336 2.73 0816 3.27 SA 1629 0.85 2347 3.39		24 0439 2.47 0950 3.28 SU 1715 0.65		9 0509 2.29 0958 2.81 TU 1652 1.03 2358 3.41		24 0000 3.57 0654 1.46 WE 1236 2.56 1759 1.62		9 0551 1.42 1132 2.63 TH 1653 1.57 2324 3.58		24 0704 0.83 1348 2.58 FR 1752 2.30 2345 3.46		9 0659 0.44 1415 2.82 SU 1812 2.59 2332 3.71		24 0736 0.72 1723 2.84 MO 1921 2.80 2329 3.21	
10 0417 2.72 0858 3.21 SU 1700 0.91		25 0013 3.54 0553 2.28 MO 1106 3.01 1756 0.96		10 0602 2.01 1115 2.66 WE 1730 1.28		25 0028 3.54 0748 1.18 TH 1403 2.48 1837 2.03		10 0635 1.05 1252 2.62 FR 1738 1.96 2348 3.64		25 0744 0.72 1530 2.65 SA 1846 2.58		10 0749 0.34 1652 2.90 MO 1934 2.78		25 0820 0.80 1811 2.95 TU 2022 2.84	
11 0021 3.36 0508 2.66 MO 0948 3.11 1734 1.01		26 0050 3.52 0702 2.03 TU 1232 2.76 1836 1.32		11 0023 3.47 0654 1.64 TH 1245 2.58 1814 1.62		26 0053 3.48 0837 0.96 FR 1601 2.57 1923 2.40		11 0721 0.71 1416 2.68 SA 1834 2.34		26 0000 3.37 0824 0.68 SU 1800 2.84 1955 2.78		11 0020 3.65 0844 0.33 TU 1812 3.07 2044 2.82		26 0008 3.10 0910 0.88 WE 1840 3.02 2119 2.82	
12 0053 3.34 0608 2.52 TU 1055 2.95 1812 1.18		27 0126 3.50 0818 1.74 WE 1402 2.61 1916 1.72		12 0051 3.51 0745 1.24 FR 1416 2.62 1906 2.02		27 0117 3.39 0923 0.80 SA 1754 2.79 2024 2.68		12 0018 3.67 0810 0.45 SU 1645 2.83 1945 2.65		27 0019 3.27 0908 0.69 MO 1844 3.00 2100 2.87		12 0130 3.55 0944 0.37 WE 1853 3.19 2145 2.75		27 0137 2.99 1028 0.95 TH 1903 3.06 2230 2.73	
13 0126 3.35 0707 2.28 WE 1226 2.78 1855 1.42		28 0200 3.46 0939 1.43 TH 1547 2.60 2001 2.11		13 0120 3.56 0835 0.86 SA 1602 2.77 2006 2.39		28 0140 3.30 1008 0.70 SU 1854 3.01 2132 2.84		13 0056 3.68 0903 0.28 MO 1818 3.07 2058 2.82		28 0049 3.17 1001 0.73 TU 1916 3.09 2158 2.87		13 0302 3.46 1114 0.44 TH 1928 3.26 2247 2.60		28 0331 2.95 1202 0.97 FR 1921 3.09	
14 0159 3.39 0804 1.94 TH 1413 2.73 1943 1.73		29 0230 3.41 1033 1.14 FR 1733 2.77 2054 2.46		14 0154 3.60 0929 0.53 SU 1806 3.05 2114 2.68		29 0207 3.22 1056 0.66 MO 1934 3.15 2236 2.88		14 0149 3.65 1002 0.21 TU 1912 3.24 2201 2.84		29 0154 3.08 1120 0.76 WE 1946 3.14 2255 2.82		14 0433 3.42 1245 0.49 FR 1956 3.30		29 0030 2.53 0443 2.96 SA 1244 1.01 1934 3.11	
15 0232 3.44 0903 1.54 FR 1546 2.83 2036 2.07		30 0259 3.36 1114 0.92 SA 1842 2.99 2202 2.69		15 0234 3.64 1029 0.31 MO 1910 3.28 2222 2.82		30 0248 3.15 1147 0.65 TU 2008 3.22 2330 2.84		15 0259 3.62 1114 0.21 WE 1955 3.33 2300 2.77		30 0328 3.04 1229 0.75 TH 2014 3.15 2357 2.72		15 0018 2.38 0547 3.36 SA 1331 0.61 2017 3.33		30 0113 2.27 0543 2.97 SU 1313 1.11 1942 3.15	
		31 0328 3.31 1150 0.77 SU 1932 3.17 2312 2.81								31 0436 3.03 1314 0.75 FR 2036 3.14				31 0152 1.98 0642 2.97 MO 1334 1.26 1949 3.23	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ◐ First Quarter ○ Full Moon ◑ Last Quarter

BOOBY ISLAND – QUEENSLAND

LAT 10° 36' S LONG 141° 54' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0230 1.65 0742 2.98 TU 1350 1.45 2001 3.34		16 0308 0.99 0917 3.07 WE 1426 1.99 2007 3.45		1 0237 0.78 0902 3.27 TH 1350 2.24 1919 3.60		16 0303 0.69 1008 3.36 FR 1430 2.60 1931 3.40		1 0330 0.34 1052 3.63 SU 1459 2.80 2004 3.74		16 0337 0.84 1103 3.58 MO 1525 2.89 1946 3.30		1 0357 0.58 1110 3.87 TU 1606 2.80 2108 3.53		16 0330 1.12 1056 3.79 WE 1609 2.90 2018 3.23	
2 0309 1.33 0843 3.00 WE 1414 1.65 2021 3.46		17 0345 0.82 1012 3.08 TH 1456 2.19 2033 3.45		2 0315 0.57 0958 3.33 FR 1429 2.39 1953 3.68		17 0338 0.68 1048 3.37 SA 1507 2.65 2002 3.35		2 0418 0.40 1135 3.61 MO 1558 2.79 2100 3.60		17 0410 0.92 1134 3.57 TU 1612 2.87 2027 3.20		2 0439 0.81 1144 3.91 WE 1728 2.57 2226 3.23		17 0352 1.24 1114 3.85 TH 1706 2.69 2126 3.05	
3 0346 1.02 0944 3.02 TH 1446 1.88 2045 3.58		18 0421 0.71 1103 3.09 FR 1530 2.36 2100 3.42		3 0357 0.44 1052 3.25 SA 1511 2.52 2030 3.71		18 0415 0.71 1128 3.36 SU 1545 2.70 2033 3.29		3 0506 0.54 1218 3.58 TU 1713 2.72 2204 3.37		18 0440 1.02 1203 3.57 WE 1709 2.80 2116 3.05		3 0520 1.13 1217 3.94 TH 1841 2.27 2355 2.95		18 0418 1.41 1132 3.93 FR 1758 2.40 2245 2.89	
4 0425 0.75 1045 3.05 1525 2.12 FR 2114 3.66		19 0458 0.67 1152 3.09 SA 1606 2.50 2126 3.37		4 0441 0.38 1146 3.33 SU 1559 2.63 2114 3.67		19 0451 0.77 1206 3.32 MO 1628 2.75 2104 3.21		4 0552 0.76 1302 3.56 WE 1830 2.56 2329 3.09		19 0509 1.16 1231 3.58 TH 1812 2.64 2228 2.86		4 0600 1.53 1251 3.95 FR 1956 1.92		19 0450 1.67 1153 4.00 SA 1845 2.04	
5 0506 0.54 1146 3.05 SA 1607 2.35 2145 3.71		20 0533 0.68 1241 3.06 SU 1646 2.63 2151 3.30		5 0529 0.41 1242 3.28 MO 1701 2.71 2201 3.56		20 0527 0.86 1247 3.27 TU 1719 2.77 2138 3.12		5 0636 1.06 1346 3.55 TH 1946 2.31		20 0542 1.37 1300 3.61 FR 1911 2.38		5 0130 2.78 0639 1.97 SA 1324 3.94 2109 1.57		20 0015 2.79 0529 2.02 SU 1216 4.07 1930 1.65	
6 0550 0.42 1252 3.02 SU 1657 2.57 2221 3.70		21 0612 0.74 1331 3.00 MO 1738 2.72 2218 3.22		6 0617 0.51 1340 3.22 TU 1820 2.71 2300 3.37		21 0602 0.98 1330 3.22 WE 1823 2.75 2225 2.97		6 0118 2.87 0721 1.42 FR 1429 3.56 2144 1.97		21 0006 2.69 0620 1.65 SA 1328 3.65 2009 2.03		6 0317 2.77 0722 2.41 SU 1354 3.90 2205 1.27		21 0147 2.82 0614 2.43 MO 1242 4.13 2016 1.27	
7 0639 0.39 1405 2.99 MO 1813 2.72 2306 3.61		22 0651 0.83 1431 2.95 TU 1845 2.78 2251 3.11		7 0707 0.69 1442 3.21 WE 1931 2.61		22 0639 1.14 1412 3.21 TH 1927 2.63 2348 2.78		7 0258 2.79 0806 1.81 SA 1505 3.57 2250 1.57		22 0157 2.65 0705 1.99 SU 1357 3.69 2110 1.62		7 0530 2.98 0812 2.81 MO 1423 3.85 2248 1.05		22 0343 2.97 0710 2.84 TU 1313 4.18 2105 0.95	
8 0730 0.44 1545 3.00 TU 1930 2.76		23 0732 0.95 1602 2.95 WE 1948 2.78 2345 2.96		8 0032 3.12 0757 0.92 TH 1543 3.23 2043 2.42		23 0717 1.33 1451 3.23 FR 2035 2.41 2128 2.41 2207 2.41		8 0442 2.85 0855 2.20 SU 1537 3.57 2335 1.22		23 0339 2.77 0756 2.36 MO 1428 3.76 2211 1.22		8 0645 3.25 0913 3.10 TU 1452 3.79 2327 0.92		23 0610 3.29 0821 3.17 WE 1351 4.22 2158 0.72	
9 0008 3.46 0824 0.55 WE 1729 3.09 2035 2.69		24 0815 1.08 1711 3.00 TH 2050 2.68		9 0236 2.98 0848 1.20 FR 1630 3.28 2305 2.09		24 0158 2.67 0800 1.57 SA 1524 3.27 2255 2.04		9 0612 3.04 0953 2.53 MO 1605 3.57		24 0550 3.05 0856 2.71 TU 1500 3.83 2300 0.87		9 0737 3.48 1022 3.26 WE 1524 3.74		24 0710 3.57 0935 3.36 TH 1442 4.25 2257 0.57	
10 0145 3.28 0922 0.71 TH 1807 3.18 2142 2.53		25 0145 2.82 0900 1.22 FR 1734 3.05 2333 2.45		10 0405 2.96 0945 1.50 SA 1701 3.33		25 0337 2.72 0846 1.84 SU 1553 3.35 2332 1.63		10 0013 0.97 0715 3.23 TU 1104 2.76 1632 3.57		25 0657 3.36 1003 2.97 WE 1535 3.91 2348 0.60		10 0002 0.87 0816 3.62 TH 1124 3.30 1600 3.70		25 0758 3.76 1041 3.41 FR 1541 4.27	
11 0339 3.21 1107 0.87 FR 1834 3.24		26 0336 2.81 0950 1.37 SA 1747 3.11		11 0002 1.68 0527 3.00 SU 1117 1.78 1725 3.37		26 0508 2.88 0938 2.12 MO 1620 3.44		11 0045 0.82 0805 3.39 WE 1202 2.89 1700 3.56		26 0751 3.60 1112 3.11 TH 1616 3.99		11 0041 0.86 0850 3.69 FR 1215 3.27 1640 3.66		26 0003 0.50 0838 3.86 SA 1140 3.35 1645 4.26	
12 0000 2.25 0458 3.19 SA 1221 1.02 1853 3.28		27 0013 2.12 0450 2.87 SU 1139 1.53 1756 3.18		12 0045 1.33 0642 3.08 MO 1214 2.03 1745 3.41		27 0008 1.23 0631 3.10 TU 1041 2.37 1646 3.54		12 0116 0.74 0848 3.50 TH 1247 2.94 1730 3.53		27 0038 0.43 0841 3.75 FR 1209 3.14 1704 4.03		12 0119 0.88 0921 3.71 SA 1258 3.21 1720 3.62		27 0112 0.49 0914 3.92 SU 1237 3.24 1751 4.18	
13 0101 1.88 0607 3.16 SU 1301 1.24 1907 3.33		28 0048 1.76 0559 2.96 MO 1218 1.69 1809 3.27		13 0122 1.05 0745 3.16 TU 1248 2.25 1808 3.44		28 0045 0.88 0733 3.32 WE 1149 2.56 1715 3.65		13 0149 0.72 0926 3.56 FR 1327 2.94 1802 3.49		28 0130 0.36 0925 3.82 SA 1300 3.11 1757 4.02		13 0159 0.92 0948 3.72 SU 1340 3.15 1800 3.56		28 0208 0.55 0943 3.95 MO 1339 3.09 1859 4.03	
14 0147 1.53 0715 3.12 MO 1332 1.49 1923 3.37		29 0124 1.40 0704 3.07 TU 1245 1.87 1828 3.38		14 0157 0.86 0837 3.24 WE 1320 2.41 1833 3.45		29 0122 0.61 0828 3.48 TH 1242 2.68 1748 3.74		14 0224 0.74 1000 3.59 SA 1405 2.92 1836 3.44		29 0221 0.36 1003 3.84 SU 1352 3.04 1855 3.94		14 0234 0.97 1014 3.73 MO 1424 3.10 1840 3.49		29 0253 0.69 1007 4.01 TU 1500 2.88 2010 3.79	
15 0230 1.23 0818 3.08 TU 1359 1.76 1944 3.42		30 0200 1.06 0805 3.18 WE 1315 2.06 1851 3.50		15 0230 0.75 0925 3.31 TH 1354 2.53 1901 3.44		30 0201 0.44 0919 3.59 FR 1327 2.76 1828 3.80		15 0301 0.78 1032 3.59 SU 1445 2.90 1911 3.38		30 0311 0.43 1038 3.85 MO 1451 2.94 1959 3.78		15 0304 1.03 1035 3.75 TU 1513 3.02 1925 3.38		30 0332 0.91 1032 4.09 WE 1622 2.59 2122 3.51	
				31 0245 0.35 1007 3.63 SA 1411 2.80 1914 3.80								31 0408 1.22 1100 4.18 TH 1728 2.25 2238 3.22			

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ◐ First Quarter ○ Full Moon ◑ Last Quarter

WEIPA (HUMBUG POINT) – QUEENSLAND

LAT 12° 40' S LONG 141° 51' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 1350 3.11 2235 0.94 TH		16 1353 3.01 2315 1.13 FR		1 1514 3.26 SU		16 1528 3.01 MO		1 1423 3.06 2300 1.05 SU		16 1419 2.77 2247 1.28 MO		1 0533 2.44 1112 1.89 WE		16 0415 2.35 1043 1.71 TH	
2 1422 3.20 2331 0.73 FR		17 1434 3.04 2357 1.05 SA		2 0011 0.82 0739 2.49 MO		17 0011 1.15 0740 2.46 TU		2 0624 2.46 0751 2.44 MO		17 0615 2.39 0815 2.37 TU		2 0536 2.49 1206 1.67 TH		17 0430 2.46 1135 1.41 FR	
3 1504 3.26 SA ○		18 1523 3.05 SU		3 0058 0.81 0800 2.50 TU		18 0047 1.13 0729 2.46 WE		3 0639 2.48 0934 2.37 TU		18 0559 2.39 1017 2.24 WE		3 0026 1.52 0546 2.56 FR		18 0455 2.59 1226 1.10 SA	
4 0024 0.59 1600 3.28 SU		19 0037 1.00 1609 3.07 MO ●		4 0140 0.87 0828 2.54 WE		19 0120 1.15 0731 2.50 TH		4 0033 1.09 0654 2.51 WE		19 0005 1.29 0548 2.45 TH		4 0046 1.68 0601 2.63 SA		19 0011 1.74 0525 2.70 SU	
5 0114 0.54 1701 3.26 MO		20 0115 0.98 1653 3.08 TU		5 0217 1.00 0851 2.59 TH		20 0149 1.22 0739 2.59 FR		5 0110 1.20 0701 2.57 TH		20 0037 1.36 0559 2.55 FR		5 0055 1.82 0620 2.69 SU		20 0034 1.90 0556 2.79 MO	
6 0200 0.57 0929 2.46 TU		21 0150 0.98 0908 2.46 WE		6 0249 1.20 0904 2.66 FR		21 0216 1.36 0758 2.70 SA		6 0140 1.36 0713 2.64 FR		21 0106 1.48 0622 2.68 SA		6 0050 1.93 0640 2.74 MO		21 0037 2.03 0627 2.84 TU	
7 0243 0.67 1008 2.49 WE		22 0222 1.02 0920 2.49 TH		7 0315 1.44 0915 2.73 SA		22 0242 1.55 0824 2.82 SU		7 0203 1.55 0729 2.72 SA		22 0132 1.65 0651 2.80 SU		7 0043 2.00 0700 2.74 TU		22 0031 2.09 0700 2.84 WE	
8 0323 0.85 1051 2.54 TH		23 0252 1.10 0932 2.55 FR		8 0328 1.68 0931 2.80 SU		23 0300 1.78 0854 2.91 MO		8 0215 1.75 0748 2.80 SU		23 0154 1.85 0722 2.88 MO		8 0043 2.05 0720 2.72 WE		23 0037 2.11 0741 2.79 TH	
9 0359 1.08 1133 2.62 FR		24 0320 1.24 0946 2.64 SA		9 0319 1.90 0952 2.86 MO		24 0254 2.01 0926 2.98 TU		9 0209 1.93 0810 2.84 MO		24 0153 2.04 0753 2.94 TU		9 0038 2.08 0741 2.67 TH		24 0843 2.69 1734 0.73 FR ●	
10 0428 1.35 1210 2.70 SA		25 0345 1.45 1009 2.75 SU		10 0245 2.05 1016 2.90 TU		25 0229 2.16 0956 3.03 WE		10 0145 2.05 0833 2.86 TU		25 0130 2.15 0824 2.95 WE		10 0805 2.60 1738 1.16 FR ●		25 1004 2.57 1836 0.88 SA	
11 0442 1.62 1235 2.76 SU		26 0402 1.69 1037 2.85 MO		11 1044 2.93 1944 1.55 WE		26 1029 3.06 1924 1.22 TH		11 0125 2.12 0858 2.85 WE		26 0900 2.93 1751 0.98 TH		11 0854 2.53 1832 1.20 SA		26 0434 2.23 0709 2.19 SU	
12 0432 1.85 1246 2.82 MO		27 0358 1.93 1107 2.96 TU		12 1115 2.94 2048 1.45 TH		27 1115 3.07 2046 1.16 FR		12 0925 2.82 1830 1.41 TH		27 0956 2.87 1900 1.05 FR		12 1035 2.46 1935 1.24 SU		27 0357 2.25 0827 1.99 MO	
13 0134 2.02 0355 2.00 TU		28 0000 2.19 0344 2.12 WE		13 1157 2.95 2149 1.36 FR		28 1245 3.06 2200 1.10 SA		13 1006 2.78 1933 1.40 FR		28 1121 2.80 2019 1.10 SA		13 0556 2.32 0808 2.31 MO		28 0408 2.29 0928 1.77 TU	
14 1300 2.93 2149 1.38 WE		29 1207 3.13 2110 1.18 TH		14 1316 2.96 2243 1.27 SA		15 1434 2.98 2329 1.20 SU		14 1111 2.75 2049 1.37 SA		29 1315 2.75 2132 1.13 SU		14 0502 2.27 0900 2.16 TU		29 0421 2.33 1025 1.54 WE	
15 1321 2.98 2233 1.24 TH		30 1246 3.20 2220 1.02 FR						15 1306 2.74 2156 1.32 SU		30 0513 2.38 0900 2.29 MO		15 0431 2.27 0951 1.96 WE		30 0424 2.38 1116 1.31 TH	
		31 1357 3.23 2319 0.89 SA								31 0523 2.40 1012 2.10 TU					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

WEIPA (HUMBUG POINT) – QUEENSLAND

LAT 12° 40' S LONG 141° 51' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0430 2.43 FR 1202 1.09 1740 2.11 2302 1.78		16 0332 2.46 1125 0.80 SA 1722 2.05 2211 1.81		1 0401 2.41 1300 0.48 MO 1944 1.95 2158 1.90		16 0345 2.62 1257 0.04 TU 2012 1.97 2155 1.94		1 0404 2.31 1316 0.40 WE 2003 1.88 2207 1.84		16 0445 2.58 1332 0.07 TH 2019 1.91 2251 1.81		1 0538 2.29 1358 0.58 SA 1959 1.92		16 0132 1.46 0641 2.35 SU 1423 0.70 1958 2.14	
2 0442 2.48 1243 0.91 SA 1835 2.10 2300 1.87		17 0400 2.58 1216 0.51 SU 1847 2.09 2230 1.93		2 0427 2.42 1335 0.45 TU 2015 1.96 2239 1.89		17 0437 2.64 1346 -0.00 WE 2051 1.96 2247 1.90		2 0451 2.30 1352 0.42 TH 2028 1.87 2254 1.81		17 0550 2.55 1416 0.16 FR 2046 1.93		2 0049 1.67 0615 2.27 SU 1424 0.66 2013 1.98		17 0232 1.28 0727 2.17 MO 1449 0.95 2019 2.22	
3 0459 2.54 1320 0.78 SU 1924 2.10 2310 1.92		18 0432 2.67 1306 0.28 MO 1959 2.10 2251 1.99		3 0456 2.41 1411 0.46 WE 2047 1.94 2313 1.87		18 0538 2.61 1434 0.04 TH 2130 1.93 2342 1.86		3 0534 2.29 1426 0.47 FR 2053 1.85 2344 1.78		18 0102 1.73 0648 2.47 SA 1458 0.33 2114 1.97		3 0156 1.54 0654 2.21 MO 1448 0.80 2033 2.07		18 0329 1.13 0813 1.96 TU 1500 1.22 2041 2.28	
4 0518 2.57 1355 0.70 MO 2009 2.09 2328 1.94		19 0506 2.72 1356 0.16 TU 2059 2.08 2319 2.01		4 0527 2.38 1445 0.51 TH 2124 1.91 2339 1.86		19 0645 2.55 1520 0.17 FR 2214 1.92		4 0614 2.27 1457 0.53 SA 2116 1.86		19 0233 1.59 0741 2.32 SU 1533 0.57 2141 2.03		4 0256 1.39 0740 2.09 TU 1509 0.98 2059 2.16		19 0422 1.02 0903 1.75 WE 1440 1.44 2101 2.33	
5 0540 2.58 1430 0.68 TU 2051 2.07 2348 1.96		20 0545 2.72 1445 0.15 WE 2152 2.04 2349 1.99		5 0602 2.34 1520 0.57 FR 2207 1.88 2356 1.86		20 0056 1.84 0749 2.44 SA 1604 0.37 2303 1.95		5 0059 1.77 0655 2.23 SU 1526 0.62 2141 1.90		20 0347 1.44 0830 2.11 MO 1603 0.85 2207 2.09		5 0356 1.22 0833 1.93 WE 1518 1.20 2126 2.25		20 0515 0.93 1016 1.57 TH 1332 1.55 2121 2.34	
6 0601 2.56 1504 0.70 WE 2138 2.03		21 0635 2.68 1534 0.23 TH 2248 2.00		6 0644 2.29 1555 0.65 SA		21 0353 1.76 0848 2.26 SU 1646 0.61 2357 2.00		6 0241 1.72 0741 2.15 MO 1552 0.76 2208 1.96		21 0458 1.29 0921 1.86 TU 1617 1.13 2231 2.15		6 0457 1.03 0942 1.75 TH 1505 1.41 2152 2.32		21 0610 0.88 2140 2.33 FR	
7 0004 1.97 0624 2.51 TH 1541 0.75 2241 1.98		22 0021 1.97 0740 2.58 FR 1624 0.38 2359 1.98		7 0734 2.22 1629 0.74 SU		22 0529 1.60 0946 2.04 MO 1722 0.89		7 0404 1.60 0834 2.01 TU 1616 0.93 2237 2.04		22 0603 1.14 1027 1.61 WE 1602 1.37 2252 2.19		7 0559 0.85 1128 1.60 FR 1439 1.57 2215 2.39		22 0707 0.84 2158 2.31 SA	
8 0008 1.97 0649 2.45 FR 1620 0.82		23 0050 1.98 0854 2.45 SA 1715 0.58		8 0835 2.12 1703 0.86 MO		23 0043 2.07 0645 1.40 TU 1057 1.79 1743 1.17		8 0522 1.42 0941 1.84 WE 1632 1.14 2308 2.13		23 0708 0.99 2309 2.22 TH		8 0704 0.70 2244 2.45 SA		23 0812 0.81 2226 2.28 SU	
9 0723 2.38 1701 0.90 SA		24 0230 2.02 0543 1.96 SU 1006 2.28 1806 0.80		9 0104 1.95 0558 1.80 TU 0949 1.98 1736 1.01		24 0115 2.13 0752 1.19 WE 1250 1.60 1734 1.40		9 0632 1.18 1112 1.66 TH 1636 1.36 2337 2.22		24 0811 0.86 2324 2.25 FR		9 0817 0.57 2325 2.49 SU		24 0917 0.77 2327 2.23 MO	
10 0828 2.29 1745 0.98 SU		25 0211 2.09 0710 1.76 MO 1127 2.09 1856 1.04		10 0103 2.03 0715 1.57 WE 1122 1.83 1805 1.19		25 0134 2.18 0855 0.98 TH 1538 1.56 1713 1.55		10 0738 0.93 1342 1.59 FR 1640 1.55		25 0911 0.74 2340 2.27 SA		10 0934 0.45 MO		25 1015 0.73 TU	
11 0500 2.14 0655 2.13 MO 1005 2.19 1833 1.06		26 0239 2.16 0818 1.53 TU 1257 1.92 1938 1.27		11 0116 2.12 0815 1.28 TH 1312 1.74 1827 1.40		26 0144 2.21 0951 0.79 FR		11 0004 2.33 0845 0.68 SA		26 1003 0.64 SU		11 0028 2.50 1042 0.35 TU		26 0223 2.22 1102 0.70 WE 1900 1.98 2000 1.98	
12 0345 2.11 0800 1.95 TU 1149 2.10 1922 1.18		27 0300 2.22 0920 1.29 WE 1426 1.81 1952 1.49		12 0138 2.24 0914 0.97 FR 1458 1.74 1846 1.59		27 0155 2.25 1038 0.64 SA		12 0031 2.42 0953 0.45 SU		27 0010 2.27 1051 0.58 MO		12 0237 2.50 1138 0.29 WE 1849 1.94 2035 1.89		27 0323 2.24 1144 0.69 TH 1845 1.95 2135 1.89	
13 0258 2.14 0849 1.72 WE 1326 2.04 2013 1.31		28 0310 2.26 1015 1.06 TH 1607 1.78 1937 1.65		13 0202 2.35 1013 0.67 SA 1701 1.81 1916 1.76		28 0211 2.29 1120 0.53 SU		13 0110 2.50 1057 0.27 MO		28 0127 2.26 1135 0.53 TU		13 0354 2.52 1227 0.28 TH 1908 1.95 2210 1.81		28 0409 2.27 1220 0.71 FR 1839 1.96 2317 1.77	
14 0251 2.22 0940 1.44 TH 1442 2.02 2100 1.48		29 0315 2.30 1103 0.86 FR 1727 1.80 1950 1.76		14 0230 2.47 1110 0.40 SU 1826 1.90 2001 1.88		29 0237 2.31 1200 0.45 MO		14 0213 2.55 1153 0.14 TU 1925 1.91 2026 1.90		29 0324 2.26 1216 0.50 WE 1929 1.89 2053 1.88		14 0457 2.52 1311 0.35 FR 1925 1.99		29 0449 2.28 1250 0.76 SA 1837 2.02	
15 0308 2.34 1032 1.12 FR 1556 2.03 2141 1.65		30 0325 2.34 1145 0.68 SA 1829 1.86 2022 1.83		15 0304 2.56 1205 0.18 MO 1926 1.96 2059 1.94		30 0316 2.31 1239 0.41 TU 1943 1.89 2114 1.87		15 0333 2.57 1245 0.07 WE 1950 1.91 2138 1.86		30 0417 2.28 1254 0.50 TH 1937 1.88 2200 1.83		15 0024 1.65 0552 2.46 SA 1349 0.49 1938 2.06		30 0018 1.60 0529 2.27 SU 1317 0.85 1847 2.12	
		31 0341 2.39 1224 0.56 SU 1911 1.91 2110 1.88								31 0500 2.29 1328 0.52 FR 1947 1.88 2322 1.77				31 0110 1.40 0609 2.22 MO 1341 0.98 1908 2.23	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

WEIPA (HUMBUG POINT) – QUEENSLAND

LAT 12° 40' S LONG 141° 51' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0200 1.18 TU 1401 1.16 1933 2.33		16 0305 0.84 WE 1318 1.59 1930 2.48		1 0241 0.60 TH 1244 1.77 1902 2.65		16 0319 0.67 FR 1130 1.89 1843 2.61		1 0412 0.43 SU 1932 2.74		16 0409 0.87 MO 1815 2.57		1 0449 0.72 TU 1711 2.37 2112 2.62		16 0412 1.11 WE 1535 2.47 1951 2.56	
2 0250 0.98 WE 0743 2.02 1412 1.37 2000 2.41		17 0348 0.79 TH 0908 1.75 1244 1.68 1949 2.49		2 0330 0.50 FR 0931 1.88 1229 1.86 1924 2.67		17 0358 0.72 SA 1855 2.55		2 0506 0.57 MO 2045 2.58		17 0446 0.97 TU 1718 2.49		2 0537 0.96 WE 1352 2.51 1848 2.15 2230 2.39		17 0440 1.25 TH 1344 2.50 1816 2.32 2054 2.39	
3 0342 0.82 TH 0843 1.87 1352 1.56 2024 2.47		18 0431 0.79 FR 2005 2.46		3 0422 0.49 SA 1949 2.65		18 0438 0.80 SU 1851 2.48		3 0604 0.73 TU 1619 2.34 1900 2.28 2225 2.41		18 0525 1.07 WE 1612 2.43		3 0622 1.23 TH 1416 2.61 2000 1.88		18 0506 1.41 FR 1325 2.58 1920 2.08 2223 2.19	
4 0436 0.70 FR 1003 1.72 1324 1.67 2045 2.51		19 0517 0.81 SA 2015 2.40		4 0518 0.54 SU 2031 2.58		19 0523 0.89 MO 1802 2.41		4 0705 0.91 WE 1535 2.37 2017 2.04		19 0604 1.19 TH 1534 2.42 2052 2.12 2238 2.14		4 0010 2.16 FR 0658 1.50 1440 2.70 2104 1.60		19 0527 1.61 SA 1318 2.68 2014 1.80	
5 0534 0.63 SA 2111 2.52		20 0608 0.85 SU 2013 2.34		5 0622 0.62 MO 2145 2.46		20 0613 0.97 TU 1737 2.36		5 0025 2.25 TH 0804 1.10 1544 2.45 2118 1.77		20 0643 1.33 FR 1507 2.45 2114 1.89		5 0202 2.02 SA 0658 1.75 1454 2.76 2202 1.34		20 0030 2.05 SU 0539 1.81 1327 2.80 2108 1.49	
6 0640 0.60 SU 2155 2.51		21 0707 0.89 MO 1930 2.27		6 0734 0.71 TU 1826 2.22 1952 2.21		21 0706 1.04 WE 1708 2.30 2200 2.12 2315 2.13		6 0153 2.14 FR 0856 1.31 1558 2.51 2214 1.50		21 0057 2.03 SA 0718 1.49 1447 2.53 2148 1.61		6 0415 2.00 SU 0645 1.93 1501 2.81 2252 1.11		21 0301 2.05 MO 0550 2.00 1345 2.92 2202 1.19	
7 0756 0.59 MO 2303 2.45		22 0816 0.91 TU 1901 2.20 2200 2.16 2319 2.17		7 0008 2.34 WE 0847 0.78 1648 2.21 2111 2.01		22 0802 1.11 TH 1645 2.27 2155 1.97		7 0312 2.07 SA 0934 1.53 1602 2.57 2305 1.23		22 0230 2.01 SU 0748 1.67 1452 2.65 2230 1.30		7 1512 2.86 MO 2335 0.94		22 0524 2.16 TU 0600 2.16 1408 3.04 2257 0.92	
8 0915 0.57 TU		23 0922 0.92 WE 1806 2.13 2205 2.06		8 0154 2.30 TH 0947 0.88 1655 2.25 2209 1.77		23 0132 2.09 FR 0854 1.19 1623 2.28 2219 1.77		8 0434 2.03 SU 0948 1.73 1608 2.64 2351 1.00		23 0359 2.04 MO 0809 1.86 1510 2.78 2315 0.99		8 1527 2.90 TU		23 1438 3.15 WE 2349 0.70	
9 0137 2.41 WE 1020 0.55 1749 2.05 2002 1.99		24 0206 2.17 TH 1014 0.93 1747 2.10 2227 1.93		9 0302 2.26 FR 1036 1.01 1703 2.30 2303 1.51		24 0241 2.08 SA 0936 1.31 1600 2.35 2252 1.51		9 0547 2.03 MO 0931 1.88 1620 2.70		24 0537 2.11 TU 0830 2.02 1533 2.90		9 0015 0.82 WE 1545 2.93		24 1517 3.23 TH	
10 0259 2.42 TH 1114 0.58 1800 2.07 2239 1.81		25 0303 2.18 FR 1054 0.96 1730 2.10 2300 1.75		10 0405 2.22 SA 1115 1.18 1705 2.37 2355 1.25		25 0342 2.08 SU 1014 1.45 1607 2.47 2332 1.22		10 0031 0.81 TU 0650 2.05 0940 1.98 1636 2.75		25 0002 0.71 WE 0658 2.19 0901 2.15 1600 3.00		10 0052 0.75 TH 1610 2.94		25 0040 0.54 FR 1608 3.27	
11 0401 2.42 FR 1159 0.66 1809 2.12 2345 1.58		26 0351 2.20 SA 1128 1.03 1715 2.17 2341 1.53		11 0503 2.16 SU 1145 1.37 1716 2.45		26 0441 2.09 MO 1045 1.60 1627 2.60		11 0110 0.69 WE 0745 2.08 1000 2.04 1653 2.79		26 0050 0.50 TH 0812 2.25 0938 2.23 1631 3.07		11 0129 0.74 FR 0852 2.28 0927 2.28 1640 2.92		26 0128 0.47 SA 1707 3.26	
12 0458 2.37 SA 1237 0.80 1815 2.19		27 0437 2.19 SU 1157 1.13 1724 2.28		12 0042 1.02 MO 0559 2.09 1203 1.55 1733 2.53		27 0015 0.93 TU 0545 2.10 1110 1.76 1652 2.72		12 0146 0.63 TH 0833 2.10 1025 2.07 1713 2.80		27 0137 0.37 FR 0915 2.28 1015 2.27 1708 3.09		12 0204 0.76 SA 0932 2.29 1000 2.29 1713 2.89		27 0215 0.47 SU 0944 2.43 1050 2.42 1810 3.21	
13 0042 1.34 SU 0548 2.29 1308 0.99 1832 2.28		28 0024 1.28 MO 0524 2.17 1224 1.27 1745 2.41		13 0125 0.83 TU 0653 2.03 1202 1.71 1750 2.60		28 0100 0.66 WE 0658 2.11 1119 1.91 1719 2.81		13 0221 0.63 FR 0925 2.10 1045 2.09 1734 2.78		28 0225 0.33 SA 1754 3.06		13 0238 0.82 SU 1746 2.84		28 0300 0.57 MO 1026 2.46 1206 2.43 1912 3.09	
14 0133 1.13 MO 0636 2.16 1331 1.21 1852 2.37		29 0108 1.01 TU 0613 2.13 1246 1.43 1812 2.52		14 0204 0.71 WE 0746 1.97 1146 1.81 1808 2.64		29 0145 0.47 TH 0820 2.10 1121 2.01 1745 2.86		14 0257 0.69 SA 1754 2.73		29 0313 0.39 SU 1851 2.97		14 0311 0.90 MO 1821 2.78		29 0343 0.75 TU 1109 2.53 1519 2.38 2010 2.90	
15 0221 0.96 TU 0722 2.02 1341 1.42 1912 2.44		30 0154 0.77 WE 0706 2.06 1300 1.62 1838 2.60		15 0243 0.66 TH 0847 1.92 1142 1.86 1826 2.64		30 0232 0.36 FR 1000 2.09 1130 2.07 1813 2.87		15 0332 0.77 SU 1812 2.66		30 0400 0.53 MO 2000 2.82		15 0343 1.00 TU 1901 2.69		30 0423 1.00 WE 1151 2.63 1657 2.21 2107 2.65	
				31 0321 0.36 SA 1845 2.83										31 0459 1.30 TH 1230 2.73 1816 1.99 2212 2.37	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

◯ Full Moon

◑ Last Quarter

AMRUN (BOYD POINT) – QUEENSLAND

LAT 12° 55' S LONG 141° 37' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 1316 3.12 2201 1.19 TH		16 1309 3.02 2253 1.31 FR		1 1445 3.28 2338 1.08 SU		16 1443 3.02 2342 1.37 MO		1 1346 3.09 2231 1.27 SU		16 1326 2.79 2224 1.46 MO		1 0520 2.37 1035 2.05 WE		16 0332 2.31 1010 1.89 TH	
2 1352 3.22 2257 0.99 FR		17 1351 3.04 2330 1.25 SA		2 1548 3.29 MO ○		17 1530 3.05 TU ●		2 1455 3.09 2320 1.28 MO		17 1427 2.81 2301 1.46 TU		2 0446 2.43 1132 1.84 TH ○		17 0345 2.43 1100 1.61 FR ●	
3 1441 3.28 2349 0.87 SA ○		18 1442 3.05 SU		3 0023 1.08 1642 3.26 TU		18 0015 1.37 1611 3.06 WE		3 1549 3.06 TU ○		18 0814 2.39 0958 2.37 WE		3 0456 2.51 1221 1.65 FR		18 0410 2.57 1148 1.33 SA	
4 1539 3.30 SU		19 0008 1.22 1530 3.07 MO ●		4 0104 1.15 1032 2.52 WE		19 0044 1.40 0940 2.47 TH		4 0000 1.34 0737 2.44 WE		19 0449 2.39 1059 2.18 TH ●		4 0012 1.83 0515 2.59 SA		19 0441 2.69 1236 1.08 SU	
5 0038 0.83 1638 3.29 MO		20 0044 1.22 1613 3.09 TU		5 0140 1.27 0956 2.54 TH		20 0110 1.47 0637 2.54 FR		5 0034 1.44 0605 2.50 TH		20 0000 1.58 0502 2.52 FR		5 0027 1.96 0535 2.66 SU		20 0004 2.06 0514 2.78 MO	
6 0124 0.87 1732 3.23 TU		21 0115 1.24 1652 3.10 WE		6 0211 1.44 0954 2.60 FR		21 0136 1.59 0700 2.67 SA		6 0102 1.58 0615 2.59 FR		21 0028 1.69 0530 2.65 SA		6 0034 2.07 0556 2.70 MO		21 0020 2.18 0549 2.84 TU	
7 0207 0.97 1819 3.12 WE		22 0145 1.28 1731 3.08 TH		7 0235 1.64 0840 2.68 SA		22 0202 1.75 0731 2.80 SU		7 0125 1.74 0635 2.68 SA		22 0054 1.85 0600 2.78 SU		7 0006 2.14 0617 2.72 TU		22 0629 2.85 1509 0.79 WE	
8 0246 1.13 1205 2.57 TH		23 0213 1.35 1109 2.56 FR		8 0251 1.85 0843 2.76 SU		23 0226 1.95 0804 2.90 MO		8 0141 1.91 0658 2.76 SU		23 0119 2.02 0634 2.88 MO		8 0640 2.72 1539 1.29 WE		23 0716 2.82 1605 0.87 TH	
9 0321 1.33 1202 2.63 FR		24 0241 1.47 1022 2.63 SA		9 0252 2.03 0903 2.84 MO		24 0236 2.16 0836 2.99 TU		9 0147 2.06 0721 2.82 MO		24 0134 2.19 0708 2.95 TU		9 0708 2.70 1625 1.33 TH		24 0814 2.75 1707 0.98 FR ●	
10 0349 1.56 1216 2.71 SA		25 0308 1.65 1014 2.73 SU		10 0115 2.15 0205 2.15 TU		25 0909 3.06 1739 1.52 WE		10 0120 2.18 0745 2.85 TU		25 0744 2.98 1615 1.21 WE		10 0745 2.66 1716 1.37 FR ●		25 0916 2.64 1814 1.11 SA	
11 0404 1.78 1232 2.77 SU		26 0330 1.86 1022 2.84 MO		11 0957 2.94 1933 1.73 WE		26 0945 3.10 1855 1.45 TH		11 0812 2.87 1709 1.62 WE		26 0825 2.97 1720 1.23 TH		11 0834 2.61 1819 1.41 SA		26 0437 2.30 0609 2.29 SU	
12 0358 1.97 1235 2.82 MO		27 0337 2.08 1036 2.95 TU		12 1029 2.97 2043 1.61 TH		27 1031 3.11 2020 1.37 FR		12 0844 2.86 1810 1.60 TH		27 0915 2.93 1835 1.27 FR		12 0934 2.56 1929 1.42 SU		27 0405 2.27 0739 2.14 MO	
13 1222 2.88 2048 1.73 TU		28 1058 3.06 1921 1.60 WE		13 1108 2.99 2136 1.52 FR		28 1146 3.09 2133 1.30 SA		13 0924 2.85 1927 1.58 FR		28 1020 2.86 1957 1.31 SA		13 1053 2.50 2032 1.44 MO		28 0402 2.27 0850 1.95 TU	
14 1221 2.94 2135 1.55 WE		29 1128 3.16 2040 1.40 TH		14 1200 2.99 2222 1.45 SA		15 1339 2.99 2304 1.40 SU		14 1015 2.82 2043 1.53 SA		29 1230 2.78 2108 1.33 SU		14 0611 2.31 0818 2.29 TU		29 0402 2.29 0956 1.74 WE	
15 1239 2.99 2215 1.41 TH		30 1213 3.23 2149 1.24 FR						15 1123 2.80 2140 1.49 SU		30 0655 2.40 0804 2.40 MO		15 0455 2.25 0916 2.11 WE		30 0345 2.33 1051 1.51 TH	
		31 1330 3.26 2247 1.13 SA								31 0539 2.36 0929 2.24 TU					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
◑ Last Quarter

AMRUN (BOYD POINT) – QUEENSLAND

LAT 12° 55' S LONG 141° 37' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0345 2.40 1135 1.31 FR 1654 2.03 2244 1.89		16 0254 2.45 1050 1.04 SA 1644 2.00 * 2201 1.94		1 0329 2.40 1231 0.70 MO		16 0323 2.62 1223 0.34 TU		1 0335 2.30 1250 0.62 WE		16 0423 2.60 1300 0.37 TH		1 0454 2.31 1327 0.80 SA 2212 1.86		16 0056 1.61 0557 2.33 SU 1348 0.93 1908 2.05	
2 0400 2.46 1214 1.13 SA 2033 2.02 ○ 2254 1.98		17 0323 2.57 1140 0.78 SU 2113 2.07 ● 2224 2.07		2 0352 2.40 1307 0.68 TU		17 0418 2.65 1313 0.30 WE		2 0420 2.31 1325 0.65 TH		17 0521 2.58 1345 0.45 FR 2300 1.86		2 0028 1.82 0528 2.29 SU 1352 0.87 1942 1.91		17 0157 1.45 0639 2.15 MO 1415 1.14 1931 2.14	
3 0419 2.51 1249 1.00 SU 2156 2.04 2247 2.04		18 0357 2.66 1230 0.58 MO		3 0420 2.39 1342 0.69 WE		18 0519 2.64 1401 0.34 TH		3 0459 2.31 1357 0.69 FR		18 0032 1.84 0612 2.49 SA 1424 0.60 2215 1.88		3 0126 1.71 0605 2.23 MO 1416 0.99 1959 2.00		18 0254 1.31 0720 1.93 TU 1432 1.36 1955 2.22	
4 0440 2.54 1324 0.92 MO		19 0435 2.72 1319 0.47 TU		4 0453 2.38 1417 0.74 TH		19 0619 2.59 1448 0.46 FR		4 0534 2.31 1427 0.75 SA		19 0159 1.72 0657 2.33 SU 1500 0.80 2225 1.95		4 0223 1.58 0647 2.11 TU 1442 1.15 2023 2.10		19 0348 1.21 0807 1.72 WE 1433 1.56 * 2018 2.29	
5 0500 2.55 1359 0.91 TU		20 0521 2.73 1410 0.45 WE		5 0531 2.37 1453 0.80 FR		20 0714 2.48 1533 0.63 SA		5 0611 2.28 1456 0.83 SU		20 0311 1.59 0740 2.11 MO 1530 1.04 2245 2.03		5 0320 1.43 0736 1.94 WE 1503 1.35 2048 2.20		20 0445 1.14 2042 2.32 TH ●	
6 0523 2.54 1435 0.93 WE		21 0615 2.70 1501 0.52 TH		6 0613 2.35 1528 0.86 SA		21 0040 1.95 0317 1.88 SU 0803 2.30 1615 0.84		6 0012 1.90 0215 1.87 MO 0650 2.21 1524 0.94 2338 1.94		21 0420 1.46 0826 1.86 TU 1548 1.28 ● 2250 2.10		6 0420 1.26 0840 1.73 TH 1508 1.55 ● 2113 2.29		21 0545 1.08 2105 2.34 FR	
7 0550 2.52 1514 0.99 TH		22 0716 2.63 1554 0.66 FR		7 0656 2.30 1603 0.94 SU		22 0040 2.00 0446 1.75 MO 0853 2.07 ● 1652 1.08		7 0335 1.77 0735 2.07 TU 1552 1.10 2328 2.01		22 0529 1.33 0927 1.61 WE 1544 1.48 * 2221 2.16		7 0524 1.10 2140 2.38 FR		22 0652 1.03 2131 2.33 SA	
8 0625 2.49 1554 1.05 FR		23 0815 2.51 1647 0.83 SA ●		8 0743 2.21 1639 1.05 MO ●		23 0100 2.07 0604 1.59 TU 0959 1.82 1715 1.32		8 0447 1.61 0831 1.88 WE 1615 1.29 ● 2323 2.10		23 0641 1.19 2233 2.22 TH		8 0631 0.94 2212 2.45 SA		23 0803 0.98 2205 2.31 SU	
9 0707 2.45 1639 1.12 SA		24 0239 2.11 0454 2.07 SU 0915 2.34 1740 1.02		9 0204 2.02 0518 1.94 TU 0838 2.07 1715 1.18		24 0118 2.14 0723 1.40 WE 1315 1.63 1702 1.51		9 0556 1.40 1003 1.67 TH 1619 1.49 2326 2.20		24 0755 1.05 2252 2.26 FR		9 0747 0.80 2255 2.50 SU		24 0905 0.93 2254 2.28 MO	
10 0759 2.39 1727 1.18 SU ●		25 0227 2.12 0625 1.91 MO 1032 2.13 1831 1.22		10 0136 2.05 0634 1.75 WE 1000 1.89 1746 1.35		25 0125 2.18 0836 1.19 TH		10 0703 1.16 2342 2.31 FR		25 0857 0.93 2315 2.28 SA		10 0904 0.68 MO		25 0957 0.90 TU	
11 0859 2.30 1817 1.26 MO		26 0235 2.17 0742 1.72 TU 1224 1.94 1919 1.42		11 0117 2.12 0739 1.50 TH 1247 1.76 1803 1.55		26 0121 2.22 0934 1.00 FR		11 0812 0.92 SA		26 0946 0.83 2346 2.28 SU		11 0000 2.51 1011 0.59 TU		26 0128 2.24 1042 0.88 WE	
12 0358 2.17 0709 2.09 TU 1020 2.18 1910 1.36		27 0246 2.21 0855 1.50 WE 1407 1.81 1952 1.61		12 0117 2.23 0841 1.21 FR 1454 1.74 1723 1.71		27 0128 2.26 1019 0.85 SA		12 0011 2.42 0920 0.70 SU		27 1030 0.76 MO		12 0213 2.52 1107 0.54 WE		27 0241 2.26 1120 0.89 TH 2117 2.00 2200 2.00	
13 0311 2.14 0810 1.90 WE 1241 2.08 2000 1.48		28 0245 2.25 0956 1.28 TH 1635 1.76 1731 1.76		13 0134 2.35 0940 0.92 SA		28 0145 2.29 1059 0.73 SU		13 0054 2.50 1024 0.52 MO		28 0052 2.27 1113 0.72 TU		13 0326 2.55 1156 0.55 TH ●		28 0327 2.28 1153 0.92 FR 2051 1.93 ○ 2303 1.89	
14 0228 2.20 0906 1.64 TH 1403 2.03 2046 1.63		29 0239 2.29 1043 1.07 FR		14 0202 2.47 1036 0.66 SU		29 0212 2.30 1136 0.66 MO		14 0202 2.56 1121 0.40 TU ●		29 0250 2.27 1152 0.71 WE		14 0423 2.53 1239 0.62 FR 2012 1.88 2347 1.78		29 0404 2.28 1221 0.97 SA 1757 1.93 2353 1.75	
15 0232 2.32 0959 1.35 FR 1516 2.01 2128 1.79		30 0250 2.34 1121 0.90 SA		15 0238 2.56 1130 0.46 MO ●		30 0248 2.31 1214 0.63 TU ○		15 0316 2.59 1213 0.35 WE		30 0343 2.29 1228 0.72 TH ○		15 0513 2.46 1316 0.75 SA 1851 1.95		30 0442 2.27 1245 1.06 SU 1800 2.04	
		31 0307 2.38 1157 0.78 SU ○								31 0421 2.30 1300 0.75 FR				31 0039 1.58 0521 2.21 MO 1309 1.18 1822 2.16	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
◑ Last Quarter

AMRUN (BOYD POINT) – QUEENSLAND

LAT 12° 55' S LONG 141° 37' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0125 1.39 0604 2.12 TU 1332 1.33 1849 2.27		16 0232 1.06 0715 1.82 WE 1319 1.72 ★ 1851 2.43		1 0202 0.88 1112 1.94 TH 1245 1.93 ★ 1826 2.62		16 0249 0.90 1812 2.58 FR		1 0338 0.74 1917 2.77 SU		16 0343 1.10 1830 2.62 MO		1 0416 1.01 1417 2.48 TU 1614 2.46 ● 2022 2.69		16 0342 1.32 1416 2.56 WE 1535 2.55 1904 2.66	
2 0214 1.22 0653 1.99 WE 1355 1.52 1917 2.37		17 0317 1.01 1913 2.45 TH		2 0252 0.79 1855 2.66 FR		17 0330 0.96 1835 2.55 SA		2 0436 0.85 2018 2.65 MO ●		17 0423 1.19 1906 2.54 TU ●		2 0505 1.22 1355 2.52 WE 1757 2.29 2122 2.45		17 0411 1.44 1342 2.57 TH ● 1722 2.44 1948 2.50	
3 0304 1.07 0753 1.83 TH 1401 1.71 ★ 1944 2.44		18 0403 1.00 1935 2.45 FR		3 0346 0.78 1930 2.66 SA ●		18 0415 1.03 1902 2.50 SU		3 0537 0.99 1606 2.38 TU 1749 2.36 2125 2.49		18 0503 1.29 1549 2.47 WE 1839 2.42 1946 2.42		3 0550 1.45 1401 2.59 TH 1920 2.07 2321 2.20		18 0438 1.59 1324 2.61 FR 1834 2.24 2046 2.29	
4 0400 0.96 2012 2.50 FR ●		19 0453 1.02 2000 2.42 SA ●		4 0447 0.81 2015 2.61 SU		19 0503 1.11 1934 2.43 MO ●		4 0639 1.15 1531 2.36 WE 1924 2.18 2328 2.31		19 0544 1.39 1520 2.44 TH 1952 2.27 2050 2.27		4 0626 1.69 1414 2.67 FR 2039 1.81		19 0500 1.77 1309 2.69 SA 1939 2.00 2354 2.08	
5 0500 0.89 2045 2.53 SA		20 0550 1.05 2031 2.38 SU		5 0557 0.87 2115 2.53 MO		20 0559 1.17 1726 2.36 TU 1915 2.35 2020 2.35		5 0737 1.32 1527 2.39 TH 2038 1.96		20 0623 1.52 1454 2.44 FR 2039 2.06		5 0200 2.05 0627 1.91 SA 1418 2.73 2143 1.56		20 0500 1.95 1301 2.79 SU 2038 1.71	
6 0611 0.85 2129 2.54 SU		21 0700 1.08 2118 2.32 MO		6 0711 0.94 2237 2.41 TU		21 0658 1.23 1716 2.31 WE 2022 2.25 2137 2.25		6 0117 2.18 0827 1.50 FR 1529 2.44 2145 1.71		21 0000 2.10 0700 1.67 SA 1420 2.51 2120 1.81		6 1419 2.80 2230 1.34 SU		21 1312 2.92 2132 1.43 MO	
7 0730 0.82 2228 2.50 MO		22 0811 1.08 2221 2.26 TU		7 0821 1.01 1726 2.18 WE 2013 2.13		22 0753 1.29 1659 2.26 TH 2104 2.11		7 0238 2.08 0905 1.69 SA 1519 2.50 2239 1.46		22 0152 2.05 0732 1.84 SU 1415 2.62 2201 1.52		7 1432 2.85 2309 1.16 MO		22 1334 3.04 2224 1.18 TU	
8 0848 0.79 TU		23 0908 1.09 1910 2.16 WE 2055 2.14		8 0115 2.33 0920 1.10 TH 1654 2.16 2124 1.93		23 0035 2.16 0840 1.37 FR 1623 2.23 2145 1.92		8 0358 2.02 0929 1.87 SU 1522 2.59 2323 1.23		23 0319 2.05 0634 2.01 MO 1430 2.75 2244 1.24		8 1451 2.89 2345 1.05 TU		23 1406 3.15 2314 0.97 WE	
9 0055 2.44 0952 0.79 WE		24 0110 2.21 0954 1.10 TH 1905 2.09 2145 2.03		9 0226 2.28 1007 1.22 FR 1639 2.19 2228 1.70		24 0156 2.13 0917 1.48 SA 1520 2.28 2223 1.69		9 0823 2.02 0927 2.01 MO ● 1539 2.66		24 1455 2.88 2328 0.99 TU		9 1513 2.90 WE ●		24 1449 3.23 TH ○	
10 0225 2.44 1045 0.82 TH 1857 1.98 2154 1.93		25 0216 2.22 1030 1.15 FR 1824 2.04 2230 1.88		10 0324 2.21 1045 1.37 SA 1616 2.27 2322 1.46		25 0256 2.11 0952 1.62 SU 1523 2.41 2302 1.44		10 0001 1.05 1559 2.71 TU		25 1525 2.98 WE ○		10 0021 0.98 1537 2.90 TH		25 0003 0.84 1543 3.27 FR	
11 0325 2.42 1128 0.91 FR 1756 2.00 ● 2305 1.73		26 0306 2.21 1101 1.22 SA 1630 2.08 2312 1.69		11 0415 2.13 1113 1.54 SU 1629 2.38 ●		26 0352 2.09 1023 1.77 MO 1544 2.54 ○ 2342 1.17		11 0037 0.93 1618 2.74 WE		26 0013 0.80 1600 3.05 TH		11 0057 0.97 1605 2.90 FR		26 0051 0.78 1642 3.28 SA	
12 0416 2.36 1204 1.03 SA 1725 2.09		27 0351 2.20 1128 1.33 SU 1637 2.20 ○ 2352 1.47		12 0009 1.24 0505 2.04 MO 1134 1.70 1649 2.47		27 0452 2.07 1051 1.92 TU 1611 2.66		12 0114 0.87 1638 2.75 TH		27 0100 0.69 1642 3.08 FR		12 0131 1.00 1638 2.88 SA		27 0138 0.80 1741 3.24 SU	
13 0005 1.52 0502 2.26 SU 1234 1.20 1743 2.20		28 0436 2.16 1154 1.46 MO 1700 2.34		13 0051 1.06 0555 1.96 TU 1148 1.84 ★ 1711 2.53		28 0023 0.94 0936 2.09 WE 1111 2.07 1640 2.76		13 0149 0.88 1700 2.74 FR		28 0147 0.66 1732 3.06 SA		13 0206 1.06 1714 2.86 SU		28 0223 0.90 1833 3.13 MO	
14 0058 1.32 0546 2.12 MO 1259 1.38 1805 2.30		29 0033 1.24 0524 2.10 TU 1219 1.61 1728 2.46		14 0130 0.94 1040 1.95 WE 1138 1.94 ★ 1731 2.57		29 0107 0.77 1711 2.82 TH		14 0227 0.93 1726 2.71 SA		29 0237 0.72 1830 3.00 SU		14 0240 1.13 1749 2.83 MO		29 0305 1.06 1218 2.53 TU 1435 2.48 1923 2.94	
15 0146 1.16 0630 1.97 TU 1315 1.56 1829 2.38		30 0116 1.04 0618 2.02 WE 1242 1.77 1757 2.56		15 0210 0.89 1751 2.59 TH		30 0154 0.68 1745 2.85 FR		15 0304 1.01 1756 2.67 SU		30 0327 0.84 1927 2.88 MO		15 0312 1.22 1826 2.76 TU		30 0345 1.27 1208 2.61 WE 1611 2.34 2011 2.68	
				31 0245 0.67 1826 2.83 SA								31 0419 1.53 1225 2.72 TH ● 1733 2.17 2103 2.39			

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
◑ Last Quarter

KARUMBA – QUEENSLAND

LAT 17° 29' S LONG 140° 49' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0735 1.12 1800 4.19 TH		16 0752 1.07 1835 4.36 FR		1 0839 0.78 1930 4.80 SU		16 0841 1.05 1922 4.35 MO		1 0725 0.87 1804 4.46 SU		16 0706 1.06 1722 4.00 MO		1 0750 1.48 1830 3.25 WE		16 0700 1.64 1715 2.89 TH	
2 0801 0.89 1844 4.58 FR		17 0825 1.02 1914 4.44 SA		2 0924 0.77 2025 4.77 MO ○		17 0917 1.08 2004 4.33 TU ●		2 0813 0.91 1909 4.37 MO		17 0746 1.13 1813 3.92 TU		2 0802 1.87 1842 2.88 TH ○		17 0225 1.97 0638 2.08 FR ●	
3 0843 0.73 1935 4.81 SA ○		18 0905 0.99 1954 4.49 SU		3 1000 0.85 2112 4.62 TU		18 0945 1.18 2043 4.23 WE		3 0850 1.05 2000 4.18 TU ○		18 0818 1.30 1857 3.74 WE		3 0259 2.11 1151 2.40 FR		18 0101 1.97 0800 2.57 SA	
4 0930 0.64 2029 4.91 SU		19 0945 0.97 2033 4.51 MO ●		4 1030 1.02 2150 4.37 WE		19 1003 1.36 2114 4.01 TH		4 0919 1.29 2041 3.89 WE		19 0843 1.56 1935 3.45 TH ●		4 0216 1.99 1040 2.75 SA		19 0843 3.05 2221 1.38 SU	
5 1017 0.61 2119 4.88 MO		20 1020 0.96 2111 4.51 TU		5 1052 1.29 2213 4.02 TH		20 1015 1.63 2134 3.67 FR		5 0939 1.61 2101 3.52 TH		20 0905 1.92 2002 3.05 FR		5 0216 1.86 1030 3.11 SU		20 0927 3.49 2253 1.05 MO	
6 1059 0.65 2205 4.75 TU		21 1047 1.01 2144 4.45 WE		6 1102 1.65 2212 3.65 FR		21 1022 1.99 2134 3.26 SA		6 0945 1.99 2053 3.14 FR		21 0408 2.28 1232 2.42 SA * 1442 2.36 2001 2.61		6 1050 3.42 MO		21 1014 3.83 2345 0.82 TU	
7 1132 0.79 2242 4.52 WE		22 1105 1.11 2211 4.30 TH		7 1007 2.05 2153 3.31 SA		22 0530 2.28 1440 2.62 SU 1550 2.60 2041 2.88		7 0448 2.29 1328 2.57 SA 1521 2.52 2026 2.81		22 0316 2.22 1027 2.81 SU		7 0007 1.41 1119 3.64 TU		22 1104 4.06 WE	
8 1158 1.02 2305 4.21 TH		23 1116 1.31 2227 4.05 FR		8 0609 2.07 2051 3.08 SU		23 0504 2.12 1346 3.01 MO 1746 2.80 1837 2.80		8 0417 2.09 1252 2.93 SU 1711 2.64 1819 2.65		23 0001 2.01 0157 2.05 MO 0258 2.04 1049 3.29		8 0043 1.24 1150 3.78 WE		23 0049 0.68 1156 4.16 TH	
9 1209 1.36 2308 3.87 FR		24 1120 1.61 2229 3.71 SA		9 0600 1.82 1512 3.19 1843 3.05 1917 3.05 MO ●		24 0459 1.87 1313 3.49 TU ●		9 0425 1.89 1233 3.31 MO		24 0027 1.60 1130 3.72 TU		9 0127 1.13 1225 3.85 TH		24 0159 0.60 1247 4.14 FR ●	
10 1119 1.74 2253 3.55 SA		25 1012 2.00 2206 3.35 SU		10 0608 1.60 1509 3.57 TU		25 0403 1.56 1349 3.92 WE		10 0423 1.71 1254 3.62 TU		25 0115 1.28 1216 4.04 WE		10 0219 1.04 1301 3.87 FR ●		25 0306 0.59 1337 4.01 SA	
11 0846 1.86 2213 3.33 SU ●		26 0646 1.99 2052 3.15 MO ●		11 0609 1.43 1531 3.88 WE		26 0425 1.26 1441 4.22 TH		11 0305 1.51 1326 3.84 WE ●		26 0215 1.05 1307 4.22 TH ●		11 0315 0.97 1340 3.86 SA		26 0409 0.65 1424 3.79 SU	
12 0735 1.64 2103 3.25 MO		27 0632 1.78 1602 3.29 TU		12 0609 1.30 1609 4.08 TH		27 0521 1.05 1542 4.40 FR		12 0336 1.34 1403 3.97 TH		27 0326 0.90 1402 4.27 FR		12 0410 0.92 1422 3.82 SU		27 0502 0.83 1504 3.50 MO	
13 0733 1.41 1729 3.57 TU		28 0622 1.50 1552 3.80 WE		13 0631 1.20 1655 4.20 FR		28 0626 0.92 1651 4.47 SA		13 0423 1.22 1445 4.02 FR		28 0440 0.83 1501 4.22 SA		13 0501 0.94 1507 3.72 MO		28 0542 1.13 1535 3.16 TU	
14 0734 1.25 1735 3.94 WE		29 0626 1.22 1631 4.23 TH		14 0712 1.12 1745 4.27 SA				14 0520 1.14 1534 4.03 SA		29 0547 0.83 1604 4.08 SU		14 0545 1.05 1552 3.55 TU		29 0600 1.54 1553 2.79 WE	
15 0735 1.14 1801 4.20 TH		30 0700 1.00 1727 4.54 FR		15 0758 1.07 1836 4.32 SU				15 0617 1.08 1629 4.03 SU		30 0641 0.93 1705 3.87 MO		15 0624 1.29 1637 3.27 WE		30 0036 1.71 1526 2.43 TH	
		31 0748 0.86 1829 4.73 SA								31 0721 1.16 1757 3.59 TU					

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ◐ First Quarter ○ Full Moon * Extra Tides ◑ Last Quarter

KARUMBA – QUEENSLAND

LAT 17° 29' S LONG 140° 49' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0007 1.58 FR 2359 1.47		16 0656 2.66 SA 2115 1.17		1 0830 3.40 MO 2200 0.69		16 0812 3.77 TU 2215 0.23		1 0848 3.40 WE 2241 0.47		16 0912 3.87 TH 2303 0.12		1 0949 3.31 SA 2314 0.68		16 1026 3.02 SU 2317 1.20	
2 0849 2.91 SA 2222 1.31		17 0733 3.15 SU 2127 0.86		2 0906 3.46 TU 2237 0.64		17 0911 3.91 WE 2310 0.15		2 0930 3.40 TH 2318 0.44		17 1004 3.78 FR 2341 0.25		2 1021 3.16 SU 2320 0.89		17 1043 2.60 MO 1937 1.62	
3 0909 3.23 SU 2222 1.12		18 0819 3.55 MO 2200 0.61		3 0944 3.47 WE 2320 0.60		18 1006 3.94 TH 1000 0.13		3 1010 3.40 FR 2351 0.45		18 1049 3.57 SA 0013 0.50		3 1045 2.91 MO 2311 1.18		18 0148 1.70 TU 0413 1.84	
4 0935 3.44 MO 2245 0.98		19 0911 3.83 TU 2252 0.44		4 1021 3.48 TH 1058 3.87		19 0000 0.13 FR 1058 3.87		4 1045 3.38 SA 1124 3.25		19 0013 0.50 SU 1124 3.25		4 1058 2.57 TU 1916 1.45		19 0119 2.15 WE 0545 1.89	
5 1006 3.57 TU 2321 0.89		20 1005 3.99 WE 2353 0.35		5 0004 0.55 FR 1058 3.48		20 0045 0.20 SA 1143 3.69		5 0015 0.50 SU 1113 3.29		20 0034 0.86 MO 1141 2.85		5 0311 1.68 WE 1049 2.19		20 0124 2.58 TH 1740 0.98	
6 1040 3.63 WE 1131 3.48		21 1059 4.04 TH 1216 3.40		6 0045 0.51 SA 1131 3.48		21 0126 0.39 SU 1216 3.40		6 0033 0.64 MO 1134 3.11		21 1136 2.45 TU 1922 1.30		6 0217 2.06 TH 0830 1.92		21 0156 2.93 FR 1744 0.83	
7 0006 0.83 TH 1115 3.66		22 0054 0.31 FR 1149 3.99		7 0119 0.51 SU 1200 3.44		22 0157 0.69 MO 1235 3.04		7 0038 0.88 TU 2251 1.19		22 0325 1.84 WE 0545 1.78		7 0201 2.52 FR 1759 0.96		22 0236 3.17 SA 1744 0.72	
8 0057 0.77 FR 1150 3.67		23 0151 0.34 SA 1235 3.83		8 0149 0.60 MO 1226 3.31		23 0200 1.10 TU 1236 2.66		8 1148 2.47 WE 2002 1.25		23 0323 2.31 TH 1911 0.80		8 0239 2.96 SA 1747 0.71		23 0322 3.30 SU 1811 0.65	
9 0146 0.71 SA 1225 3.67		24 0243 0.46 SU 1313 3.57		9 0212 0.80 TU 1246 3.07		24 1215 2.33 WE 2045 1.04		9 1103 2.13 TH 1938 1.11		24 0348 2.73 FR 1921 0.66		9 0332 3.30 SU 1827 0.50		24 0415 3.34 MO 1857 0.60	
10 0233 0.68 SU 1259 3.63		25 0328 0.71 MO 1338 3.24		10 0056 1.11 WE 1258 2.73		25 0517 2.16 TH 0822 2.10		10 0350 2.26 FR 1920 0.91		25 0426 3.04 SA 1930 0.57		10 0436 3.54 MO 1928 0.35		25 0512 3.35 TU 1945 0.58	
11 0315 0.73 MO 1332 3.52		26 0356 1.08 TU 1349 2.88		11 1235 2.34 TH 2117 1.23		26 0531 2.63 FR 2044 0.68		11 0417 2.77 SA 1918 0.67		26 0511 3.23 SU 1949 0.53		11 0548 3.69 TU 2026 0.26		26 0610 3.35 WE 2030 0.59	
12 0350 0.89 TU 1404 3.29		27 1340 2.53 WE 2227 1.26		12 0530 2.15 FR 2032 1.06		27 0603 3.00 SA 2043 0.61		12 0505 3.19 SU 1948 0.46		27 0600 3.33 MO 2024 0.50		12 0701 3.77 WE 2115 0.23		27 0702 3.34 TH 2109 0.66	
13 0415 1.19 WE 1431 2.96		28 1230 2.27 TH 2219 1.09		13 0542 2.69 SA 2020 0.80		28 0642 3.24 SU 2053 0.56		13 0603 3.52 MO 2037 0.30		28 0653 3.36 TU 2105 0.48		13 0806 3.76 TH 2157 0.31		28 0748 3.29 FR 2141 0.80	
14 0112 1.51 TH 1438 2.54		29 0709 2.59 FR 2206 0.96		14 0623 3.16 SU 2042 0.56		29 0723 3.35 MO 2121 0.53		14 0708 3.73 TU 2130 0.17		29 0743 3.38 WE 2146 0.46		14 0901 3.64 FR 2230 0.50		29 0830 3.17 SA 2200 1.03	
15 0948 2.18 FR 1249 2.20		30 0729 2.98 SA 2135 0.85		15 0715 3.53 MO 2123 0.37		30 0805 3.39 TU 2200 0.51		15 0813 3.85 WE 2219 0.11		30 0829 3.39 TH 2224 0.47		15 0948 3.39 SA 2258 0.80		30 0907 2.95 SU 2207 1.32	
		31 0758 3.25 SU 2136 0.75								31 0911 3.38 FR 2254 0.54				31 0938 2.63 MO 1818 1.66	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
◑ Last Quarter

KARUMBA – QUEENSLAND

LAT 17° 29' S LONG 140° 49' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0110 1.73 0323 1.66 TU 0956 2.24 1642 1.65		16 1249 1.41 1345 1.41 WE 1538 1.38 2335 2.98		1 1121 1.11 2249 3.45		16 1203 0.90 2316 3.73		1 1303 0.56 SU		16 1300 0.85 2343 3.96		1 1331 0.81 TU ●		16 1231 1.15 2324 3.95	
2 0021 2.08 0454 1.78 WE 0923 1.85 1634 1.53 2345 2.51		17 1315 1.15 TH		2 1212 0.86 2336 3.71		17 1248 0.85 2352 3.75		2 0006 4.21 1404 0.59 MO ●		17 1335 0.91 TU ●		2 0020 4.06 1357 1.13 WE		17 1206 1.39 2331 3.71 TH ●	
3 1337 1.35 1502 1.37 TH 1624 1.35		18 0011 3.25 1356 0.96 FR		3 1316 0.69 SA ●		18 1339 0.83 SU		3 0054 4.07 1459 0.72 TU		18 0012 3.88 1359 1.04 WE		3 0034 3.71 1319 1.54 TH		18 1102 1.63 2317 3.43 FR	
4 0017 2.93 1411 1.02 FR ●		19 0048 3.41 1444 0.85 SA ●		4 0027 3.86 1426 0.60 SU		19 0029 3.72 1430 0.82 MO ●		4 0137 3.83 1542 0.97 WE		19 0037 3.74 1351 1.26 TH		4 0026 3.35 1015 1.71 FR 2343 3.09		19 0854 1.67 2237 3.19 SA	
5 0101 3.28 1506 0.76 SA		20 0129 3.48 1537 0.79 SU		5 0122 3.89 1537 0.56 MO		20 0105 3.67 1515 0.86 TU		5 0210 3.50 1600 1.35 TH		20 0058 3.50 1240 1.51 FR		5 0927 1.51 2057 3.04 SA		20 0820 1.56 1945 3.20 SU	
6 0154 3.53 1615 0.58 SU		21 0213 3.47 1638 0.75 MO		6 0220 3.82 1645 0.60 TU		21 0143 3.59 1553 0.96 WE		6 0229 3.13 1332 1.72 FR		21 0058 3.19 1040 1.63 SA		6 0915 1.29 1910 3.46 SU		21 0751 1.36 1811 3.61 MO	
7 0255 3.66 1735 0.47 MO		22 0301 3.43 1737 0.75 TU		7 0320 3.66 1744 0.76 WE		22 0222 3.45 1618 1.15 TH		7 0208 2.76 1108 1.66 SA 2159 2.58		22 0010 2.89 1000 1.59 SU 2039 2.91		7 0902 1.11 1916 3.87 MO		22 0751 1.12 1823 4.08 TU	
8 0405 3.70 1847 0.43 TU		23 0353 3.37 1829 0.81 WE		8 0417 3.42 1830 1.04 TH		23 0300 3.24 1553 1.44 FR		8 1057 1.50 2014 3.01 SU		23 0856 1.43 1915 3.34 MO		8 0859 0.99 1941 4.15 TU		23 0816 0.91 1901 4.45 WE	
9 0521 3.66 1945 0.48 WE		24 0445 3.29 1910 0.94 TH		9 0507 3.11 1900 1.43 FR		24 0336 2.94 1350 1.68 SA		9 1004 1.33 2016 3.43 MO ●		24 0845 1.17 1926 3.80 TU		9 0912 0.92 2010 4.30 WE ●		24 0856 0.74 1949 4.71 TH ○	
10 0634 3.56 2030 0.65 TH		25 0533 3.17 1942 1.17 FR		10 0542 2.73 1529 1.82 SA		25 0356 2.56 1210 1.74 SU 2142 2.44		10 0939 1.13 2038 3.75 TU		25 0902 0.92 1959 4.18 WE ○		10 0938 0.88 2043 4.34 TH		25 0943 0.62 2041 4.86 FR	
11 0735 3.36 2105 0.93 FR ●		26 0616 2.96 2005 1.48 SA		11 0555 2.34 1310 1.79 SU 2124 2.38 ●		26 1110 1.70 2011 2.87 MO ○		11 0951 0.97 2105 3.94 WE		26 0933 0.72 2041 4.45 TH		11 1014 0.88 2116 4.32 FR		26 1031 0.55 2132 4.88 SA	
12 0825 3.05 2134 1.30 SA		27 0656 2.67 1547 1.77 SU 2335 1.91 ○		12 1302 1.65 2116 2.82 MO		27 0939 1.42 2024 3.31 TU		12 1018 0.88 2135 4.03 TH		27 1018 0.59 2130 4.59 FR		12 1052 0.88 2150 4.29 SA		27 1115 0.56 2219 4.79 SU	
13 0900 2.66 2158 1.74 SU		28 0127 1.88 0728 2.29 MO 1442 1.81 2118 2.26		13 1033 1.41 2140 3.19 TU		28 0947 1.11 2057 3.70 WE		13 1054 0.85 2207 4.05 FR		28 1112 0.52 2220 4.62 SA		13 1128 0.88 2220 4.25 SU		28 1153 0.69 2300 4.56 MO	
14 0017 1.78 0230 1.72 MO 0903 2.24 1532 1.75 2236 2.19		29 0423 1.86 0725 1.89 TU 1422 1.77 * 2134 2.69		14 1051 1.16 2209 3.47 WE		29 1014 0.85 2138 4.00 TH		14 1136 0.84 2240 4.04 SA		29 1204 0.52 2308 4.55 SU		14 1159 0.91 2246 4.20 MO		29 1222 0.94 2325 4.22 TU	
15 0428 1.82 0822 1.89 TU 1533 1.56 2302 2.62		30 1050 1.44 2208 3.10 WE		15 1123 1.00 2242 3.64 TH		30 1100 0.68 2225 4.18 FR		15 1219 0.83 2312 4.01 SU		30 1252 0.61 2350 4.35 MO		15 1222 0.99 2307 4.11 TU		30 1237 1.32 2330 3.82 WE	
						31 1159 0.59 2315 4.25 SA								31 1140 1.75 2312 3.46 TH ●	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

* Extra Tides
◑ Last Quarter

MORNINGTON ISLAND – QUEENSLAND

LAT 16° 40' S LONG 139° 10' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

JANUARY

Time	m	Time	m
1 0559 1.53 1922 3.58 TH		16 0653 1.43 1930 3.63 FR	
2 0647 1.24 1954 3.78 FR		17 0730 1.36 2010 3.66 SA	
3 0743 1.05 2045 3.89 SA ○		18 0814 1.32 2106 3.67 SU	
4 0841 0.95 2151 3.94 SU		19 0859 1.30 2206 3.68 MO ●	
5 0936 0.93 2257 3.92 MO		20 0943 1.30 2259 3.67 TU	
6 1028 0.99 2355 3.84 TU		21 1022 1.33 2344 3.64 WE	
7 1111 1.11 WE		22 1053 1.40 TH	
8 0044 3.68 1145 1.30 TH		23 0024 3.54 1114 1.53 1950 3.16 2129 3.14 FR	
9 0121 3.43 1206 1.54 2033 3.07 2249 3.03 FR		24 0101 3.36 1122 1.72 1950 3.09 2251 2.97 SA	
10 0137 3.12 1215 1.80 2024 3.05 SA		25 0136 3.08 1125 1.94 1941 3.03 SU	
11 1213 2.06 2009 3.07 SU ●		26 0027 2.71 0203 2.73 1120 2.20 1902 3.04 MO ●	
12 0636 2.27 0915 2.29 1123 2.28 1943 3.16 MO		27 0334 2.33 0849 2.46 1035 2.44 1818 3.19 TU	
13 0547 1.98 1921 3.29 TU		28 0359 1.95 1754 3.43 WE	
14 0600 1.74 1908 3.44 WE		29 0444 1.61 1803 3.66 TH	
15 0623 1.55 1911 3.56 TH		30 0537 1.37 1838 3.83 FR	
		31 0636 1.22 1932 3.90 SA	

FEBRUARY

Time	m	Time	m
1 0738 1.15 2045 3.91 SU		16 0739 1.43 2050 3.60 MO	
2 0836 1.15 2201 3.88 MO ○		17 0828 1.43 2156 3.57 TU ●	
3 0928 1.21 2308 3.80 TU		18 0910 1.46 2252 3.52 WE	
4 1010 1.34 WE		19 0943 1.56 1844 3.11 1931 3.11 2343 3.40 TH	
5 0002 3.64 1038 1.53 1923 3.09 2036 3.08 TH		20 1000 1.73 1830 3.00 2050 2.92 FR	
6 0045 3.40 1053 1.76 1908 3.01 2154 2.90 FR		21 0034 3.20 1007 1.93 1825 2.90 2152 2.69 SA	
7 0116 3.09 1100 2.00 1900 2.97 2312 2.70 SA		22 0139 2.93 1015 2.17 1750 2.84 2257 2.41 SU	
8 0125 2.76 1101 2.23 1830 2.99 SU		23 0440 2.65 1021 2.42 1645 2.92 MO	
9 0400 2.38 0758 2.48 1048 2.43 1757 3.10 MO ●		24 0014 2.12 0821 2.67 1009 2.65 1556 3.15 TU ●	
10 0400 2.09 1738 3.24 TU		25 0152 1.82 1555 3.40 WE	
11 0418 1.85 1728 3.39 WE		26 0308 1.55 1628 3.60 TH	
12 0443 1.68 1735 3.51 TH		27 0410 1.37 1715 3.71 FR	
13 0516 1.56 1800 3.58 FR		28 0512 1.28 1815 3.74 SA	
14 0558 1.49 1840 3.61 SA			
15 0647 1.45 1940 3.61 SU			

MARCH

Time	m	Time	m
1 0615 1.26 1930 3.70 SU		16 0553 1.44 1905 3.34 MO	
2 0718 1.30 2051 3.62 MO		17 0645 1.47 2021 3.27 TU	
3 0813 1.40 2212 3.50 TU ○		18 0731 1.54 2137 3.15 WE	
4 0855 1.55 2321 3.33 WE		19 0808 1.68 1702 2.86 1914 2.80 2259 3.00 TH ●	
5 0920 1.74 1746 2.88 2008 2.81 TH		20 0830 1.87 1655 2.71 2008 2.53 FR	
6 0021 3.11 0932 1.96 1736 2.79 2109 2.58 FR		21 0030 2.82 0845 2.10 1552 2.59 2100 2.22 SA	
7 0130 2.84 0940 2.18 1706 2.75 2207 2.36 SA		22 0313 2.66 0901 2.35 1428 2.65 2155 1.92 SU	
8 0459 2.62 0949 2.38 1602 2.81 2309 2.15 SU		23 0620 2.72 0918 2.60 1311 2.89 2255 1.65 MO	
9 0716 2.62 0953 2.56 1522 2.96 MO		24 0748 2.82 0926 2.80 1327 3.15 TU	
10 0026 1.95 1502 3.11 TU		25 0007 1.43 1402 3.36 WE	
11 0145 1.77 1512 3.24 WE ●		26 0127 1.26 1448 3.47 TH ●	
12 0237 1.62 1534 3.33 TH		27 0237 1.16 1543 3.51 FR	
13 0322 1.52 1608 3.38 FR		28 0340 1.14 1649 3.46 SA	
14 0410 1.46 1651 3.40 SA		29 0439 1.19 1805 3.36 SU	
15 0500 1.44 1751 3.38 SU		30 0536 1.30 1923 3.21 MO	
		31 0629 1.46 2053 3.01 TU	

APRIL

Time	m	Time	m
1 0710 1.66 1607 2.72 1841 2.64 2244 2.81 WE		16 0610 1.68 1458 2.55 1838 2.38 2220 2.48 TH	
2 0738 1.88 1546 2.60 1942 2.38 TH ○		17 0644 1.92 1331 2.44 1924 2.05 FR ●	
3 0043 2.62 0757 2.10 1456 2.54 2034 2.11 FR		18 0147 2.40 0714 2.19 1228 2.47 2011 1.70 SA	
4 0322 2.53 0815 2.30 1338 2.59 2122 1.88 SA		19 0503 2.56 0743 2.46 1115 2.67 2100 1.38 SU	
5 0531 2.57 0831 2.47 1247 2.75 2208 1.68 SU		20 0610 2.75 0810 2.70 1125 2.93 2156 1.12 MO	
6 0645 2.66 0846 2.62 1248 2.90 2256 1.53 MO		21 0714 2.88 0830 2.87 1200 3.14 2300 0.95 TU	
7 0755 2.73 0850 2.72 1304 3.01 2348 1.42 TU		22 1243 3.28 WE	
8 1326 3.09 WE		23 0009 0.85 1330 3.33 TH	
9 0045 1.34 1354 3.13 TH		24 0115 0.81 1425 3.29 FR ●	
10 0140 1.29 1427 3.15 FR ●		25 0215 0.85 1528 3.18 SA	
11 0230 1.25 1505 3.14 SA		26 0307 0.96 1638 3.01 SU	
12 0319 1.24 1549 3.10 SU		27 0354 1.13 1750 2.78 MO	
13 0405 1.27 1641 3.01 MO		28 0434 1.36 1416 2.56 1711 2.49 1905 2.51 TU	
14 0449 1.35 1815 2.88 TU		29 0508 1.62 1326 2.45 1827 2.18 2243 2.25 WE	
15 0531 1.48 1522 2.71 1751 2.66 1947 2.69 WE		30 0536 1.88 1244 2.41 1924 1.88 TH	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

MORNINGTON ISLAND – QUEENSLAND

LAT 16° 40' S LONG 139° 10' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0148 2.21 0600 2.12 FR 1147 2.45 2009 1.60		16 0407 2.20 0512 2.19 SA 1007 2.45 1917 1.25		1 0956 2.74 2116 0.79 MO		16 0924 2.99 2111 0.36 TU		1 1007 2.68 2146 0.65 WE		16 1043 2.98 2207 0.35 TH		1 1148 2.60 2234 0.81 SA		16 0618 2.21 0847 2.12 SU 1309 2.48 2232 1.15	
2 0453 2.34 0622 2.33 SA 1105 2.59 2047 1.37		17 0930 2.68 2007 0.94 SU ●		2 1031 2.77 2157 0.77 TU		17 1030 3.05 2211 0.31 WE		2 1107 2.67 2230 0.66 TH		17 1154 2.92 2255 0.47 FR		2 0641 2.28 0837 2.24 SU 1231 2.50 2255 0.95		17 0618 2.12 0949 1.89 MO 1421 2.19 2239 1.42	
3 0559 2.50 0647 2.50 SU 1103 2.73 2125 1.21		18 1000 2.90 2103 0.70 MO		3 1113 2.77 2242 0.76 WE		18 1139 3.05 2308 0.33 TH		3 1156 2.66 2310 0.68 FR		18 1255 2.78 2332 0.67 SA		3 0652 2.22 0938 2.10 MO 1314 2.34 2302 1.14		18 0608 2.09 1054 1.66 TU 1726 1.93 2243 1.67	
4 0637 2.61 0717 2.61 MO 1121 2.83 2203 1.10		19 1044 3.07 2204 0.56 TU		4 1155 2.76 2327 0.76 TH		19 1242 2.99 2359 0.43 FR		4 0726 2.36 0806 2.35 SA 1237 2.62 2344 0.73		19 0730 2.23 0929 2.19 SU 1348 2.54 2357 0.92		4 0658 2.16 1039 1.92 TU 1405 2.10 2306 1.35		19 0520 2.15 1214 1.44 WE 2026 1.90 2233 1.88	
5 1145 2.89 2246 1.04 TU		20 1136 3.16 2307 0.49 WE		5 0751 2.50 0816 2.50 FR 1235 2.74		20 1340 2.84 SA		5 0744 2.31 0911 2.30 SU 1314 2.55		20 0734 2.15 1042 2.00 MO 1439 2.22		5 0644 2.11 1145 1.70 WE 1628 1.84 2307 1.59		20 0446 2.31 1417 1.21 TH ●	
6 0743 2.70 0811 2.70 WE 1213 2.92 2334 1.01		21 1231 3.18 TH		6 0010 0.76 1314 2.71 SA		21 0041 0.60 1432 2.61 SU		6 0009 0.83 0804 2.27 MO 1018 2.22 1349 2.40		21 0006 1.21 0734 2.12 TU 1210 1.79 1622 1.85		6 0600 2.15 1307 1.42 TH 2109 1.83 2238 1.82		21 0421 2.49 1515 1.01 FR	
7 1244 2.93 TH		22 0008 0.50 1329 3.11 FR		7 0047 0.79 1349 2.64 SU		22 0113 0.84 0902 2.22 MO 1133 2.17 1516 2.29		7 0024 0.99 0817 2.23 TU 1138 2.09 1426 2.17		22 0005 1.48 0714 2.16 WE 1544 1.48 2138 1.73 2342 1.71		7 0516 2.32 1439 1.12 FR		22 0422 2.63 1600 0.88 SA	
8 0025 0.99 1318 2.92 FR		23 0103 0.57 1428 2.97 SA ●		8 0119 0.86 0959 2.39 MO 1022 2.39 1421 2.51		23 0131 1.13 0903 2.19 TU		8 0030 1.19 0815 2.18 WE 1328 1.86 1514 1.87		23 0644 2.28 1626 1.17 TH		8 0451 2.55 1547 0.85 SA		23 0441 2.72 1642 0.82 SU	
9 0113 0.97 1355 2.89 SA		24 0150 0.72 1525 2.75 SU		9 0144 0.99 0958 2.34 TU 1243 2.30 1430 2.31		24 0135 1.42 0852 2.21 WE 1720 1.55 2236 1.71		9 0026 1.44 0751 2.17 TH 1530 1.53 2153 1.70 2321 1.69		24 0619 2.44 1703 0.94 FR		9 0508 2.77 1649 0.65 SU		24 0509 2.76 1730 0.79 MO	
10 0156 0.98 1431 2.84 SU ●		25 0229 0.93 1617 2.46 MO		10 0200 1.18 0951 2.28 WE		25 0104 1.68 0826 2.29 TH 1752 1.22		10 0710 2.27 1618 1.18 FR		25 0610 2.58 1741 0.79 SA		10 0545 2.91 1754 0.53 MO		25 0547 2.76 1820 0.79 TU	
11 0234 1.03 1500 2.73 MO		26 0258 1.20 1105 2.32 TU		11 0208 1.45 0934 2.24 TH 1702 1.68 2210 1.75		26 0757 2.42 1828 0.96 FR		11 0630 2.47 1708 0.86 SA		26 0618 2.68 1820 0.71 SU		11 0641 2.97 1900 0.47 TU		26 0649 2.72 1912 0.80 WE	
12 0309 1.13 1424 2.57 TU		27 0316 1.49 1048 2.29 WE 1827 1.78 2309 1.88		12 0042 1.73 0903 2.28 FR 1733 1.32		27 0742 2.56 1902 0.79 SA		12 0634 2.70 1804 0.61 SU		27 0640 2.72 1904 0.67 MO		12 0800 2.97 2003 0.47 WE		27 0817 2.67 2000 0.84 TH	
13 0339 1.32 1216 2.43 WE		28 0309 1.78 1019 2.33 TH 1857 1.45		13 0804 2.44 1817 0.97 SA		28 0750 2.66 1939 0.69 SU		13 0704 2.87 1907 0.45 MO		28 0720 2.71 1951 0.66 TU		13 0932 2.92 2100 0.53 TH ●		28 0935 2.62 2042 0.91 FR ○	
14 0409 1.57 1134 2.35 TH 1756 1.97 2202 2.02		29 0942 2.43 1931 1.18 FR		14 0800 2.67 1910 0.69 SU		29 0816 2.70 2018 0.65 MO		14 0800 2.96 2011 0.35 TU ●		29 0838 2.67 2039 0.67 WE		14 1058 2.85 2145 0.67 FR		29 0559 2.39 0700 2.39 SA 1043 2.54 2114 1.03	
15 0439 1.87 1100 2.34 FR 1833 1.61		30 0920 2.57 2005 0.98 SA		15 0830 2.87 2009 0.48 MO ●		30 0903 2.70 2101 0.64 TU ○		15 0919 2.99 2112 0.32 WE		30 1000 2.65 2124 0.68 TH ○		15 0631 2.35 0736 2.34 SA 1207 2.71 2217 0.89		30 0536 2.29 0803 2.22 SU 1144 2.43 2131 1.21	
		31 0930 2.68 2039 0.86 SU ○								31 1100 2.64 2203 0.73 FR				31 0538 2.20 0854 2.01 MO 1248 2.26 2139 1.42	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Moon Phase Symbols ● New Moon ○ First Quarter ○ Full Moon ● Last Quarter

MORNINGTON ISLAND – QUEENSLAND

LAT 16° 40' S LONG 139° 10' E

Times and Heights of High and Low Waters

2026

Time Zone -1000

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0526 2.11 0945 1.77 TU 1431 2.06 2147 1.64		16 0218 2.28 1054 1.33 WE 1930 2.18 2127 2.15		1 0028 2.56 1034 1.11 TH 1943 2.48 2100 2.47		16 0037 2.90 1134 1.04 FR		1 0059 3.36 1243 0.75 SU		16 0057 3.18 1247 1.11 MO		1 0144 3.46 1313 1.05 TU		16 0109 3.27 1240 1.40 WE 2146 3.06 2219 3.06	
2 0430 2.10 1039 1.52 WE 1830 2.00 2158 1.87		17 0152 2.48 1155 1.17 TH		2 0051 2.80 1137 0.94 FR		17 0102 2.95 1225 1.01 SA		2 0148 3.34 1340 0.81 MO		17 0125 3.14 1326 1.16 TU		2 0226 3.22 1346 1.30 WE 2305 2.92		17 0123 3.12 1255 1.56 TH 2130 3.03	
3 0323 2.24 1139 1.28 TH 2023 2.11 2154 2.09		18 0206 2.64 1300 1.05 FR		3 0127 2.98 1248 0.82 SA		18 0130 2.98 1316 1.01 SU		3 0241 3.23 1430 0.94 TU		18 0149 3.07 1359 1.26 WE		3 0029 2.91 0158 2.92 TH 1408 1.60 2222 2.85		18 1257 1.77 2118 3.00 FR	
4 0235 2.48 1253 1.05 FR		19 0229 2.75 1400 0.97 SA		4 0209 3.09 1359 0.75 SU		19 0159 2.97 1406 1.02 MO		4 0335 3.05 1515 1.14 WE		19 0154 2.95 1426 1.41 TH 2350 2.84		4 1407 1.93 2207 2.85 FR		19 1210 2.00 2100 3.00 SA	
5 0257 2.71 1415 0.86 SA		20 0255 2.81 1453 0.93 SU		5 0259 3.12 1501 0.75 MO		20 0230 2.95 1452 1.06 TU		5 0235 2.80 1551 1.42 TH		20 1445 1.63 2305 2.78 FR		5 0702 2.09 2135 2.93 SA		20 0749 2.13 2031 3.07 SU	
6 0334 2.89 1525 0.72 SU		21 0327 2.83 1544 0.92 MO		6 0400 3.08 1600 0.82 TU		21 0259 2.89 1535 1.14 WE		6 0055 2.64 1618 1.73 FR		21 1446 1.90 2242 2.75 SA		6 0657 1.75 2104 3.08 SU		21 0558 1.84 1952 3.24 MO	
7 0423 2.98 1630 0.65 MO		22 0404 2.82 1634 0.94 TU		7 0515 2.97 1656 0.95 WE		22 0315 2.80 1615 1.26 TH		7 0015 2.57 0658 2.13 SA 1118 2.18 1634 2.04 2342 2.57		22 0845 2.06 2216 2.79 SU		7 0725 1.47 2050 3.26 MO		22 0620 1.52 1948 3.47 TU	
8 0525 3.01 1735 0.65 TU		23 0446 2.78 1725 0.98 WE		8 0633 2.80 1746 1.15 TH		23 0249 2.67 1653 1.44 FR		8 0727 1.80 2246 2.69 SU		23 0649 1.77 2131 2.92 MO		8 0758 1.27 2107 3.38 TU		23 0703 1.25 2016 3.66 WE	
9 0641 2.96 1839 0.71 WE		24 0543 2.70 1814 1.06 TH		9 0336 2.54 0527 2.51 FR 0800 2.57 1828 1.40		24 0207 2.55 1728 1.68 SA		9 0804 1.51 2219 2.87 MO		24 0717 1.44 2110 3.15 TU		9 0832 1.17 2139 3.45 WE		24 0756 1.05 2105 3.80 TH	
10 0806 2.86 1936 0.83 TH		25 0729 2.58 1858 1.18 FR		10 0309 2.39 0639 2.23 SA 1039 2.34 1858 1.67		25 0100 2.45 0700 2.11 SU 1047 2.13 1800 1.95		10 0841 1.29 2230 3.03 TU		25 0800 1.16 2136 3.37 WE		10 0909 1.13 2217 3.47 TH		25 0853 0.93 2206 3.88 FR	
11 0944 2.72 2020 1.01 FR		26 0419 2.45 0644 2.40 SA 0858 2.44 1932 1.35		11 0235 2.29 0737 1.93 SU 1335 2.23 1919 1.93		26 0022 2.43 0728 1.80 MO 1620 2.29 1830 2.23 2334 2.52		11 0918 1.14 2255 3.14 WE		26 0850 0.95 2218 3.53 TH		11 0947 1.13 2259 3.46 FR		26 0950 0.87 2309 3.90 SA	
12 0507 2.35 0704 2.30 SA 1119 2.56 2047 1.25		27 0407 2.32 0727 2.17 SU 1057 2.28 1956 1.57		12 0128 2.29 0829 1.63 MO 1620 2.27 1939 2.17		27 0805 1.48 1726 2.53 TU 1901 2.50 2244 2.73		12 0956 1.07 2325 3.20 TH		27 0946 0.82 2308 3.63 FR		12 1028 1.15 2338 3.44 SA		27 1043 0.89 SU	
13 0455 2.21 0807 2.04 SU 1247 2.35 2100 1.51		28 0332 2.21 0810 1.90 MO 1333 2.16 2013 1.80		13 0011 2.43 0915 1.39 TU 1753 2.40 1957 2.36 2358 2.63		28 0849 1.20 1820 2.74 WE 1929 2.73 2258 2.97		13 1036 1.05 2356 3.21 FR		28 1044 0.77 SA		13 1108 1.18 SU		28 0007 3.84 1129 1.00 MO	
14 0443 2.13 0903 1.77 MO 1500 2.17 2112 1.75		29 0224 2.19 0854 1.61 TU 1705 2.20 2031 2.04		14 1000 1.21 1902 2.51 WE 2008 2.50		29 0940 0.98 2332 3.17 TH		14 1120 1.06 SA		29 0000 3.66 1140 0.78 SU		14 0014 3.41 1145 1.22 MO		29 0059 3.68 1205 1.20 TU	
15 0332 2.13 0958 1.53 TU 1748 2.13 2123 1.97		30 0102 2.31 0942 1.34 WE 1829 2.35 2050 2.27		15 0014 2.79 1045 1.10 TH		30 1038 0.83 FR		15 0026 3.20 1204 1.08 SU		30 0053 3.61 1230 0.87 MO		15 0044 3.36 1216 1.29 TU		30 0142 3.41 1230 1.47 WE 2052 3.04 2324 2.98	
						31 0013 3.31 1141 0.76 SA								31 0205 3.05 1241 1.78 TH 2044 3.01	

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Moon Phase Symbols ● New Moon ◐ First Quarter ○ Full Moon ◑ Last Quarter

Extra tides QLD - 2026

'Extra tides' are instances of high or low waters that have been intentionally excluded from standard tide tables. These are generally minor turning points that occur on the same day as several relatively more significant highs and lows.

Mourilyan-Harbour

timezone +1000

Year	Month	Date	Time	Type	Height
2026	Mar	09	02:26	low	2.10
			03:12	high	2.10
		10	17:02	high	1.70
			18:18	low	1.70

Amrun-(Boyd-Point)

timezone +1000

Year	Month	Date	Time	Type	Height
2026	Mar	09	22:29	low	2.18
			23:40	high	2.19
	Apr	06	21:03	low	2.13
			23:07	high	2.14
	May	16	18:24	low	1.99
			19:19	high	1.99
	Jul	22	11:14	low	1.60
			12:11	high	1.60
	Aug	19	10:30	low	1.67
			11:14	high	1.67
	Sep	03	10:25	low	1.77
			11:05	high	1.77
		16	09:15	low	1.78
			10:40	high	1.79
	Oct	01	07:26	high	1.92
			08:42	low	1.91
		13	07:56	low	1.93
			08:37	high	1.94
		14	06:52	high	1.89
			07:31	low	1.89

Clump-Point

timezone +1000

Year	Month	Date	Time	Type	Height
2026	Mar	10	17:01	high	1.71

Year	Month	Date	Time	Type	Height
	Oct	14	18:01	low	1.71
			19:33	high	1.80
			20:03	low	1.80

Goods-Island

timezone +1000

Year	Month	Date	Time	Type	Height
2026	Feb	18	12:42	low	3.20
			13:29	high	3.20
	Mar	31	12:05	high	2.85
			13:16	low	2.84
			21:40	high	1.51
			22:15	low	1.51
	Apr	15	10:44	low	2.65
			11:44	high	2.66
		16	07:58	low	2.35
			09:22	high	2.40
		17	22:41	high	2.10
			23:23	low	2.09
	May	14	08:37	high	1.98
			09:44	low	1.97
	Jul	03	02:56	high	2.63
			03:43	low	2.63
	Sep	25	09:40	high	1.30
			10:40	low	1.29
		26	20:58	low	2.35
			21:23	high	2.35
	Oct	10	08:47	low	1.57
			09:31	high	1.58
		26	10:36	high	2.20
			11:04	low	2.20
		27	09:17	low	2.38
			10:33	high	2.41
	Nov	20	18:17	low	2.27
			19:28	high	2.28

Cairns

timezone +1000

Year	Month	Date	Time	Type	Height
2026	Mar	09	04:21	high	2.05
			06:00	low	2.02
		10	18:40	low	1.63
			20:24	high	1.66
	Apr	08	00:42	high	2.14

Year	Month	Date	Time	Type	Height
			01:22	low	2.14
	May	07	01:56	low	2.27
			02:27	high	2.27
	Aug	18	19:30	low	1.79
			20:23	high	1.79
	Oct	01	18:50	low	1.67
			19:25	high	1.67
	Nov	12	18:42	high	1.70
			19:39	low	1.70

Karumba

timezone +1000

Year	Month	Date	Time	Type	Height
2026	Mar	21	07:31	high	2.36
			09:25	low	2.34
	Sep	29	11:04	low	1.81
			12:19	high	1.81

Townsville

timezone +1000

Year	Month	Date	Time	Type	Height
2026	Feb	08	03:41	high	2.24
			04:04	low	2.24

Thursday-Island

timezone +1000

Year	Month	Date	Time	Type	Height
2026	Jan	03	03:11	low	1.45
			04:40	high	1.49
		09	16:58	high	2.37
			18:23	low	2.34
	Feb	02	03:46	low	1.49
			05:05	high	1.51
		16	03:30	low	1.53
			04:11	high	1.54
		21	17:43	low	1.95
			19:17	high	2.02
	Mar	04	05:45	high	1.67
			07:03	low	1.65
		06	17:14	low	1.86

Year	Month	Date	Time	Type	Height
			18:51	high	1.91
		08	01:35	low	2.03
			02:38	high	2.04
		20	04:57	low	1.76
			05:08	high	1.76
		21	05:00	low	1.96
			05:41	high	1.96
			16:57	low	1.71
			18:38	high	1.79
		22	05:04	low	2.21
			06:21	high	2.24
	Apr	03	04:20	low	2.00
			05:15	high	2.01
			18:30	high	1.65
			19:17	low	1.65
		04	04:35	low	2.10
			06:00	high	2.14
		18	16:14	low	1.50
			17:47	high	1.56
	May	16	15:38	low	1.39
			16:39	high	1.41
		17	17:54	high	1.47
			19:01	low	1.45
		29	16:21	high	1.39
			17:02	low	1.39
	Jun	14	15:15	low	1.35
			16:27	high	1.37
		15	17:31	high	1.41
			18:47	low	1.38
	Jul	08	03:16	low	1.92
			04:19	high	1.94
		14	15:45	low	1.33
			16:44	high	1.34
		15	17:50	high	1.34
			19:16	low	1.32
		20	06:23	low	2.08
			07:52	high	2.11
	Aug	13	16:05	low	1.32
			17:14	high	1.33
		14	18:39	high	1.45
			19:31	low	1.44
		17	15:45	high	1.63
			16:38	low	1.61
	Sep	01	07:27	high	1.66
			09:36	low	1.59
			19:50	high	2.10
			22:52	low	1.99
		11	15:57	low	1.53
			16:41	high	1.53
		12	16:01	low	1.60

Year	Month	Date	Time	Type	Height
			17:49	high	1.67
		13	18:43	high	1.87
			20:37	low	1.81
		14	04:54	low	1.60
			06:43	high	1.68
			22:18	low	1.98
			23:06	high	1.99
		28	04:50	low	1.51
			05:15	high	1.51
		29	06:46	high	1.53
			08:01	low	1.50
	Oct	12	06:16	high	1.51
			07:09	low	1.50
			16:30	low	2.13
			17:18	high	2.13
		27	05:50	high	1.42
			07:01	low	1.39
	Nov	25	05:54	high	1.44
			06:22	low	1.44
	Dec	07	02:54	low	1.42
			03:31	high	1.42
		16	18:30	low	2.39
			19:20	high	2.40
		17	17:16	high	2.27
			18:22	low	2.26
		24	05:19	high	1.45
			06:15	low	1.44

Port-Douglas

timezone +1000

Year	Month	Date	Time	Type	Height
2026	Feb	08	05:23	high	1.87
			06:35	low	1.87
	Mar	09	04:05	high	1.94
			05:38	low	1.92
		10	16:55	high	1.56
			18:28	low	1.55

Twin-Island

timezone +1000

Year	Month	Date	Time	Type	Height
2026	Mar	23	06:43	low	1.96
			07:38	high	1.97
	May	17	16:41	low	0.76

Year	Month	Date	Time	Type	Height
			17:18	high	0.76
	Jun	19	20:00	high	1.41
			21:18	low	1.39
		20	17:17	high	1.65
			18:36	low	1.62
	Jul	18	19:49	high	1.30
			20:30	low	1.30
	Dec	28	07:48	high	1.25
			08:40	low	1.24

Highest tides for year 2026

Place	Highest Summer Tide			Highest Winter Tide		
	Date	Time	Height	Date	Time	Height
Gold Coast Seaway HAT 2.03m	25/12/2026	09:02	1.99m	15/06/2026	20:35	2.04m
	04/01/2026	08:52	1.96m	16/06/2026	21:28	2.04m
Brisbane Bar HAT 2.78m	25/12/2026	10:29	2.78m	15/06/2026	22:00	2.79m
	26/12/2026	11:17	2.77m	16/06/2026	22:50	2.79m
	04/01/2026	10:15	2.74m			
Mooloolaba HAT 2.21m	25/12/2026	08:59	2.20m	15/06/2026	20:31	2.22m
	26/12/2026	09:48	2.18m	16/06/2026	21:23	2.22m
	04/01/2026	08:46	2.18m			
Noosa Head HAT 2.35m	25/12/2026	08:50	2.34m	15/06/2026	20:20	2.36m
	26/12/2026	09:42	2.31m			
	04/01/2026	08:41	2.31m			
Urangan HAT 4.33m	25/12/2026	09:33	4.23m	14/07/2026	20:57	4.20m
	24/12/2026	08:45	4.20m			
	04/01/2026	09:19	4.19m			
K'gari (Waddy Point) HAT 2.42m	25/12/2026	08:43	2.39m	16/06/2026	21:23	2.33m
	26/12/2026	09:35	2.36m			
	04/01/2026	08:32	2.36m			
Bundaberg (Burnett Heads) HAT 3.68m	25/12/2026	09:22	3.61m	14/07/2026	20:45	3.55m
	04/01/2026	09:11	3.58m	15/07/2026	21:32	3.55m
Gladstone HAT 4.87m	25/12/2026	10:00	4.75m	15/06/2026	21:34	4.68m
	24/12/2026	09:12	4.71m			
	04/01/2026	09:49	4.70m			
	26/12/2026	10:51,	4.70m			
Port Alma HAT 5.96m	25/12/2026	10:09	5.78m	14/07/2026	21:37	5.71m
	04/01/2026	09:59	5.74m	15/07/2026	22:24	5.71m
	02/02/2026	09:45	5.74m			
Rosslyn Bay HAT 5.21m	25/12/2026	09:54	5.07m	14/07/2026	21:17	5.00m
	24/12/2026	09:03	5.02m			
	04/01/2026	09:42	5.02m			

Place	Highest Summer Tide			Highest Winter Tide		
	Date	Time	Height	Date	Time	Height
Hay Point HAT 7.18m	25/12/2026	11:40	6.95m	14/07/2026	23:05	6.93m
	24/12/2026	10:51	6.91m			
	04/01/2026	11:28	6.90m			
	02/02/2026	11:13	6.90m			
Mackay Outer Harbour HAT 6.62m	25/12/2026	11:43	6.43m	14/07/2026	23:07	6.40m
	24/12/2026	10:54	6.39m			
	04/01/2026	11:30	6.38m			
	02/02/2026	11:15	6.38m			
Shute Harbour HAT 4.39m	03/01/2026	10:39	4.30m	14/07/2026	23:01	4.28m
Bowen HAT 3.77m	01/02/2026	09:46	3.69m	14/07/2026	22:22	3.65m
Abbot Point HAT 3.62m	01/02/2026	09:30	3.52m	14/07/2026	22:04	3.48m
Cape Ferguson HAT 3.84m	01/02/2026	08:49	3.85m	14/07/2026	21:27	3.76m
Townsville HAT 4.22m	01/02/2026	08:54	4.10m	14/07/2026	21:31	4.02m
Lucinda Offshore HAT 4.06m	01/02/2026	09:01	3.95m	14/07/2026	21:38	3.87m
Clump Point HAT 3.71m	01/02/2026	08:58	3.63m	14/07/2026	21:33	3.54m
Mourilyan Harbour HAT 3.58m	01/02/2026	09:02	3.48m	14/07/2026	21:38	3.41m
Cairns HAT 3.57m	01/02/2026	09:17	3.48m	14/07/2026	21:50	3.40m
Port Douglas HAT 3.40m	01/02/2026	09:02	3.34m	14/07/2026	21:37	3.24m
Twin Island HAT 3.88m	01/02/2026	12:08	3.83m	11/08/2026	23:34	3.85m
Thursday Island HAT 3.94m	31/01/2026	12:04	3.92m			
Goods Island HAT 4.15m	30/01/2026	11:52	4.19m			

Place	Highest Summer Tide			Highest Winter Tide		
	Date	Time	Height	Date	Time	Height
Booby Island HAT 4.43m	29/01/2026	11:27	4.48m			
Weipa (Humbug Point) HAT 3.33m	04/01/2026	16:00	3.28m			
Amrun (Boyd Point) HAT 3.32m	04/01/2026	15:39	3.30m			
Karumba HAT 4.85m	04/01/2026	20:29	4.91m			
Mornington Island HAT 3.95m	04/01/2026	21:51	3.94m			

The highest tides listed - often referred to as king tides - are the highest spring tides that occur during summer and winter. Boat owners and people living along the waterfront should be vigilant at the times of these highest tides particularly in the summer, as storms and cyclones may elevate tidal levels significantly above the predicted tide heights.

Mean sea level used for the tidal predictions – 2026

An allowance of 2.7mm per year for sea level change has been made in the mean sea level (MSL) estimate. The allowance is calculated from the central date of the observation period to the central date of the prediction year. The heights are referred to Queensland Port Datum.

Place	Observation Period	MSL
Gold Coast Seaway	Jul 2016 to Dec 2023	0.893
Brisbane Bar	Jan 1985 to Dec 2023	1.347
Mooloolaba	Jan 1987 to Dec 2023	1.022
Noosa Head	Dec 1970 to Oct 1973	1.161
Waddy Point (K'gari)	Oct 1976 to Feb 1978	1.149
Urangan	Sep 1986 to Dec 2023	2.158
Bundaberg (Burnett Heads)	Jan 1985 to Dec 2023	1.803
Gladstone	Jan 1985 to Dec 2023	2.416
Port Alma	Jan 1986 to Dec 2023	2.976
Rosslyn Bay	Mar 1993 to Dec 2023	2.504
Hay Point	Jan 1985 to Dec 2023	3.449
Mackay Outer Harbour	Jan 1994 to Dec 2022	3.090
Bugatti Reef	Oct 1996 to Mar 1997	1.611
Shute Harbour	Jan 1987 to Mar 2018	1.989
Bowen	Nov 1986 to Dec 2023	1.834
Abbot Point	May 1985 to Dec 2023	1.738
Cape Ferguson	Sep 1991 to Dec 2023	1.877
Townsville	Jan 1985 to Dec 2023	2.023
Lucinda (Offshore)	Jun 1985 to Dec 2022	1.968
Clump Point	Dec 1985 to Dec 2023	1.821

Place	Observation Period	MSL
Mourilyan Harbour	Jan 1985 to Dec 2023	1.820
Cairns	Jan 1985 to Dec 2023	1.761
Port Douglas	Jan 1992 to Sep 2013	1.663
Leggatt Island	Sep 1995 to Apr 1996	1.764
Twin Island	Jul 1974 to Dec 1975	1.833
Thursday Island	Jan 1985 to May 2023	1.934
Goods Island	Jan 2000 to Dec 2023	2.212
Booby Island	Jan 2000 to Oct 2023	2.515
Weipa (Humbug Point)	Jan 1985 to Dec 2023	1.912
Karumba	Jan 1985 to Dec 2023	2.187
Mornington Island	Jun 2007 to Dec 2016	2.176
Amrun (Boyd Point)	Jul 2018 to Dec 2023	1.985

Please refer to the 2026 Tidal Planes located at <https://www.msq.qld.gov.au/Tides/Tidal-planes> for permanent marks and the QPD reference level. AHD levels or details for determining AHD levels for permanent marks can be sourced from [Queensland Globe](https://qldglobe.information.qld.gov.au/) (<https://qldglobe.information.qld.gov.au/>)

Tidal notes

Tidal datum epoch

The tidal datum epoch is the recommended interval for the calculation of tidal datums. Australian tidal authorities have adopted the 20 year Tidal Datum Epoch 1992 to 2011 (inclusive) as the basis for determining Lowest Astronomical Tide (LAT) datum. This Tidal Datum Epoch is known as LAT(1992). Queensland has moved to a Tidal Datum Epoch 2010 to 2029 (inclusive) for tidal plane determination excluding LAT.

In the 2022 edition the standard ports' semidiurnal and diurnal tidal planes were updated to incorporate the latest available tidal observations, prediction information and allowance for sea level rise, i.e. they have been determined using Tidal Datum Epoch 2010 to 2029 and given as heights above the Queensland Port Datum (LAT(1992)). It is intended that the 2022 tidal plane values will now remain fixed until the tidal datum epoch is reviewed or significant changes occur.

The mean sea levels listed in the table 'Mean Sea Level Used for the Tidal Predictions' will change over the course of the tidal datum epoch as they include the most recent observations and an allowance for sea level rise.

Datum of tidal heights

The height of the tide (expressed as metres and decimals) is referred to the port datum (LAT datum). When a low water falls below datum, it is marked with a minus sign (-).

When utilising a navigational chart, tidal height should be added to chart depth. If preceded by a minus sign, it should be subtracted.

Standard port

Standard ports are those provided as daily tables of the predicted times and heights of high and low waters. The tide times are referred to Australian Eastern Standard Time and the tide heights are referred to LAT datum.

Secondary places

Secondary places are those for which daily predictions are not provided in the Queensland Tide Tables. These locations are grouped and associated to the adjacent standard port with a similar tidal pattern. Data sufficient for calculating their times and heights is supplied following the standard port prediction tables.

Tidal Levels

A list of tidal levels referred to Queensland Port Datum for standard ports and selected secondary places is given in the following tables:

- Semidiurnal Tidal Planes
- Diurnal Tidal Planes

In addition, the tables for semidiurnal and diurnal tidal planes provide the factors necessary to calculate tidal predictions at the selected secondary places (referred to Queensland Port Datum at each secondary place) from the tidal predictions of the standard ports.

Rise

The rise of the tide is the height of the high water above port datum.

Range

The range of the tide is the difference between the height of high water and the next succeeding or last preceding low water.

Semidiurnal tide

Semidiurnal tide refers to a tide which has a period or cycle of approximately half of one tidal day (about 12.5 hours). Semidiurnal tides usually have two high and two low tides each day. The tides at Brisbane Bar are a typical example of semidiurnal tides.

Diurnal tide

Diurnal tide refers to a tide which has a period or cycle of approximately one tidal day (about 25 hours). Diurnal tides usually have one high and one low tide each day. The tides at Karumba are a typical example of diurnal tides.

Highest tides for year

King tide is a non-scientific term, but the popular concept is that it is the higher high waters which occur around Christmas time. Equally high tides occur in the winter months during the night.

Meteorological effects on tides

Meteorological conditions which differ significantly from the seasonal averages, will cause corresponding differences between the predicted and the actual tide.

Variations in tidal heights are mainly caused by strong or prolonged winds and by unusually high or low barometric pressure. Tidal predictions are computed for average barometric pressure.

Low pressure systems tend to raise sea levels, and high pressure systems tend to lower them. However, the water does not adjust itself immediately to a change of pressure, but responds to the average change in pressure over a considerable area.

The effect of wind on sea level, and therefore on tidal heights and times, is variable and depends on the topography of the area in question. In general, it can be said that wind will raise the sea level in the direction towards which it is blowing. A strong wind blowing straight onshore will cause the water to "pile up" resulting in high waters to be higher than predicted. Winds blowing off the land will have the reverse effect.

Tidal definitions

LAT (lowest astronomical tide) and HAT (highest astronomical tide)

These are the lowest and highest levels which can be predicted to occur under average meteorological conditions and any combination of astronomical conditions.

In Queensland, HAT is calculated as the highest level from tide predictions over the tidal datum epoch (TDE), which is currently set to 2010 to 2029.

These levels will not be reached every year. LAT and HAT are not the extreme levels which can be reached, as storm surges may cause considerably lower and higher levels to occur.

LAT(1992) has been used as port and chart datum since 1994.

MSL (mean sea-level)

The mean level of the sea over a long period (preferably 18.6 years) or the mean level which would exist in the absence of tides.

AHD (Australian height datum)

This datum has been adopted by the National Mapping Council as the datum to which all vertical control for land-based mapping is to be referred.

MHWS (mean high water springs)

The long term mean of the heights of two successive high waters during those periods of 24 hours (approximately once a fortnight) when the range of tide is greatest during the full and new moon.

MLWS (mean low water springs)

The long term mean of the heights of two successive low waters over the same periods as defined for MHWS.

MHWN (mean high water neaps)

The long term mean of the heights of two successive high waters when the range of tide is the least at the time of first and last quarter of the moon.

MLWN (mean low water neaps)

The long term mean of the heights of two successive low waters over the same periods as defined for MHWN.

MHHW (mean higher high water)

The mean of the higher of the two daily high waters over a long period of time. When only one high water occurs on a day, this is taken as the higher high water.

MLHW (mean lower high water)

The mean of the lower of the two daily high waters over a long period of time. When only one high water occurs on most days, no value is printed in the MLHW column, indicating that the tide is usually diurnal.

MHLW (mean higher low water)

The mean of the higher of the two daily low waters over a long period of time. When only one low water occurs on most days, no value is printed in the MHLW column, indicating that the tide is usually diurnal.

MLLW (mean lower low water)

The mean of the lower of the daily low waters over a long period of time. When only one low water occurs a day, this is taken as the lower low water.

MHW (mean high water)

The mean of all high waters observed over a sufficiently long period (preferably over the current tidal datum epoch).

For those stations with shorter series, simultaneous observational comparisons are made with a control tide station in order to derive the equivalent datum.

MLW (mean low water)

The mean of all low waters observed over a sufficiently long period (preferably over the current tidal datum epoch).

For those stations with shorter series, simultaneous observational comparisons are made with a control tide station in order to derive the equivalent datum.

QPD (Queensland Port Datum)

Queensland Port Datum has typically been defined by LAT(1992) since 1994.

LWD (Low Water Datum)

The mean height of the lower low waters at springs.

This was a local plane which usually satisfied the criterion that the tide seldom fell below it.


In the past, this was generally chosen for port and chart datum in Queensland waters however it was superseded by QPD in 1994.

Guide to tidal planes


Tidal datum epoch

The Queensland standard ports' semidiurnal and diurnal tidal planes were updated for the current tidal datum epoch 2010 – 2029, using the latest available tidal observations, prediction information and allowance for sea level rise. It is intended to maintain the standard port datum planes until an official review highlights the need for an update to the epoch. The secondary place tidal planes have also been updated to match the new values adopted at the standard ports.

Guide to Semidiurnal Tidal Planes



Guide to Diurnal Tidal Planes



Semidiurnal Tidal Planes - 2026

Height above Queensland Port Datum (LAT (1992))

AHD levels or details for determining AHD levels for permanent marks can be sourced from Queensland Globe (<https://qldglobe.information.qld.gov.au/>)

Place	Latitude South	Longitude East	Time Difference		MHWS	MHWN	MLWN	MLWS	MSL	Ratio	Cons	HAT	Permanent Mark No.	Reference Level
Tidal Datum Epoch 2010-2029			HW	LW										
			1	2	3	4	5	6	7	8	9	10		
			H M	H M	m	m	m	m	m		m	m		
Gold Coast Seaway	27 57	153 25	Standard Port		1.53	1.24	0.51	0.22	0.88	1.00	0.00	2.03	PSM 702548	6.688
North Coast New South Wales -														
Ballina (Richmond River) *	28 53	153 35	+0 05	+0 05	1.4	1.1	0.5	0.2	0.87			1.9		
Brunswick Heads *	28 32	153 33	+0 06	+0 06	1.5	1.2	0.5	0.2	0.92			2.0		
Kingscliff *	28 16	153 35	+0 10	+0 10	1.4	1.1	0.4	0.2	0.76			1.9		
Tweed River Breakwater	28 10	153 33	-0 04	+0 00	1.57	1.31	0.67	0.41	1.03	0.89	0.21	2.01		
Gold Coast Beaches -														
Snapper Rocks (Coolangatta)	28 10	153 33	-0 26	-0 15	1.68	1.36	0.57	0.24	1.09	1.10	0.00	2.23	PSM 42172	3.849
Ocean Beaches	Jumpinpin Bar to Snapper Rocks tides occur 20 mins earlier than Gold Coast Seaway.													
Broadwater & Nerang River-														
Isle of Capri **	28 01	153 26	+0 41	+0 56	1.29	1.03	0.38	0.16	0.72			1.73	PSM 203454	2.230
Gold Coast Bridge	27 59	153 25	+0 10	+0 20	1.62	1.33	0.63	0.34	0.95	0.97	+0.13	2.10	PSM 14620	3.389
Nerang Township **	27 59	153 20	+1 43	+2 25	1.21	0.96	0.27	0.12	0.64			1.63	PSM 212330	3.880
Grand Hotel Jetty	27 57	153 25	+0 16	+0 31	1.50	1.21	0.50	0.22	0.92	0.98	0.00	1.99	PSM 6863	2.563
Paradise Point	27 53	153 24	+1 23	+1 23	1.38	1.12	0.46	0.20	0.80	0.90	0.00	1.83	PSM 189792	1.764
Runaway Bay	27 55	153 24	+0 31	+0 52	1.32	1.06	0.44	0.19	0.74	0.86	0.00	1.74	PSM 110667	2.058
Coomera Township (Oxenford) **	27 53	153 18	+1 55	+2 29	1.36	1.10	0.29	0.13	0.74			1.81	PSM 198865	2.968
Coomera River (Saltwater Creek) **	27 52	153 20	+1 45	+2 21	1.29	1.03	0.29	0.12	0.70			1.73	PSM 137376	3.049
Sanctuary Cove **	27 51	153 22	+1 39	+1 39	1.30	1.04	0.32	0.14	0.71			1.74	PSM 139940	4.248
Couran Cove	27 49	153 25	+1 19	+1 20	1.45	1.17	0.47	0.19	0.88	0.96	-0.02	1.92	PSM 41943	1.720
The Bedroom	27 46	153 26	+1 14	+1 06	1.45	1.17	0.47	0.19	0.88	0.96	-0.02	1.92		

Semidiurnal Tidal Planes - 2026

Height above Queensland Port Datum (LAT (1992))

AHD levels or details for determining AHD levels for permanent marks can be sourced from Queensland Globe (<https://qldglobe.information.qld.gov.au/>)

Place	Latitude South	Longitude East	Time Difference		MHWS	MHWN	MLWN	MLWS	MSL	Ratio	Cons	HAT	Permanent Mark No.	Reference Level
Tidal Datum Epoch 2010-2029			HW	LW										
			1	2										
			H M	H M	m	m	m	m	m		m	m		
Brisbane Bar	27 22	153 10	Standard Port		2.22	1.84	0.81	0.42	1.32	1.00	0.00	2.78	PSM 88814	4.622
Pimpama River (Kerkin Rd Weir) **	27 48	153 20	+0 57	+1 27	1.40	1.10	0.32	0.17	0.78			1.83		
Albert River -														
Junction Logan River **	27 42	153 14	+1 22	+2 14	2.10	1.72	0.57	0.36	1.17			2.65	PSM 71428	10.958
Pacific Highway Bridge **	27 44	153 13	+1 37	+2 42	1.96	1.58	0.46	0.28	0.99			2.51	PSM 13663	4.090
Wolffdene **	27 47	153 11	+2 12		1.36	1.04						1.83		
Logan River -														
Rocky Point (Mouth Logan River)	27 42	153 21	+0 40	+0 55	2.14	1.77	0.79	0.42	1.26	0.96	+0.01	2.68	PSM 87560	5.328
Junction Albert River **	27 42	153 14	+1 22	+2 14	2.10	1.72	0.57	0.36	1.17			2.65	PSM 71428	10.958
Slacks Creek (Mouth) **	27 40	153 10	+2 13	+3 05	1.83	1.50	0.42	0.24	1.01			2.31	PSM 71422	8.963
Waterford **	27 42	153 09	+2 39	+3 34	1.62	1.31	0.28	0.13	0.86			2.07	PSM 113639	11.612
Brisbane River -														
Boat Passage	27 24	153 10	+0 00	+0 00	2.22	1.84	0.81	0.42	1.32	1.00	0.00	2.78		
Pinkenba	27 26	153 07	+0 11	+0 16	2.31	1.91	0.84	0.44	1.32	1.04	0.00	2.90	PSM 7632	2.893
Cairncross Dock	27 27	153 05	+0 18	+0 24	2.36	1.95	0.86	0.45	1.39	1.06	0.00	2.95	PSM 21769	4.565
New Farm	27 28	153 03	+0 25	+0 25	2.36	1.95	0.86	0.45	1.39	1.06	0.00	2.95	PSM 21769	4.565
Port Office (Edward St Ferry)	27 28	153 02	+0 35	+0 36	2.29	1.89	0.83	0.44	1.37	1.03	0.00	2.87	PSM 130588	6.518
Tennyson (Long Pocket)	27 32	153 00	+1 00	+1 20	2.42	2.00	0.88	0.46	1.43	1.09	0.00	3.03		
Indooroopilly	27 31	152 59	+1 20	+1 45	2.40	1.99	0.87	0.46	1.42	1.08	0.00	3.01		
Seventeen Mile Rocks **	27 33	152 58	+1 20	+1 20	2.26	1.92	0.72	0.37	1.34			2.77		
Wacol (Wolston Creek) **	27 34	152 54	+1 55	+1 55	2.23	1.89	0.60	0.32	1.25			2.74		
Goodna (Woogaroo Creek) **	27 36	152 54	+2 03	+2 10	2.21	1.87	0.59	0.31	1.21			2.70	PSM 30537	12.365

Semidiurnal Tidal Planes - 2026

Height above Queensland Port Datum (LAT (1992))

AHD levels or details for determining AHD levels for permanent marks can be sourced from Queensland Globe (<https://qldglobe.information.qld.gov.au/>)

Place	Latitude	Longitude	Time Difference		MHWS	MHWN	MLWN	MLWS	MSL	Ratio	Cons	HAT	Permanent	Reference
	South	East	HW	LW									Mark No.	Level
Tidal Datum Epoch 2010-2029			1	2	3	4	5	6	7	8	9	10		
			H M	H M	m	m	m	m	m		m	m		
Brisbane Bar continued														
Moggill Ferry **	27 36	152 51	+2 21	+2 33	2.36	2.01	0.59	0.31	1.29			2.88	PSM 54705	6.735
Kholo Creek **	27 32	152 51	+2 30	+2 50	2.17	1.83	0.38	0.19	1.10			2.68	PSM 32752	12.489
Bremer River														
Warrego Highway Bridge **	27 35	152 49	+2 30	+2 55	2.22	1.87	0.50	0.26	1.21			2.73	PSM 3833	16.908
Moreton Bay Area -														
Ocean Beaches	Cape Moreton to Snapper Rocks tides occur 1hr 30min earlier than Brisbane Bar.													
Woogoompah Island	27 47	153 24	+0 14	+0 02	1.51	1.25	0.54	0.27	0.87	0.69	-0.02	1.90		
Jacobs Well	27 47	153 22	+0 28	+0 18	1.63	1.33	0.53	0.23	0.91	0.78	-0.10	2.07	PSM 7132	4.591
Cabbage Tree Point	27 44	153 22	+0 04	+0 33	1.70	1.40	0.62	0.32	1.08	0.76	0.00	2.13	PSM 105592	2.820
Kalinga Bank	27 44	153 26	-0 34	-0 47	1.52	1.26	0.56	0.30	0.92	0.68	+0.01	1.90	PSM 50469	1.471
Oak Island	27 42	153 24	+0 15	-0 30	1.76	1.45	0.64	0.33	1.01	0.79	0.00	2.20		
Koureyabba	27 42	153 24	+0 30	+0 06	1.80	1.49	0.65	0.34	1.05	0.81	0.00	2.26	PSM 191690	2.448
Russell Island (Canaipa Point)	27 39	153 25	+0 31	+0 42	2.36	1.95	0.86	0.45	1.38	1.06	0.00	2.95	PSM 39927	22.576
Macleay Island (Southern Jetty)	27 38	153 22	+0 30	+0 42	2.31	1.90	0.78	0.37	1.30	1.08	-0.09	2.92	PSM 122212	12.835
Redland Bay	27 37	153 18	+0 30	+0 45	2.42	2.00	0.88	0.46	1.40	1.09	0.00	3.03	PSM 42645	3.485
Victoria Point	27 35	153 19	+0 14	+0 18	2.43	2.03	0.96	0.56	1.44	1.04	+0.12	3.02	PSM 39288	12.283
Macleay Island (Potts Point)	27 35	153 22	+0 15	+0 23	2.33	1.93	0.85	0.44	1.37	1.05	0.00	2.92		
Toondah Harbour (Cleveland)	27 32	153 17	+0 13	+0 16	2.27	1.87	0.82	0.43	1.34	1.02	0.00	2.84	PSM 105601	4.109
Cleveland Point	27 31	153 18	+0 13	+0 16	2.27	1.87	0.82	0.43	1.34	1.02	0.00	2.84	PSM 105601	4.109
Dunwich	27 30	153 24	+0 11	+0 16	2.20	1.82	0.80	0.42	1.27	0.99	0.00	2.76	PSM 744	22.280
Raby Bay (Canals Entrance)	27 30	153 17	+0 01	+0 01	2.33	1.93	0.85	0.44	1.40	1.05	0.00	2.92	PSM 62227	2.534

Semidiurnal Tidal Planes - 2026

Height above Queensland Port Datum (LAT (1992))

AHD levels or details for determining AHD levels for permanent marks can be sourced from Queensland Globe (<https://qldglobe.information.qld.gov.au/>)

Place	Latitude		Longitude		Time Difference		MHWS	MHWN	MLWN	MLWS	MSL	Ratio	Cons	HAT	Permanent Mark No.	Reference Level
	South	East			HW	LW										
Tidal Datum Epoch 2010-2029																
					1	2	3	4	5	6	7	8	9	10		
					H M	H M	m	m	m	m	m		m	m		
Brisbane Bar continued																
Tingalpa Creek (Mouth)	27 28	153 13	+0 02	+0 06	2.40	1.99	0.87	0.46				1.08	0.00	3.01	PSM 61242	7.858
Wellington Point	27 28	153 14	-0 06	-0 03	2.31	1.91	0.84	0.44	1.31			1.04	0.00	2.90	PSM 61259	3.840
Lota	27 28	153 11	+0 02	+0 07	2.29	1.89	0.83	0.44	1.32			1.03	0.00	2.87	PSM 22993	3.570
Huybers Light	27 27	153 15	+0 12	+0 03	2.22	1.84	0.81	0.42	1.31			1.00	0.00	2.78		
Manly	27 27	153 11	+0 02	+0 07	2.29	1.89	0.83	0.44	1.32			1.03	0.00	2.87	PSM 22993	3.570
Hope Banks	27 26	153 18	-0 06	-0 06	2.26	1.87	0.82	0.43	1.33			1.02	0.00	2.82	PSM 210225	5.800
D'Arcy Light	27 26	153 12	+0 02	+0 07	2.22	1.84	0.81	0.42	1.31			1.00	0.00	2.78		
Rous Light	27 24	153 20	+0 09	+0 06	2.22	1.84	0.81	0.42	1.26			1.00	0.00	2.78		
Amity Point	27 24	153 26	-0 40	-0 54	1.82	1.51	0.66	0.35	1.14			0.82	0.00	2.28	PSM 85797	3.684
Saint Helena (South)	27 24	153 13	+0 00	+0 00	2.33	1.93	0.85	0.44	1.37			1.05	0.00	2.92		
Nudgee Beach	27 21	153 06	-0 03	-0 03	2.19	1.81	0.79	0.42	1.30			0.98	0.00	2.74		
Cabbage Tree Creek (Mouth)	27 20	153 06	+0 01	-0 01	2.13	1.76	0.78	0.41	1.24			0.96	0.00	2.67	PSM 34799	3.032
Shorncliffe and Sandgate	27 19	153 05	-0 06	-0 06	2.20	1.83	0.80	0.42	1.34			0.99	0.00	2.76	PSM 51060	22.660
Woody Point	27 16	153 06	+0 00	+0 02	2.11	1.75	0.77	0.40	1.20			0.95	0.00	2.64	PSM 4726	3.328
Measured Mile-Rear Recip. Lead	27 15	153 15	-0 25	-0 23	2.09	1.73	0.76	0.40	1.19			0.94	0.00	2.62		
Margate	27 15	153 07	+0 00	+0 02	2.11	1.75	0.77	0.40	1.20			0.95	0.00	2.64	PSM 4726	3.328
Redcliffe	27 14	153 07	+0 00	+0 00	2.13	1.76	0.78	0.41	1.16			0.96	0.00	2.67		
East Channel	27 14	153 20	-0 22	-0 28	2.11	1.75	0.77	0.40	1.25			0.95	0.00	2.64	PSM 164923	6.480
Scarborough Boat Harbour	27 12	153 06	-0 07	-0 07	2.11	1.75	0.77	0.40	1.26			0.95	0.00	2.64	PSM 158414	4.318
Newport	27 12	153 05	-0 06	-0 06	2.17	1.80	0.79	0.41	1.20			0.98	0.00	2.72	PSM 195409	3.734
Tangalooma	27 11	153 22	-0 23	-0 27	2.05	1.70	0.78	0.43	1.20			0.90	+0.05	2.56	PSM 164921	4.024

Semidiurnal Tidal Planes - 2026

Height above Queensland Port Datum (LAT (1992))

AHD levels or details for determining AHD levels for permanent marks can be sourced from Queensland Globe (<https://qldglobe.information.qld.gov.au/>)

Place	Latitude South	Longitude East	Time Difference		MHWS	MHWN	MLWN	MLWS	MSL	Ratio	Cons	HAT	Permanent Mark No.	Reference Level
Tidal Datum Epoch 2010-2029			HW	LW										
			1	2	3	4	5	6	7	8	9	10		
			H M	H M	m	m	m	m	m		m	m		
Brisbane Bar continued														
Cockle Banks	27 07	153 08	-0 08	-0 08	2.09	1.73	0.76	0.40	1.22	0.94	0.00	2.62	PSM 193261	6.725
Beachmere (Caboolture River)	27 08	153 02	+0 06	+0 18	2.13	1.76	0.78	0.41	1.26	0.96	0.00	2.67	PSM 25095	5.416
Bulwer Wrecks	27 05	153 22	-0 25	-0 30	1.80	1.49	0.65	0.34	1.07	0.81	0.00	2.26		
North Pine River -														
Deepwater Bend	27 18	153 02	+0 13	+0 41	2.22	1.84	0.83	0.45	1.33	0.98	+0.04	2.77		
Petrie	27 17	152 58	+0 24	+0 52	2.31	1.91	0.84	0.44	1.32	1.04	0.00	2.90	PSM 97249	5.545
Pumicestone Passage-Bribie														
Bribie Beacon (South Point)	27 06	153 09	-0 09	-0 13	1.95	1.62	0.73	0.40	1.14	0.86	+0.04	2.43		
Bongaree	27 05	153 09	+0 00	-0 15	1.91	1.58	0.69	0.36	1.11	0.86	0.00	2.39	PSM 42071	3.011
Woorim	27 05	153 12	-0 22	-0 34	1.76	1.45	0.64	0.33	0.98	0.79	0.00	2.20		
Toorbul	27 02	153 06	+0 30	+0 20	2.00	1.65	0.73	0.38	1.18	0.90	0.00	2.51		
Donnybrook	27 00	153 04	+1 00	+0 56	1.93	1.60	0.73	0.40	1.16	0.85	+0.04	2.41	PSM 90401	3.498
Hussey Creek (Mouth) **	26 56	153 04	+2 04	+2 56	1.39	1.08	0.42	0.27				1.83		
The Skids **	26 54	153 04	+1 48	+2 05	1.00	0.71	0.30	0.15	0.56			1.43	PSM 60521	2.006
Halls Creek (Mouth) 'The Farm' **	26 52	153 07	+0 47	+1 33	0.90	0.66			0.64			1.24	PSM 60364	1.614

Semidiurnal Tidal Planes - 2026

Height above Queensland Port Datum (LAT (1992))

AHD levels or details for determining AHD levels for permanent marks can be sourced from Queensland Globe (<https://qldglobe.information.qld.gov.au/>)

Place	Latitude South	Longitude East	Time Difference HW LW	MHWS	MHWN	MLWN	MLWS	MSL	Ratio	Cons	HAT	Permanent Mark No.	Reference Level
Tidal Datum Epoch 2010-2029				1 H M	2 H M	3 m	4 m	5 m	6 m	7 m	8	9 m	10 m
Mooloolaba	26 41	153 08	Standard Port	1.70	1.38	0.63	0.30	1.00	1.00	0.00	2.21	PSM 37055	5.719
North West Channel Fairway South	27 02	153 16	+0 36 +0 24	1.79	1.45	0.66	0.32	1.05	1.05	0.00	2.33	PSM 164920	6.370
North West Channel Fairway North	26 51	153 09	-0 01 -0 01	1.76	1.42	0.65	0.31	1.05	1.04	0.00	2.29	PSM 193271	6.467
Caloundra Head **	26 48	153 09	+0 00 +0 00	1.68	1.34	0.61	0.30	0.99			2.21	PSM 3067	2.215
Parrearra (Mooloolah River)	26 43	153 07	+0 23 +0 44	1.60	1.29	0.59	0.28		0.94	0.00	2.08	PSM 14109	3.639
Mooloolaba Beach	26 41	153 06	+0 00 +0 00	1.70	1.38	0.63	0.30	1.01	1.00	0.00	2.21	PSM 37055	5.719
Maroochydore Beach	26 40	153 06	+0 00 +0 00	1.70	1.38	0.63	0.30	1.01	1.00	0.00	2.21	PSM 37055	5.719
Coolum	26 31	153 06	+0 00 +0 00	1.70	1.38	0.63	0.30	1.01	1.00	0.00	2.21	PSM 37055	5.719
Maroochy River -													
Picnic Point **	26 39	153 05	+1 02 +1 52	0.98	0.71	0.29	0.14	0.56			1.41	PSM 37146	1.590
David Low Bridge **	26 38	153 03	+1 35 +2 27	0.95	0.71	0.33	0.20	0.57			1.32	PSM 15585	5.030
Dunethin Rock **	26 35	153 02	+2 09 +3 06	1.07	0.82	0.30	0.17	0.57			1.45	PSM 37140	2.744
Junction North Maroochy River **	26 34	152 58	+2 18 +3 12	1.19	0.93	0.36	0.23	0.64			1.61	PSM 41257	7.179
Noosa River -													
Noosa River Mouth	26 23	153 05	+0 06 +0 13	1.35	1.09	0.50	0.24	0.84	0.79	0.00	1.75	PSM 119503	2.900
Munna Point **	26 24	153 05	+0 29 +0 58	1.08	0.88	0.40	0.19	0.64			1.41	PSM 9078	1.782
Tewantin **	26 24	153 03	+0 58 +1 29	0.87	0.68	0.36	0.17	0.52			1.17	PSM 42575	3.885

Semidiurnal Tidal Planes - 2026

Height above Queensland Port Datum (LAT (1992))

AHD levels or details for determining AHD levels for permanent marks can be sourced from Queensland Globe (<https://qldglobe.information.qld.gov.au/>)

Place	Latitude South	Longitude East	Time Difference HW LW	MHWS	MHWN	MLWN	MLWS	MSL	Ratio	Cons	HAT	Permanent Mark No.	Reference Level
Tidal Datum Epoch 2010-2029			1 H M	2 H M	3 m	4 m	5 m	6 m	7 m	8	9 m	10 m	
Noosa Head	26 23	153 06	Standard Port		1.85	1.52	0.79	0.45	1.15	1.00	0.00	2.35	PSM 19728 3.781
Noosa River -													
Noosa River Mouth	26 23	153 05	Refer to 'Noosa River Mouth' under standard port 'Mooloolaba'										
Munna Point	26 24	153 05	Refer to 'Munna Point' under standard port 'Mooloolaba'										
Tewantin	26 24	153 03	Refer to 'Tewantin' under standard port 'Mooloolaba'										
Noosa Beaches -													
Noosa Beach	26 23	153 05	+0 00	+0 00	1.85	1.52	0.79	0.45	1.13	1.00	0.00	2.35	PSM 19728 3.781
Teewah Sands	26 16	153 04	+0 00	+0 00	1.85	1.52	0.79	0.45	1.13	1.00	0.00	2.35	
Cooloola	26 11	153 04	+0 00	+0 00	1.85	1.52	0.79	0.45	1.13	1.00	0.00	2.35	
Double Island Point	25 55	153 11	+0 00	+0 00	1.85	1.52	0.79	0.45	1.13	1.00	0.00	2.35	
Rainbow Beach	25 54	153 05	+0 00	+0 00	1.85	1.52	0.79	0.45	1.13	1.00	0.00	2.35	
Waddy Point (K'gari)	24 58	153 21	Standard Port		1.81	1.50	0.87	0.56	1.18	1.00	0.00	2.42	PSM 48494 3.165
Urangan	25 18	152 55	Standard Port		3.54	2.84	1.43	0.73	2.14	1.00	0.00	4.33	PSM 11028 5.835
Kingfisher Bay	25 24	153 06	+0 11	+0 18	3.79	3.04	1.53	0.78	2.31	1.07	0.00	4.64	PSM 130514 5.590
Turkey Island	25 31	152 56	+0 43	+0 43	3.83	3.08	1.55	0.79	2.40	1.08	0.00	4.69	PSM 211729 4.158

Semidiurnal Tidal Planes - 2026

Height above Queensland Port Datum (LAT (1992))

AHD levels or details for determining AHD levels for permanent marks can be sourced from Queensland Globe (<https://qldglobe.information.qld.gov.au/>)

Place	Latitude South	Longitude East	Time Difference		MHWS	MHWN	MLWN	MLWS	MSL	Ratio	Cons	HAT	Permanent Mark No.	Reference Level
Tidal Datum Epoch 2010-2029			HW	LW										
			1	2										
			H M	H M	m	m	m	m	m		m	m		
Bundaberg (Burnett Heads)	24 46	152 23	Standard Port		2.94	2.35	1.20	0.61	1.78	1.00	0.00	3.68	PSM 3853	6.061
Great Sandy Strait -														
Tin Can Bay (Snapper Creek)	25 54	153 00	+0 44	-0 16	2.35	1.88	0.96	0.49	1.42	0.80	0.00	2.94	PSM 49322	2.973
Elbow Point	25 48	153 01	+0 15	-0 03	2.19	1.75	0.90	0.46	1.34	0.74	+0.01	2.73	PSM 110774	3.450
Snout Point	25 42	152 59	+0 55	+0 29	2.38	1.91	0.97	0.50	1.45	0.81	0.00	2.98		
Big Tuan	25 41	152 53	+0 55	+1 05	2.21	1.76	0.90	0.46	1.43	0.75	0.00	2.76	PSM 58832	3.084
Boonooroo	25 39	152 54	+0 55	+1 05	2.21	1.76	0.90	0.46	1.43	0.75	0.00	2.76	PSM 58832	3.084
Boonlye Point	25 34	152 56	+1 09	+0 57	3.20	2.56	1.31	0.67	1.95	1.09	0.00	4.01		
Ungowa Jetty	25 30	152 59	+0 51	+0 49	3.91	3.13	1.60	0.82	2.45	1.33	0.00	4.89		
Mary River -														
Bingham (River Heads) **	25 26	152 55	+1 13	+1 11	3.77	3.10	1.25	0.68	2.23			4.60		
Hervey Bay -														
Point Vernon	25 15	152 48	-0 10	-0 10	3.29	2.64	1.35	0.69	1.96	1.12	0.00	4.12		
Burrum Heads	25 11	152 37	+0 12	+0 30	3.12	2.48	1.24	0.60	1.84	1.08	-0.06	3.91	PSM 51102	7.533
Woodgate (Theodolite Creek)	25 04	152 33	-0 15	-0 15	3.12	2.49	1.27	0.65	1.84	1.06	0.00	3.90		
Wathumba Creek (Fraser Island)	24 58	153 14	-0 12	+0 36	3.12	2.49	1.27	0.65	1.92	1.06	0.00	3.90		
Elliott River Entrance	24 55	152 30	-0 09	-0 09	3.02	2.40	1.19	0.57	1.79	1.05	-0.07	3.79	PSM 50438	14.394
Burnett River (Town Reach)	24 52	152 21	+0 32	+0 57	3.23	2.59	1.32	0.68	1.89	1.10	0.00	4.04	PSM 10004	13.875
Bargara	24 49	152 27	+0 00	+0 00	2.94	2.35	1.20	0.61	1.79	1.00	0.00	3.68	PSM 3853	6.061
Kolan River (Booyan Bridge)	24 42	152 11	+0 23	+1 30	2.62	2.09	1.07	0.55	1.57	0.89	0.00	3.27		
Baffle Creek (Winfield) **	24 32	152 02	+1 05	+1 56	2.27	1.81			1.62			2.83	PSM 75197	3.383
Lady Elliot Island	24 07	152 43	-0 24	-0 33	2.12	1.68	0.83	0.39	1.25	0.74	-0.06	2.66	PSM 72773	3.834

Semidiurnal Tidal Planes - 2026

Height above Queensland Port Datum (LAT (1992))

AHD levels or details for determining AHD levels for permanent marks can be sourced from Queensland Globe (<https://qldglobe.information.qld.gov.au/>)

Place	Latitude South	Longitude East	Time Difference HW LW	MHWS	MHWN	MLWN	MLWS	MSL	Ratio	Cons	HAT	Permanent Mark No.	Reference Level
Tidal Datum Epoch 2010-2029				1 H M	2 H M	3 m	4 m	5 m	6 m	7 m	8	9 m	10 m
Gladstone	23 50	151 15	Standard Port	4.01	3.16	1.62	0.77	2.39	1.00	0.00	4.87	PSM 48996	5.711
Seventeen Seventy	24 11	151 53	-0 35 -0 22	2.81	2.21	1.14	0.54	1.66	0.70	0.00	3.41	PSM 90971	5.457
Pancake Creek	24 01	151 44	-0 35 -0 35	3.01	2.37	1.22	0.58	1.80	0.75	0.00	3.65		
Clews Point *	24 00	151 44	-0 45 -0 45	2.9	2.2	1.1	0.4	1.64			3.5		
Lady Musgrave Island *	23 55	152 23	-0 52 -0 52	2.2	1.7	0.9	0.4	1.30			2.9	PSM 72240	3.661
Gatcombe Head	23 53	151 22	-0 16 -0 17	3.49	2.75	1.41	0.67	2.11	0.87	0.00	4.23	PSM 50434	5.318
South Trees Wharf	23 51	151 19	-0 11 -0 10	3.85	3.03	1.56	0.74	2.26	0.96	0.00	4.67		
Fishermans Landing	23 47	151 11	+0 15 +0 12	4.25	3.35	1.72	0.81	2.47	1.06	0.00	5.16	PSM 59976	24.318
Graham Creek	23 45	151 11	+0 18 +0 09	4.41	3.48	1.78	0.84	2.64	1.10	0.00	5.35	PSM 189409	5.232
The Narrows (Boat Creek)	23 39	151 06	+0 31 +0 26	4.65	3.65	1.85	0.85	2.74	1.17	-0.05	5.64		
The Narrows (Ramsay Crossing)	23 38	151 05	+0 19 +0 22	5.15	4.07	2.13	1.06	3.07	1.26	+0.09	6.22	PSM 70858	11.417
Sea Hill	23 30	150 59	-0 01 -0 07	4.53	3.57	1.83	0.87	2.69	1.13	0.00	5.50	PSM 110341	5.580
Polmaise Reef *	23 34	151 39	-0 29 -0 29	3.0	2.3	1.1	0.4	1.71			3.7		
Heron Island	23 27	151 55	-0 33 -0 33	2.73	2.12	1.03	0.43	1.52	0.71	-0.12	3.33	PSM 61221	4.431
Rockhampton **	23 23	150 31	+1 23 +2 31	5.25	4.21	1.66	0.96	2.92			6.47	PSM 207101	11.646
Tryon Island *	23 15	151 46	-0 18 -0 18	2.9	2.2	1.1	0.4	1.63			3.6	PSM 72774	7.842
Cape Manifold	22 41	150 50	+0 17 +0 29	4.41	3.48	1.78	0.84	2.58	1.10	0.00	5.35	PSM 50449	12.770
Port Clinton *	22 32	150 45	+0 34 +0 34	4.3	3.3	1.6	0.5	2.44			5.2		
Gannet Cay *	21 59	152 28	-0 09 -0 09	2.1	1.6	0.8	0.4	1.23			2.8		
Port Alma	23 35	150 52	Standard Port	4.98	3.88	2.03	0.93	2.95	1.00	0.00	5.96	PSM 66821	6.724
Inkerman Creek	23 35	150 49	-0 10 -0 10	5.25	4.09	2.13	0.98	3.13	1.05	0.00	6.28	PSM 212327	6.701

Semidiurnal Tidal Planes - 2026

Height above Queensland Port Datum (LAT (1992))

AHD levels or details for determining AHD levels for permanent marks can be sourced from Queensland Globe (<https://qldglobe.information.qld.gov.au/>)

Place	Latitude South	Longitude East	Time Difference		MHWS	MHWN	MLWN	MLWS	MSL	Ratio	Cons	HAT	Permanent Mark No.	Reference Level
Tidal Datum Epoch 2010-2029			HW	LW										
			1 H M	2 H M	3 m	4 m	5 m	6 m	7 m	8	9 m	10 m		
Rossllyn Bay	23 10	150 48	Standard Port		4.28	3.30	1.66	0.67	2.48	1.00	0.00	5.21	PSM 47784	6.640
Great Keppel Island	23 11	150 56	-0 07	-0 07	4.21	3.25	1.63	0.66	2.43	0.98	0.00	5.13	PSM 172424	9.295
Hay Point	21 16	149 18	Standard Port		5.86	4.54	2.31	0.99	3.43	1.00	0.00	7.18	PSM 38627	18.040
Marquis Island *	22 20	150 27	-0 27	-0 27	6.5	5.0	2.5	1.0	3.73			7.5		
McEwen Islet *	22 09	149 36	+0 24	+0 24	7.4	5.6	2.6	0.8	4.13			9.1		
High Peak Island *	21 57	150 41	-0 45	-0 45	4.8	3.7	1.8	0.7	2.75			5.9		
Bell Cay *	21 49	151 15	-0 58	-0 58	3.6	2.7	1.3	0.4	2.00			4.3		
Middle Island (Percy Isles)	21 39	150 15	-0 27	-0 27	5.73	4.48	2.35	1.10	3.40	0.95	+0.16	6.98	PSM 172414	9.607
Cullen Islet	21 25	149 29	-0 03	-0 03	6.15	4.77	2.42	1.04	3.57	1.05	0.00	7.54		
Penrith Island *	21 00	149 54	-0 07	-0 07	4.6	3.5	1.6	0.5	2.56			5.6		
Scawfell Island *	20 52	149 37	-0 05	-0 05	4.4	3.4	1.7	0.6	2.51			5.4		
Mackay Outer Harbour	21 06	149 14	Standard Port		5.35	4.12	2.01	0.79	3.07	1.00	0.00	6.62	PSM 10043	9.916
Thirsty Sound	22 08	150 02	-0 26	-0 37	6.15	4.74	2.31	0.91	3.50	1.15	0.00	7.62		
Keswick Island	20 55	149 26	-0 03	+0 04	4.76	3.67	1.79	0.70	2.74	0.89	0.00	5.90		
Halliday Bay	20 54	148 59	+0 09	+0 23	4.92	3.79	1.85	0.73	2.70	0.92	0.00	6.09		
Finlayson Point	20 53	148 56	+0 20	+0 20	5.45	4.21	2.05	0.81	3.12	1.02	0.00	6.76	PSM 47336	7.149
Carlisle Island	20 47	149 17	+0 02	-0 02	4.49	3.46	1.69	0.66	2.58	0.84	0.00	5.56		
Laguna Quays Marina	20 36	148 40	+0 30	+0 25	4.88	3.77	1.85	0.74	2.79	0.91	+0.02	6.05	PSM 29116	15.786

Semidiurnal Tidal Planes - 2026

Height above Queensland Port Datum (LAT (1992))

AHD levels or details for determining AHD levels for permanent marks can be sourced from Queensland Globe (<https://qldglobe.information.qld.gov.au/>)

Place	Latitude South	Longitude East	Time Difference HW LW	MHWS	MHWN	MLWN	MLWS	MSL	Ratio	Cons	HAT	Permanent Mark No.	Reference Level
Tidal Datum Epoch 2010-2029				1 H M	2 H M	3 m	4 m	5 m	6 m	7 m	8	9 m	10 m
Bugatti Reef	20 05	150 18	Standard Port	2.64	2.06	1.14	0.56	1.60	1.00	0.00	3.58		
Cato Island *	23 15	155 32	-2 03 -2 03	1.6	1.3	0.7	0.3	0.99			2.1		
Creal Reef *	20 32	150 22	+0 19 +0 19	3.2	2.5	1.1	0.4	1.80			4.1		
Pith Reef *	18 13	147 01	-0 59 -0 59	2.6	1.6	1.5	0.5	1.55			3.3		
Mellish Reef *	17 25	155 52	-1 43 -1 43	1.5	0.9	0.8	0.2	0.85			1.7		
Willis Island *	16 13	150 01	-1 06 -1 06	2.2	1.3	1.3	0.5	1.32			2.7		
Shute Harbour	20 17	148 47	Standard Port	3.35	2.62	1.31	0.58	1.97	1.00	0.00	4.39	PSM 75758	12.735
East Repulse Island *	20 35	148 53	+0 16 +0 16	4.5	3.5	1.7	0.8	2.64			5.7		
Lindeman Island	20 28	149 03	+0 06 +0 08	3.84	3.01	1.53	0.71	2.37	1.13	+0.05	5.01	PSM 102646	4.255
Hamilton Island	20 21	148 57	+0 02 +0 02	3.86	3.03	1.55	0.73	2.15	1.13	+0.07	5.03	PSM 52214	8.565
Abel Point (Airlie Beach)	20 16	148 43	-0 07 -0 06	3.05	2.39	1.20	0.53	1.80	0.91	0.00	3.99	PSM 146544	5.742
Cid Harbour *	20 16	148 55	-0 01 -0 01	3.3	2.5	1.3	0.5	1.87			4.2		
Molle Island *	20 15	148 50	+0 00 +0 00	3.5	2.2	1.5	0.2	1.81			4.1		
Double Bay *	20 11	148 38	-0 19 -0 19	3.0	2.4	1.2	0.6	1.77			3.9		
Nara Inlet	20 10	148 54	-0 12 -0 12	3.31	2.60	1.33	0.63	1.94	0.97	+0.06	4.32	PSM 50460	13.517
Hayman Island *	20 03	148 53	-0 24 -0 24	3.3	2.6	1.3	0.7	1.93			4.3	PSM 97497	5.592
Hook Island *	20 04	148 56	-0 13 -0 13	2.9	2.3	1.1	0.5	1.69			3.8		
Bowen	20 01	148 15	Standard Port	2.88	2.26	1.36	0.73	1.81	1.00	0.00	3.77	PSM 10009	8.689

Semidiurnal Tidal Planes - 2026

Height above Queensland Port Datum (LAT (1992))

AHD levels or details for determining AHD levels for permanent marks can be sourced from Queensland Globe (<https://qldglobe.information.qld.gov.au/>)

Place	Latitude South	Longitude East	Time Difference		MHWS	MHWN	MLWN	MLWS	MSL	Ratio	Cons	HAT	Permanent Mark No.	Reference Level
Tidal Datum Epoch 2010-2029			HW	LW										
			1	2										
			H M	H M	m	m	m	m	m		m	m		
Abbot Point	19 51	148 05	Standard Port		2.76	2.13	1.35	0.73	1.74	1.00	0.00	3.62	PSM 200984	14.069
Oyster Rocks (Burdekin River)	19 44	147 35	-0 03	+0 32	2.59	2.00	1.27	0.68	1.65	0.94	0.00	3.40	PSM 50442	4.880
Cape Ferguson	19 17	147 03	Standard Port		2.84	2.05	1.44	0.65	1.75	1.00	0.00	3.84	PSM 66408	34.276
Townsville	19 15	146 50	Standard Port		3.17	2.32	1.68	0.83	2.00	1.00	0.00	4.22	PSM 10011	9.025
Cape Pallarenda	19 11	146 47	+0 02	+0 03	3.20	2.34	1.70	0.84		1.01	0.00	4.26	PSM 39449	22.969
Magnetic Island	19 09	146 52	+0 06	+0 02	3.04	2.22	1.61	0.79	1.97	0.96	0.00	4.05	PSM 48457	4.488
Townsville Fairway Beacon	19 08	146 54	-0 01	-0 02	3.09	2.26	1.64	0.81	1.92	0.98	0.00	4.11	PSM 195971	10.775
Britomart Reef	18 15	146 43	-0 15	-0 20	2.73	1.99	1.45	0.71	1.75	0.86	0.00	3.62	PSM 56025	0.060
Goold Island *	18 10	146 09	-0 02	-0 02	2.9	2.2	1.6	0.8	1.88			3.8		
Dunk Island *	17 56	146 08	-0 02	-0 02	2.8	2.1	1.5	0.8	1.79			3.6	RAN BM F79	4.331
Flinders Reef	17 43	148 27	-0 25	-0 15	2.35	1.76	1.32	0.73	1.54	0.69	+0.16	3.07		
Unnamed Reef No2 *	19 37	149 50	-0 03	-0 03	2.5	1.6	1.3	0.4	1.48			3.1		
Jaguar Reef *	18 58	148 26	-0 14	-0 14	2.4	1.5	1.3	0.4	1.36			2.9		
Shrimp Reef *	18 56	148 04	-0 04	-0 04	2.5	1.5	1.3	0.3	1.41			3.0		
John Brewer Reef ***	18 38	147 03	+0 04	+0 04	2.51	1.74	1.34	0.56	1.54			3.40		
Unnamed Reef No1 *	17 52	146 43	-0 08	-0 08	2.6	1.6	1.5	0.5	1.58			3.3		

Semidiurnal Tidal Planes - 2026

Height above Queensland Port Datum (LAT (1992))

AHD levels or details for determining AHD levels for permanent marks can be sourced from Queensland Globe (<https://qldglobe.information.qld.gov.au/>)

Place	Latitude South	Longitude East	Time Difference		MHWS	MHWN	MLWN	MLWS	MSL	Ratio	Cons	HAT	Permanent Mark No.	Reference Level
Tidal Datum Epoch 2010-2029			HW	LW										
			1	2	3	4	5	6	7	8	9	10		
			H M	H M	m	m	m	m	m		m	m		
Lucinda (Offshore)	18 31	146 23	Standard Port		3.04	2.23	1.65	0.85	1.94	1.00	0.00	4.06	PSM 196398	7.896
Albino Rock *	18 47	146 43	+0 00	+0 00	2.7	1.9	1.3	0.5	1.56			3.5		
Cardwell	18 16	146 02	+0 01	-0 05	3.22	2.37	1.75	0.90	1.99	1.06	0.00	4.30	PSM 10019	7.514
Clump Point	17 51	146 06	Standard Port		2.78	2.06	1.54	0.82	1.80	1.00	0.00	3.71	PSM 25794	6.648
Mourilyan Harbour	17 36	146 07	Standard Port		2.71	2.04	1.55	0.88	1.79	1.00	0.00	3.58	PSM 4855	5.037
South Barnard Island *	17 44	146 09	-0 04	-0 04	2.7	1.7	1.5	0.6	1.62			3.4		
Nathan Reef	17 32	146 30	-0 07	-0 04	2.44	1.84	1.39	0.79	1.67	0.90	0.00	3.22		
Innisfail	17 31	146 02	+0 25	+0 55	2.02	1.37	0.89	0.23	1.12	0.98	-0.63	2.88		
Flying Fish Point	17 30	146 05	+0 05	+0 15	2.68	2.02	1.53	0.87	1.75	0.99	0.00	3.54	PSM 7049	4.122
Pearl Reef	17 29	146 25	-0 08	-0 02	2.57	1.94	1.47	0.84	1.70	0.95	0.00	3.40		

Semidiurnal Tidal Planes - 2026

Height above Queensland Port Datum (LAT (1992))

AHD levels or details for determining AHD levels for permanent marks can be sourced from Queensland Globe (<https://qldglobe.information.qld.gov.au/>)

Place	Latitude South	Longitude East	Time Difference HW LW	MHWS	MHWN	MLWN	MLWS	MSL	Ratio	Cons	HAT	Permanent Mark No.	Reference Level
Tidal Datum Epoch 2010-2029				1 H M	2 H M	3 m	4 m	5 m	6 m	7 m	8	9 m	10 m
Cairns	16 56	145 47	Standard Port	2.67	1.98	1.50	0.82	1.74	1.00	0.00	3.57	PSM 96052	5.008
Russell Island *	17 13	146 06	-0 17 -0 17	2.4	1.5	1.4	0.6	1.48			2.8		
Sudbury Cay *	16 57	146 09	-0 06 -0 06	2.6	1.6	1.5	0.6	1.57			3.0	PSM 76364	3.335
Fitzroy Island *	16 55	146 00	-0 09 -0 09	2.6	1.6	1.5	0.5	1.57			3.2	PSM 76393	4.382
Green Island *	16 45	145 58	-0 06 -0 06	2.5	1.6	1.4	0.6	1.54			3.1	PSM 110179	4.28
Palm Cove *	16 44	145 40	-0 08 -0 08	2.5	1.6	1.4	0.5	1.71			3.1	PSM 73388	9.611
Saxon Reef	16 28	145 59	-0 17 -0 11	2.35	1.74	1.32	0.72		0.88	0.00	3.14	PSM 85865	-2.740
Low Islets	16 23	145 34	+0 00 +0 00	2.48	1.84	1.39	0.76	1.59	0.93	0.00	3.32	PSM 76300	4.784
Bailay Creek *	16 12	145 27	+0 16 +0 16	2.2	1.3	1.2	0.3	1.27			2.6		
Cooktown	15 28	145 15	-0 02 +0 06	2.45	1.82	1.38	0.75	1.53	0.92	0.00	3.28	PSM 20031	9.211
Low Wooded Isle *	15 05	145 23	-0 04 -0 04	2.5	1.5	1.5	0.4	1.47			3.0		
Cape Flattery	14 57	145 19	-0 10 -0 10	2.37	1.76	1.33	0.73	1.52	0.89	0.00	3.17	PSM 177548	3.915
Morris Island *	13 29	143 42	+0 14 +0 14	2.5	1.8	1.4	0.7	1.58			3.3	PSM 92353	-0.690
Portland Roads	12 36	143 25	+0 19 +0 08	2.67	1.98	1.50	0.82	1.67	1.00	0.00	3.57	PSM BM54	2.813
Cape Grenville *	11 58	143 16	+0 44 +0 44	2.6	1.8	1.3	0.5	1.70			3.3		
Port Douglas	16 29	145 28	Standard Port	2.54	1.88	1.42	0.75	1.65	1.00	0.00	3.40	PSM 10077	6.058
East Hope Island *	15 44	145 28	-0 12 -0 12	2.5	1.5	1.4	0.4	1.47			3.1		

Semidiurnal Tidal Planes - 2026

Height above Queensland Port Datum (LAT (1992))

AHD levels or details for determining AHD levels for permanent marks can be sourced from Queensland Globe (<https://qldglobe.information.qld.gov.au/>)

Place	Latitude South	Longitude East	Time Difference		MHWS	MHWN	MLWN	MLWS	MSL	Ratio	Cons	HAT	Permanent Mark No.	Reference Level
Tidal Datum Epoch 2010-2029			HW	LW										
			1	2	3	4	5	6	7	8	9	10		
			H M	H M	m	m	m	m	m		m	m		
Leggatt Island	14 32	144 51	Standard Port		2.60	1.92	1.49	0.80	1.70	1.00	0.00	3.45		
Normanby River *	14 26	144 09	+0 05	+0 05	2.4	1.6	1.2	0.3	1.39			3.4		
Eden Reef *	14 05	143 55	-0 10	-0 10	2.8	2.0	1.5	0.7	1.77			3.6		
Pelican Island *	13 55	143 50	+0 07	+0 07	3.0	2.2	1.7	0.9	1.91			3.9		
Fife Island *	13 39	143 43	+0 03	+0 03	2.6	1.8	1.4	0.7	1.63			3.3		
Round Point *	11 53	143 06	+0 42	+0 42	2.8	1.9	1.4	0.5	1.67			3.6		
Hannibal Islands *	11 35	142 56	+1 00	+1 00	3.0	2.1	1.5	0.6	1.74			3.8		
Collette Reef *	11 14	143 21	+1 04	+1 04	2.7	1.9	1.3	0.5	1.60			3.5		

The secondary place time differences and tidal planes are based on short observation sets and are updated as new observations become available.

* Tidal planes defined in Australian National Tide Tables (ANTT) 2025.

** Tidal planes determined through non-linear tidal transfer. Contact MSQ Tidal Unit for further information.

*** Tidal planes determined via harmonic analysis

Diurnal Tidal Planes - 2026

Height above Queensland Port Datum (LAT (1992))

AHD levels or details for determining AHD levels for permanent marks can be sourced from Queensland Globe (<https://qldglobe.information.qld.gov.au/>)

Place	Latitude South	Longitude East	Time Difference HW LW	MHHW	MLHW	MHLW	MLLW	MSL	Ratio	Cons	HAT	Permanent Mark No.	Reference Level
Tidal Datum Epoch 2010-2029			1 2 H M H M	3 m	4 m	5 m	6 m	7 m	8	9 m	10 m		
Shute Harbour	20 17	148 47	Standard Port	3.53	2.45	1.49	0.41	1.97	1.00	0.00	4.39	PSM 75758	12.735
Bugatti Reef	20 05	150 18	Standard Port	2.83	1.87	1.33	0.37	1.60	1.00	0.00	3.58		
Townsville	19 15	146 50	Standard Port	3.24	2.24	1.76	0.75	2.00	1.00	0.00	4.22	PSM 10011	9.025
Mourilyan Harbour	17 36	146 07	Standard Port	2.84	1.90	1.68	0.74	1.79	1.00	0.00	3.58	PSM 4855	5.037
Cairns	16 56	145 47	Standard Port	2.79	1.86	1.63	0.69	1.74	1.00	0.00	3.57	PSM 96052	5.008
High Island	17 09	146 00	-0 06 -0 06	2.65	1.76	1.54	0.66	1.63	0.95	0.00	3.39	PSM 76352	3.969
Michaelmas Cay ***	16 36	145 59	-0 11 -0 11	2.52	1.61	1.52	0.60	1.56			3.20	PSM 55995	3.948
Cape Bedford ***	15 13	145 20	+0 04 +0 04	2.34	1.48	1.37	0.51	1.42			2.87		
Lizard Island	14 41	145 27	-0 09 -0 09	2.36	1.54	1.34	0.53	1.44	0.87	-0.07	3.03	PSM 72386	3.535
Port Douglas	16 29	145 28	Standard Port	2.67	1.75	1.54	0.63	1.65	1.00	0.00	3.40	PSM 10077	6.058

Diurnal Tidal Planes - 2026

Height above Queensland Port Datum (LAT (1992))

AHD levels or details for determining AHD levels for permanent marks can be sourced from Queensland Globe (<https://qldglobe.information.qld.gov.au/>)

Place	Latitude South	Longitude East	Time Difference		MHHW	MLHW	MHLW	MLLW	MSL	Ratio	Cons	HAT	Permanent Mark No.	Reference Level
Tidal Datum Epoch 2010-2029			HW	LW										
			1	2	3	4	5	6	7	8	9	10		
			H M	H M	m	m	m	m	m		m	m		
Leggatt Island	14 32	144 51	Standard Port		2.71	1.80	1.60	0.69	1.70	1.00	0.00	3.45		
North Direction Island ***	14 45	145 30	-0 05	-0 05	2.40	1.50	1.38	0.48	1.44			2.96	PSM 90003	6.425
East Petherbridge Island ***	14 44	145 06	-0 01	-0 01	2.58	1.65	1.48	0.56	1.57			3.17	PSM 76480	2.749
Pipon Island *	14 07	144 30	-0 02	-0 02	2.5	1.5	1.4	0.5	1.48			3.0		
Creech Reef *	13 38	144 05	+0 01	+0 01	2.5	1.5	1.5	0.5	1.50			3.1	PSM 79102	0.48
Unnamed Reef No3 ***	13 20	143 58	-0 04	-0 04	2.42	1.53	1.45	0.56	1.49			3.08	PSM 92361	-0.66
Suchen Reef *	13 18	143 47	-0 02	-0 02	2.5	1.6	1.5	0.6	1.57			3.3		
Night Island *	13 11	143 34	+0 01	+0 01	2.5	1.6	1.4	0.5	1.50			3.0		
Jubilee Reef ***	13 10	143 46	+0 02	+0 02	2.50	1.62	1.47	0.59	1.55			3.23	PSM 92355	-1.35
Ham Reef ***	13 02	143 52	-0 07	-0 07	2.33	1.46	1.37	0.50	1.42			2.97	PSM 92358	-0.85
Sir Charles Hardy Island *	11 55	143 26	+0 27	+0 27	2.7	1.6	1.5	0.4	1.57			3.3		
Raine Island *	11 36	144 03	-0 10	-0 10	2.3	1.4	1.4	0.5	1.42			2.9		
Shadwell Reef *	11 27	143 46	+0 29	+0 29	2.3	1.4	1.2	0.3	1.30			2.8		
Twin Island	10 28	142 26	Standard Port		3.04	2.03	1.57	0.57	1.80	1.00	0.00	3.88	PSM 48736	2.99
Thursday Island	10 35	142 13	Standard Port		3.12	2.41	1.41	0.71	1.91	1.00	0.00	3.94	PSM 10078	6.375
Red Island Point (Bamaga) ***	10 51	142 22	+0 07	+0 07	2.7	2.1	1.1	0.5	1.60			3.23	PSM 183076	4.774

Diurnal Tidal Planes - 2026

Height above Queensland Port Datum (LAT (1992))

AHD levels or details for determining AHD levels for permanent marks can be sourced from Queensland Globe (<https://qldglobe.information.qld.gov.au/>)

Place	Latitude South	Longitude East	Time Difference HW LW		MHHW	MLHW	MHLW	MLLW	MSL	Ratio	Cons	HAT	Permanent Mark No.	Reference Level	
Tidal Datum Epoch 2010-2029				1	2	3	4	5	6	7	8	9			10
				H M	H M	m	m	m	m		m	m			
Goods Island	10 34	142 09	Standard Port		3.79	2.73	1.63	0.57	2.18	1.00	0.00	4.15	PSM 48726	5.33	
Booby Island	10 36	141 55	Standard Port		4.32	2.88	2.06	0.62	2.47	1.00	0.00	4.43			
Crab Island *	10 58	142 07	-0 13	-0 13	3.7	2.4	1.8	0.5	2.10			3.7			
Bampffield Head *	10 42	142 06	-0 10	-0 10	4.3	3.0	1.9	0.6	2.44			4.5			
Merauke *	08 29	140 24	-2 51	-2 51	5.5	3.2	2.9	0.6	3.04			5.7			
Weipa (Humbug Point)	12 40	141 52	Standard Port		3.01	2.27	1.51	0.77	1.89	1.00	0.00	3.33	PSM 15094	7.287	
Aurukun (Archer River)	13 22	141 43	+0 14	+0 23	2.41	1.81	1.21	0.62	1.56	0.80	0.00	2.66	PSM 81258	7.068	
Archer River (Worbody Point) *	13 20	141 39	+0 25	+0 25	2.1	1.7	0.8	0.4	1.26			2.2			
Pennefather River	12 18	141 42	-0 31	-0 34	3.19	2.40	1.60	0.82	1.93	1.06	0.00	3.52	PSM 83515	7.807	
Amrun (Boyd Point)	12 55	141 37	Standard Port		2.93	2.37	1.54	0.98	1.95	1.00	0.00	3.32	PSM 182173	9.947	
Karumba	17 30	140 50	Standard Port		3.91	3.55	0.78	0.42	2.16	1.00	0.00	4.85	PSM 10222	6.808	
Sweers Island Offshore *	16 52	139 36	+0 11	+0 11	3.8	3.7	0.9	0.8	2.27			4.7			
Inscription Point (Sweers Is.)	17 07	139 36	+0 52	+0 36	3.84	3.49	0.80	0.46	2.12	0.97	+0.05	4.76			

Diurnal Tidal Planes - 2026

Height above Queensland Port Datum (LAT (1992))

AHD levels or details for determining AHD levels for permanent marks can be sourced from Queensland Globe (<https://qldglobe.information.qld.gov.au/>)

Place	Latitude South	Longitude East	Time Difference		MHHW	MLHW	MHLW	MLLW	MSL	Ratio	Cons	HAT	Permanent Mark No.	Reference Level
Tidal Datum Epoch 2010-2029			1	2	3	4	5	6	7	8	9	10		
			H M	H M	m	m	m	m	m		m	m		
Mornington Island	16 40	139 10	Standard Port		3.34	3.06	1.26	0.97	2.16	1.00	0.00	3.95	RM(3)	4.894

The secondary place time differences and tidal planes are based on short observation sets and are updated as new observations become available.

* Tidal planes defined in Australian National Tide Tables (ANTT) 2025.

** Tidal planes determined through non-linear tidal transfer. Contact MSQ Tidal Unit for further information.

*** Tidal planes determined via harmonic analysis

Tide calculations for places other than standard ports

Find the required locality in the Semidiurnal Tidal Planes table or the Diurnal Tidal Planes table and note its standard port.

Time of High Water

1. Note the time difference in column 1;
2. Add or subtract (as indicated by + or -) this time difference to the predicted time of high water at the standard port.

Time of Low Water

1. Note the time difference in column 2;
2. Add or subtract (as indicated by + or -) this time difference to the predicted time of low water at the standard port.

The result is the approximate time of the tide at the required locality.

Height of High Water

1. Find the height of the predicted high water at the standard port;
2. Multiply the height by the ratio in column 8;
3. Add or subtract (as indicated by the + or -) the constant in column 9.

Height of Low Water

1. Find the height of the predicted low water at the standard port;
2. Multiply the height by the ratio in column 8;
3. Add or subtract (as indicated by the + or -) the constant in column 9.

The result is the approximate height of tide at the required locality.

Example calculations

Important information for finding tide times

Extract from the table Semidiurnal Tidal Planes

Height above Queensland Port Datum (LAT(1992)) table

Place	Latitude South	Longitude East	Time Difference		MHWS	MHWN	MLWN	MLWS	MSL	Ratio	Cons	HAT
			HW	LW								
			1	2								
Tidal Datum Epoch 2010-2029			H M	H M	m	m	m	m	m		m	m
Standard	27 22	153 10	Standard Port		2.22	1.84	0.81	0.42	1.32	1.00	0.00	2.78
Secondary	27 05	153 22	-0 25	-0 30	1.80	1.49	0.65	0.34	1.07	0.81	0.00	2.26

Tide times for March 16 2022 at the standard port

Time	Metres
02:09	0.56
08:29	2.39
15:04	0.60
20:44	2.00

Secondary place differences to standard port

Time	Metres
Time difference high water (Column 1)	-0 25
Time difference high water (Column 2)	-0 30
Ratio (Column 8)	0.81
Constant (Column 9)	+0.00

Example calculation of time and height of high and low water at a secondary location

Predicted high water at secondary place calculations

Predicted high water at standard port	2.39 m at 08:29
Time of high water at secondary place	= 08:29 – 25 minutes
	= 8:04
Height of high water at secondary place	= (2.39 x 0.81) + 0.00
	= 1.94 + 0.00
	= 1.94 m

The first high water at the secondary place on 16 March 2022 is predicted to occur at 08:04 and reach a height of 1.94m above Queensland Port Datum (LAT(1992)).

Predicted low water at secondary place calculations

Predicted low water at standard port	0.56 m at 02:09
Time of low water at secondary place	= 02:09 – 30 minutes
	= 01:39
Height of low water at secondary place	= (0.56 x 0.81) + 0.00
	= 0.45 + 0.00
	= 0.45 m

The first low water at the secondary place on 16 March 2022 is predicted to occur at 01:39 and reach a height of 0.45m above Queensland Port Datum (LAT(1992)).

Example calculation of tide height between high and low water

Find the height of high and low tide at the Standard port and secondary place at 6:40am on March 16 2022.

Standard port calculation

1. Obtain the tidal predications from the tables at the Standard Port.
(Refer to tide times for March 16 2022 at the standard port within the [important information for finding tide times section](#)).
2. Calculate the height difference.

Measurement	Metres
High water	2.39
Low water	- 0.56
Range (height difference)	1.83

3. Refer to the appropriate Standard Tidal Curves (or interpolated graph) for the tidal range.

If the required time is 06:40 hours or 6:40 am (1 hour and 49 minutes before high water), we will use the range from step 2 to calculate the movement of a tide over a complete tidal cycle.

Using the 1.83m range to 1 hour 49 minutes before high water, you read the height at this point as 1.6m.

4. Add the height obtained in step 3 to the height of low water at the standard port.

Measurement	Metres
Low water	0.56
Tidal curves	+ 1.60
Tidal height	2.16

At 6:40 am Wednesday 16 March 2022 the tide at the standard port was approximately 2.16m.

Secondary place calculation

1. Calculate the high and low water times and the heights for the secondary place.

Time	Metres
01:39	0.45
08:04	1.94

2. Calculate the height difference.

Measurement	Metres
High water	1.94
Low water	- 0.45
Range (height difference)	1.49

3. Refer to the appropriate Standard Tidal Curves (or interpolated graph) for the tidal range.

If the required time is 06:40 hours or 6:40 am (1 hour and 24 minutes before high water), we will use the range from step 2 to calculate the movement of the tide over a complete tidal cycle.

Using the 1.49m range to 1 hour 24 minutes before high water, you read the height at this point as 1.3m.

4. Add the height obtained in step 3 to the height of low water at the secondary place.

Measurement	Metres
Low water	0.45
Tidal curves	+ 1.30
Tidal height	1.75


At 6:40 am Wednesday 16 March 2022 the tide at the secondary place was approximately 1.75m.

Conversion – Metres to Feet


Metres	0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9
0	0.00	0.33	0.66	0.98	1.31	1.64	1.97	2.30	2.62	2.95
1	3.28	3.61	3.94	4.27	4.59	4.92	5.25	5.58	5.91	6.23
2	6.56	6.89	7.22	7.55	7.87	8.20	8.53	8.86	9.19	9.51
3	9.84	10.17	10.50	10.83	11.15	11.48	11.81	12.14	12.47	12.80
4	13.12	13.45	13.78	14.11	14.44	14.76	15.09	15.42	15.75	16.08
5	16.40	16.73	17.06	17.39	17.72	18.04	18.37	18.70	19.03	19.36
6	19.69	20.01	20.34	20.67	21.00	21.33	21.65	21.98	22.31	22.64
7	22.97	23.29	23.62	23.95	24.28	24.61	24.93	25.26	25.59	25.92
8	26.25	26.57	26.90	27.23	27.56	27.89	28.22	28.54	28.87	29.20
9	29.53	29.86	30.18	30.51	30.84	31.17	31.50	31.82	32.15	32.48
10	32.81	33.14	33.46	33.79	34.12	34.45	34.78	35.10	35.43	35.76
11	36.09	36.42	36.75	37.07	37.40	37.73	38.06	38.39	38.71	39.04
12	39.37	39.70	40.03	40.35	40.68	41.01	41.34	41.67	41.99	42.32
13	42.65	42.98	43.31	43.64	43.96	44.29	44.62	44.95	45.28	45.60
14	45.93	46.26	46.59	46.92	47.24	47.57	47.90	48.23	48.56	48.88
15	49.21	49.54	49.87	50.20	50.52	50.85	51.18	51.51	51.84	52.17

Standard tidal curves

Standard Tidal Curves - Tide Ranges up to 3m



Standard Tidal Curves - Tide Ranges up to 6m




Calculation of overhead clearance

The semidiurnal and diurnal tidal planes information has been updated based on the Epoch 2010 - 2029.

At some localities, this had a minor impact on the highest astronomical tide values. The clearance value assigned to overhead structures across tidal waters is being reviewed.

Mariners are advised to refer to the Beacon to Beacon Directory and the respective management authority signage for warnings and clearance information.

Highest astronomical tide values for standard ports and secondary locations are tabulated under Semidiurnal Tidal Planes and Diurnal Tidal Planes.



Overhead clearance

This is defined as the vertical distance between the lowest under-surface of the overhead structure and the water level at the highest astronomical tide.

For electricity cables, this also incorporates an additional mandatory safety margin to satisfy electrical regulations. The difference in elevation between the highest astronomical tide value and the predicted tide height at the time of passing under the structure, can be added to the nominated minimum clearance shown on the chart/directory so as to derive the total clearance available.

A further safety margin should be included to provide a guaranteed air space above the uppermost part of the vessel and the undersurface of the overhead structure, therefore further reducing available overhead clearance.


Weather conditions, storm surge, flood runoff, current, wave action or wash from other vessels should be considered as factors that can cause an additional reduction of your calculated clearance.

Consult your chart first, the deepest part of a channel may not occur at the maximum point of clearance.


To ensure the safety of your vessel and persons onboard, know the maximum height of your vessel above the waterline, its maximum draught, always keep a proper lookout, and navigate beneath the overhead structure at an appropriate speed.

Bridges and overhead pipelines

The value shown is the maximum clearance above HAT (highest astronomical tide).



For a bridge that slopes continuously downwards from one bank to the other, the clearance value shown is for the position beneath the lowest part of the span.




In all instances, the deepest part of the navigation channel may not occur at the point of maximum clearance.

Overhead cable clearance

The value shown indicates the maximum height of a vessel which may pass beneath the cable and are given for the lowest point of the sag. Allowances have been made for safety margins required to satisfy the electricity regulations. Clearances are given with respect to HAT. The deepest part of the navigation channel may not occur at the point of maximum clearance.

Boat operators should always be responsible for maintaining a proper lookout at all times for crossings which may not be shown on the chart or those which have altered in some way.



No anchoring zone - a vessel must not be anchored within 50 metres of an underwater cable or pipeline that is accompanied by warning signage from the management authority.



Note - it is prohibited to anchor, berth, moor or operate a vessel within 100 metres of a dam wall, spillway or weir; or near infrastructure nominated by the management authority.

Flood debris warning

Mariners are advised that the safest areas are in the middle third of the waterway. Known submerged hazards adjacent to the banks have been found by survey (March - June 2011). Hazards can move. Navigate carefully.

2026 Phases and apsides of the moon

New Moon d h m	First Quarter d h m	Full Moon d h m	Last Quarter d h m	Perigee d h m	Apogee d h m
		Jan 03 20:03	Jan 11 01:48	Jan 02 07:44	Jan 14 06:47
Jan 19 05:52	Jan 26 14:47	Feb 02 08:09	Feb 09 22:43	Jan 30 07:46	Feb 11 02:52
Feb 17 22:01	Feb 24 22:28	Mar 03 21:38	Mar 11 19:38	Feb 25 09:14	Mar 10 23:43
Mar 19 11:23	Mar 26 05:18	Apr 02 12:12	Apr 10 14:52	Mar 22 21:40	Apr 07 18:31
Apr 17 21:52	Apr 24 12:32	May 02 03:23	May 10 07:10	Apr 19 16:56	May 05 08:30
May 17 06:01	May 23 21:11	May 31 18:45	Jun 08 20:00	May 17 23:44	Jun 01 14:33
Jun 15 12:54	Jun 22 07:55	Jun 30 09:57	Jul 08 05:29	Jun 15 09:20	Jun 28 17:11
Jul 14 19:44	Jul 21 21:06	Jul 30 00:36	Aug 06 12:21	Jul 13 17:57	Jul 26 02:45
Aug 13 03:37	Aug 20 12:46	Aug 28 14:18	Sep 04 17:51	Aug 10 21:18	Aug 22 18:21
Sep 11 13:27	Sep 19 06:44	Sep 27 02:49	Oct 03 23:25	Sep 07 06:43	Sep 19 13:00
Oct 11 01:50	Oct 19 02:13	Oct 26 14:12	Nov 02 06:28	Oct 02 06:52	Oct 17 08:56
Nov 09 17:02	Nov 17 21:48	Nov 25 00:53	Dec 01 16:09	Oct 29 04:06	Nov 14 03:50
Dec 09 10:52	Dec 17 15:43	Dec 24 11:28	Dec 31 04:59	Nov 26 07:01	Dec 11 16:45
				Dec 24 18:31	

The moon phases given in this table are the times when the sun, moon, and earth lie approximately in the same line (180°) at full and new moon and at first and last quarter when the moon is (90°) to the line of the sun and earth.

Times are Australian Eastern Standard Time.

2026 Seasons and apsides of the earth

Perihelion d h m	Autumnal Equinox d h m	Winter Solstice d h m	Aphelion d h m	Vernal Equinox d h m	Summer Solstice d h m
Jan 04 03:16	Mar 21 00:46	Jun 21 18:24	Jul 07 03:31	Sep 23 10:05	Dec 22 06:50

Equinox and Solstice named by Southern Hemisphere convention.

Times are Australian Eastern Standard Time.

Using the moonrise and moonset table

The average time between the rising and setting of the moon is 12 hours 25 minutes. It follows that successive rises (or sets) of the moon will be 24 hours and 50 minutes apart or in other words the moon will rise (or set) on average 50 minutes later each successive day of the year.

As a consequence of the above – unlike the sun which always rises in the morning and sets in the afternoon of the same day – the moon will frequently set on the day after it has risen.

Occasionally there is no entry in the table for the moonset time, this means that the moon will set on the next day.

Occasionally there is no entry in the table for the moonrise time, this means the moon rose on the previous day.

Sun and moon rise and set tables

The tables of moon and sun rise and set have been prepared by Maritime Safety Queensland using information from Geoscience Australia. The tables detail the times of the rise and set phenomena for an observer at sea level for the following tidal stations:

- Brisbane Bar
- Gladstone
- Mackay Outer Harbour
- Townsville
- Cairns
- Karumba
- Weipa

The time of the rise and set varies from place to place. However for adjacent places the variation is small and as a result the entries in the table may be used for adjacent tidal stations.

The times of moon rise and set are given for every day of the month. The times of sunrise and set are given for every 5th day of the month.

The following groupings are applicable:

Brisbane representing	Gold Coast Seaway, Brisbane Bar and Mooloolaba.
Gladstone representing	Bundaberg, Gladstone, Port Alma and Rosslyn Bay.
Mackay representing	Hay Point, Mackay, Shute Harbour, Bowen and Abbot Point.
Townsville representing	Townsville and Lucinda.
Cairns representing	Mourilyan, Cairns and Port Douglas.
Karumba representing	Karumba and Mornington Island.
Weipa representing	Weipa and Thursday Island.

It should be noted that:

- the grouping introduces an approximation which does not exceed 10 minutes;
- the grouping introduces atmospheric refraction that is different from the standard refraction; and,
- the height of eye of the observer (above sea level), will affect the time at which the sun and moon appear to rise and set.

Definitions:

- Sun rise is defined as the instant in the morning under ideal meteorological conditions, with standard refraction of the sun's rays, when the upper edge of the sun's disk is coincident with an ideal horizon.
- Sun set is defined as the instant in the evening under ideal meteorological conditions, with standard refraction of the sun's rays, when the upper edge of the sun's disk is coincident with an ideal horizon.
- Moon rise is defined as the instant when, in the eastern sky, under ideal meteorological conditions, with standard refraction of the moon's rays, the upper edge of the moon's disk is coincident with an ideal horizon.
- Moon set is defined as the instant when, in the western sky, under ideal meteorological conditions, with standard refraction of the moon's rays, the upper edge of the moon's disk is coincident with an ideal horizon.

An ideal horizon exists when the surface forming the horizon is at a right angle to the vertical line passing through the observer's position on the earth. If the terrain surrounding the observer was flat and all at the same height above sea level, the horizon seen by the observer standing on the earth would approximate the ideal horizon.

Times of Sunrise and Sunset for Queensland – 1st Day of the Month

TIME ZONE 1000E

R = Sunrise time S = Sunset time

PORT	JAN		FEB		MAR		APR		MAY		JUN		JUL		AUG		SEP		OCT		NOV		DEC	
	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S
Brisbane	0455	1846	0520	1842	0540	1819	0557	1745	0613	1716	0630	1701	0638	1704	0628	1719	0601	1734	0527	1748	0456	1806	0444	1828
Gladstone	0511	1846	0533	1844	0550	1824	0603	1754	0616	1728	0630	1716	0638	1719	0630	1732	0606	1744	0535	1754	0509	1809	0459	1829
Mackay	0524	1848	0545	1848	0600	1831	0611	1803	0620	1740	0633	1729	0641	1733	0634	1744	0612	1754	0544	1801	0520	1813	0513	1832
Townsville	0538	1854	0557	1855	0611	1839	0619	1814	0628	1752	0639	1742	0647	1746	0641	1757	0621	1805	0554	1810	0532	1821	0526	1838
Cairns	0546	1854	0605	1856	0616	1842	0623	1819	0629	1759	0639	1750	0647	1755	0642	1804	0623	1810	0559	1814	0539	1822	0534	1838
Karumba	0605	1914	0624	1916	0636	1902	0643	1838	0650	1818	0700	1809	0707	1813	0703	1823	0643	1830	0619	1834	0558	1843	0553	1858
Weipa	0610	1901	0626	1905	0634	1855	0637	1836	0640	1819	0647	1813	0654	1818	0652	1826	0636	1828	0616	1828	0559	1833	0557	1846

Times of Sunrise and Sunset for Queensland – 5th Day of the Month

TIME ZONE 1000E

R = Sunrise time S = Sunset time

PORT	JAN		FEB		MAR		APR		MAY		JUN		JUL		AUG		SEP		OCT		NOV		DEC	
	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S
Brisbane	0458	1847	0523	1840	0543	1815	0559	1741	0615	1713	0631	1700	0638	1706	0626	1721	0556	1736	0522	1750	0454	1809	0445	1831
Gladstone	0513	1847	0536	1842	0552	1821	0605	1751	0618	1726	0632	1715	0638	1721	0628	1734	0602	1745	0531	1756	0506	1811	0500	1832
Mackay	0527	1849	0548	1846	0602	1827	0612	1800	0622	1738	0635	1729	0641	1734	0632	1746	0609	1755	0541	1803	0518	1815	0513	1834
Townsville	0540	1855	0600	1853	0612	1836	0620	1810	0629	1750	0641	1742	0647	1747	0639	1758	0617	1805	0551	1811	0530	1823	0526	1840
Cairns	0549	1855	0607	1855	0618	1839	0624	1816	0630	1757	0641	1750	0647	1756	0640	1805	0620	1811	0556	1815	0537	1824	0535	1840
Karumba	0607	1916	0626	1915	0637	1859	0644	1835	0651	1816	0701	1809	0708	1815	0701	1824	0640	1830	0615	1835	0556	1844	0554	1901
Weipa	0612	1903	0628	1905	0635	1853	0637	1833	0641	1818	0649	1813	0655	1819	0650	1826	0634	1828	0613	1829	0558	1834	0558	1848

Times of Sunrise and Sunset for Queensland – 10th Day of the Month

TIME ZONE 1000E

R = Sunrise time S = Sunset time

PORT	JAN		FEB		MAR		APR		MAY		JUN		JUL		AUG		SEP		OCT		NOV		DEC	
	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S
Brisbane	0502	1847	0527	1837	0546	1810	0602	1736	0618	1710	0633	1700	0637	1708	0622	1724	0551	1738	0517	1752	0451	1812	0445	1835
Gladstone	0517	1847	0539	1839	0555	1816	0607	1746	0620	1723	0634	1715	0638	1723	0625	1736	0557	1747	0526	1758	0504	1814	0501	1835
Mackay	0530	1850	0550	1844	0604	1823	0613	1756	0624	1735	0636	1729	0641	1736	0629	1748	0604	1756	0536	1804	0516	1818	0514	1837
Townsville	0543	1856	0602	1851	0614	1832	0622	1806	0631	1747	0642	1742	0647	1749	0637	1759	0613	1806	0547	1813	0528	1825	0528	1843
Cairns	0552	1856	0609	1853	0619	1836	0624	1812	0632	1755	0642	1750	0647	1757	0638	1806	0616	1811	0552	1816	0536	1826	0536	1843
Karumba	0611	1917	0628	1913	0638	1855	0645	1831	0652	1814	0703	1809	0708	1816	0658	1825	0636	1831	0612	1836	0554	1847	0555	1904
Weipa	0615	1904	0630	1904	0636	1850	0638	1830	0642	1816	0650	1814	0655	1820	0648	1827	0630	1828	0610	1829	0557	1836	0600	1851

Times of Sunrise and Sunset for Queensland – 15th Day of the Month

TIME ZONE 1000E

R = Sunrise time S = Sunset time

PORT	JAN		FEB		MAR		APR		MAY		JUN		JUL		AUG		SEP		OCT		NOV		DEC	
	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S
Brisbane	0506	1847	0530	1833	0548	1804	0604	1731	0621	1707	0635	1700	0636	1710	0618	1726	0545	1740	0511	1755	0448	1816	0447	1838
Gladstone	0521	1848	0542	1836	0557	1811	0609	1741	0622	1720	0635	1716	0637	1725	0621	1738	0552	1749	0522	1800	0502	1818	0502	1838
Mackay	0534	1851	0553	1841	0605	1819	0615	1751	0626	1733	0638	1729	0640	1738	0626	1749	0559	1757	0532	1806	0514	1821	0516	1840
Townsville	0547	1857	0605	1849	0615	1828	0623	1802	0633	1745	0644	1742	0646	1751	0633	1801	0608	1807	0543	1814	0527	1828	0529	1846
Cairns	0555	1857	0611	1851	0620	1832	0625	1808	0633	1753	0644	1751	0647	1759	0635	1808	0612	1812	0549	1817	0534	1829	0538	1846
Karumba	0614	1918	0631	1911	0639	1852	0646	1828	0654	1812	0704	1810	0707	1818	0655	1827	0632	1832	0608	1837	0553	1849	0557	1907
Weipa	0618	1905	0631	1902	0636	1847	0638	1827	0643	1815	0651	1814	0655	1822	0646	1828	0627	1828	0607	1829	0556	1838	0602	1853

Times of Sunrise and Sunset for Queensland – 20th Day of the Month

TIME ZONE 1000E

R = Sunrise time S = Sunset time

PORT	JAN		FEB		MAR		APR		MAY		JUN		JUL		AUG		SEP		OCT		NOV		DEC	
	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S
Brisbane	0510	1846	0534	1829	0551	1759	0607	1726	0623	1704	0637	1701	0635	1713	0613	1729	0539	1742	0507	1758	0446	1820	0449	1841
Gladstone	0524	1847	0545	1833	0559	1806	0611	1737	0625	1718	0637	1716	0636	1727	0617	1740	0547	1750	0518	1802	0500	1821	0504	1841
Mackay	0537	1850	0556	1838	0607	1814	0617	1748	0628	1731	0639	1730	0639	1740	0622	1751	0555	1759	0528	1808	0513	1824	0518	1843
Townsville	0550	1857	0607	1846	0616	1824	0624	1759	0635	1744	0645	1743	0645	1753	0630	1802	0604	1808	0539	1816	0526	1831	0532	1849
Cairns	0558	1857	0613	1848	0621	1828	0627	1805	0635	1752	0645	1752	0646	1801	0632	1808	0608	1813	0545	1818	0534	1831	0540	1849
Karumba	0617	1918	0632	1908	0640	1848	0647	1824	0656	1810	0706	1811	0706	1819	0652	1828	0628	1832	0605	1838	0553	1852	0559	1909
Weipa	0620	1906	0633	1900	0636	1843	0638	1824	0644	1814	0653	1815	0654	1823	0644	1828	0623	1828	0604	1830	0556	1840	0604	1856

Times of Sunrise and Sunset for Queensland – 25th Day of the Month

TIME ZONE 1000E

R = Sunrise time S = Sunset time

PORT	JAN		FEB		MAR		APR		MAY		JUN		JUL		AUG		SEP		OCT		NOV		DEC	
	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S	R	S
Brisbane	0514	1845	0537	1824	0554	1753	0609	1721	0626	1703	0638	1702	0632	1715	0608	1731	0533	1745	0502	1801	0445	1824	0451	1843
Gladstone	0528	1846	0548	1829	0601	1801	0613	1733	0627	1717	0638	1718	0634	1729	0613	1742	0541	1752	0514	1805	0459	1825	0507	1843
Mackay	0540	1850	0558	1835	0608	1810	0618	1744	0630	1730	0640	1731	0637	1742	0618	1752	0550	1800	0524	1810	0513	1828	0521	1846
Townsville	0553	1856	0609	1843	0618	1820	0626	1755	0637	1743	0646	1744	0644	1754	0626	1803	0600	1809	0536	1818	0525	1834	0534	1851
Cairns	0601	1857	0615	1845	0622	1824	0628	1802	0637	1751	0646	1753	0645	1802	0629	1809	0604	1813	0542	1820	0534	1834	0543	1851
Karumba	0620	1918	0634	1905	0641	1844	0648	1821	0658	1809	0707	1812	0705	1821	0649	1829	0624	1833	0602	1840	0552	1855	0601	1912
Weipa	0623	1906	0634	1858	0637	1840	0639	1822	0645	1813	0654	1816	0654	1824	0641	1828	0620	1828	0602	1831	0556	1843	0606	1859

TIMES OF MOONRISE AND MOONSET – BRISBANE 2026

LAT 27° 22' S LONG 153° 10' E TIME ZONE 1000E

R = Moonrise time S = Moonset time

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
01	S 0202	S 0405	S 0257	S 0451	S 0531	S 0709	S 0732	S 0755	S 0801	S 0809		
	R 1640	R 1822	R 1658	R 1708	R 1642	R 1725	R 1803	R 1944	R 2133	R 2245	S 1015	S 1121
02	S 0300	S 0514	S 0403	S 0547	S 0627	S 0802	S 0813	S 0825	S 0839	S 0905	R 0024	R 0013
	R 1750	R 1903	R 1735	R 1738	R 1717	R 1817	R 1900	R 2040	R 2239	R 2351	S 1122	S 1220
03	S 0407	S 0619	S 0505	S 0643	S 0724	S 0850	S 0849	S 0855	S 0922		R 0104	R 0044
	R 1853	R 1939	R 1808	R 1808	R 1756	R 1912	R 1957	R 2138	R 2346	S 1008	S 1226	S 1317
04	S 0518	S 0721	S 0605	S 0739	S 0820	S 0934	S 0921	S 0926		R 0050	R 0139	R 0115
	R 1947	R 2011	R 1839	R 1842	R 1840	R 2008	R 2053	R 2237	S 1012	S 1115	S 1326	S 1414
05	S 0629	S 0820	S 0702	S 0836	S 0915	S 1012	S 0952	S 1000	R 0053	R 0141	R 0211	R 0146
	R 2032	R 2040	R 1908	R 1918	R 1929	R 2105	R 2148	R 2340	S 1110	S 1223	S 1425	S 1511
06	S 0736	S 0916	S 0758	S 0933	S 1006	S 1047	S 1021		R 0157	R 0225	R 0241	R 0219
	R 2110	R 2110	R 1938	R 1959	R 2022	R 2202	R 2245	S 1038	S 1215	S 1329	S 1522	S 1608

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
07	S 0839	S 1011	S 0854	S 1029	S 1053	S 1119	S 1052	R 0046	R 0254	R 0303	R 0312	R 0256
	R 2143	R 2140	R 2009	R 2045	R 2118	R 2258	R 2343	S 1124	S 1324	S 1432	S 1619	S 1705
08	S 0938	S 1106	S 0950	S 1122	S 1135	S 1150		R 0155	R 0344	R 0337	R 0344	R 0337
	R 2214	R 2212	R 2043	R 2135	R 2215	R 2354	S 1124	S 1217	S 1433	S 1533	S 1717	S 1802
09	S 1034	S 1202	S 1047	S 1212	S 1213		R 0045	R 0303	R 0427	R 0409	R 0419	R 0423
	R 2242	R 2247	R 2121	R 2230	R 2312	S 1220	S 1200	S 1320	S 1540	S 1632	S 1815	S 1856
10	S 1129	S 1258	S 1143	S 1258		R 0053	R 0150	R 0406	R 0504	R 0440	R 0457	R 0513
	R 2311	R 2326	R 2204	R 2327	S 1247	S 1251	S 1242	S 1428	S 1644	S 1730	S 1913	S 1947
11	S 1223		S 1239		R 0010	R 0154	R 0259	R 0503	R 0538	R 0512	R 0540	R 0607
	R 2341	S 1354	R 2252	S 1339	S 1319	S 1326	S 1332	S 1540	S 1745	S 1828	S 2009	S 2032
12		R 0011	S 1331	R 0025	R 0107	R 0259	R 0411	R 0551	R 0610	R 0545	R 0628	R 0702
	S 1317	S 1449	R 2345	S 1416	S 1350	S 1405	S 1431	S 1650	S 1845	S 1927	S 2103	S 2113
13	R 0014	R 0101		R 0124	R 0206	R 0409	R 0520	R 0632	R 0641	R 0621	R 0719	R 0757
	S 1412	S 1540	S 1420	S 1450	S 1422	S 1452	S 1538	S 1757	S 1943	S 2025	S 2151	S 2149
14	R 0050	R 0156	R 0041	R 0223	R 0308	R 0522	R 0622	R 0708	R 0713	R 0701	R 0813	R 0852
	S 1508	S 1628	S 1504	S 1522	S 1456	S 1548	S 1651	S 1901	S 2042	S 2123	S 2235	S 2221
15	R 0132	R 0255	R 0140	R 0323	R 0413	R 0634	R 0715	R 0741	R 0748	R 0745	R 0909	R 0947
	S 1604	S 1711	S 1544	S 1554	S 1533	S 1653	S 1803	S 2001	S 2140	S 2219	S 2314	S 2252

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
16	R 0219	R 0355	R 0240	R 0424	R 0522	R 0741	R 0801	R 0813	R 0825	R 0834	R 1004	R 1040
	S 1658	S 1749	S 1621	S 1627	S 1617	S 1804	S 1912	S 2100	S 2238	S 2310	S 2349	S 2321
17	R 0311	R 0455	R 0340	R 0528	R 0635	R 0839	R 0839	R 0844	R 0906	R 0927	R 1100	R 1135
	S 1748	S 1824	S 1654	S 1703	S 1708	S 1916	S 2017	S 2158	S 2335	S 2357		S 2350
18	R 0408	R 0555	R 0440	R 0636	R 0748	R 0928	R 0913	R 0916	R 0952	R 1022	S 0021	R 1231
	S 1834	S 1857	S 1726	S 1743	S 1809	S 2026	S 2118	S 2255			R 1155	
19	R 0507	R 0655	R 0541	R 0747	R 0858	R 1008	R 0944	R 0951	S 0029	S 0040	S 0052	S 0021
	S 1914	S 1928	S 1758	S 1830	S 1916	S 2132	S 2216	S 2353	R 1043	R 1118	R 1250	R 1330
20	R 0607	R 0755	R 0643	R 0859	R 0959	R 1044	R 1015	R 1029	S 0119	S 0118	S 0122	S 0055
	S 1951	S 2000	S 1832	S 1924	S 2027	S 2233	S 2313		R 1137	R 1215	R 1347	R 1434
21	R 0706	R 0856	R 0748	R 1009	R 1051	R 1115	R 1045	S 0049	S 0204	S 0152	S 0152	S 0135
	S 2024	S 2033	S 1909	S 2026	S 2136	S 2331		R 1112	R 1233	R 1311	R 1446	R 1542
22	R 0805	R 1000	R 0855	R 1114	R 1135	R 1145	S 0009	S 0145	S 0245	S 0224	S 0226	S 0222
	S 2056	S 2110	S 1950	S 2133	S 2242		R 1118	R 1200	R 1330	R 1408	R 1550	R 1653
23	R 0903	R 1106	R 1005	R 1209	R 1212	S 0026	S 0106	S 0237	S 0321	S 0254	S 0304	S 0318
	S 2126	S 2152	S 2038	S 2241	S 2343	R 1215	R 1153	R 1252	R 1428	R 1505	R 1657	R 1804
24	R 1002	R 1214	R 1114	R 1256	R 1244	S 0121	S 0202	S 0326	S 0355	S 0325	S 0348	S 0424
	S 2158	S 2242	S 2133	S 2347		R 1245	R 1233	R 1347	R 1525	R 1604	R 1808	R 1909

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
25	R 1103	R 1322	R 1221	R 1336	S 0041	S 0217	S 0258	S 0409	S 0426	S 0358	S 0440	S 0536
	S 2232	S 2339	S 2235		R 1314	R 1318	R 1317	R 1444	R 1622	R 1706	R 1920	R 2007
26	R 1207	R 1427	R 1321	S 0050	S 0137	S 0313	S 0352	S 0449	S 0457	S 0433	S 0542	S 0650
	S 2310		S 2342	R 1411	R 1343	R 1355	R 1407	R 1542	R 1721	R 1812	R 2028	R 2055
27	R 1314	S 0042	R 1413	S 0149	S 0232	S 0409	S 0444	S 0524	S 0528	S 0514	S 0650	S 0801
	S 2354	R 1525		R 1442	R 1412	R 1436	R 1500	R 1640	R 1821	R 1921	R 2129	R 2136
28	R 1423	S 0149	S 0048	S 0246	S 0326	S 0504	S 0530	S 0556	S 0601	S 0601	S 0802	S 0908
		R 1615	R 1457	R 1511	R 1443	R 1522	R 1556	R 1737	R 1923	R 2032	R 2220	R 2212
29	S 0047		S 0153	S 0341	S 0422	S 0558	S 0612	S 0627	S 0638	S 0656	S 0912	S 1011
	R 1532		R 1535	R 1540	R 1517	R 1612	R 1654	R 1834	R 2029	R 2141	R 2303	R 2245
30	S 0147		S 0255	S 0436	S 0518	S 0647	S 0650	S 0657	S 0720	S 0759	S 1018	S 1111
	R 1636		R 1608	R 1610	R 1555	R 1707	R 1751	R 1932	R 2137	R 2243	R 2340	R 2316
31	S 0255		S 0354		S 0614		S 0724	S 0728		S 0907		S 1208
	R 1733		R 1639		R 1638		R 1848	R 2031		R 2338		R 2348

TIMES OF MOONRISE AND MOONSET – GLADSTONE 2026

LAT 23° 50' S LONG 151° 15' E TIME ZONE 1000E

R = Moonrise time S = Moonset time

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
01	S 0219	S 0421	S 0313	S 0500	S 0534	S 0708	S 0732	S 0800	S 0814	S 0825		
	R 1638	R 1822	R 1700	R 1717	R 1655	R 1743	R 1819	R 1954	R 2136	R 2244	S 1031	S 1131
02	S 0318	S 0529	S 0416	S 0553	S 0629	S 0800	S 0813	S 0832	S 0853	S 0923	R 0025	R 0019
	R 1748	R 1906	R 1739	R 1748	R 1732	R 1835	R 1915	R 2048	R 2239	R 2349	S 1136	S 1229
03	S 0425	S 0632	S 0517	S 0647	S 0724	S 0849	S 0851	S 0903	S 0938		R 0107	R 0052
	R 1852	R 1943	R 1814	R 1821	R 1813	R 1929	R 2010	R 2144	R 2345	S 1026	S 1238	S 1324
04	S 0535	S 0732	S 0614	S 0741	S 0819	S 0933	S 0925	S 0936		R 0048	R 0144	R 0125
	R 1947	R 2017	R 1846	R 1856	R 1858	R 2024	R 2104	R 2241	S 1029	S 1132	S 1336	S 1419
05	S 0644	S 0828	S 0709	S 0836	S 0913	S 1013	S 0957	S 1012	R 0051	R 0141	R 0218	R 0158
	R 2034	R 2049	R 1918	R 1934	R 1947	R 2120	R 2158	R 2342	S 1128	S 1238	S 1433	S 1514
06	S 0750	S 0922	S 0803	S 0932	S 1004	S 1050	S 1029		R 0155	R 0226	R 0250	R 0233
	R 2114	R 2120	R 1949	R 2016	R 2040	R 2214	R 2252	S 1053	S 1233	S 1342	S 1528	S 1609

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
07	S 0851	S 1016	S 0857	S 1027	S 1052	S 1123	S 1101	R 0046	R 0253	R 0306	R 0323	R 0312
	R 2149	R 2152	R 2023	R 2102	R 2135	R 2309	R 2348	S 1140	S 1340	S 1444	S 1623	S 1705
08	S 0948	S 1109	S 0952	S 1120	S 1135			R 0153	R 0344	R 0343	R 0357	R 0354
	R 2221	R 2226	R 2058	R 2153	R 2230	S 1156	S 1135	S 1235	S 1448	S 1542	S 1719	S 1801
09	S 1042	S 1203	S 1047	S 1210	S 1214	R 0003	R 0048	R 0301	R 0429	R 0417	R 0433	R 0440
	R 2252	R 2302	R 2138	R 2247	R 2326	S 1228	S 1213	S 1338	S 1552	S 1639	S 1815	S 1855
10	S 1134	S 1258	S 1142	S 1257		R 0059	R 0151	R 0405	R 0508	R 0450	R 0513	R 0531
	R 2322	R 2343	R 2221	R 2343	S 1250	S 1301	S 1257	S 1446	S 1654	S 1735	S 1912	S 1945
11	S 1226		S 1237		R 0022	R 0158	R 0259	R 0502	R 0544	R 0523	R 0557	R 0624
	R 2354	S 1353	R 2310	S 1339	S 1324	S 1338	S 1349	S 1556	S 1754	S 1832	S 2008	S 2031
12		R 0029		R 0040	R 0117	R 0302	R 0409	R 0552	R 0618	R 0558	R 0645	R 0718
	S 1319	S 1447	S 1329	S 1418	S 1357	S 1420	S 1449	S 1704	S 1851	S 1928	S 2101	S 2113
13	R 0028	R 0119	R 0002	R 0137	R 0214	R 0409	R 0518	R 0635	R 0652	R 0636	R 0737	R 0812
	S 1413	S 1538	S 1418	S 1454	S 1431	S 1508	S 1556	S 1809	S 1948	S 2025	S 2150	S 2151
14	R 0106	R 0214	R 0058	R 0234	R 0314	R 0521	R 0621	R 0714	R 0726	R 0717	R 0830	R 0906
	S 1507	S 1627	S 1504	S 1528	S 1507	S 1605	S 1708	S 1911	S 2044	S 2122	S 2235	S 2225
15	R 0149	R 0312	R 0156	R 0332	R 0416	R 0632	R 0716	R 0749	R 0802	R 0803	R 0925	R 0958
	S 1602	S 1711	S 1545	S 1602	S 1546	S 1711	S 1818	S 2009	S 2141	S 2217	S 2315	S 2257

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
16	R 0237	R 0410	R 0254	R 0431	R 0523	R 0739	R 0803	R 0822	R 0840	R 0852	R 1019	R 1050
	S 1656	S 1751	S 1623	S 1637	S 1632	S 1821	S 1926	S 2105	S 2237	S 2308	S 2351	S 2327
17	R 0329	R 0509	R 0352	R 0533	R 0634	R 0838	R 0843	R 0855	R 0923	R 0944	R 1113	R 1143
	S 1746	S 1828	S 1659	S 1715	S 1725	S 1933	S 2028	S 2201	S 2333	S 2356		S 2359
18	R 0425	R 0607	R 0451	R 0638	R 0746	R 0929	R 0919	R 0929	R 1010	R 1039	S 0025	R 1237
	S 1833	S 1902	S 1733	S 1757	S 1827	S 2040	S 2127	S 2257			R 1206	
19	R 0523	R 0704	R 0549	R 0747	R 0856	R 1011	R 0953	R 1006	S 0027	S 0039	S 0057	S 0032
	S 1915	S 1936	S 1807	S 1846	S 1934	S 2144	S 2223	S 2353	R 1101	R 1134	R 1259	R 1334
20	R 0621	R 0802	R 0649	R 0858	R 0958	R 1049	R 1025	R 1046	S 0117	S 0119	S 0129	S 0108
	S 1953	S 2009	S 1843	S 1942	S 2044	S 2243	S 2318		R 1154	R 1229	R 1354	R 1436
21	R 0719	R 0901	R 0752	R 1007	R 1051	R 1122	R 1057	S 0048	S 0203	S 0155	S 0202	S 0149
	S 2029	S 2045	S 1922	S 2044	S 2151	S 2338		R 1129	R 1249	R 1323	R 1452	R 1542
22	R 0815	R 1003	R 0857	R 1112	R 1137	R 1154	S 0012	S 0143	S 0245	S 0228	S 0237	S 0238
	S 2102	S 2124	S 2005	S 2150	S 2255		R 1132	R 1218	R 1345	R 1418	R 1553	R 1652
23	R 0912	R 1107	R 1004	R 1208	R 1215	S 0032	S 0107	S 0235	S 0323	S 0301	S 0317	S 0336
	S 2134	S 2208	S 2055	S 2257	S 2355	R 1225	R 1209	R 1310	R 1441	R 1513	R 1658	R 1802
24	R 1009	R 1214	R 1113	R 1257	R 1250	S 0126	S 0202	S 0324	S 0358	S 0334	S 0403	S 0442
	S 2208	S 2259	S 2151			R 1258	R 1250	R 1404	R 1536	R 1611	R 1808	R 1908

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
25	R 1107	R 1321	R 1219	S 0002	S 0051	S 0219	S 0257	S 0409	S 0432	S 0408	S 0457	S 0554
	S 2244	S 2357	S 2254	R 1338	R 1322	R 1332	R 1335	R 1500	R 1632	R 1711	R 1919	R 2006
26	R 1209	R 1425	R 1319	S 0102	S 0144	S 0313	S 0351	S 0449	S 0504	S 0446	S 0600	S 0706
	S 2324		S 2359	R 1415	R 1353	R 1410	R 1425	R 1556	R 1728	R 1814	R 2026	R 2057
27	R 1314	S 0100	R 1412	S 0200	S 0237	S 0408	S 0442	S 0526	S 0538	S 0528	S 0708	S 0815
		R 1523		R 1448	R 1424	R 1453	R 1518	R 1652	R 1826	R 1921	R 2128	R 2140
28	S 0010	S 0207	S 0104	S 0254	S 0330	S 0503	S 0529	S 0601	S 0613	S 0617	S 0818	S 0919
	R 1422	R 1615	R 1458	R 1519	R 1456	R 1539	R 1613	R 1747	R 1927	R 2031	R 2220	R 2218
29	S 0104		S 0207	S 0348	S 0423	S 0556	S 0612	S 0633	S 0651	S 0714	S 0926	S 1020
	R 1530		R 1538	R 1550	R 1532	R 1630	R 1709	R 1842	R 2030	R 2139	R 2305	R 2253
30	S 0206		S 0307	S 0441	S 0518	S 0646	S 0651	S 0705	S 0735	S 0817	S 1031	S 1118
	R 1634		R 1613	R 1622	R 1611	R 1724	R 1805	R 1938	R 2137	R 2242	R 2344	R 2326
31	S 0313		S 0405		S 0613		S 0727	S 0738		S 0924		S 1214
	R 1732		R 1646		R 1655		R 1900	R 2036		R 2337		R 2359

TIMES OF MOONRISE AND MOONSET – MACKAY 2026

LAT 21° 06' S LONG 149° 14' E TIME ZONE 1000E

R = Moonrise time S = Moonset time

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
01	S 0234	S 0436	S 0327	S 0508	S 0539	S 0709	S 0734	S 0806	S 0825	S 0840		
	R 1640	R 1825	R 1703	R 1726	R 1708	R 1758	R 1834	R 2004	R 2140	R 2245	S 1046	S 1142
02	S 0334	S 0542	S 0429	S 0600	S 0632	S 0801	S 0816	S 0839	S 0906	S 0938	R 0029	R 0027
	R 1749	R 1910	R 1744	R 1759	R 1746	R 1850	R 1928	R 2057	R 2242	R 2350	S 1149	S 1237
03	S 0441	S 0644	S 0527	S 0653	S 0726	S 0850	S 0855	S 0912	S 0952		R 0112	R 0101
	R 1853	R 1949	R 1820	R 1833	R 1827	R 1944	R 2022	R 2150	R 2347	S 1041	S 1249	S 1331
04	S 0550	S 0742	S 0623	S 0746	S 0821	S 0935	S 0930	S 0947		R 0050	R 0150	R 0135
	R 1949	R 2024	R 1854	R 1909	R 1913	R 2038	R 2115	R 2247	S 1044	S 1147	S 1346	S 1425
05	S 0658	S 0837	S 0717	S 0839	S 0914	S 1016	S 1004	S 1024	R 0052	R 0143	R 0225	R 0209
	R 2037	R 2058	R 1927	R 1948	R 2003	R 2133	R 2207	R 2346	S 1144	S 1252	S 1441	S 1518
06	S 0802	S 0929	S 0810	S 0934	S 1005	S 1054	S 1037		R 0156	R 0230	R 0259	R 0246
	R 2119	R 2130	R 2000	R 2031	R 2055	R 2226	R 2300	S 1106	S 1248	S 1355	S 1535	S 1612

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
07	S 0902	S 1021	S 0902	S 1028	S 1053	S 1129	S 1110	R 0049	R 0255	R 0311	R 0333	R 0325
	R 2155	R 2203	R 2035	R 2118	R 2149	R 2319	R 2355	S 1155	S 1355	S 1455	S 1629	S 1707
08	S 0957	S 1113	S 0955	S 1121	S 1137			R 0155	R 0347	R 0349	R 0409	R 0409
	R 2229	R 2238	R 2112	R 2209	R 2244	S 1203	S 1146	S 1250	S 1501	S 1552	S 1723	S 1802
09	S 1050	S 1206	S 1049	S 1212	S 1218	R 0012	R 0053	R 0302	R 0433	R 0424	R 0446	R 0456
	R 2301	R 2316	R 2152	R 2303	R 2339	S 1236	S 1226	S 1353	S 1604	S 1647	S 1818	S 1856
10	S 1141	S 1300	S 1144	S 1259		R 0107	R 0155	R 0406	R 0514	R 0459	R 0527	R 0546
	R 2333	R 2358	R 2237	R 2358	S 1255	S 1311	S 1311	S 1501	S 1705	S 1742	S 1914	S 1947
11			S 1238		R 0033	R 0204	R 0301	R 0504	R 0551	R 0534	R 0612	R 0639
	S 1231	S 1354	R 2325	S 1342	S 1330	S 1349	S 1403	S 1610	S 1802	S 1837	S 2009	S 2033
12	R 0006	R 0044		R 0054	R 0127	R 0306	R 0410	R 0555	R 0627	R 0610	R 0701	R 0733
	S 1323	S 1448	S 1330	S 1422	S 1405	S 1433	S 1504	S 1717	S 1858	S 1932	S 2102	S 2116
13	R 0042	R 0135	R 0018	R 0149	R 0223	R 0412	R 0519	R 0640	R 0702	R 0649	R 0752	R 0826
	S 1415	S 1540	S 1420	S 1459	S 1440	S 1523	S 1612	S 1821	S 1953	S 2028	S 2151	S 2154
14	R 0121	R 0230	R 0113	R 0245	R 0320	R 0522	R 0622	R 0720	R 0737	R 0732	R 0845	R 0918
	S 1509	S 1628	S 1506	S 1535	S 1517	S 1621	S 1723	S 1920	S 2048	S 2124	S 2237	S 2230
15	R 0204	R 0326	R 0210	R 0341	R 0422	R 0633	R 0718	R 0756	R 0814	R 0818	R 0939	R 1009
	S 1603	S 1713	S 1548	S 1610	S 1559	S 1727	S 1832	S 2017	S 2144	S 2218	S 2318	S 2303

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
16	R 0252	R 0424	R 0307	R 0439	R 0527	R 0741	R 0807	R 0831	R 0854	R 0908	R 1032	R 1100
	S 1657	S 1755	S 1628	S 1647	S 1646	S 1837	S 1938	S 2112	S 2239	S 2310	S 2356	S 2335
17	R 0345	R 0521	R 0404	R 0539	R 0636	R 0841	R 0849	R 0906	R 0938	R 1000	R 1125	R 1151
	S 1748	S 1833	S 1705	S 1726	S 1740	S 1947	S 2039	S 2206	S 2334	S 2358		
18	R 0440	R 0618	R 0501	R 0643	R 0748	R 0932	R 0926	R 0941	R 1025	R 1054	S 0031	S 0008
	S 1835	S 1909	S 1740	S 1810	S 1842	S 2053	S 2136	S 2301			R 1216	R 1244
19	R 0538	R 0714	R 0558	R 0750	R 0857	R 1016	R 1001	R 1019	S 0028	S 0042	S 0104	S 0042
	S 1918	S 1944	S 1816	S 1900	S 1950	S 2155	S 2230	S 2355	R 1116	R 1148	R 1309	R 1340
20	R 0634	R 0810	R 0656	R 0900	R 1000	R 1055	R 1035	R 1100	S 0118	S 0122	S 0137	S 0120
	S 1958	S 2019	S 1853	S 1957	S 2059	S 2252	S 2324		R 1209	R 1242	R 1402	R 1440
21	R 0731	R 0908	R 0757	R 1008	R 1054	R 1130	R 1109	S 0050	S 0205	S 0159	S 0211	S 0203
	S 2034	S 2056	S 1934	S 2100	S 2205	S 2347		R 1145	R 1304	R 1335	R 1458	R 1545
22	R 0826	R 1008	R 0901	R 1113	R 1140	R 1203	S 0017	S 0144	S 0248	S 0234	S 0248	S 0253
	S 2109	S 2137	S 2019	S 2206	S 2307		R 1144	R 1233	R 1359	R 1428	R 1558	R 1653
23	R 0921	R 1110	R 1007	R 1210	R 1221	S 0039	S 0110	S 0236	S 0327	S 0308	S 0330	S 0351
	S 2143	S 2222	S 2110	S 2312		R 1236	R 1222	R 1325	R 1453	R 1522	R 1702	R 1803
24	R 1016	R 1216	R 1114	R 1300	S 0005	S 0131	S 0204	S 0326	S 0404	S 0342	S 0417	S 0458
	S 2218	S 2314	S 2207		R 1256	R 1309	R 1304	R 1419	R 1547	R 1618	R 1810	R 1909

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
25	R 1113	R 1322	R 1220	S 0015	S 0100	S 0223	S 0258	S 0411	S 0438	S 0418	S 0512	S 0609
	S 2256		S 2309	R 1343	R 1330	R 1345	R 1350	R 1515	R 1641	R 1716	R 1920	R 2009
26	R 1213	S 0012	R 1320	S 0114	S 0152	S 0316	S 0352	S 0453	S 0512	S 0457	S 0615	S 0720
	S 2337	R 1426		R 1420	R 1402	R 1424	R 1440	R 1610	R 1736	R 1818	R 2028	R 2100
27	R 1317	S 0116	S 0014	S 0210	S 0243	S 0410	S 0443	S 0531	S 0547	S 0541	S 0723	S 0827
		R 1525	R 1414	R 1455	R 1434	R 1507	R 1533	R 1704	R 1832	R 1924	R 2129	R 2145
28	S 0025	S 0222	S 0119	S 0303	S 0335	S 0504	S 0531	S 0606	S 0624	S 0632	S 0833	S 0930
	R 1424	R 1617	R 1501	R 1528	R 1509	R 1555	R 1628	R 1758	R 1932	R 2032	R 2223	R 2224
29	S 0120		S 0220	S 0355	S 0427	S 0557	S 0615	S 0640	S 0704	S 0729	S 0940	S 1029
	R 1531		R 1542	R 1600	R 1545	R 1646	R 1723	R 1851	R 2034	R 2140	R 2309	R 2301
30	S 0221		S 0319	S 0447	S 0521	S 0647	S 0655	S 0714	S 0749	S 0833	S 1043	S 1125
	R 1635		R 1619	R 1633	R 1626	R 1739	R 1817	R 1946	R 2139	R 2243	R 2350	R 2335
31	S 0328		S 0414		S 0615		S 0732	S 0748		S 0939		
	R 1734		R 1653		R 1710		R 1911	R 2042		R 2339		S 1220

TIMES OF MOONRISE AND MOONSET – TOWNSVILLE 2026

LAT 19° 15' S LONG 146° 50' E TIME ZONE 1000E

R = Moonrise time S = Moonset time

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
01	S 0248	S 0450	S 0340	S 0518	S 0546	S 0714	S 0739	S 0814	S 0837	S 0855		
	R 1645	R 1832	R 1710	R 1736	R 1720	R 1813	R 1848	R 2015	R 2148	R 2251	S 1059	S 1153
02	S 0349	S 0555	S 0441	S 0609	S 0639	S 0806	S 0822	S 0848	S 0919	S 0953	R 0035	R 0036
	R 1754	R 1917	R 1752	R 1810	R 1759	R 1905	R 1942	R 2107	R 2249	R 2355	S 1202	S 1248
03	S 0456	S 0656	S 0539	S 0701	S 0732	S 0855	S 0902	S 0923	S 1006		R 0119	R 0111
	R 1858	R 1957	R 1829	R 1845	R 1841	R 1958	R 2034	R 2159	R 2353	S 1056	S 1301	S 1341
04	S 0605	S 0753	S 0634	S 0753	S 0826	S 0941	S 0938	S 0958		R 0055	R 0158	R 0146
	R 1955	R 2034	R 1904	R 1921	R 1927	R 2052	R 2126	R 2255	S 1059	S 1201	S 1357	S 1433
05	S 0712	S 0847	S 0727	S 0846	S 0919	S 1023	S 1013	S 1037	R 0058	R 0149	R 0235	R 0221
	R 2044	R 2108	R 1938	R 2001	R 2017	R 2146	R 2218	R 2353	S 1158	S 1306	S 1451	S 1526
06	S 0815	S 0939	S 0818	S 0940	S 1011	S 1101	S 1046		R 0201	R 0237	R 0309	R 0258
	R 2127	R 2141	R 2012	R 2045	R 2110	R 2238	R 2310	S 1119	S 1303	S 1407	S 1544	S 1619

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
07	S 0913	S 1030	S 0910	S 1034	S 1059	S 1137		R 0055	R 0300	R 0319	R 0344	R 0339
	R 2204	R 2215	R 2047	R 2133	R 2204	R 2330	S 1121	S 1209	S 1409	S 1506	S 1637	S 1713
08	S 1008	S 1121	S 1002	S 1126	S 1143		R 0004	R 0201	R 0353	R 0358	R 0421	R 0423
	R 2239	R 2251	R 2125	R 2224	R 2258	S 1212	S 1158	S 1305	S 1514	S 1602	S 1730	S 1808
09	S 1059	S 1213	S 1055	S 1217	S 1224	R 0023	R 0101	R 0307	R 0440	R 0434	R 0459	R 0510
	R 2311	R 2330	R 2206	R 2317	R 2352	S 1246	S 1238	S 1408	S 1617	S 1657	S 1825	S 1901
10	S 1149		S 1149			R 0116	R 0202	R 0411	R 0522	R 0510	R 0541	R 0601
	R 2344	S 1306	R 2251	S 1304	S 1302	S 1322	S 1324	S 1516	S 1716	S 1751	S 1920	S 1952
11		R 0012	S 1243	R 0012	R 0045	R 0213	R 0307	R 0510	R 0600	R 0545	R 0626	R 0654
	S 1239	S 1359	R 2340	S 1348	S 1339	S 1401	S 1418	S 1624	S 1813	S 1844	S 2014	S 2039
12	R 0018	R 0059		R 0107	R 0138	R 0313	R 0416	R 0602	R 0637	R 0623	R 0715	R 0747
	S 1330	S 1453	S 1335	S 1429	S 1414	S 1446	S 1519	S 1730	S 1908	S 1939	S 2107	S 2122
13	R 0055	R 0150	R 0033	R 0202	R 0233	R 0419	R 0524	R 0648	R 0713	R 0703	R 0807	R 0839
	S 1422	S 1545	S 1425	S 1507	S 1450	S 1537	S 1627	S 1832	S 2002	S 2034	S 2157	S 2201
14	R 0134	R 0244	R 0128	R 0257	R 0329	R 0528	R 0628	R 0728	R 0749	R 0746	R 0900	R 0931
	S 1515	S 1634	S 1512	S 1543	S 1529	S 1635	S 1737	S 1931	S 2056	S 2129	S 2243	S 2237
15	R 0218	R 0340	R 0224	R 0352	R 0429	R 0639	R 0724	R 0806	R 0827	R 0832	R 0953	R 1021
	S 1609	S 1719	S 1555	S 1620	S 1611	S 1742	S 1846	S 2027	S 2150	S 2223	S 2324	S 2311

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
16	R 0307	R 0437	R 0320	R 0449	R 0534	R 0746	R 0814	R 0842	R 0908	R 0922	R 1045	R 1111
	S 1702	S 1801	S 1635	S 1658	S 1659	S 1851	S 1950	S 2121	S 2245	S 2315		S 2344
17	R 0400	R 0534	R 0416	R 0548	R 0643	R 0846	R 0857	R 0917	R 0952	R 1014	S 0003	R 1201
	S 1753	S 1840	S 1713	S 1738	S 1755	S 2001	S 2050	S 2214	S 2340		R 1137	
18	R 0455	R 0629	R 0512	R 0650	R 0753	R 0939	R 0935	R 0954	R 1040	S 0003	S 0038	S 0018
	S 1841	S 1917	S 1750	S 1823	S 1857	S 2106	S 2146	S 2308		R 1108	R 1228	R 1253
19	R 0551	R 0724	R 0608	R 0756	R 0902	R 1024	R 1011	R 1032	S 0033	S 0048	S 0113	S 0053
	S 1925	S 1953	S 1826	S 1914	S 2005	S 2207	S 2240		R 1131	R 1201	R 1319	R 1348
20	R 0648	R 0820	R 0705	R 0905	R 1005	R 1103	R 1046	S 0002	S 0123	S 0129	S 0147	S 0132
	S 2005	S 2030	S 1905	S 2012	S 2113	S 2303	S 2332	R 1114	R 1224	R 1254	R 1412	R 1447
21	R 0743	R 0916	R 0805	R 1014	R 1100	R 1139	R 1121	S 0056	S 0210	S 0207	S 0222	S 0216
	S 2042	S 2108	S 1946	S 2115	S 2219	S 2357		R 1159	R 1318	R 1347	R 1507	R 1551
22	R 0837	R 1015	R 0907	R 1118	R 1147	R 1213	S 0024	S 0149	S 0254	S 0242	S 0300	S 0307
	S 2118	S 2149	S 2032	S 2221	S 2320		R 1157	R 1248	R 1412	R 1439	R 1605	R 1659
23	R 0931	R 1117	R 1013	R 1216	R 1228	S 0048	S 0117	S 0242	S 0334	S 0317	S 0342	S 0406
	S 2153	S 2236	S 2124	S 2326		R 1247	R 1236	R 1340	R 1506	R 1532	R 1709	R 1808
24	R 1025	R 1221	R 1120	R 1306	S 0017	S 0139	S 0210	S 0331	S 0411	S 0352	S 0431	S 0513
	S 2229	S 2328	S 2222		R 1305	R 1322	R 1318	R 1434	R 1559	R 1627	R 1816	R 1915

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
25	R 1121	R 1327	R 1225	S 0028	S 0110	S 0230	S 0304	S 0417	S 0447	S 0429	S 0527	S 0623
	S 2308		S 2324	R 1350	R 1339	R 1358	R 1405	R 1528	R 1652	R 1724	R 1925	R 2015
26	R 1221	S 0027	R 1326	S 0126	S 0202	S 0323	S 0357	S 0459	S 0522	S 0510	S 0630	S 0733
	S 2350	R 1431		R 1429	R 1413	R 1438	R 1455	R 1623	R 1746	R 1826	R 2033	R 2107
27	R 1323	S 0131	S 0029	S 0221	S 0252	S 0416	S 0448	S 0538	S 0558	S 0555	S 0738	S 0840
		R 1530	R 1420	R 1504	R 1446	R 1522	R 1548	R 1716	R 1841	R 1930	R 2135	R 2153
28	S 0039	S 0236	S 0132	S 0314	S 0343	S 0509	S 0536	S 0614	S 0635	S 0646	S 0847	S 0942
	R 1429	R 1623	R 1508	R 1537	R 1521	R 1609	R 1642	R 1809	R 1939	R 2038	R 2230	R 2233
29	S 0134		S 0233	S 0405	S 0434	S 0602	S 0621	S 0649	S 0716	S 0744	S 0953	S 1040
	R 1536		R 1550	R 1611	R 1558	R 1700	R 1736	R 1902	R 2041	R 2145	R 2317	R 2310
30	S 0236		S 0331	S 0455	S 0527	S 0652	S 0702	S 0724	S 0803	S 0847	S 1055	S 1135
	R 1641		R 1628	R 1645	R 1639	R 1754	R 1830	R 1955	R 2145	R 2248	R 2358	R 2346
31	S 0343		S 0425		S 0621		S 0739	S 0759		S 0954		
	R 1740		R 1703		R 1724		R 1923	R 2050		R 2345		S 1229

TIMES OF MOONRISE AND MOONSET – CAIRNS 2026

LAT 16° 56' S LONG 145° 47' E TIME ZONE 1000E

R = Moonrise time S = Moonset time

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
01	S 0258	S 0459	S 0349	S 0522	S 0548	S 0713	S 0738	S 0817	S 0844	S 0904		R 0000
	R 1644	R 1832	R 1711	R 1741	R 1728	R 1823	R 1857	R 2020	R 2149	R 2249	S 1108	S 1159
02	S 0359	S 0603	S 0449	S 0613	S 0639	S 0805	S 0822	S 0852	S 0927	S 1003	R 0036	R 0039
	R 1753	R 1918	R 1753	R 1816	R 1808	R 1915	R 1950	R 2111	R 2249	R 2354	S 1210	S 1252
03	S 0506	S 0703	S 0545	S 0703	S 0732	S 0854	S 0902	S 0928	S 1015		R 0120	R 0116
	R 1857	R 2000	R 1832	R 1852	R 1851	R 2008	R 2042	R 2203	R 2352	S 1106	S 1308	S 1344
04	S 0614	S 0759	S 0639	S 0754	S 0825	S 0940	S 0940	S 1004		R 0054	R 0201	R 0151
	R 1955	R 2037	R 1908	R 1930	R 1937	R 2101	R 2133	R 2257	S 1109	S 1211	S 1403	S 1435
05	S 0721	S 0851	S 0731	S 0846	S 0918	S 1023	S 1016	S 1044	R 0056	R 0149	R 0238	R 0228
	R 2045	R 2112	R 1943	R 2010	R 2027	R 2154	R 2223	R 2354	S 1209	S 1314	S 1455	S 1527
06	S 0823	S 0942	S 0821	S 0939	S 1009	S 1102	S 1051		R 0200	R 0237	R 0314	R 0306
	R 2128	R 2147	R 2018	R 2055	R 2120	R 2245	R 2314	S 1128	S 1313	S 1415	S 1547	S 1619

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
07	S 0920	S 1032	S 0912	S 1032	S 1058	S 1139		R 0055	R 0259	R 0321	R 0350	R 0347
	R 2207	R 2222	R 2055	R 2143	R 2213	R 2336	S 1126	S 1218	S 1419	S 1513	S 1639	S 1713
08	S 1013	S 1122	S 1003	S 1125	S 1143		R 0006	R 0200	R 0353	R 0401	R 0428	R 0432
	R 2243	R 2259	R 2133	R 2234	R 2307	S 1215	S 1204	S 1315	S 1523	S 1608	S 1731	S 1807
09	S 1103	S 1213	S 1055	S 1216	S 1225	R 0027	R 0102	R 0306	R 0441	R 0438	R 0507	R 0520
	R 2317	R 2339	R 2215	R 2327	R 2359	S 1251	S 1246	S 1418	S 1624	S 1701	S 1825	S 1900
10	S 1152		S 1148			R 0120	R 0202	R 0410	R 0524	R 0515	R 0550	R 0611
	R 2351	S 1305	R 2301	S 1303	S 1304	S 1328	S 1333	S 1526	S 1722	S 1753	S 1919	S 1951
11		R 0022	S 1242	R 0021	R 0052	R 0215	R 0307	R 0509	R 0604	R 0552	R 0636	R 0703
	S 1241	S 1358	R 2350	S 1348	S 1341	S 1408	S 1427	S 1633	S 1817	S 1846	S 2013	S 2038
12	R 0026	R 0109		R 0115	R 0144	R 0315	R 0414	R 0602	R 0641	R 0630	R 0725	R 0756
	S 1331	S 1451	S 1334	S 1430	S 1418	S 1454	S 1529	S 1738	S 1911	S 1940	S 2106	S 2122
13	R 0103	R 0200	R 0043	R 0209	R 0237	R 0419	R 0522	R 0649	R 0718	R 0711	R 0817	R 0848
	S 1422	S 1543	S 1424	S 1509	S 1455	S 1546	S 1637	S 1839	S 2004	S 2034	S 2156	S 2202
14	R 0144	R 0254	R 0137	R 0303	R 0333	R 0527	R 0627	R 0731	R 0756	R 0755	R 0909	R 0938
	S 1514	S 1633	S 1511	S 1546	S 1535	S 1645	S 1747	S 1936	S 2057	S 2128	S 2242	S 2239
15	R 0228	R 0350	R 0233	R 0357	R 0431	R 0637	R 0724	R 0810	R 0835	R 0842	R 1002	R 1028
	S 1607	S 1719	S 1555	S 1624	S 1618	S 1752	S 1854	S 2031	S 2151	S 2222	S 2324	S 2314

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
16	R 0317	R 0446	R 0328	R 0452	R 0535	R 0745	R 0815	R 0847	R 0917	R 0932	R 1054	R 1117
	S 1700	S 1802	S 1636	S 1703	S 1708	S 1901	S 1957	S 2124	S 2245	S 2314		S 2348
17	R 0410	R 0541	R 0423	R 0550	R 0642	R 0846	R 0859	R 0923	R 1002	R 1024	S 0004	R 1206
	S 1752	S 1842	S 1715	S 1745	S 1804	S 2010	S 2056	S 2216	S 2339		R 1144	
18	R 0505	R 0636	R 0517	R 0651	R 0752	R 0939	R 0939	R 1001	R 1050	S 0002	S 0040	S 0023
	S 1840	S 1920	S 1753	S 1831	S 1907	S 2114	S 2151	S 2308		R 1117	R 1234	R 1256
19	R 0600	R 0729	R 0612	R 0757	R 0901	R 1025	R 1015	R 1041	S 0032	S 0047	S 0116	S 0059
	S 1925	S 1957	S 1831	S 1923	S 2015	S 2214	S 2243		R 1141	R 1210	R 1324	R 1350
20	R 0656	R 0823	R 0708	R 0904	R 1004	R 1106	R 1051	S 0001	S 0122	S 0129	S 0151	S 0139
	S 2006	S 2035	S 1911	S 2022	S 2123	S 2309	S 2334	R 1123	R 1234	R 1302	R 1416	R 1448
21	R 0750	R 0919	R 0807	R 1012	R 1100	R 1143	R 1127	S 0055	S 0210	S 0208	S 0227	S 0224
	S 2044	S 2114	S 1954	S 2125	S 2227			R 1209	R 1327	R 1354	R 1509	R 1551
22	R 0843	R 1017	R 0908	R 1117	R 1148	S 0001	S 0026	S 0148	S 0254	S 0245	S 0306	S 0316
	S 2121	S 2157	S 2041	S 2231	S 2327	R 1218	R 1205	R 1258	R 1421	R 1445	R 1607	R 1658
23	R 0936	R 1117	R 1012	R 1215	R 1230	S 0051	S 0117	S 0240	S 0335	S 0321	S 0350	S 0416
	S 2158	S 2245	S 2133	S 2335		R 1253	R 1245	R 1350	R 1513	R 1537	R 1709	R 1807
24	R 1029	R 1221	R 1118	R 1306	S 0023	S 0141	S 0210	S 0330	S 0413	S 0357	S 0440	S 0523
	S 2235	S 2338	S 2232		R 1308	R 1329	R 1328	R 1443	R 1605	R 1630	R 1815	R 1914

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
25	R 1124	R 1326	R 1223	S 0036	S 0115	S 0231	S 0303	S 0416	S 0450	S 0435	S 0536	S 0633
	S 2315		S 2334	R 1351	R 1344	R 1406	R 1415	R 1537	R 1657	R 1727	R 1924	R 2014
26	R 1222	S 0038	R 1324	S 0134	S 0206	S 0323	S 0356	S 0459	S 0526	S 0517	S 0640	S 0742
	S 2358	R 1429		R 1431	R 1418	R 1447	R 1505	R 1631	R 1750	R 1826	R 2032	R 2108
27	R 1323	S 0141	S 0039	S 0227	S 0255	S 0415	S 0447	S 0539	S 0603	S 0603	S 0748	S 0848
		R 1529	R 1419	R 1507	R 1452	R 1531	R 1558	R 1723	R 1844	R 1930	R 2134	R 2155
28	S 0048	S 0246	S 0141	S 0318	S 0344	S 0508	S 0535	S 0617	S 0642	S 0655	S 0856	S 0948
	R 1428	R 1623	R 1508	R 1542	R 1528	R 1619	R 1651	R 1815	R 1941	R 2037	R 2230	R 2236
29	S 0144		S 0241	S 0408	S 0435	S 0601	S 0620	S 0653	S 0724	S 0754	S 1001	S 1045
	R 1535		R 1551	R 1616	R 1607	R 1710	R 1745	R 1906	R 2041	R 2144	R 2318	R 2315
30	S 0247		S 0338	S 0458	S 0527	S 0651	S 0702	S 0728	S 0811	S 0858		S 1139
	R 1639		R 1630	R 1651	R 1648	R 1803	R 1838	R 1958	R 2144	R 2247	S 1102	R 2351
31	S 0353		S 0431		S 0620		S 0741	S 0805		S 1003		
	R 1739		R 1706		R 1734		R 1929	R 2052		R 2345		S 1231

TIMES OF MOONRISE AND MOONSET – WEIPA 2026

LAT 12° 40' S LONG 141° 52' E TIME ZONE 1000E

R = Moonrise time S = Moonset time

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
01	S 0323	S 0524	S 0413	S 0539	S 0559	S 0719	S 0746	S 0830	S 0905	S 0930		R 0013
	R 1651	R 1840	R 1720	R 1758	R 1750	R 1849	R 1922	R 2038	R 2200	R 2256	S 1133	S 1218
02	S 0426	S 0626	S 0511	S 0627	S 0648	S 0811	S 0831	S 0907	S 0949	S 1030	R 0045	R 0054
	R 1759	R 1929	R 1805	R 1835	R 1831	R 1941	R 2013	R 2127	R 2258	R 2359	S 1233	S 1309
03	S 0533	S 0724	S 0605	S 0715	S 0740	S 0901	S 0912	S 0945	S 1039		R 0131	R 0132
	R 1904	R 2012	R 1846	R 1913	R 1916	R 2033	R 2103	R 2217	R 2359	S 1133	S 1328	S 1359
04	S 0640	S 0817	S 0657	S 0804	S 0832	S 0948	S 0952	S 1023		R 0101	R 0214	R 0210
	R 2002	R 2052	R 1924	R 1952	R 2003	R 2126	R 2152	R 2309	S 1135	S 1236	S 1421	S 1448
05	S 0745	S 0908	S 0746	S 0855	S 0924	S 1032	S 1029		R 0103	R 0156	R 0253	R 0248
	R 2054	R 2129	R 2001	R 2035	R 2054	R 2217	R 2241	S 1105	S 1235	S 1338	S 1512	S 1538
06	S 0845	S 0956	S 0835	S 0946	S 1015	S 1113	S 1106	R 0004	R 0206	R 0247	R 0331	R 0329
	R 2140	R 2206	R 2038	R 2120	R 2146	R 2306	R 2329	S 1151	S 1339	S 1437	S 1601	S 1629

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
07	S 0940	S 1044	S 0923	S 1039	S 1105	S 1152		R 0103	R 0306	R 0332	R 0410	R 0411
	R 2221	R 2243	R 2116	R 2209	R 2238	R 2355	S 1144	S 1243	S 1444	S 1532	S 1651	S 1721
08	S 1031	S 1133	S 1013	S 1131	S 1151		R 0020	R 0206	R 0401	R 0414	R 0449	R 0457
	R 2258	R 2322	R 2157	R 2300	R 2331	S 1229	S 1224	S 1341	S 1546	S 1625	S 1742	S 1814
09	S 1119		S 1103	S 1222		R 0044	R 0114	R 0312	R 0451	R 0454	R 0530	R 0546
	R 2334	S 1222	R 2240	R 2353	S 1234	S 1307	S 1308	S 1445	S 1645	S 1716	S 1834	S 1906
10		R 0003	S 1155		R 0022	R 0135	R 0212	R 0416	R 0537	R 0533	R 0614	R 0637
	S 1206	S 1313	R 2327	S 1310	S 1315	S 1346	S 1357	S 1552	S 1741	S 1807	S 1927	S 1957
11	R 0010	R 0047		R 0046	R 0112	R 0228	R 0314	R 0517	R 0618	R 0612	R 0701	R 0729
	S 1253	S 1405	S 1248	S 1356	S 1354	S 1429	S 1453	S 1658	S 1834	S 1858	S 2020	S 2045
12	R 0047	R 0135	R 0017	R 0139	R 0202	R 0325	R 0421	R 0611	R 0658	R 0652	R 0751	R 0821
	S 1341	S 1457	S 1340	S 1439	S 1433	S 1516	S 1556	S 1801	S 1926	S 1949	S 2112	S 2130
13	R 0126	R 0227	R 0109	R 0231	R 0253	R 0427	R 0529	R 0700	R 0737	R 0735	R 0843	R 0911
	S 1430	S 1549	S 1430	S 1520	S 1512	S 1610	S 1704	S 1859	S 2016	S 2042	S 2202	S 2212
14	R 0208	R 0320	R 0203	R 0323	R 0347	R 0534	R 0633	R 0744	R 0817	R 0820	R 0935	R 1000
	S 1521	S 1640	S 1519	S 1600	S 1554	S 1712	S 1812	S 1954	S 2108	S 2135	S 2249	S 2250
15	R 0254	R 0415	R 0257	R 0415	R 0443	R 0643	R 0732	R 0825	R 0858	R 0908	R 1026	R 1048
	S 1614	S 1727	S 1604	S 1640	S 1640	S 1818	S 1918	S 2047	S 2159	S 2228	S 2333	S 2327

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
16	R 0344	R 0509	R 0351	R 0508	R 0544	R 0751	R 0825	R 0904	R 0941	R 0959	R 1117	R 1135
	S 1706	S 1812	S 1647	S 1721	S 1732	S 1927	S 2019	S 2137	S 2252	S 2320		
17	R 0436	R 0603	R 0444	R 0603	R 0650	R 0853	R 0911	R 0943	R 1027	R 1050	S 0014	S 0003
	S 1758	S 1854	S 1728	S 1806	S 1830	S 2034	S 2115	S 2228	S 2345		R 1206	R 1222
18	R 0530	R 0655	R 0536	R 0702	R 0758	R 0948	R 0953	R 1023	R 1116	S 0009	S 0052	S 0040
	S 1847	S 1934	S 1808	S 1854	S 1934	S 2137	S 2208	S 2318		R 1143	R 1254	R 1311
19	R 0625	R 0747	R 0629	R 0805	R 0907	R 1036	R 1032	R 1104	S 0038	S 0055	S 0130	S 0118
	S 1933	S 2013	S 1848	S 1948	S 2041	S 2234	S 2258		R 1207	R 1234	R 1342	R 1402
20	R 0719	R 0839	R 0722	R 0911	R 1011	R 1119	R 1110	S 0010	S 0128	S 0138	S 0207	S 0200
	S 2016	S 2053	S 1930	S 2048	S 2148	S 2327	S 2347	R 1148	R 1300	R 1325	R 1431	R 1458
21	R 0811	R 0932	R 0819	R 1018	R 1108	R 1158	R 1148	S 0102	S 0217	S 0219	S 0245	S 0247
	S 2057	S 2135	S 2015	S 2152	S 2251			R 1235	R 1352	R 1414	R 1523	R 1559
22	R 0902	R 1028	R 0918	R 1123	R 1158	S 0017	S 0036	S 0154	S 0302	S 0257	S 0326	S 0341
	S 2136	S 2220	S 2104	S 2257	S 2349	R 1235	R 1227	R 1324	R 1444	R 1504	R 1618	R 1705
23	R 0952	R 1126	R 1020	R 1222	R 1242	S 0105	S 0126	S 0246	S 0344	S 0335	S 0412	S 0442
	S 2214	S 2309	S 2159			R 1312	R 1309	R 1416	R 1535	R 1553	R 1718	R 1813
24	R 1043	R 1228	R 1125	S 0000	S 0043	S 0153	S 0217	S 0336	S 0425	S 0414	S 0504	S 0549
	S 2254		S 2258	R 1315	R 1322	R 1350	R 1353	R 1509	R 1625	R 1645	R 1823	R 1920

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
25	R 1136	S 0004	R 1229	S 0100	S 0133	S 0242	S 0309	S 0424	S 0503	S 0454	S 0602	S 0659
	S 2335	R 1332		R 1401	R 1359	R 1429	R 1441	R 1602	R 1715	R 1739	R 1931	R 2022
26	R 1232	S 0104	S 0001	S 0155	S 0221	S 0331	S 0402	S 0508	S 0542	S 0538	S 0706	S 0806
		R 1435	R 1331	R 1443	R 1436	R 1511	R 1531	R 1653	R 1805	R 1837	R 2038	R 2117
27	S 0021	S 0208	S 0105	S 0246	S 0308	S 0423	S 0453	S 0550	S 0621	S 0626	S 0814	S 0910
	R 1332	R 1536	R 1427	R 1522	R 1512	R 1557	R 1624	R 1744	R 1857	R 1939	R 2141	R 2206
28	S 0113	S 0311	S 0206	S 0335	S 0356	S 0515	S 0542	S 0629	S 0702	S 0720	S 0921	S 1008
	R 1435	R 1631	R 1517	R 1558	R 1550	R 1645	R 1717	R 1834	R 1952	R 2044	R 2238	R 2250
29	S 0210		S 0304	S 0423	S 0445	S 0607	S 0628	S 0707	S 0746	S 0820	S 1024	S 1103
	R 1541		R 1602	R 1635	R 1630	R 1737	R 1809	R 1923	R 2050	R 2150	R 2328	R 2331
30	S 0313		S 0358	S 0511	S 0535	S 0657	S 0711	S 0745	S 0835	S 0924		
	R 1645		R 1643	R 1711	R 1713	R 1829	R 1900	R 2013	R 2152	R 2254	S 1123	S 1154
31	S 0419		S 0449		S 0627		S 0752	S 0824		S 1029		R 0009
	R 1746		R 1721		R 1800		R 1950	R 2105		R 2352		S 1244

TIMES OF MOONRISE AND MOONSET – KARUMBA 2026

LAT 17° 30' S LONG 140° 50' E TIME ZONE 1000E

R = Moonrise time S = Moonset time

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
01	S 0317	S 0519	S 0408	S 0543	S 0609	S 0735	S 0800	S 0838	S 0904	S 0924	R 0007	R 0021
	R 1706	R 1853	R 1732	R 1801	R 1747	R 1842	R 1916	R 2040	R 2210	R 2311	S 1128	S 1219
02	S 0418	S 0623	S 0509	S 0633	S 0701	S 0827	S 0844	S 0913	S 0946		R 0057	R 0100
	R 1815	R 1939	R 1814	R 1836	R 1827	R 1934	R 2010	R 2131	R 2311	S 1022	S 1230	S 1313
03	S 0525	S 0723	S 0605	S 0724	S 0753	S 0916	S 0924	S 0948		R 0016	R 0142	R 0136
	R 1919	R 2020	R 1853	R 1911	R 1910	R 2027	R 2102	R 2223	S 1034	S 1126	S 1328	S 1405
04	S 0634	S 0819	S 0659	S 0815	S 0847	S 1002	S 1001	S 1024	R 0014	R 0116	R 0222	R 0211
	R 2016	R 2058	R 1928	R 1949	R 1956	R 2121	R 2153	R 2318	S 1128	S 1230	S 1423	S 1456
05	S 0740	S 0912	S 0751	S 0907	S 0940	S 1044	S 1036		R 0118	R 0210	R 0259	R 0248
	R 2106	R 2133	R 2003	R 2030	R 2046	R 2213	R 2243	S 1103	S 1228	S 1334	S 1516	S 1548
06	S 0842	S 1003	S 0842	S 1001	S 1031	S 1123	S 1111	R 0015	R 0222	R 0259	R 0334	R 0326
	R 2149	R 2207	R 2038	R 2114	R 2139	R 2305	R 2334	S 1147	S 1332	S 1435	S 1608	S 1641

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
07	S 0940	S 1053	S 0933	S 1054	S 1120	S 1200		R 0117	R 0321	R 0342	R 0410	R 0407
	R 2228	R 2242	R 2114	R 2202	R 2232	R 2356	S 1146	S 1237	S 1438	S 1533	S 1700	S 1735
08	S 1033	S 1143	S 1024	S 1147	S 1205		R 0027	R 0222	R 0415	R 0421	R 0447	R 0451
	R 2303	R 2318	R 2153	R 2253	R 2326	S 1235	S 1224	S 1334	S 1542	S 1628	S 1753	S 1829
09	S 1124	S 1235	S 1117	S 1238		R 0048	R 0123	R 0328	R 0502	R 0459	R 0527	R 0539
	R 2337	R 2358	R 2235	R 2346	S 1246	S 1311	S 1305	S 1438	S 1644	S 1721	S 1846	S 1922
10			S 1210		R 0019	R 0141	R 0224	R 0432	R 0545	R 0535	R 0609	R 0630
	S 1213	S 1327	R 2320	S 1325	S 1325	S 1348	S 1352	S 1545	S 1742	S 1814	S 1941	S 2013
11	R 0010	R 0041		R 0040	R 0112	R 0236	R 0329	R 0531	R 0624	R 0612	R 0655	R 0722
	S 1302	S 1420	S 1303	S 1409	S 1402	S 1428	S 1447	S 1653	S 1838	S 1907	S 2035	S 2100
12	R 0045	R 0128	R 0009	R 0135	R 0204	R 0336	R 0437	R 0624	R 0702	R 0650	R 0744	R 0815
	S 1352	S 1513	S 1356	S 1451	S 1438	S 1513	S 1549	S 1758	S 1932	S 2001	S 2128	S 2143
13	R 0122	R 0219	R 0102	R 0229	R 0258	R 0440	R 0545	R 0710	R 0738	R 0730	R 0836	R 0907
	S 1443	S 1605	S 1446	S 1530	S 1515	S 1605	S 1656	S 1859	S 2025	S 2055	S 2218	S 2223
14	R 0203	R 0313	R 0157	R 0323	R 0353	R 0549	R 0649	R 0752	R 0816	R 0814	R 0929	R 0958
	S 1536	S 1655	S 1533	S 1607	S 1555	S 1705	S 1806	S 1957	S 2118	S 2150	S 2304	S 2300
15	R 0247	R 0409	R 0252	R 0417	R 0453	R 0659	R 0746	R 0830	R 0855	R 0901	R 1021	R 1048
	S 1629	S 1741	S 1617	S 1644	S 1638	S 1811	S 1914	S 2051	S 2212	S 2244	S 2346	S 2335

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
16	R 0336	R 0505	R 0348	R 0513	R 0556	R 0807	R 0836	R 0907	R 0936	R 0951	R 1113	R 1137
	S 1722	S 1823	S 1657	S 1723	S 1727	S 1921	S 2017	S 2145	S 2306	S 2336		
17	R 0429	R 0601	R 0443	R 0611	R 0704	R 0907	R 0920	R 0943	R 1021	R 1044	S 0025	S 0008
	S 1813	S 1903	S 1736	S 1805	S 1824	S 2029	S 2116	S 2237			R 1204	R 1226
18	R 0524	R 0656	R 0538	R 0713	R 0814	R 1000	R 0959	R 1021	S 0001	S 0024	S 0101	S 0043
	S 1902	S 1941	S 1814	S 1851	S 1927	S 2134	S 2211	S 2330	R 1109	R 1137	R 1254	R 1317
19	R 0620	R 0750	R 0633	R 0818	R 0923	R 1046	R 1036	R 1100	S 0053	S 0109	S 0136	S 0119
	S 1946	S 2018	S 1851	S 1943	S 2034	S 2234	S 2304		R 1200	R 1230	R 1345	R 1411
20	R 0715	R 0844	R 0729	R 0926	R 1026	R 1127	R 1111	S 0023	S 0144	S 0150	S 0211	S 0159
	S 2027	S 2055	S 1931	S 2041	S 2142	S 2329	S 2355	R 1142	R 1253	R 1322	R 1436	R 1510
21	R 0810	R 0940	R 0828	R 1034	R 1121	R 1203	R 1147	S 0117	S 0231	S 0229	S 0247	S 0244
	S 2105	S 2134	S 2013	S 2144	S 2247			R 1228	R 1347	R 1414	R 1530	R 1613
22	R 0903	R 1038	R 0930	R 1139	R 1209	S 0021	S 0047	S 0210	S 0315	S 0305	S 0326	S 0335
	S 2142	S 2217	S 2100	S 2250	S 2347	R 1238	R 1224	R 1317	R 1440	R 1505	R 1628	R 1720
23	R 0956	R 1139	R 1034	R 1237	R 1251	S 0112	S 0139	S 0302	S 0356	S 0341	S 0410	S 0435
	S 2218	S 2304	S 2153	S 2355		R 1313	R 1304	R 1409	R 1533	R 1557	R 1731	R 1829
24	R 1049	R 1243	R 1140	R 1328	S 0043	S 0202	S 0231	S 0352	S 0434	S 0417	S 0459	S 0542
	S 2255	S 2358	S 2251		R 1329	R 1348	R 1347	R 1503	R 1625	R 1651	R 1837	R 1936

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
25	R 1145	R 1348	R 1245	S 0056	S 0136	S 0253	S 0325	S 0438	S 0510	S 0455	S 0556	S 0652
	S 2334		S 2354	R 1412	R 1404	R 1426	R 1434	R 1557	R 1717	R 1748	R 1946	R 2036
26	R 1243	S 0057	R 1346	S 0153	S 0226	S 0344	S 0417	S 0521	S 0546	S 0536	S 0659	S 0802
		R 1452		R 1452	R 1438	R 1506	R 1524	R 1650	R 1810	R 1848	R 2054	R 2129
27	S 0018	S 0200	S 0058	S 0247	S 0316	S 0437	S 0509	S 0600	S 0623	S 0622	S 0807	S 0907
	R 1345	R 1551	R 1441	R 1528	R 1512	R 1550	R 1617	R 1743	R 1905	R 1952	R 2156	R 2216
28	S 0107	S 0305	S 0201	S 0339	S 0406	S 0530	S 0557	S 0637	S 0702	S 0714	S 0916	S 1008
	R 1450	R 1645	R 1529	R 1602	R 1548	R 1638	R 1711	R 1835	R 2002	R 2059	R 2251	R 2257
29	S 0203		S 0301	S 0429	S 0456	S 0623	S 0642	S 0713	S 0744	S 0813	S 1021	S 1105
	R 1557		R 1612	R 1636	R 1626	R 1729	R 1805	R 1927	R 2103	R 2206	R 2339	R 2335
30	S 0306		S 0358	S 0519	S 0548	S 0713	S 0723	S 0749	S 0831	S 0917		
	R 1701		R 1651	R 1711	R 1708	R 1823	R 1857	R 2019	R 2206	R 2309	S 1122	S 1200
31	S 0412		S 0451		S 0642		S 0802	S 0825				R 0011
	R 1801		R 1727		R 1753		R 1949	R 2113		S 1023		S 1252

