

# JOIcode Side-by-Side Report · qwen25\_coder\_14b

Side-by-side GT vs Generated JOIcode report for **qwen25\_coder\_14b**. This report is rendered from row-level benchmark outputs and is print-friendly for PDF export.

|                              |                           |                           |                       |                          |
|------------------------------|---------------------------|---------------------------|-----------------------|--------------------------|
| ROWS<br>1                    | AVG DET<br>0.0000         | DET PASS<br>0.0%          | GT EXACT<br>0.0%      | AVG PROMPT TOKENS<br>0.0 |
| AVG COMPLETION TOKENS<br>0.0 | AVG LLM LATENCY<br>0.000s | P50 LLM LATENCY<br>0.000s | PEAK VRAM<br>0.000 GB | OOM COUNT<br>0           |

## RUN METADATA

|                |                                                                                                                   |
|----------------|-------------------------------------------------------------------------------------------------------------------|
| Results        | /home/mgjeong/Desktop/llm/JOILang-                                                                                |
| Dir            | Server/gpt_mg/version0_15_update20260413/results/model_suite_20260513_220757                                      |
| Output         | /home/mgjeong/Desktop/llm/JOILang-                                                                                |
| Dir            | Server/gpt_mg/version0_15_update20260413/results/model_suite_20260513_220757/side_by_side_report_qwen25_coder_14b |
| Suite          | paper_local5                                                                                                      |
| Genome         | /home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/genomes/example_genome.json            |
| Created At     | 2026-05-13T22:07:57.347983                                                                                        |
| Categories     | -                                                                                                                 |
| Limit/Category | -                                                                                                                 |
| Rows           | 1                                                                                                                 |

## TOP FAILURE REASONS

invalid\_json 1

## CONTEXT + CATEGORIES

|                            |   |
|----------------------------|---|
| service_retrieval_fallback | 1 |
| Category 1                 | 1 |

MODEL RUNTIME SNAPSHOT

MODEL

**Qwen2.5-Coder-14B-Instruct**

RESOLVED MODEL

**/home/mgjeong/.cache/huggingface/hub/models--Qwen--Qwen2.5-Coder-14B-Instruct/snapshots/aedcc2d42b622764e023cf882b6652e646b95671**

WORKER PYTHON

**/home/mgjeong/miniconda3/envs/l/bin/python**

SERVICE LIST

**service\_list\_ver2.0.1.json**

CANDIDATE K

**1**

REPAIR ATTEMPTS

**0**

DET PROFILE

**worker**

ROW DETAILS

Row 1 · Category 1

Switch the dishwasher to dry mode.

식기세척기를 건조 모드로 설정해줘.

GT name: SwitchDishwasherToDryMode

Service list: service\_list\_ver2.0.1.json

Output name: -

Retrieval cats: Dishwasher, LaundryDryer, RiceCooker, Dehumidifier, AirConditioner, Oven, DimmerSwitch, Switch, AirPurifier, ArmRobot

|                         |                       |                                              |                      |                           |
|-------------------------|-----------------------|----------------------------------------------|----------------------|---------------------------|
| DET<br>0.0000           | PASS<br>No            | GT EXACT<br>No                               | SIMILARITY<br>0.0000 | GT SERVICE COV.<br>1.0000 |
| RECEIVER COV.<br>1.0000 | DATAFLOW<br>1.0000    | NUMERIC<br>1.0000                            | ENUM<br>1.0000       | PROMPT TOKENS<br>0        |
| COMPLETION TOKENS<br>0  | TOTAL TOKENS<br>0     | LLM LATENCY<br>0.000s                        | PIPELINE<br>6.705s   | TOK/S<br>0.0000           |
| PEAK VRAM<br>0.000 GB   | OOM<br>No             | SNIPPET SOURCE<br>service_retrieval_fallback | DEVICE COUNT<br>10   | RETRIEVAL<br>used         |
| CONFIGURED TOP-K<br>10  | EFFECTIVE TOP-K<br>10 |                                              |                      |                           |

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE  
retrieval  
premapping

SNIPPET SOURCE  
service\_retrieval\_fal  
lback

RETRIEVAL  
used

CONFIGURED TOP-K  
10

EFFECTIVE TOP-K  
10

INJECTED CATEGORIES  
10

Dishwasher

2 services · 1 values · 1 functions

RETRIEVED · RANK 1

VALUES

Dishwasher\_DishwasherMode

raw DishwasherMode · arg - · ret ENUM · Allows for the control of the dishwasher mode

FUNCTIONS

Dishwasher\_SetDishwasherMode

raw SetDishwasherMode · arg ENUM · ret VOID · Allows for the control of the dishwasher mode

LaundryDryer

RETRIEVED · RANK 2

4 services · 2 values · 2 functions

VALUES

LaundryDryer\_LaundryDryerMode

raw LaundryDryerMode · arg - · ret ENUM · Allows for the control of the laundry dryer mode

LaundryDryer\_SpinSpeed

raw SpinSpeed · arg - · ret INTEGER · Allows for the control of the laundry dryer mode

FUNCTIONS

LaundryDryer\_SetLaundryDryerMode

raw SetLaundryDryerMode · arg ENUM · ret VOID · Allows for the control of the laundry dryer mode

LaundryDryer\_SetSpinSpeed

raw SetSpinSpeed · arg INTEGER · ret VOID · Allows for the control of the laundry dryer mode

RiceCooker

RETRIEVED · RANK 3

4 services · 1 values · 3 functions

VALUES

RiceCooker\_RiceCookerMode

raw RiceCookerMode · arg - · ret ENUM · Allows for the control of the Rice Cooker

FUNCTIONS

RiceCooker\_AddMoreTime

raw AddMoreTime · arg DOUBLE · ret VOID · Allows for the control of the Rice Cooker

RiceCooker\_SetCookingParameters

raw SetCookingParameters · arg ENUM | DOUBLE · ret VOID · Allows for the control of the Rice Cooker

RiceCooker\_SetRiceCookerMode

raw SetRiceCookerMode · arg ENUM · ret VOID · Allows for the control of the Rice Cooker

Dehumidifier

RETRIEVED · RANK 4

2 services · 1 values · 1 functions

VALUES

Dehumidifier\_DehumidifierMode

raw DehumidifierMode · arg - · ret ENUM · Allows for the control of the dehumidifier mode

FUNCTIONS

Dehumidifier\_SetDehumidifierMode

raw SetDehumidifierMode · arg ENUM · ret VOID · Allows for the control of the dehumidifier mode

AirConditioner

RETRIEVED · RANK 5

4 services · 2 values · 2 functions

VALUES

AirConditioner\_AirConditionerMode

raw AirConditionerMode · arg - · ret ENUM · Controls air conditioner mode and temperature settings

AirConditioner\_TargetTemperature

raw TargetTemperature · arg - · ret DOUBLE · Controls air conditioner mode and temperature settings

FUNCTIONS

AirConditioner\_SetAirConditionerMode

raw SetAirConditionerMode · arg ENUM · ret VOID · Controls air conditioner mode and temperature settings

AirConditioner\_SetTargetTemperature

raw SetTargetTemperature · arg DOUBLE · ret VOID · Controls air conditioner mode and temperature settings

Oven

RETRIEVED · RANK 6

4 services · 1 values · 3 functions

VALUES

Oven\_OvenMode

raw OvenMode · arg - · ret ENUM · Allows for the control of the oven mode

FUNCTIONS

Oven\_AddMoreTime

raw AddMoreTime · arg DOUBLE · ret VOID · Allows for the control of the oven mode

Oven\_SetCookingParameters

raw SetCookingParameters · arg ENUM | DOUBLE · ret VOID · Allows for the control of the oven mode

Oven\_SetOvenMode

raw SetOvenMode · arg ENUM · ret VOID · Allows for the control of the oven mode

DimmerSwitch

RETRIEVED · RANK 7

4 services · 4 values · 0 functions

VALUES

DimmerSwitch\_Button1

raw Button1 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

DimmerSwitch\_Button2

raw Button2 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

DimmerSwitch\_Button3

raw Button3 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

DimmerSwitch\_Button4

raw Button4 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

FUNCTIONS

None

Switch

RETRIEVED · RANK 8

4 services · 1 values · 3 functions

VALUES

Switch\_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch\_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch\_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch\_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

AirPurifier

RETRIEVED · RANK 9

2 services · 1 values · 1 functions

VALUES

AirPurifier\_AirPurifierMode

raw AirPurifierMode · arg - · ret ENUM · Controls air purifier mode

FUNCTIONS

AirPurifier\_SetAirPurifierMode

raw SetAirPurifierMode · arg ENUM · ret VOID · Controls air purifier mode

ArmRobot

RETRIEVED · RANK 10

5 services · 2 values · 3 functions

VALUES

ArmRobot\_ArmRobotType

raw ArmRobotType · arg - · ret ENUM · Allows for the control of the arm robot

ArmRobot\_CurrentPosition

raw CurrentPosition · arg - · ret STRING · Allows for the control of the arm robot

FUNCTIONS

ArmRobot\_Hello

raw Hello · arg - · ret VOID · Allows for the control of the arm robot

ArmRobot\_SendCommand

raw SendCommand · arg ENUM · ret VOID · Allows for the control of the arm robot

ArmRobot\_SetPosition

raw SetPosition · arg ENUM · ret VOID · Allows for the control of the arm robot

GT JOICODE

cron="" · period=0

(#Dishwasher).dishwasher\_setdishwashermode("dry")

GENERATED JOICODE

cron="" · period=0

<empty>

FAILURE REASONS

LINE DIFF

invalid\_json

| GT                                                | Generated |
|---------------------------------------------------|-----------|
| (#Dishwasher).dishwasher_setdishwashermode("dry") | <empty>   |

Generated from /home/mgjeong/Desktop/llm/JOILang-Server/gpt\_mg/version0\_15\_update20260413/results/model\_suite\_20260513\_220757/row\_comparison.csv. PDF export uses headless Chrome when available.