

JOIcode Side-by-Side Report · gpt41_mini

Side-by-side GT vs Generated JOIcode report for **gpt41_mini**. This report is rendered from row-level benchmark outputs and is print-friendly for PDF export.

ROWS 6	AVG DET 67.3455	DET PASS 0.0%	GT EXACT 0.0%	AVG PROMPT TOKENS 20642.8
AVG COMPLETION TOKENS 51.5	AVG LLM LATENCY 3.781s	P50 LLM LATENCY 3.010s	PEAK VRAM 0.000 GB	OOM COUNT 0

RUN METADATA

Results Dir	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_by_category_manual_20260506/retrieval_gpt41_mini_cat1
Output Dir	Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_by_category_manual_20260506/retrieval_gpt41_mini_cat1/side_by_side_report_gpt41_mini_failures_only
Suite	paper_with_cloud_ref
Genome	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/best_genome.json
Created At	2026-05-06T16:31:01.358503
Categories	1
Limit/Category	-
Rows	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30

TOP FAILURE REASONS

gt_mismatch	6
gt_receiver_coverage	5
gt_service_coverage	5
numeric_grounding	2
arg_type	1
enum_grounding	1
dataflow	1
service_match	1

CONTEXT + C

service_retrie
Category 1

MODEL RUNTIME SNAPSHOT

MODEL GPT-4.1-mini	RESOLVED MODEL -	WORKER PYTHON -	SERVICE LIST service_list_ver2.0.1.json	CANDIDATE K 1
REPAIR ATTEMPTS 0	DET PROFILE openai			

ROW DETAILS

Row 3 · Category 1

Start the rice cooker on cooking mode for 30 minutes.

밥솥을 조리 모드로 30분 작동시켜.

GT name: StartRiceCookerOnCookingModeFor30Minutes				
Service list: service_list_ver2.0.1.json				
Output name: StartRiceCookerCookingMode				
Retrieval cats: RiceCooker, Oven, Dishwasher, RobotVacuumCleaner, FaceRecognizer, AudioRecorder, CarbonDioxideSensor, MenuProvider, Charger, Siren				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.9705	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 0.0000	ENUM 0.0000	PROMPT TOKENS 19848
COMPLETION TOKENS 50	TOTAL TOKENS 19898	LLM LATENCY 8.072s	PIPELINE 8.975s	TOK/S 2465.0644
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE retrieval premapping	SNIPPET SOURCE service_retrieval_fallback	RETRIEVAL used	CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10	INJECTED CATEGORIES 10
--------------------------------------	--	-------------------	------------------------	-----------------------	---------------------------

RiceCooker

RETRIEVED · RANK 1

4 services · 1 values · 3 functions

VALUES

RiceCooker_RiceCookerMode

raw RiceCookerMode · arg - · ret ENUM · Allows for the control of the Rice Cooker

FUNCTIONS

RiceCooker_AddMoreTime

raw AddMoreTime · arg DOUBLE · ret VOID · Allows for the control of the Rice Cooker

RiceCooker_SetCookingParameters

raw SetCookingParameters · arg ENUM | DOUBLE · ret VOID · Allows for the control of the Rice Cooker

RiceCooker_SetRiceCookerMode

raw SetRiceCookerMode · arg ENUM · ret VOID · Allows for the control of the Rice Cooker

Oven

RETRIEVED · RANK 2

4 services · 1 values · 3 functions

VALUES

Oven_OvenMode

raw OvenMode · arg - · ret ENUM · Allows for the control of the oven mode

FUNCTIONS

Oven_AddMoreTime

raw AddMoreTime · arg DOUBLE · ret VOID · Allows for the control of the oven mode

Oven_SetCookingParameters

raw SetCookingParameters · arg ENUM | DOUBLE · ret VOID · Allows for the control of the oven mode

Oven_SetOvenMode

raw SetOvenMode · arg ENUM · ret VOID · Allows for the control of the oven mode

Dishwasher

RETRIEVED · RANK 3

2 services · 1 values · 1 functions

VALUES

Dishwasher_DishwasherMode

raw DishwasherMode · arg - · ret ENUM · Allows for the control of the dishwasher mode

FUNCTIONS

Dishwasher_SetDishwasherMode

raw SetDishwasherMode · arg ENUM · ret VOID · Allows for the control of the dishwasher mode

RobotVacuumCleaner

RETRIEVED · RANK 4

2 services · 1 values · 1 functions

VALUES

RobotVacuumCleaner_RobotVacuumCleanerMode

raw RobotVacuumCleanerMode · arg - · ret ENUM · Allows for the control of the robot cleaner cleaning mode

FUNCTIONS

RobotVacuumCleaner_SetRobotVacuumCleanerModeMode

raw SetRobotVacuumCleanerModeMode · arg ENUM · ret VOID · Allows for the control of the robot cleaner cleaning mode

FaceRecognizer

RETRIEVED · RANK 5

5 services · 1 values · 4 functions

VALUES

FaceRecognizer_RecognizedResult

raw RecognizedResult · arg - · ret STRING · Controls face recognition features

FUNCTIONS

FaceRecognizer_AddFace

raw AddFace · arg STRING · ret BOOL · Controls face recognition features

FaceRecognizer_DeleteFace

raw DeleteFace · arg STRING · ret BOOL · Controls face recognition features

FaceRecognizer_End

raw End · arg - · ret BOOL · Controls face recognition features

FaceRecognizer_Start

raw Start · arg - · ret BOOL · Controls face recognition features

AudioRecorder

RETRIEVED · RANK 6

5 services · 2 values · 3 functions

VALUES

AudioRecorder_AudioFile

raw AudioFile · arg - · ret BINARY · Record audio

AudioRecorder_RecordStatus

raw RecordStatus · arg - · ret ENUM · Record audio

FUNCTIONS

AudioRecorder_RecordStart

raw RecordStart · arg - · ret VOID · Record audio

AudioRecorder_RecordStop

raw RecordStop · arg BINARY · ret VOID · Record audio

AudioRecorder_RecordWithDuration

raw RecordWithDuration · arg STRING | DOUBLE · ret BINARY · Record audio

CarbonDioxideSensor

RETRIEVED · RANK 7

1 services · 1 values · 0 functions

VALUES

CarbonDioxideSensor_CarbonDioxide

raw CarbonDioxide · arg - · ret DOUBLE · Measure carbon dioxide levels

FUNCTIONS

None

MenuProvider

RETRIEVED · RANK 8

4 services · 3 values · 1 functions

VALUES

MenuProvider_Menu

raw Menu · arg - · ret STRING · Provides menu information services

MenuProvider_TodayMenu

raw TodayMenu · arg - · ret STRING · Provides menu information services

MenuProvider_TodayPlace

raw TodayPlace · arg - · ret STRING · Provides menu information services

FUNCTIONS

MenuProvider_GetMenu

raw GetMenu · arg STRING · ret STRING · Provides menu information services

Charger

RETRIEVED · RANK 9

4 services · 4 values · 0 functions

VALUES

Charger_ChargingState

raw ChargingState · arg - · ret ENUM · The current status of battery charging

Charger_Current

raw Current · arg - · ret DOUBLE · The current status of battery charging

Charger_Power

raw Power · arg - · ret DOUBLE · The current status of battery charging

Charger_Voltage

raw Voltage · arg - · ret DOUBLE · The current status of battery charging

FUNCTIONS

None

Siren

RETRIEVED · RANK 10

2 services · 1 values · 1 functions

VALUES

Siren_SirenMode

raw SirenMode · arg - · ret ENUM · Allows for the control of the Siren

FUNCTIONS

Siren_SetSirenMode

raw SetSirenMode · arg ENUM · ret VOID · Allows for the control of the Siren

GT JOICODE

cron="" · period=0

(#RiceCooker).ricecooker_setcookingparameters("cooking", 1800)

GENERATED JOICODE

cron="" · period=0

(#RiceCooker).ricecooker_setcookingparameters("cooking" | 30)

FAILURE REASONS

- arg_type
- enum_grounding
- gt_mismatch
- numeric_grounding

LINE DIFF

GT	Generated
(#RiceCooker).ricecooker_setcookingparameters("cooking", 1800)	(#RiceCooker).ricecooker_setcookingparameters("cooking" 30)

Row 8 · Category 1

Announce the temperature through the speaker.

현재 온도를 스피커로 알려줘.

GT name: AnnounceTemperatureThroughSpeaker				
Service list: service_list_ver2.0.1.json				
Output name: AnnounceTemperature				
Retrieval cats: Speaker, TemperatureSensor, AirConditioner, WeatherProvider, AudioRecorder, SoundSensor, PresenceVitalSensor, AirQualitySensor, Siren, Television				
DET 63.1183	PASS No	GT EXACT No	SIMILARITY 0.8094	GT SERVICE COV. 0.5000
RECEIVER COV. 0.5000	DATAFLOW 0.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 21141
COMPLETION TOKENS 46	TOTAL TOKENS 21187	LLM LATENCY 2.831s	PIPELINE 3.745s	TOK/S 7483.1350
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

Speaker_Pause

raw Pause · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Play

raw Play · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Rewind

raw Rewind · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_SetVolume

raw SetVolume · arg INTEGER · ret INTEGER · Speaker device for audio playback and media control

Speaker_Speak

raw Speak · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Stop

raw Stop · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_VolumeDown

raw VolumeDown · arg - · ret INTEGER · Speaker device for audio playback and media control

Speaker_VolumeUp

raw VolumeUp · arg - · ret INTEGER · Speaker device for audio playback and media control

TemperatureSensor

RETRIEVED · RANK 2

1 services · 1 values · 0 functions

VALUES

TemperatureSensor_Temperature

raw Temperature · arg - · ret DOUBLE · Get the temperature from a Device that reports current temperature

FUNCTIONS

None

AirConditioner

RETRIEVED · RANK 3

4 services · 2 values · 2 functions

VALUES

AirConditioner_AirConditionerMode

raw AirConditionerMode · arg - · ret ENUM · Controls air conditioner mode and temperature settings

AirConditioner_TargetTemperature

raw TargetTemperature · arg - · ret DOUBLE · Controls air conditioner mode and temperature settings

FUNCTIONS

AirConditioner_SetAirConditionerMode

raw SetAirConditionerMode · arg ENUM · ret VOID · Controls air conditioner mode and temperature settings

AirConditioner_SetTargetTemperature

raw SetTargetTemperature · arg DOUBLE · ret VOID · Controls air conditioner mode and temperature settings

WeatherProvider

RETRIEVED · RANK 4

7 services · 6 values · 1 functions

VALUES

WeatherProvider_HumidityWeather

raw HumidityWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Pm10Weather

raw Pm10Weather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Pm25Weather

raw Pm25Weather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_PressureWeather

raw PressureWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_TemperatureWeather

raw TemperatureWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Weather

raw Weather · arg - · ret ENUM · Provides weather information

FUNCTIONS

WeatherProvider_GetWeatherInfo

raw GetWeatherInfo · arg DOUBLE | DOUBLE · ret STRING · Provides weather information

AudioRecorder

RETRIEVED · RANK 5

5 services · 2 values · 3 functions

VALUES

AudioRecorder_AudioFile

raw AudioFile · arg - · ret BINARY · Record audio

AudioRecorder_RecordStatus

raw RecordStatus · arg - · ret ENUM · Record audio

FUNCTIONS

AudioRecorder_RecordStart

raw RecordStart · arg - · ret VOID · Record audio

AudioRecorder_RecordStop

raw RecordStop · arg BINARY · ret VOID · Record audio

AudioRecorder_RecordWithDuration

raw RecordWithDuration · arg STRING | DOUBLE · ret BINARY · Record audio

SoundSensor

RETRIEVED · RANK 6

1 services · 1 values · 0 functions

VALUES

SoundSensor_Sound

raw Sound · arg - · ret DOUBLE · Sound sensor device for measuring sound levels

FUNCTIONS

None

PresenceVitalSensor

RETRIEVED · RANK 7

7 services · 7 values · 0 functions

VALUES

PresenceVitalSensor_Awakeness

raw Awakeness · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_Distance

raw Distance · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_DwellTime

raw DwellTime · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_HeartRate

raw HeartRate · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_MovementIndex

raw MovementIndex · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_Presence

raw Presence · arg - · ret BOOL · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_RespiratoryRate

raw RespiratoryRate · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

FUNCTIONS

None

AirQualitySensor

RETRIEVED · RANK 8

7 services · 7 values · 0 functions

VALUES

AirQualitySensor_CarbonDioxide

raw CarbonDioxide · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_DustLevel

raw DustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_FineDustLevel

raw FineDustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_Humidity

raw Humidity · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_Temperature

raw Temperature · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_TvocLevel

raw TvocLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_VeryFineDustLevel

raw VeryFineDustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

FUNCTIONS

None

Siren

2 services · 1 values · 1 functions

VALUES

Siren_SirenMode

raw SirenMode · arg - · ret ENUM · Allows for the control of the Siren

FUNCTIONS

Siren_SetSirenMode

raw SetSirenMode · arg ENUM · ret VOID · Allows for the control of the Siren

RETRIEVED · RANK 9

Television

4 services · 1 values · 3 functions

VALUES

Television_Channel

raw Channel · arg - · ret INTEGER · A television device

FUNCTIONS

Television_ChannelDown

raw ChannelDown · arg - · ret INTEGER · A television device

Television_ChannelUp

raw ChannelUp · arg - · ret INTEGER · A television device

Television_SetChannel

raw SetChannel · arg INTEGER · ret VOID · A television device

RETRIEVED · RANK 10

GT JOICODE

cron="" · period=0

temp = (#TemperatureSensor).temperaturesensor_temperature

(#Speaker).speaker_speak("현재 온도는 " + temp + "도입니다")

GENERATED JOICODE

cron="" · period=0

temp = (#TemperatureSensor).temperaturemeasurement_temperature

(#Speaker).speaker_speak(temp)

FAILURE REASONS

dataflow

gt_mismatch

gt_receiver_coverage

gt_service_coverage

service_match

unknown_service:temperaturemeasurement_temperature

LINE DIFF

GT	Generated
temp = (#TemperatureSensor).temperaturesensor_temperature	temp = (#TemperatureSensor).temperaturemeasurement_temperature
	(#Speaker).speaker_speak(temp)
(#Speaker).speaker_speak("현재 온도는 " + temp + "도입니다")	

Row 13 · Category 1

Announce the fine dust level through the speaker.

미세먼지 농도를 스피커로 알려줘.

GT name: AnnounceFineDustLevelThroughSpeaker				
Service list: service_list_ver2.0.1.json				
Output name: AnnounceFineDustLevel				
Retrieval cats: Speaker, AirQualitySensor, AirPurifier, AudioRecorder, SoundSensor, Dishwasher, SmokeDetector, RobotVacuumCleaner, Siren, Television				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.7953	GT SERVICE COV. 0.5000
RECEIVER COV. 0.5000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 19925
COMPLETION TOKENS 56	TOTAL TOKENS 19981	LLM LATENCY 2.145s	PIPELINE 3.058s	TOK/S 9316.4545
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE retrieval premapping	SNIPPET SOURCE service_retrieval_fallback	RETRIEVAL used	CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10	INJECTED CATEGORIES 10
--------------------------------------	--	-------------------	------------------------	-----------------------	---------------------------

Speaker

RETRIEVED · RANK 1

11 services · 2 values · 9 functions

VALUES

Speaker_PlaybackState

raw PlaybackState · arg - · ret ENUM · Speaker device for audio playback and media control

Speaker_Volume

raw Volume · arg - · ret INTEGER · Speaker device for audio playback and media control

FUNCTIONS

Speaker_FastForward

raw FastForward · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Pause

raw Pause · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Play

raw Play · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Rewind

raw Rewind · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_SetVolume

raw SetVolume · arg INTEGER · ret INTEGER · Speaker device for audio playback and media control

Speaker_Speak

raw Speak · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Stop

raw Stop · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_VolumeDown

raw VolumeDown · arg - · ret INTEGER · Speaker device for audio playback and media control

Speaker_VolumeUp

raw VolumeUp · arg - · ret INTEGER · Speaker device for audio playback and media control

AirQualitySensor

RETRIEVED · RANK 2

7 services · 7 values · 0 functions

VALUES

AirQualitySensor_CarbonDioxide

raw CarbonDioxide · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_DustLevel

raw DustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_FineDustLevel

raw FineDustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_Humidity

raw Humidity · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_Temperature

raw Temperature · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_TvocLevel

raw TvocLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_VeryFineDustLevel

raw VeryFineDustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

FUNCTIONS

None

AirPurifier

RETRIEVED · RANK 3

2 services · 1 values · 1 functions

VALUES

AirPurifier_AirPurifierMode
raw AirPurifierMode · arg - · ret ENUM · Controls air purifier mode

FUNCTIONS

AirPurifier_SetAirPurifierMode
raw SetAirPurifierMode · arg ENUM · ret VOID · Controls air purifier mode

AudioRecorder

RETRIEVED · RANK 4

5 services · 2 values · 3 functions

VALUES

AudioRecorder_AudioFile
raw AudioFile · arg - · ret BINARY · Record audio

AudioRecorder_RecordStatus
raw RecordStatus · arg - · ret ENUM · Record audio

FUNCTIONS

AudioRecorder_RecordStart
raw RecordStart · arg - · ret VOID · Record audio

AudioRecorder_RecordStop
raw RecordStop · arg BINARY · ret VOID · Record audio

AudioRecorder_RecordWithDuration
raw RecordWithDuration · arg STRING | DOUBLE · ret BINARY · Record audio

SoundSensor

RETRIEVED · RANK 5

1 services · 1 values · 0 functions

VALUES

SoundSensor_Sound
raw Sound · arg - · ret DOUBLE · Sound sensor device for measuring sound levels

FUNCTIONS

None

Dishwasher

RETRIEVED · RANK 6

2 services · 1 values · 1 functions

VALUES

Dishwasher_DishwasherMode
raw DishwasherMode · arg - · ret ENUM · Allows for the control of the dishwasher mode

FUNCTIONS

Dishwasher_SetDishwasherMode
raw SetDishwasherMode · arg ENUM · ret VOID · Allows for the control of the dishwasher mode

SmokeDetector

RETRIEVED · RANK 7

1 services · 1 values · 0 functions

VALUES

SmokeDetector_Smoke

raw Smoke · arg - · ret BOOL · A Device that detects smoke

FUNCTIONS

None

RobotVacuumCleaner

RETRIEVED · RANK 8

2 services · 1 values · 1 functions

VALUES

RobotVacuumCleaner_RobotVacuumCleanerMode

raw RobotVacuumCleanerMode · arg - · ret ENUM · Allows for the control of the robot cleaner cleaning mode

FUNCTIONS

RobotVacuumCleaner_SetRobotVacuumCleanerModeMode

raw SetRobotVacuumCleanerModeMode · arg ENUM · ret VOID · Allows for the control of the robot cleaner cleaning mode

Siren

RETRIEVED · RANK 9

2 services · 1 values · 1 functions

VALUES

Siren_SirenMode

raw SirenMode · arg - · ret ENUM · Allows for the control of the Siren

FUNCTIONS

Siren_SetSirenMode

raw SetSirenMode · arg ENUM · ret VOID · Allows for the control of the Siren

Television

RETRIEVED · RANK 10

4 services · 1 values · 3 functions

VALUES

Television_Channel

raw Channel · arg - · ret INTEGER · A television device

FUNCTIONS

Television_ChannelDown

raw ChannelDown · arg - · ret INTEGER · A television device

Television_ChannelUp

raw ChannelUp · arg - · ret INTEGER · A television device

Television_SetChannel

raw SetChannel · arg INTEGER · ret VOID · A television device

GT JOICODE

cron="" · period=0

GENERATED JOICODE

cron="" · period=0

```
dust = (#AirQualitySensor).airqualitysensor_dustlevel

(#Speaker).speaker_speak("미세먼지 농도는 " + dust + "입니다")
```

```
fineDust = (#AirQualitySensor).airqualitysensor_finedustlevel
(#Speaker).speaker_speak(fineDust)
```

FAILURE REASONS

gt_mismatch

gt_receiver_coverage

gt_service_coverage

LINE DIFF

GT	Generated
dust = (#AirQualitySensor).airqualitysensor_dustlevel	fineDust = (#AirQualitySensor).airqualitysensor_finedustlevel
	(#Speaker).speaker_speak(fineDust)
(#Speaker).speaker_speak("미세먼지 농도는 " + dust + "입니다")	

Row 14 · Category 1

Announce the outdoor fine dust level using the speaker.

외부 미세먼지 농도를 스피커로 알려줘.

GT name: AnnounceOutdoorFineDustLevelUsingSpeaker				
Service list: service_list_ver2.0.1.json				
Output name: AnnounceOutdoorFineDustLevel				
Retrieval cats: Speaker, AirQualitySensor, SoundSensor, AudioRecorder, AirPurifier, WeatherProvider, RobotVacuumCleaner, Dishwasher, Siren, SmokeDetector				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.7742	GT SERVICE COV. 0.5000
RECEIVER COV. 0.5000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 20367
COMPLETION TOKENS 53	TOTAL TOKENS 20420	LLM LATENCY 2.649s	PIPELINE 3.542s	TOK/S 7709.1513
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE retrieval premapping	SNIPPET SOURCE service_retrieval_fallback	RETRIEVAL used	CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10	INJECTED CATEGORIES 10
--------------------------------------	--	-------------------	------------------------	-----------------------	---------------------------

Speaker_Pause

raw Pause · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Play

raw Play · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Rewind

raw Rewind · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_SetVolume

raw SetVolume · arg INTEGER · ret INTEGER · Speaker device for audio playback and media control

Speaker_Speak

raw Speak · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Stop

raw Stop · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_VolumeDown

raw VolumeDown · arg - · ret INTEGER · Speaker device for audio playback and media control

Speaker_VolumeUp

raw VolumeUp · arg - · ret INTEGER · Speaker device for audio playback and media control

AirQualitySensor

RETRIEVED · RANK 2

7 services · 7 values · 0 functions

VALUES

AirQualitySensor_CarbonDioxide

raw CarbonDioxide · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_DustLevel

raw DustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_FineDustLevel

raw FineDustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_Humidity

raw Humidity · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_Temperature

raw Temperature · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_TvocLevel

raw TvocLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_VeryFineDustLevel

raw VeryFineDustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

FUNCTIONS

None

SoundSensor

RETRIEVED · RANK 3

1 services · 1 values · 0 functions

VALUES

SoundSensor_Sound

raw Sound · arg - · ret DOUBLE · Sound sensor device for measuring sound levels

FUNCTIONS

None

AudioRecorder

RETRIEVED · RANK 4

5 services · 2 values · 3 functions

VALUES

AudioRecorder_AudioFile

raw AudioFile · arg - · ret BINARY · Record audio

AudioRecorder_RecordStatus

raw RecordStatus · arg - · ret ENUM · Record audio

FUNCTIONS

AudioRecorder_RecordStart

raw RecordStart · arg - · ret VOID · Record audio

AudioRecorder_RecordStop

raw RecordStop · arg BINARY · ret VOID · Record audio

AudioRecorder_RecordWithDuration

raw RecordWithDuration · arg STRING | DOUBLE · ret BINARY · Record audio

AirPurifier

RETRIEVED · RANK 5

2 services · 1 values · 1 functions

VALUES

AirPurifier_AirPurifierMode

raw AirPurifierMode · arg - · ret ENUM · Controls air purifier mode

FUNCTIONS

AirPurifier_SetAirPurifierMode

raw SetAirPurifierMode · arg ENUM · ret VOID · Controls air purifier mode

WeatherProvider

RETRIEVED · RANK 6

7 services · 6 values · 1 functions

VALUES

WeatherProvider_HumidityWeather

raw HumidityWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Pm10Weather

raw Pm10Weather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Pm25Weather

raw Pm25Weather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_PressureWeather

raw PressureWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_TemperatureWeather
raw TemperatureWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Weather
raw Weather · arg - · ret ENUM · Provides weather information

FUNCTIONS

WeatherProvider_GetWeatherInfo
raw GetWeatherInfo · arg DOUBLE | DOUBLE · ret STRING · Provides weather information

RobotVacuumCleaner

RETRIEVED · RANK 7

2 services · 1 values · 1 functions

VALUES

RobotVacuumCleaner_RobotVacuumCleanerMode
raw RobotVacuumCleanerMode · arg - · ret ENUM · Allows for the control of the robot cleaner cleaning mode

FUNCTIONS

RobotVacuumCleaner_SetRobotVacuumCleanerModeMode
raw SetRobotVacuumCleanerModeMode · arg ENUM · ret VOID · Allows for the control of the robot cleaner cleaning mode

Dishwasher

RETRIEVED · RANK 8

2 services · 1 values · 1 functions

VALUES

Dishwasher_DishwasherMode
raw DishwasherMode · arg - · ret ENUM · Allows for the control of the dishwasher mode

FUNCTIONS

Dishwasher_SetDishwasherMode
raw SetDishwasherMode · arg ENUM · ret VOID · Allows for the control of the dishwasher mode

Siren

RETRIEVED · RANK 9

2 services · 1 values · 1 functions

VALUES

Siren_SirenMode
raw SirenMode · arg - · ret ENUM · Allows for the control of the Siren

FUNCTIONS

Siren_SetSirenMode
raw SetSirenMode · arg ENUM · ret VOID · Allows for the control of the Siren

SmokeDetector

RETRIEVED · RANK 10

1 services · 1 values · 0 functions

VALUES

SmokeDetector_Smoke
raw Smoke · arg - · ret BOOL · A Device that detects smoke

FUNCTIONS

None

GT JOICODE

cron="" · period=0

```
dust = (#WeatherProvider).weatherprovider_pm10weather

(#Speaker).speaker_speak("외부 미세먼지 농도는 " + dust + "입니다")
```

GENERATED JOICODE

cron="" · period=0

```
pm25 = (#WeatherProvider).weatherprovider_pm25weather
(#Speaker).speaker_speak(pm25)
```

FAILURE REASONS

extraneous

gt_mismatch

gt_receiver_coverage

gt_service_coverage

LINE DIFF

GT	Generated
dust = (#WeatherProvider).weatherprovider_pm10weather	pm25 = (#WeatherProvider).weatherprovider_pm25weather
	(#Speaker).speaker_speak(pm25)
(#Speaker).speaker_speak("외부 미세먼지 농도는 " + dust + "입니다")	

Row 18 · Category 1

Tell me the lunch menu for Building 301 today through the speaker.

오늘의 301동 점심 메뉴를 스피커로 알려줘.

GT name: TellMeLunchMenuForBuilding301TodayThrough				
Service list: service_list_ver2.0.1.json				
Output name: AnnounceLunchMenu301Today				
Retrieval cats: MenuProvider, Speaker, AudioRecorder, CloudServiceProvider, Charger, SoundSensor, Oven, Television, ArmRobot, RiceCooker				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.7758	GT SERVICE COV. 0.5000
RECEIVER COV. 0.5000	DATAFLOW 1.0000	NUMERIC 0.0000	ENUM 1.0000	PROMPT TOKENS 21967
COMPLETION TOKENS 51	TOTAL TOKENS 22018	LLM LATENCY 3.188s	PIPELINE 4.116s	TOK/S 6906.9578
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE retrieval premapping	SNIPPET SOURCE service_retrieval_fallback	RETRIEVAL used	CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10	INJECTED CATEGORIES 10
--------------------------------------	--	-------------------	------------------------	-----------------------	---------------------------

MenuProvider

4 services · 3 values · 1 functions

VALUES

MenuProvider_Menu

raw Menu · arg - · ret STRING · Provides menu information services

MenuProvider_TodayMenu

raw TodayMenu · arg - · ret STRING · Provides menu information services

MenuProvider_TodayPlace

raw TodayPlace · arg - · ret STRING · Provides menu information services

FUNCTIONS

MenuProvider_GetMenu

raw GetMenu · arg STRING · ret STRING · Provides menu information services

Speaker

RETRIEVED · RANK 2

11 services · 2 values · 9 functions

VALUES

Speaker_PlaybackState

raw PlaybackState · arg - · ret ENUM · Speaker device for audio playback and media control

Speaker_Volume

raw Volume · arg - · ret INTEGER · Speaker device for audio playback and media control

FUNCTIONS

Speaker_FastForward

raw FastForward · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Pause

raw Pause · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Play

raw Play · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Rewind

raw Rewind · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_SetVolume

raw SetVolume · arg INTEGER · ret INTEGER · Speaker device for audio playback and media control

Speaker_Speak

raw Speak · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Stop

raw Stop · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_VolumeDown

raw VolumeDown · arg - · ret INTEGER · Speaker device for audio playback and media control

Speaker_VolumeUp

raw VolumeUp · arg - · ret INTEGER · Speaker device for audio playback and media control

AudioRecorder

RETRIEVED · RANK 3

5 services · 2 values · 3 functions

VALUES

AudioRecorder_AudioFile

raw AudioFile · arg - · ret BINARY · Record audio

AudioRecorder_RecordStatus

raw RecordStatus · arg - · ret ENUM · Record audio

FUNCTIONS

AudioRecorder_RecordStart

raw RecordStart · arg - · ret VOID · Record audio

AudioRecorder_RecordStop

raw RecordStop · arg BINARY · ret VOID · Record audio

AudioRecorder_RecordWithDuration

raw RecordWithDuration · arg STRING | DOUBLE · ret BINARY · Record audio

CloudServiceProvider

RETRIEVED · RANK 4

14 services · 5 values · 9 functions

VALUES

CloudServiceProvider_ChatSession

raw ChatSession · arg - · ret STRING · Provides cloud service functionalities

CloudServiceProvider_GeneratedImage

raw GeneratedImage · arg - · ret BINARY · Provides cloud service functionalities

CloudServiceProvider_ImageExplanation

raw ImageExplanation · arg - · ret STRING · Provides cloud service functionalities

CloudServiceProvider_LLMModels

raw LLMModels · arg - · ret LIST · Provides cloud service functionalities

CloudServiceProvider_UploadedFile

raw UploadedFile · arg - · ret BINARY · Provides cloud service functionalities

FUNCTIONS

CloudServiceProvider_ChatWithAI

raw ChatWithAI · arg STRING · ret STRING · Provides cloud service functionalities

CloudServiceProvider_ExplainImage

raw ExplainImage · arg BINARY · ret STRING · Provides cloud service functionalities

CloudServiceProvider_GeneratImage

raw GeneratImage · arg STRING · ret BINARY · Provides cloud service functionalities

CloudServiceProvider_IsAvailable

raw IsAvailable · arg BOOL · ret BOOL · Provides cloud service functionalities

CloudServiceProvider_SaveToFile

raw SaveToFile · arg BINARY | STRING · ret STRING · Provides cloud service functionalities

CloudServiceProvider_SpeechToText

raw SpeechToText · arg STRING · ret STRING · Provides cloud service functionalities

CloudServiceProvider_TextToSpeech

raw TextToSpeech · arg STRING · ret BINARY · Provides cloud service functionalities

CloudServiceProvider_UploadFile

raw UploadFile · arg STRING · ret BINARY · Provides cloud service functionalities

CloudServiceProvider_UploadToCloudStorage

raw UploadToCloudStorage · arg STRING · ret STRING · Provides cloud service functionalities

Charger

RETRIEVED · RANK 5

4 services · 4 values · 0 functions

VALUES

Charger_ChargingState

raw ChargingState · arg - · ret ENUM · The current status of battery charging

Charger_Current

raw Current · arg - · ret DOUBLE · The current status of battery charging

Charger_Power

raw Power · arg - · ret DOUBLE · The current status of battery charging

Charger_Voltage

raw Voltage · arg - · ret DOUBLE · The current status of battery charging

FUNCTIONS

None

SoundSensor

RETRIEVED · RANK 6

1 services · 1 values · 0 functions

VALUES

SoundSensor_Sound

raw Sound · arg - · ret DOUBLE · Sound sensor device for measuring sound levels

FUNCTIONS

None

Oven

RETRIEVED · RANK 7

4 services · 1 values · 3 functions

VALUES

Oven_OvenMode

raw OvenMode · arg - · ret ENUM · Allows for the control of the oven mode

FUNCTIONS

Oven_AddMoreTime

raw AddMoreTime · arg DOUBLE · ret VOID · Allows for the control of the oven mode

Oven_SetCookingParameters

raw SetCookingParameters · arg ENUM | DOUBLE · ret VOID · Allows for the control of the oven mode

Oven_SetOvenMode

raw SetOvenMode · arg ENUM · ret VOID · Allows for the control of the oven mode

Television

RETRIEVED · RANK 8

4 services · 1 values · 3 functions

VALUES

Television_Channel

raw Channel · arg - · ret INTEGER · A television device

FUNCTIONS

Television_ChannelDown
raw ChannelDown · arg - · ret INTEGER · A television device

Television_ChannelUp
raw ChannelUp · arg - · ret INTEGER · A television device

Television_SetChannel
raw SetChannel · arg INTEGER · ret VOID · A television device

ArmRobot

RETRIEVED · RANK 9

5 services · 2 values · 3 functions

VALUES

ArmRobot_ArmRobotType
raw ArmRobotType · arg - · ret ENUM · Allows for the control of the arm robot

ArmRobot_CurrentPosition
raw CurrentPosition · arg - · ret STRING · Allows for the control of the arm robot

FUNCTIONS

ArmRobot_Hello
raw Hello · arg - · ret VOID · Allows for the control of the arm robot

ArmRobot_SendCommand
raw SendCommand · arg ENUM · ret VOID · Allows for the control of the arm robot

ArmRobot_SetPosition
raw SetPosition · arg ENUM · ret VOID · Allows for the control of the arm robot

RiceCooker

RETRIEVED · RANK 10

4 services · 1 values · 3 functions

VALUES

RiceCooker_RiceCookerMode
raw RiceCookerMode · arg - · ret ENUM · Allows for the control of the Rice Cooker

FUNCTIONS

RiceCooker_AddMoreTime
raw AddMoreTime · arg DOUBLE · ret VOID · Allows for the control of the Rice Cooker

RiceCooker_SetCookingParameters
raw SetCookingParameters · arg ENUM | DOUBLE · ret VOID · Allows for the control of the Rice Cooker

RiceCooker_SetRiceCookerMode
raw SetRiceCookerMode · arg ENUM · ret VOID · Allows for the control of the Rice Cooker

GT JOICODE

cron="" · period=0

```
menu = (#MenuProvider).menuprovider_getmenu("오늘 301동식당 점심")

(#Speaker).speaker_speak("오늘의 메뉴는 " + menu + "입니다")
```

GENERATED JOICODE

cron="" · period=0

```
menu = (#MenuProvider).menuprovider_todaymenu
(#Speaker).speaker_speak(menu)
```

FAILURE REASONS

- gt_mismatch
- gt_receiver_coverage
- gt_service_coverage
- numeric_grounding
- semantic

LINE DIFF

GT	Generated
menu = (#MenuProvider).menuprovider_getmenu("오늘 301동식당 점심")	menu = (#MenuProvider).menuprovider_todaymenu
	(#Speaker).speaker_speak(menu)
(#Speaker).speaker_speak("오늘의 메뉴는 " + menu + "입니다")	

Row 20 · Category 1

Set the hue of the light to 200 and the saturation to 50.

조명의 색조를 200, 채도는 50으로 설정해줘.

GT name: SetHueOfLightTo200				
Service list: service_list_ver2.0.1.json				
Output name: SetLightHueAndSaturation				
Retrieval cats: Light, LightSensor, ColorControl, DimmerSwitch, Humidifier, Charger, SmokeDetector, Television, Dehumidifier, PresenceVitalSensor				
DET 61.3545	PASS No	GT EXACT No	SIMILARITY 0.6138	GT SERVICE COV. 0.0000
RECEIVER COV. 0.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 20609
COMPLETION TOKENS 53	TOTAL TOKENS 20662	LLM LATENCY 3.804s	PIPELINE 4.798s	TOK/S 5431.7937
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE retrieval premapping	SNIPPET SOURCE service_retrieval_fallback	RETRIEVAL used	CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10	INJECTED CATEGORIES 10
--------------------------------------	--	-------------------	------------------------	-----------------------	---------------------------

Light

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

LightSensor

RETRIEVED · RANK 2

1 services · 1 values · 0 functions

VALUES

LightSensor_Brightness

raw Brightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

None

ColorControl

RETRIEVED · RANK 3

2 services · 1 values · 1 functions

VALUES

ColorControl_Color

raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor

raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

DimmerSwitch

RETRIEVED · RANK 4

4 services · 4 values · 0 functions

VALUES

DimmerSwitch_Button1

raw Button1 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

DimmerSwitch_Button2

raw Button2 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

DimmerSwitch_Button3

raw Button3 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

DimmerSwitch_Button4

raw Button4 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

FUNCTIONS

None

Humidifier

RETRIEVED · RANK 5

2 services · 1 values · 1 functions

VALUES

Humidifier_HumidifierMode

raw HumidifierMode · arg - · ret ENUM · Maintains and sets the state of an humidifier

FUNCTIONS

Humidifier_SetHumidifierMode

raw SetHumidifierMode · arg ENUM · ret VOID · Maintains and sets the state of an humidifier

Charger

RETRIEVED · RANK 6

4 services · 4 values · 0 functions

VALUES

Charger_ChargingState

raw ChargingState · arg - · ret ENUM · The current status of battery charging

Charger_Current

raw Current · arg - · ret DOUBLE · The current status of battery charging

Charger_Power

raw Power · arg - · ret DOUBLE · The current status of battery charging

Charger_Voltage

raw Voltage · arg - · ret DOUBLE · The current status of battery charging

FUNCTIONS

None

SmokeDetector

RETRIEVED · RANK 7

1 services · 1 values · 0 functions

VALUES

SmokeDetector_Smoke

raw Smoke · arg - · ret BOOL · A Device that detects smoke

FUNCTIONS

None

Television

RETRIEVED · RANK 8

4 services · 1 values · 3 functions

VALUES

Television_Channel

raw Channel · arg - · ret INTEGER · A television device

FUNCTIONS

Television_ChannelDown

raw ChannelDown · arg - · ret INTEGER · A television device

Television_ChannelUp

raw ChannelUp · arg - · ret INTEGER · A television device

Television_SetChannel

raw SetChannel · arg INTEGER · ret VOID · A television device

Dehumidifier

RETRIEVED · RANK 9

2 services · 1 values · 1 functions

VALUES

Dehumidifier_DehumidifierMode

raw DehumidifierMode · arg - · ret ENUM · Allows for the control of the dehumidifier mode

FUNCTIONS

Dehumidifier_SetDehumidifierMode

raw SetDehumidifierMode · arg ENUM · ret VOID · Allows for the control of the dehumidifier mode

PresenceVitalSensor

RETRIEVED · RANK 10

7 services · 7 values · 0 functions

VALUES

PresenceVitalSensor_Awakeness

raw Awakeness · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_Distance

raw Distance · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_DwellTime

raw DwellTime · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_HeartRate

raw HeartRate · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_MovementIndex

raw MovementIndex · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_Presence

raw Presence · arg - · ret BOOL · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_RespiratoryRate

raw RespiratoryRate · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

FUNCTIONS

None

GT JOICODE

cron="" · period=0

(#Light).light_movetohueandsaturation(200, 50)

GENERATED JOICODE

cron="" · period=0

(#Light).light_movetohue(200)
(#Light).light_movetosaturation(50)

FAILURE REASONS

gt_mismatch

gt_receiver_coverage

gt_service_coverage

LINE DIFF

GT	Generated
(#Light).light_movetohueandsaturation(200, 50)	(#Light).light_movetohue(200)
	(#Light).light_movetosaturation(50)

Generated from /home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_by_category_manual_20260506/retrieval_gpt41_mini_cat1/row_comparison.csv. PDF export uses headless Chrome when available.