

JOIcode Side-by-Side Report · gpt41_mini

Side-by-side GT vs Generated JOIcode report for **gpt41_mini**. This report is rendered from row-level benchmark outputs and is print-friendly for PDF export.

ROWS 2	AVG DET 69.9000	DET PASS 0.0%	GT EXACT 0.0%	AVG PROMPT TOKENS 18194.0
AVG COMPLETION TOKENS 41.0	AVG LLM LATENCY 1.650s	P50 LLM LATENCY 1.650s	PEAK VRAM 0.000 GB	OOM COUNT 0

RUN METADATA

Results Dir	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_blocks_equivalence_20260508/retrieval_gpt41_mini_cat1
Output Dir	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_blocks_equivalence_20260508/retrieval_gpt41_mini_cat1/side_by_side_report_gpt41_mini_failures_only
Suite	paper_with_cloud_ref
Genome	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/genomes/example_genome.json
Created At	2026-05-08T14:22:50.693573
Categories	1
Limit/Category	-
Rows	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30

TOP FAILURE REASONS

- gt_mismatch
- numeric_grounding
- extraneous
- gt_receiver_coverage
- gt_service_coverage

MODEL RUNTIME SNAPSHOT

MODEL GPT-4.1-mini	RESOLVED MODEL -	WORKER PYTHON -	SERVICE LIST service_list_ver2.0.1.json	CANDIDATE K 1
REPAIR ATTEMPTS 0	DET PROFILE openai			

ROW DETAILS

Row 2 · Category 1

Add 5 minutes to the oven.

오븐의 작동 시간을 5분 늘려줘.

GT name: Add5MinutesToOven				
Service list: service_list_ver2.0.1.json				
Output name: Add5MinutesToOven				
Retrieval cats: Oven, RiceCooker, ArmRobot, MenuProvider, Button, Dishwasher, Door, Television, SmokeDetector, LaundryDryer				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.9679	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 0.0000	ENUM 1.0000	PROMPT TOKENS 17973
COMPLETION TOKENS 30	TOTAL TOKENS 18003	LLM LATENCY 1.245s	PIPELINE 2.223s	TOK/S 14462.5643
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE retrieval premapping	SNIPPET SOURCE service_retrieval_fallback	RETRIEVAL used	CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10	INJECTED CATEGORIES 10
--------------------------------------	--	-------------------	------------------------	-----------------------	---------------------------

Oven

RETRIEVED · RANK 1

4 services · 1 values · 3 functions

VALUES

Oven_OvenMode

raw OvenMode · arg - · ret ENUM · Allows for the control of the oven mode

FUNCTIONS

Oven_AddMoreTime

raw AddMoreTime · arg DOUBLE · ret VOID · Allows for the control of the oven mode

Oven_SetCookingParameters

raw SetCookingParameters · arg ENUM | DOUBLE · ret VOID · Allows for the control of the oven mode

Oven_SetOvenMode

raw SetOvenMode · arg ENUM · ret VOID · Allows for the control of the oven mode

RiceCooker

RETRIEVED · RANK 2

4 services · 1 values · 3 functions

VALUES

RiceCooker_RiceCookerMode

raw RiceCookerMode · arg - · ret ENUM · Allows for the control of the Rice Cooker

FUNCTIONS

RiceCooker_AddMoreTime

raw AddMoreTime · arg DOUBLE · ret VOID · Allows for the control of the Rice Cooker

RiceCooker_SetCookingParameters

raw SetCookingParameters · arg ENUM | DOUBLE · ret VOID · Allows for the control of the Rice Cooker

RiceCooker_SetRiceCookerMode

raw SetRiceCookerMode · arg ENUM · ret VOID · Allows for the control of the Rice Cooker

ArmRobot

RETRIEVED · RANK 3

5 services · 2 values · 3 functions

VALUES

ArmRobot_ArmRobotType

raw ArmRobotType · arg - · ret ENUM · Allows for the control of the arm robot

ArmRobot_CurrentPosition

raw CurrentPosition · arg - · ret STRING · Allows for the control of the arm robot

FUNCTIONS

ArmRobot_Hello

raw Hello · arg - · ret VOID · Allows for the control of the arm robot

ArmRobot_SendCommand

raw SendCommand · arg ENUM · ret VOID · Allows for the control of the arm robot

ArmRobot_SetPosition

raw SetPosition · arg ENUM · ret VOID · Allows for the control of the arm robot

MenuProvider

RETRIEVED · RANK 4

4 services · 3 values · 1 functions

VALUES

MenuProvider_Menu

raw Menu · arg - · ret STRING · Provides menu information services

MenuProvider_TodayMenu

raw TodayMenu · arg - · ret STRING · Provides menu information services

MenuProvider_TodayPlace

raw TodayPlace · arg - · ret STRING · Provides menu information services

FUNCTIONS

MenuProvider_GetMenu

raw GetMenu · arg STRING · ret STRING · Provides menu information services

Button

RETRIEVED · RANK 5

1 services · 1 values · 0 functions

VALUES

Button_Button

raw Button · arg - · ret ENUM · A device with one or more buttons

FUNCTIONS

None

Dishwasher

RETRIEVED · RANK 6

2 services · 1 values · 1 functions

VALUES

Dishwasher_DishwasherMode

raw DishwasherMode · arg - · ret ENUM · Allows for the control of the dishwasher mode

FUNCTIONS

Dishwasher_SetDishwasherMode

raw SetDishwasherMode · arg ENUM · ret VOID · Allows for the control of the dishwasher mode

Door

RETRIEVED · RANK 7

3 services · 1 values · 2 functions

VALUES

Door_DoorState

raw DoorState · arg - · ret ENUM · Allow for the control of a door

FUNCTIONS

Door_Close

raw Close · arg - · ret VOID · Allow for the control of a door

Door_Open

raw Open · arg - · ret VOID · Allow for the control of a door

Television

RETRIEVED · RANK 8

4 services · 1 values · 3 functions

VALUES

Television_Channel

raw Channel · arg - · ret INTEGER · A television device

FUNCTIONS

Television_ChannelDown
raw ChannelDown · arg - · ret INTEGER · A television device

Television_ChannelUp
raw ChannelUp · arg - · ret INTEGER · A television device

Television_SetChannel
raw SetChannel · arg INTEGER · ret VOID · A television device

SmokeDetector

1 services · 1 values · 0 functions

RETRIEVED · RANK 9

VALUES

SmokeDetector_Smoke
raw Smoke · arg - · ret BOOL · A Device that detects smoke

FUNCTIONS

None

LaundryDryer

4 services · 2 values · 2 functions

RETRIEVED · RANK 10

VALUES

LaundryDryer_LaundryDryerMode
raw LaundryDryerMode · arg - · ret ENUM · Allows for the control of the laundry dryer mode

LaundryDryer_SpinSpeed
raw SpinSpeed · arg - · ret INTEGER · Allows for the control of the laundry dryer mode

FUNCTIONS

LaundryDryer_SetLaundryDryerMode
raw SetLaundryDryerMode · arg ENUM · ret VOID · Allows for the control of the laundry dryer mode

LaundryDryer_SetSpinSpeed
raw SetSpinSpeed · arg INTEGER · ret VOID · Allows for the control of the laundry dryer mode

GT JOICODE

cron="" · period=0

(#Oven).oven_addmoretime(300)

GENERATED JOICODE

cron="" · period=0

(#Oven).oven_addmoretime(5)

FAILURE REASONS

- gt_mismatch
- numeric_grounding

LINE DIFF

GT	Generated
(#0ven).oven_addmoretime(300)	(#0ven).oven_addmoretime(5)

Row 13 · Category 1

Announce the fine dust level through the speaker.

미세먼지 농도를 스피커로 알려줘.

GT name: AnnounceFineDustLevelThroughSpeaker				
Service list: service_list_ver2.0.1.json				
Output name: AnnounceFineDustLevel				
Retrieval cats: Speaker, AirQualitySensor, SmokeDetector, AirPurifier, SoundSensor, WeatherProvider, Siren, AudioRecorder, CarbonDioxideSensor, RobotVacuumCleaner				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.6422	GT SERVICE COV. 0.5000
RECEIVER COV. 0.5000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 18415
COMPLETION TOKENS 52	TOTAL TOKENS 18467	LLM LATENCY 2.055s	PIPELINE 3.039s	TOK/S 8984.1888
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE retrieval premapping	SNIPPET SOURCE service_retrieval_fallba ck	RETRIEVAL used	CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10	INJECTED CATEGORIES 10
--------------------------------------	--	-------------------	------------------------	-----------------------	---------------------------

Speaker

RETRIEVED · RANK 1

11 services · 2 values · 9 functions

VALUES

Speaker_PlaybackState

raw PlaybackState · arg - · ret ENUM · Speaker device for audio playback and media control

Speaker_Volume

raw Volume · arg - · ret INTEGER · Speaker device for audio playback and media control

FUNCTIONS

Speaker_FastForward

raw FastForward · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Pause

raw Pause · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Play

raw Play · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Rewind

raw Rewind · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_SetVolume

raw SetVolume · arg INTEGER · ret INTEGER · Speaker device for audio playback and media control

Speaker_Speak

raw Speak · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Stop

raw Stop · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_VolumeDown

raw VolumeDown · arg - · ret INTEGER · Speaker device for audio playback and media control

Speaker_VolumeUp

raw VolumeUp · arg - · ret INTEGER · Speaker device for audio playback and media control

AirQualitySensor

RETRIEVED · RANK 2

7 services · 7 values · 0 functions

VALUES

AirQualitySensor_CarbonDioxide

raw CarbonDioxide · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_DustLevel

raw DustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_FineDustLevel

raw FineDustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_Humidity

raw Humidity · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_Temperature

raw Temperature · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_TvocLevel

raw TvocLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_VeryFineDustLevel

raw VeryFineDustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

FUNCTIONS

None

SmokeDetector

RETRIEVED · RANK 3

1 services · 1 values · 0 functions

VALUES

SmokeDetector_Smoke

raw Smoke · arg - · ret BOOL · A Device that detects smoke

FUNCTIONS

None

AirPurifier

RETRIEVED · RANK 4

2 services · 1 values · 1 functions

VALUES

AirPurifier_AirPurifierMode

raw AirPurifierMode · arg - · ret ENUM · Controls air purifier mode

FUNCTIONS

AirPurifier_SetAirPurifierMode

raw SetAirPurifierMode · arg ENUM · ret VOID · Controls air purifier mode

SoundSensor

RETRIEVED · RANK 5

1 services · 1 values · 0 functions

VALUES

SoundSensor_Sound

raw Sound · arg - · ret DOUBLE · Sound sensor device for measuring sound levels

FUNCTIONS

None

WeatherProvider

RETRIEVED · RANK 6

7 services · 6 values · 1 functions

VALUES

WeatherProvider_HumidityWeather

raw HumidityWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Pm10Weather

raw Pm10Weather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Pm25Weather

raw Pm25Weather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_PressureWeather

raw PressureWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_TemperatureWeather

raw TemperatureWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Weather

raw Weather · arg - · ret ENUM · Provides weather information

FUNCTIONS

WeatherProvider_GetWeatherInfo

raw GetWeatherInfo · arg DOUBLE | DOUBLE · ret STRING · Provides weather information

Siren

RETRIEVED · RANK 7

2 services · 1 values · 1 functions

VALUES

Siren_SirenMode

raw SirenMode · arg - · ret ENUM · Allows for the control of the Siren

FUNCTIONS

Siren_SetSirenMode

raw SetSirenMode · arg ENUM · ret VOID · Allows for the control of the Siren

AudioRecorder

RETRIEVED · RANK 8

5 services · 2 values · 3 functions

VALUES

AudioRecorder_AudioFile

raw AudioFile · arg - · ret BINARY · Record audio

AudioRecorder_RecordStatus

raw RecordStatus · arg - · ret ENUM · Record audio

FUNCTIONS

AudioRecorder_RecordStart

raw RecordStart · arg - · ret VOID · Record audio

AudioRecorder_RecordStop

raw RecordStop · arg BINARY · ret VOID · Record audio

AudioRecorder_RecordWithDuration

raw RecordWithDuration · arg STRING | DOUBLE · ret BINARY · Record audio

CarbonDioxideSensor

RETRIEVED · RANK 9

1 services · 1 values · 0 functions

VALUES

CarbonDioxideSensor_CarbonDioxide

raw CarbonDioxide · arg - · ret DOUBLE · Measure carbon dioxide levels

FUNCTIONS

None

RobotVacuumCleaner

RETRIEVED · RANK 10

2 services · 1 values · 1 functions

VALUES

RobotVacuumCleaner_RobotVacuumCleanerMode

raw RobotVacuumCleanerMode · arg - · ret ENUM · Allows for the control of the robot cleaner cleaning mode

FUNCTIONS

RobotVacuumCleaner_SetRobotVacuumCleanerModeMode

raw SetRobotVacuumCleanerModeMode · arg ENUM · ret VOID · Allows for the control of the robot cleaner cleaning mode

GT JOICODE

cron="" · period=0

dust = (#AirQualitySensor).airqualitysensor_dustlevel

(#Speaker).speaker_speak("미세먼지 농도는 " + dust + "입니다")

GENERATED JOICODE

cron="" · period=0

level = (#WeatherProvider).weatherprovider_pm10weather
(#Speaker).speaker_speak("현재 미세먼지 농도는 " + level + "입니다")

FAILURE REASONS

- extraneous
- gt_mismatch
- gt_receiver_coverage
- gt_service_coverage

LINE DIFF

GT	Generated
dust = (#AirQualitySensor).airqualitysensor_dustlevel	level = (#WeatherProvider).weatherprovider_pm10weather
	(#Speaker).speaker_speak("현재 미세먼지 농도는 " + level + "입니다")
(#Speaker).speaker_speak("미세먼지 농도는 " + dust + "입니다")	

Generated from /home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_blocks_equivalence_20260508/retrieval_gpt41_mini_cat1/row_comparison.csv. PDF export uses headless Chrome when available.