

JOIcode Side-by-Side Report · gpt41_mini

Side-by-side GT vs Generated JOIcode report for **gpt41_mini**. This report is rendered from row-level benchmark outputs and is print-friendly for PDF export.

ROWS 30	AVG DET 99.3643	DET PASS 100.0%	GT EXACT 86.7%	AVG PROMPT TOKENS 14193.9
AVG COMPLETION TOKENS 37.7	AVG LLM LATENCY 2.293s	P50 LLM LATENCY 1.927s	PEAK VRAM 0.000 GB	OOM COUNT 0

RUN METADATA

Results	/home/mgjeong/Desktop/llm/JOILang-
Dir	Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_blocks_equivalence_20260508/retrieval_gpt41_mini_cat2
Output	/home/mgjeong/Desktop/llm/JOILang-
Dir	Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_blocks_equivalence_20260508/retrieval_gpt41_mini_cat2/side_by_side_report_gpt41_mini
Suite	paper_with_cloud_ref
Genome	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/genomes/example_genome.json
Created At	2026-05-08T14:24:29.683876
Categories	2
Limit/Category	-
Rows	31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60

TOP FAILURE REASONS	
gt_mismatch	4
numeric_grounding	1
semantic	1

CONTE
connecte
Category

MODEL RUNTIME SNAPSHOT

MODEL GPT-4.1-mini	RESOLVED MODEL -	WORKER PYTHON -	SERVICE LIST service_list_ver2.0.1.json	CANDIDATE K 1
REPAIR ATTEMPTS 0	DET PROFILE openai			

ROW DETAILS

Row 31 · Category 2

Set the living room light to yellow.

거실 조명을 노란색으로 설정해줘.

GT name: SetLivingRoomLightToYellow				
Service list: service_list_ver2.0.1.json				
Output name: SetLivingRoomLightToYellow				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 15368
COMPLETION TOKENS 37	TOTAL TOKENS 15405	LLM LATENCY 1.910s	PIPELINE 1.930s	TOK/S 8063.7563
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 2 connected-device category group(s) were injected.

CONTEXT MODE
connected_devices scope

SNIPPET SOURCE
connected_devices_only

RETRIEVAL
skipped_connected_devices_present

CONFIGURED TOP-K
10

EFFECTIVE TOP-K
-

INJECTED CATEGORIES
2

Light

15 services · 8 values · 7 functions

CONNECTED

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

file:///home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_blocks_equivalence_20260508/retrieval_gpt41_mini_cat2/side_by_side... 2/69

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

ColorControl

2 services · 1 values · 1 functions

CONNECTED

VALUES

ColorControl_Color

raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor

raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

GT JOICODE

cron="" · period=0

(#LivingRoom #Light).colorcontrol_setcolor("255,255,0")

GENERATED JOICODE

cron="" · period=0

(#LivingRoom #Light).light_movetorgb(255,255,0)

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#LivingRoom #Light).colorcontrol_setcolor("255,255,0")	(#LivingRoom #Light).light_movetorgb(255,255,0)

Row 32 · Category 2

Capture an image of the meeting room with the camera.

카메라로 회의실 사진을 촬영해줘.

GT name: CaptureImageOfMeetingRoomWithCamera				
Service list: service_list_ver2.0.1.json				
Output name: CaptureMeetingRoomImage				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 12743
COMPLETION TOKENS 27	TOTAL TOKENS 12770	LLM LATENCY 1.111s	PIPELINE 1.123s	TOK/S 11495.1841
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Camera

8 services · 4 values · 4 functions

CONNECTED

VALUES

Camera_CameraState

raw CameraState · arg - · ret ENUM · Controls camera device for image/video capture and streaming

Camera_Image

raw Image · arg - · ret BINARY · Controls camera device for image/video capture and streaming

Camera_Stream

raw Stream · arg - · ret STRING · Controls camera device for image/video capture and streaming

Camera_Video

raw Video · arg - · ret BINARY · Controls camera device for image/video capture and streaming

FUNCTIONS

Camera_CaptureImage

raw CaptureImage · arg - · ret BINARY · Controls camera device for image/video capture and streaming

Camera_CaptureVideo

raw CaptureVideo · arg - · ret BINARY · Controls camera device for image/video capture and streaming

Camera_StartStream

raw StartStream · arg - · ret STRING · Controls camera device for image/video capture and streaming

Camera_StopStream

raw StopStream · arg - · ret VOID · Controls camera device for image/video capture and streaming

GT JOICODE

cron="" · period=0

(#MeetingRoom #Camera).camera_captureimage()

GENERATED JOICODE

cron="" · period=0

(#MeetingRoom #Camera).camera_captureimage()

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#MeetingRoom #Camera).camera_captureimage()	(#MeetingRoom #Camera).camera_captureimage()

Row 33 · Category 2

Set the brightness of the living room light to 80%.

거실 조명의 밝기를 80%로 설정해줘.

GT name: SetBrightnessOfLivingRoomLightTo80				
Service list: service_list_ver2.0.1.json				
Output name: SetLivingRoomLightBrightness80				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 14618
COMPLETION TOKENS 36	TOTAL TOKENS 14654	LLM LATENCY 1.481s	PIPELINE 1.492s	TOK/S 9894.6658
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

CONNECTED

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

GT JOICODE

cron="" · period=0

(#LivingRoom #Light).light_movetobrightness(80, 0)

GENERATED JOICODE

cron="" · period=0

(#LivingRoom #Light).light_movetobrightness(80, 0)

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#LivingRoom #Light).light_movetobrightness(80, 0)	(#LivingRoom #Light).light_movetobrightness(80, 0)

Row 34 · Category 2

Set all dehumidifiers in the lab to AI drying mode.

연구실 제습기를 모두 AI건조모드로 설정해줘.

GT name: SetAllDehumidifiersInLabToAIDryingMode				
Service list: service_list_ver2.0.1.json				
Output name: SetAllLabDehumidifiersToAIDrying				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 12588
COMPLETION TOKENS 44	TOTAL TOKENS 12632	LLM LATENCY 1.695s	PIPELINE 1.704s	TOK/S 7454.2665
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Dehumidifier

2 services · 1 values · 1 functions

CONNECTED

VALUES

Dehumidifier_DehumidifierMode
raw DehumidifierMode · arg - · ret ENUM · Allows for the control of the dehumidifier mode

FUNCTIONS

Dehumidifier_SetDehumidifierMode
raw SetDehumidifierMode · arg ENUM · ret VOID · Allows for the control of the dehumidifier mode

GT JOICODE

cron="" · period=0

```
all(#Lab #Dehumidifier).dehumidifier_setdehumidifiermode("AIDrying")
```

GENERATED JOICODE

cron="" · period=0

```
all(#Lab #Dehumidifier).dehumidifier_setdehumidifiermode("AIDrying")
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Lab #Dehumidifier).dehumidifier_setdehumidifiermode("AIDrying ")	all(#Lab #Dehumidifier).dehumidifier_setdehumidifiermode("AIDrying ")

Row 35 · Category 2

Set the hue of the living room light to 240 and the saturation to 80.

거실 조명의 색조는 240, 채도는 80으로 맞춰줘.

GT name: SetHueOfLivingRoomLightTo240				
Service list: service_list_ver2.0.1.json				
Output name: SetLivingRoomLightHueSaturation				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 14630
COMPLETION TOKENS 39	TOTAL TOKENS 14669	LLM LATENCY 1.567s	PIPELINE 1.578s	TOK/S 9358.8108
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

CONNECTED

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

GT JOICODE

cron="" · period=0

(#LivingRoom #Light).light_movetohueandsaturation(240, 80)

GENERATED JOICODE

cron="" · period=0

(#LivingRoom #Light).light_movetohueandsaturation(240, 80)

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#LivingRoom #Light).light_movetohueandsaturation(240, 80)	(#LivingRoom #Light).light_movetohueandsaturation(240, 80)

Row 36 · Category 2

Set all robot vacuum cleaners with even tags to auto mode.

짝수 태그 로봇 청소기를 모두 자동 모드로 설정해줘.

GT name: SetAllRobotVacuumCleanersWithEvenTagsToAuto				
Service list: service_list_ver2.0.1.json				
Output name: SetAllEvenRobotVacuumCleanersToAutoMode				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 11936
COMPLETION TOKENS 49	TOTAL TOKENS 11985	LLM LATENCY 3.044s	PIPELINE 3.052s	TOK/S 3937.5123
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

RobotVacuumCleaner

2 services · 1 values · 1 functions

VALUES

RobotVacuumCleaner_RobotVacuumCleanerMode
raw RobotVacuumCleanerMode · arg - · ret ENUM · Allows for the control of the robot cleaner cleaning mode

FUNCTIONS

RobotVacuumCleaner_SetRobotVacuumCleanerModeMode
raw SetRobotVacuumCleanerModeMode · arg ENUM · ret VOID · Allows for the control of the robot cleaner cleaning mode

CONNECTED

GT JOICODE

cron="" · period=0

```
all(#Even #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode("auto")
```

GENERATED JOICODE

cron="" · period=0

```
all(#Even #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode("auto")
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Even #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcle anermodemode("auto")	all(#Even #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcle anermodemode("auto")

Row 37 · Category 2

Lock all door locks.

모든 도어락을 잠궜줘.

GT name: LockAllDoorLocks				
Service list: service_list_ver2.0.1.json				
Output name: LockAllDoorLocks				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 11856
COMPLETION TOKENS 26	TOTAL TOKENS 11882	LLM LATENCY 1.331s	PIPELINE 1.339s	TOK/S 8926.4518
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

raw Unlock · arg - · ret VOID · Allow for the control of a door lock

GT JOICODE

cron="" · period=0

```
all(#DoorLock).doorlock_lock()
```

GENERATED JOICODE

cron="" · period=0

```
all(#DoorLock).doorlock_lock()
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#DoorLock).doorlock_lock()	all(#DoorLock).doorlock_lock()

Row 38 · Category 2

Set the target temperature of the air conditioner in Sector1 to 18 degrees.

구역1의 에어컨의 목표 온도를 18도로 설정해줘.

GT name: SetTargetTemperatureOfAirConditionerInSector1				
Service list: service_list_ver2.0.1.json				
Output name: SetSector1AirConditionerTemp18				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 12192
COMPLETION TOKENS 38	TOTAL TOKENS 12230	LLM LATENCY 2.449s	PIPELINE 2.458s	TOK/S 4994.0790
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

AirConditioner

4 services · 2 values · 2 functions

CONNECTED

VALUES

AirConditioner_AirConditionerMode

raw AirConditionerMode · arg - · ret ENUM · Controls air conditioner mode and temperature settings

AirConditioner_TargetTemperature

raw TargetTemperature · arg - · ret DOUBLE · Controls air conditioner mode and temperature settings

FUNCTIONS

AirConditioner_SetAirConditionerMode

raw SetAirConditionerMode · arg ENUM · ret VOID · Controls air conditioner mode and temperature settings

AirConditioner_SetTargetTemperature

raw SetTargetTemperature · arg DOUBLE · ret VOID · Controls air conditioner mode and temperature settings

GT JOICODE

cron="" · period=0

```
(#Sector1 #AirConditioner).airconditioner_settargettemperature(18)
```

GENERATED JOICODE

cron="" · period=0

```
(#Sector1 #AirConditioner).airconditioner_settargettemperature(18)
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#Sector1 #AirConditioner).airconditioner_settargettemperature(18)	(#Sector1 #AirConditioner).airconditioner_settargettemperature(18)

Row 39 · Category 2

Change the air purifier in the bedroom to sleep mode.

안방의 공기청정기를 수면모드로 바꿔줘.

GT name: ChangeAirPurifierInBedroomToSleepMode				
Service list: service_list_ver2.0.1.json				
Output name: SetBedroomAirPurifierToSleepMode				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 11812
COMPLETION TOKENS 39	TOTAL TOKENS 11851	LLM LATENCY 1.252s	PIPELINE 1.260s	TOK/S 9464.1431
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

AirPurifier

2 services · 1 values · 1 functions

VALUES

AirPurifier_AirPurifierMode
raw AirPurifierMode · arg - · ret ENUM · Controls air purifier mode

FUNCTIONS

AirPurifier_SetAirPurifierMode
raw SetAirPurifierMode · arg ENUM · ret VOID · Controls air purifier mode

CONNECTED

GT JOICODE

cron="" · period=0

```
(#Bedroom #AirPurifier).airpurifier_setairpurifiermode("sleep")
```

GENERATED JOICODE

cron="" · period=0

```
(#Bedroom #AirPurifier).airpurifier_setairpurifiermode("sleep")
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#Bedroom #AirPurifier).airpurifier_setairpurifiermode("sleep")	(#Bedroom #AirPurifier).airpurifier_setairpurifiermode("sleep")

Row 40 · Category 2

Close all valves in the kitchen.

주방의 모든 밸브를 닫아줘.

GT name: CloseAllValvesInKitchen				
Service list: service_list_ver2.0.1.json				
Output name: CloseAllKitchenValves				
Retrieval cats: not used (connected_devices scope)				
DET 95.8917	PASS Yes	GT EXACT No	SIMILARITY 0.6583	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 12310
COMPLETION TOKENS 41	TOTAL TOKENS 12351	LLM LATENCY 4.270s	PIPELINE 4.279s	TOK/S 2892.3026
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

raw Open · arg - · ret VOID · Controls a valve to open or close it

GT JOICODE

cron="" · period=0

```
all(#Kitchen #Valve).valve_close()
```

GENERATED JOICODE

cron="" · period=0

```
(#Kitchen #Gas #Valve).valve_close()
(#Kitchen #Water #Valve).valve_close()
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
all(#Kitchen #Valve).valve_close()	(#Kitchen #Gas #Valve).valve_close()
	(#Kitchen #Water #Valve).valve_close()

Row 41 · Category 2

Open all safes.

모든 금고를 열어줘.

GT name: OpenAllSafes				
Service list: service_list_ver2.0.1.json				
Output name: UnlockAllSafes				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 11793
COMPLETION TOKENS 24	TOTAL TOKENS 11817	LLM LATENCY 4.021s	PIPELINE 4.029s	TOK/S 2938.9674
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Safe

3 services · 1 values · 2 functions

CONNECTED

VALUES

Safe_SafeState
raw SafeState · arg - · ret ENUM · Allows for the control of the Safe

FUNCTIONS

Safe_Lock
raw Lock · arg - · ret VOID · Allows for the control of the Safe

Safe_Unlock

raw Unlock · arg - · ret VOID · Allows for the control of the Safe

GT JOICODE

cron="" · period=0

```
all(#Safe).safe_unlock()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Safe).safe_unlock()
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Safe).safe_unlock()	all(#Safe).safe_unlock()

Row 42 · Category 2

Record for 10 seconds with the meeting room recorder and save it as test.wav.

회의실 녹음기로 10초 동안 녹음해서 test.wav로 저장해줘.

GT name: RecordFor10SecondsWithMeetingRoomRecorder				
Service list: service_list_ver2.0.1.json				
Output name: RecordMeetingRoomAudio10Seconds				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 12303
COMPLETION TOKENS 40	TOTAL TOKENS 12343	LLM LATENCY 3.138s	PIPELINE 3.147s	TOK/S 3932.8957
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

AudioRecorder

CONNECTED

5 services · 2 values · 3 functions

VALUES

AudioRecorder_AudioFile

raw AudioFile · arg - · ret BINARY · Record audio

AudioRecorder_RecordStatus

raw RecordStatus · arg - · ret ENUM · Record audio

FUNCTIONS

AudioRecorder_RecordStart

raw RecordStart · arg - · ret VOID · Record audio

AudioRecorder_RecordStop

raw RecordStop · arg BINARY · ret VOID · Record audio

AudioRecorder_RecordWithDuration

raw RecordWithDuration · arg STRING | DOUBLE · ret BINARY · Record audio

GT JOICODE

cron="" · period=0

```
(#MeetingRoom #AudioRecorder).audiorecorder_recordwithduration("test.wav", 10)
```

GENERATED JOICODE

cron="" · period=0

```
(#MeetingRoom #AudioRecorder).audiorecorder_recordwithduration("test.wav", 10)
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#MeetingRoom #AudioRecorder).audiorecorder_recordwithduration("test.wa v", 10)	(#MeetingRoom #AudioRecorder).audiorecorder_recordwithduration("test.wa v", 10)

Row 43 · Category 2

Sound a fire siren on the farm.

사이렌으로 농장에 화재경보를 올려줘.

GT name: SoundFireSirenOnFarm				
Service list: service_list_ver2.0.1.json				
Output name: SoundFireSirenOnFarm				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 11742
COMPLETION TOKENS 33	TOTAL TOKENS 11775	LLM LATENCY 1.292s	PIPELINE 1.300s	TOK/S 9112.3665
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Siren

2 services · 1 values · 1 functions

CONNECTED

VALUES

Siren_SirenMode
raw SirenMode · arg - · ret ENUM · Allows for the control of the Siren

FUNCTIONS

Siren_SetSirenMode
raw SetSirenMode · arg ENUM · ret VOID · Allows for the control of the Siren

GT JOICODE

cron="" · period=0

```
(#Farm #Siren).siren_setsirenmode("fire")
```

GENERATED JOICODE

cron="" · period=0

```
(#Farm #Siren).siren_setsirenmode("fire")
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#Farm #Siren).siren_setsirenmode("fire")	(#Farm #Siren).siren_setsirenmode("fire")

Row 44 · Category 2

Play the "Golden.mp3" file through the speaker in the playroom.

놀이방의 스피커로 "Golden.mp3" 파일을 재생해줘.

GT name: PlayGoldenMp3FileThroughSpeakerIn				
Service list: service_list_ver2.0.1.json				
Output name: PlayGoldenMp3InPlayroom				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 13398
COMPLETION TOKENS 33	TOTAL TOKENS 13431	LLM LATENCY 1.192s	PIPELINE 1.202s	TOK/S 11262.8931
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Speaker

CONNECTED

11 services · 2 values · 9 functions

VALUES

Speaker_PlaybackState raw PlaybackState · arg - · ret ENUM · Speaker device for audio playback and media control
Speaker_Volume raw Volume · arg - · ret INTEGER · Speaker device for audio playback and media control

FUNCTIONS

Speaker_FastForward

raw FastForward · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Pause

raw Pause · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Play

raw Play · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Rewind

raw Rewind · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_SetVolume

raw SetVolume · arg INTEGER · ret INTEGER · Speaker device for audio playback and media control

Speaker_Speak

raw Speak · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Stop

raw Stop · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_VolumeDown

raw VolumeDown · arg - · ret INTEGER · Speaker device for audio playback and media control

Speaker_VolumeUp

raw VolumeUp · arg - · ret INTEGER · Speaker device for audio playback and media control

GT JOICODE

cron="" · period=0

```
(#Playroom #Speaker).speaker_play("Golden.mp3")
```

GENERATED JOICODE

cron="" · period=0

```
(#Playroom #Speaker).speaker_play("Golden.mp3")
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#Playroom #Speaker).speaker_play("Golden.mp3")	(#Playroom #Speaker).speaker_play("Golden.mp3")

Row 45 · Category 2

Turn off all lights in the bedroom.

안방 조명을 모두 꺼줘.

GT name: TurnOffAllLightsInBedroom				
Service list: service_list_ver2.0.1.json				
Output name: TurnOffAllBedroomLights				
Retrieval cats: not used (connected_devices scope)				
DET 95.7649	PASS Yes	GT EXACT No	SIMILARITY 0.9530	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 15583
COMPLETION TOKENS 27	TOTAL TOKENS 15610	LLM LATENCY 1.191s	PIPELINE 1.202s	TOK/S 13104.4325
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 2 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 2
---	--	--	------------------------	----------------------	--------------------------

Light

CONNECTED

15 services · 8 values · 7 functions

VALUES

Light_ColorMode raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity
Light_CurrentBrightness raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity
Light_CurrentColorTemperature raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

```
all(#Bedroom #Light).switch_off()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Bedroom #Switch).switch_off()
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
all(#Bedroom #Light).switch_off()	all(#Bedroom #Switch).switch_off()

Row 46 · Category 2

Close all windows in the living room.

거실에 있는 창문을 모두 닫아줘.

GT name: CloseAllWindowsInLivingRoom				
Service list: service_list_ver2.0.1.json				
Output name: CloseAllWindowsInLivingRoom				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 13553
COMPLETION TOKENS 37	TOTAL TOKENS 13590	LLM LATENCY 2.272s	PIPELINE 2.284s	TOK/S 5980.4612
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

WindowCovering

CONNECTED

6 services · 2 values · 4 functions

VALUES

WindowCovering_CurrentPosition

raw CurrentPosition · arg - · ret INTEGER · Controls a window covering to open or close it

WindowCovering_WindowCoveringType

raw WindowCoveringType · arg - · ret ENUM · Controls a window covering to open or close it

FUNCTIONS

WindowCovering_DownOrClose

raw DownOrClose · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_SetLevel

raw SetLevel · arg INTEGER · ret INTEGER · Controls a window covering to open or close it

WindowCovering_Stop

raw Stop · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_UpOrOpen

raw UpOrOpen · arg - · ret VOID · Controls a window covering to open or close it

GT JOICODE

cron="" · period=0

```
all(#LivingRoom #Window).windowcovering_downorclose()
```

GENERATED JOICODE

cron="" · period=0

```
all(#LivingRoom #Window).windowcovering_downorclose()
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#LivingRoom #Window).windowcovering_downorclose()	all(#LivingRoom #Window).windowcovering_downorclose()

Row 47 · Category 2

Open all blinds in Sector2.

섹터2에 있는 블라인드를 모두 열어줘.

GT name: OpenAllBlindsInSector2				
Service list: service_list_ver2.0.1.json				
Output name: OpenAllBlindsInSector2				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 13572
COMPLETION TOKENS 38	TOTAL TOKENS 13610	LLM LATENCY 2.487s	PIPELINE 2.496s	TOK/S 5472.2367
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

raw DownOrClose · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_SetLevel

raw SetLevel · arg INTEGER · ret INTEGER · Controls a window covering to open or close it

WindowCovering_Stop

raw Stop · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_UpOrOpen

raw UpOrOpen · arg - · ret VOID · Controls a window covering to open or close it

GT JOICODE

cron="" · period=0

```
all(#Sector2 #Blind).windowcovering_uporopen()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Sector2 #Blind).windowcovering_uporopen()
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Sector2 #Blind).windowcovering_uporopen()	all(#Sector2 #Blind).windowcovering_uporopen()

Row 48 · Category 2

Change the light on the living room wall to red.

거실 벽에 있는 조명을 빨간색으로 바꿔줘.

GT name: ChangeLightOnLivingRoomWallToRed				
Service list: service_list_ver2.0.1.json				
Output name: ChangeLivingRoomWallLightToRed				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16576
COMPLETION TOKENS 40	TOTAL TOKENS 16616	LLM LATENCY 1.943s	PIPELINE 1.956s	TOK/S 8550.4040
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

CONNECTED

VALUES

Light_ColorMode raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity
Light_CurrentBrightness raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity
Light_CurrentColorTemperature raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

ColorControl

CONNECTED

2 services · 1 values · 1 functions

VALUES

ColorControl_Color

raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor

raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

(#LivingRoom #Wall #Light).light_movetorgb(255, 0, 0)

GENERATED JOICODE

cron="" · period=0

(#LivingRoom #Wall #Light).light_movetorgb(255,0,0)

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#LivingRoom #Wall #Light).light_movetorgb(255, 0, 0)	(#LivingRoom #Wall #Light).light_movetorgb(255,0,0)

Row 49 · Category 2

Lock all safes with odd tags in Sector B.

섹터 비에 있는 홀수 태그가 붙은 금고를 모두 잠궜줘.

GT name: LockAllSafesWithOddTagsInSectorB				
Service list: service_list_ver2.0.1.json				
Output name: LockAllOddTaggedSafesInSectorB				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 12467
COMPLETION TOKENS 34	TOTAL TOKENS 12501	LLM LATENCY 1.684s	PIPELINE 1.692s	TOK/S 7422.0745
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Safe

3 services · 1 values · 2 functions

VALUES

Safe_SafeState
raw SafeState · arg - · ret ENUM · Allows for the control of the Safe

FUNCTIONS

Safe_Lock
raw Lock · arg - · ret VOID · Allows for the control of the Safe

Safe_Unlock

CONNECTED

raw Unlock · arg - · ret VOID · Allows for the control of the Safe

GT JOICODE

cron="" · period=0

```
all(#SectorB #Odd #Safe).safe_lock()
```

GENERATED JOICODE

cron="" · period=0

```
all(#SectorB #Odd #Safe).safe_lock()
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#SectorB #Odd #Safe).safe_lock()	all(#SectorB #Odd #Safe).safe_lock()

Row 50 · Category 2

Increases the light brightness to 100 in the meeting room.

회의실에 있는 조명 밝기를 100까지 올려줘.

GT name: IncreasesLightBrightnessTo100InMeetingRoom				
Service list: service_list_ver2.0.1.json				
Output name: IncreaseMeetingRoomLightBrightnessTo100				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16947
COMPLETION TOKENS 37	TOTAL TOKENS 16984	LLM LATENCY 2.509s	PIPELINE 2.521s	TOK/S 6769.2308
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

LevelControl

CONNECTED

4 services · 3 values · 1 functions

VALUES

LevelControl_CurrentLevel

raw CurrentLevel · arg - · ret DOUBLE · Allows for the control of the level of a device like a light or a dimmer switch

LevelControl_MaxLevel

raw MaxLevel · arg - · ret DOUBLE · Allows for the control of the level of a device like a light or a dimmer switch

LevelControl_MinLevel

raw MinLevel · arg - · ret DOUBLE · Allows for the control of the level of a device like a light or a dimmer switch

FUNCTIONS

LevelControl_MoveToLevel

raw MoveToLevel · arg DOUBLE | DOUBLE · ret VOID · Allows for the control of the level of a device like a light or a dimmer switch

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

(#MeetingRoom #Light).light_movetobrightness(100, 0)

GENERATED JOICODE

cron="" · period=0

(#MeetingRoom #Light).light_movetobrightness(100, 0)

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#MeetingRoom #Light).light_movetobrightness(100, 0)	(#MeetingRoom #Light).light_movetobrightness(100, 0)

Row 51 · Category 2

Close everything in Sector2.

섹터2 모두 닫아줘.

GT name: CloseEverythingInSector2				
Service list: service_list_ver2.0.1.json				
Output name: CloseAllInSector2				
Retrieval cats: not used (connected_devices scope)				
DET 95.4404	PASS Yes	GT EXACT No	SIMILARITY 0.8181	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 0.7500	ENUM 1.0000	PROMPT TOKENS 13555
COMPLETION TOKENS 55	TOTAL TOKENS 13610	LLM LATENCY 3.272s	PIPELINE 3.281s	TOK/S 4159.7897
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

WindowCovering

CONNECTED

6 services · 2 values · 4 functions

VALUES

WindowCovering_CurrentPosition

raw CurrentPosition · arg - · ret INTEGER · Controls a window covering to open or close it

WindowCovering_WindowCoveringType

raw WindowCoveringType · arg - · ret ENUM · Controls a window covering to open or close it

FUNCTIONS

WindowCovering_DownOrClose

raw DownOrClose · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_SetLevel

raw SetLevel · arg INTEGER · ret INTEGER · Controls a window covering to open or close it

WindowCovering_Stop

raw Stop · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_UpOrOpen

raw UpOrOpen · arg - · ret VOID · Controls a window covering to open or close it

GT JOICODE

cron="" · period=0

```
all(#Sector2).windowcovering_downorclose()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Sector2 #Window).windowcovering_downorclose()
all(#Sector2 #Blind).windowcovering_downorclose()
```

FAILURE REASONS

- gt_mismatch
- numeric_grounding

LINE DIFF

GT	Generated
all(#Sector2).windowcovering_downorclose()	all(#Sector2 #Window).windowcovering_downorclose()
	all(#Sector2 #Blind).windowcovering_downorclose()

Row 52 · Category 2

Change all lights on the hallway wall to blue.

복도 벽에 있는 모든 조명을 파란색으로 바꿔줘.

GT name: ChangeAllLightsOnHallwayWallToBlue				
Service list: service_list_ver2.0.1.json				
Output name: ChangeAllHallwayWallLightsToBlue				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 19447
COMPLETION TOKENS 44	TOTAL TOKENS 19491	LLM LATENCY 2.796s	PIPELINE 2.808s	TOK/S 6971.0300
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

CONNECTED

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

ColorControl

CONNECTED

2 services · 1 values · 1 functions

VALUES

ColorControl_Color

raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor

raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

```
all(#Hallway #Wall #Light).light_movetorgb(0, 0, 255)
```

GENERATED JOICODE

cron="" · period=0

```
all(#Hallway #Wall #Light).light_movetorgb(0, 0, 255)
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Hallway #Wall #Light).light_movetorgb(0, 0, 255)	all(#Hallway #Wall #Light).light_movetorgb(0, 0, 255)

Row 53 · Category 2

In Group 1, change all upper-level lights to blue.

그룹1에서 상단부에 있는 조명들을 모두 파란색으로 변경해줘.

GT name: InGroup1ChangeAllUpperLevelLightsToBlue				
Service list: service_list_ver2.0.1.json				
Output name: ChangeAllGroup1TopLightsToBlue				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 22337
COMPLETION TOKENS 44	TOTAL TOKENS 22381	LLM LATENCY 3.355s	PIPELINE 3.369s	TOK/S 6671.5355
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 4	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

ColorControl

CONNECTED

2 services · 1 values · 1 functions

VALUES

ColorControl_Color

raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor

raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

```
all(#Group1 #Top #Light).light_movetorgb(0, 0, 255)
```

GENERATED JOICODE

cron="" · period=0

```
all(#Group1 #Top #Light).light_movetorgb(0, 0, 255)
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Group1 #Top #Light).light_movetorgb(0, 0, 255)	all(#Group1 #Top #Light).light_movetorgb(0, 0, 255)

Row 54 · Category 2

Change all lights in Sector 10 to white.

섹터10의 모든 조명을 흰색으로 바꿔줘.

GT name: ChangeAllLightsInSector10ToWhite				
Service list: service_list_ver2.0.1.json				
Output name: ChangeAllSector10LightsToWhite				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 19165
COMPLETION TOKENS 39	TOTAL TOKENS 19204	LLM LATENCY 1.710s	PIPELINE 1.722s	TOK/S 11233.0370
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

CONNECTED

VALUES

Light_ColorMode raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity
Light_CurrentBrightness raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity
Light_CurrentColorTemperature raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

ColorControl

CONNECTED

2 services · 1 values · 1 functions

VALUES

ColorControl_Color

raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor

raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

all(#Sector10 #Light).colorcontrol_setcolor("255,255,255")

GENERATED JOICODE

cron="" · period=0

all(#Sector10 #Light).light_movetorgb(255,255,255)

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Sector10 #Light).colorcontrol_setcolor("255,255,255")	all(#Sector10 #Light).light_movetorgb(255,255,255)

Row 55 · Category 2

Lower all even-tagged blinds in the bedroom.

안방에 있는 짝수 태그 블라인드를 모두 내려줘.

GT name: LowerAllEvenTaggedBlindsInBedroom				
Service list: service_list_ver2.0.1.json				
Output name: LowerAllEvenTaggedBlindsInBedroom				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 14597
COMPLETION TOKENS 40	TOTAL TOKENS 14637	LLM LATENCY 2.341s	PIPELINE 2.350s	TOK/S 6253.5247
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 4	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

WindowCovering

6 services · 2 values · 4 functions

CONNECTED

VALUES

WindowCovering_CurrentPosition

raw CurrentPosition · arg - · ret INTEGER · Controls a window covering to open or close it

WindowCovering_WindowCoveringType

raw WindowCoveringType · arg - · ret ENUM · Controls a window covering to open or close it

FUNCTIONS

WindowCovering_DownOrClose

raw DownOrClose · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_SetLevel

raw SetLevel · arg INTEGER · ret INTEGER · Controls a window covering to open or close it

WindowCovering_Stop

raw Stop · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_UpOrOpen

raw UpOrOpen · arg - · ret VOID · Controls a window covering to open or close it

GT JOICODE

cron="" · period=0

```
all(#Bedroom #Even #Blind).windowcovering_downorclose()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Bedroom #Even #Blind).windowcovering_downorclose()
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Bedroom #Even #Blind).windowcovering_downorclose()	all(#Bedroom #Even #Blind).windowcovering_downorclose()

Row 56 · Category 2

Stop all robot vacuum cleaners on the 3rd floor.

3층에 있는 모든 로봇 청소기를 멈춰줘.

GT name: StopAllRobotVacuumCleanersOn3rdFloor				
Service list: service_list_ver2.0.1.json				
Output name: StopAllRobotVacuumCleanersOnFloor3				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 12533
COMPLETION TOKENS 49	TOTAL TOKENS 12582	LLM LATENCY 3.594s	PIPELINE 3.602s	TOK/S 3500.7373
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

GT JOICODE

cron="" · period=0

```
all(#Floor3 #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode("stop")
```

GENERATED JOICODE

cron="" · period=0

```
all(#Floor3 #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode("stop")
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Floor3 #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcle anermodemode("stop")	all(#Floor3 #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcle anermodemode("stop")

Row 57 · Category 2

Turn on all odd-tagged lights on the living room wall.

거실 벽에 있는 모든 홀수 태그 조명을 켜줘.

GT name: TurnOnAllOddTaggedLightsOnLivingRoom				
Service list: service_list_ver2.0.1.json				
Output name: TurnOnAllLivingRoomWallOddLights				
Retrieval cats: not used (connected_devices scope)				
DET 93.8306	PASS Yes	GT EXACT No	SIMILARITY 0.9661	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 18361
COMPLETION TOKENS 35	TOTAL TOKENS 18396	LLM LATENCY 1.869s	PIPELINE 1.882s	TOK/S 9843.2233
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 2 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 2
---	--	--	------------------------	----------------------	--------------------------

Light

CONNECTED

15 services · 8 values · 7 functions

VALUES

Light_ColorMode raw ColorMode · arg · · ret ENUM · A numerical representation of the brightness intensity
Light_CurrentBrightness raw CurrentBrightness · arg · · ret DOUBLE · A numerical representation of the brightness intensity
Light_CurrentColorTemperature raw CurrentColorTemperature · arg · · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

```
all(#LivingRoom #Wall #Odd #Light).switch_on()
```

GENERATED JOICODE

cron="" · period=0

```
all(#LivingRoom #Wall #Odd #Switch).switch_on()
```

FAILURE REASONS

- gt_mismatch
- semantic

LINE DIFF

GT	Generated
all(#LivingRoom #Wall #Odd #Light).switch_on()	all(#LivingRoom #Wall #Odd #Switch).switch_on()

Row 58 · Category 2

Set all dehumidifiers in the office to dehumidify mode.

사무실의 모든 제습기를 제습 모드로 설정해줘.

GT name: SetAllDehumidifiersInOfficeToDehumidifyMode				
Service list: service_list_ver2.0.1.json				
Output name: SetAllOfficeDehumidifiersToDehumidifyMode				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 12526
COMPLETION TOKENS 45	TOTAL TOKENS 12571	LLM LATENCY 5.080s	PIPELINE 5.088s	TOK/S 2474.8012
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Dehumidifier

2 services · 1 values · 1 functions

CONNECTED

VALUES

Dehumidifier_DehumidifierMode
raw DehumidifierMode · arg - · ret ENUM · Allows for the control of the dehumidifier mode

FUNCTIONS

Dehumidifier_SetDehumidifierMode
raw SetDehumidifierMode · arg ENUM · ret VOID · Allows for the control of the dehumidifier mode

GT JOICODE

cron="" · period=0

```
all(#Office #Dehumidifier).dehumidifier_setdehumidifiermode("dehumidifying")
```

GENERATED JOICODE

cron="" · period=0

```
all(#Office #Dehumidifier).dehumidifier_setdehumidifiermode("dehumidifying")
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Office #Dehumidifier).dehumidifier_setdehumidifiermode("dehumidifying")	all(#Office #Dehumidifier).dehumidifier_setdehumidifiermode("dehumidifying")

Row 59 · Category 2

Lock all door locks in the storage.

창고의 모든 도어락을 잠궜줘.

GT name: LockAllDoorLocksInStorage				
Service list: service_list_ver2.0.1.json				
Output name: LockAllStorageDoorLocks				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 12412
COMPLETION TOKENS 29	TOTAL TOKENS 12441	LLM LATENCY 1.512s	PIPELINE 1.520s	TOK/S 8226.5424
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

DoorLock

CONNECTED

3 services · 1 values · 2 functions

VALUES

DoorLock_DoorLockState

raw DoorLockState · arg - · ret ENUM · Allow for the control of a door lock

FUNCTIONS

DoorLock_Lock

raw Lock · arg - · ret VOID · Allow for the control of a door lock

DoorLock_Unlock

raw Unlock · arg - · ret VOID · Allow for the control of a door lock

GT JOICODE

cron="" · period=0

```
all(#Storage #DoorLock).doorlock_lock()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Storage #DoorLock).doorlock_lock()
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Storage #DoorLock).doorlock_lock()	all(#Storage #DoorLock).doorlock_lock()

Row 60 · Category 2

Open all even-tagged valves in the kitchen.

주방의 모든 짝수 태그 밸브를 열어줘.

GT name: OpenAllEvenTaggedValvesInKitchen				
Service list: service_list_ver2.0.1.json				
Output name: OpenAllEvenValvesInKitchen				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 12897
COMPLETION TOKENS 32	TOTAL TOKENS 12929	LLM LATENCY 1.423s	PIPELINE 1.432s	TOK/S 9085.0959
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 4	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Valve

3 services · 1 values · 2 functions

CONNECTED

VALUES

Valve_ValveState

raw ValveState · arg - · ret BOOL · Controls a valve to open or close it

FUNCTIONS

Valve_Close

raw Close · arg - · ret VOID · Controls a valve to open or close it

Valve_Open

raw Open · arg - · ret VOID · Controls a valve to open or close it

GT JOICODE

cron="" · period=0

```
all(#Kitchen #Even #Valve).valve_open()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Kitchen #Even #Valve).valve_open()
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Kitchen #Even #Valve).valve_open()	all(#Kitchen #Even #Valve).valve_open()

Generated from /home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_blocks_equivalence_20260508/retrieval_gpt41_mini_cat2/row_comparison.csv. PDF export uses headless Chrome when available.