

JOIcode Side-by-Side Report · gpt41_mini

Side-by-side GT vs Generated JOIcode report for **gpt41_mini**. This report is rendered from row-level benchmark outputs and is print-friendly for PDF export.

ROWS 2	AVG DET 69.9000	DET PASS 0.0%	GT EXACT 0.0%	AVG PROMPT TOKENS 15750.5
AVG COMPLETION TOKENS 87.0	AVG LLM LATENCY 2.338s	P50 LLM LATENCY 2.338s	PEAK VRAM 0.000 GB	OOM COUNT 0

RUN METADATA

Results Dir	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_blocks_equivalence_20260508/retrieval_gpt41_mini_cat4
Output Dir	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_blocks_equivalence_20260508/retrieval_gpt41_mini_cat4/side_by_side_report_gpt41_mini_failures_only
Suite	paper_with_cloud_ref
Genome	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/genomes/example_genome.json
Created At	2026-05-08T14:27:32.419404
Categories	4
Limit/Category	-
Rows	91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120

TOP FAILURE REASONS

- extraneous
- gt_mismatch
- gt_receiver_coverage
- gt_service_coverage

MODEL RUNTIME SNAPSHOT

MODEL GPT-4.1-mini	RESOLVED MODEL -	WORKER PYTHON -	SERVICE LIST service_list_ver2.0.1.json	CANDIDATE K 1
REPAIR ATTEMPTS 0	DET PROFILE openai			

ROW DETAILS

Row 94 · Category 4

When it rains, turn on the dehumidifier.

비가 오면 제습기를 켜줘.

GT name: WhenItRainsTurnOnDehumidifier				
Service list: service_list_ver2.0.1.json				
Output name: TurnOnDehumidifierWhenRains				
Retrieval cats: HumiditySensor, RainSensor, Dehumidifier, Humidifier, WeatherProvider, ArmRobot, Dishwasher, AirConditioner, Pump, LaundryDryer				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.3294	GT SERVICE COV. 0.5000
RECEIVER COV. 0.5000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 17697
COMPLETION TOKENS 83	TOTAL TOKENS 17780	LLM LATENCY 2.191s	PIPELINE 3.125s	TOK/S 8113.9050
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE retrieval premapping	SNIPPET SOURCE service_retrieval_fallba ck	RETRIEVAL used	CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10	INJECTED CATEGORIES 10
--------------------------------------	--	-------------------	------------------------	-----------------------	---------------------------

HumiditySensor 1 services · 1 values · 0 functions RETRIEVED · RANK 1 VALUES HumiditySensor_Humidity raw Humidity · arg - · ret DOUBLE · Allow reading the relative humidity from devices that support it FUNCTIONS None
RainSensor 1 services · 1 values · 0 functions RETRIEVED · RANK 2

VALUES

RainSensor_Rain

raw Rain · arg - · ret BOOL · A Device that senses rain

FUNCTIONS

None

Dehumidifier

RETRIEVED · RANK 3

2 services · 1 values · 1 functions

VALUES

Dehumidifier_DehumidifierMode

raw DehumidifierMode · arg - · ret ENUM · Allows for the control of the dehumidifier mode

FUNCTIONS

Dehumidifier_SetDehumidifierMode

raw SetDehumidifierMode · arg ENUM · ret VOID · Allows for the control of the dehumidifier mode

Humidifier

RETRIEVED · RANK 4

2 services · 1 values · 1 functions

VALUES

Humidifier_HumidifierMode

raw HumidifierMode · arg - · ret ENUM · Maintains and sets the state of an humidifier

FUNCTIONS

Humidifier_SetHumidifierMode

raw SetHumidifierMode · arg ENUM · ret VOID · Maintains and sets the state of an humidifier

WeatherProvider

RETRIEVED · RANK 5

7 services · 6 values · 1 functions

VALUES

WeatherProvider_HumidityWeather

raw HumidityWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Pm10Weather

raw Pm10Weather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Pm25Weather

raw Pm25Weather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_PressureWeather

raw PressureWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_TemperatureWeather

raw TemperatureWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Weather

raw Weather · arg - · ret ENUM · Provides weather information

FUNCTIONS

WeatherProvider_GetWeatherInfo
raw GetWeatherInfo · arg DOUBLE | DOUBLE · ret STRING · Provides weather information

ArmRobot

RETRIEVED · RANK 6

5 services · 2 values · 3 functions

VALUES

ArmRobot_ArmRobotType
raw ArmRobotType · arg - · ret ENUM · Allows for the control of the arm robot

ArmRobot_CurrentPosition
raw CurrentPosition · arg - · ret STRING · Allows for the control of the arm robot

FUNCTIONS

ArmRobot_Hello
raw Hello · arg - · ret VOID · Allows for the control of the arm robot

ArmRobot_SendCommand
raw SendCommand · arg ENUM · ret VOID · Allows for the control of the arm robot

ArmRobot_SetPosition
raw SetPosition · arg ENUM · ret VOID · Allows for the control of the arm robot

Dishwasher

RETRIEVED · RANK 7

2 services · 1 values · 1 functions

VALUES

Dishwasher_DishwasherMode
raw DishwasherMode · arg - · ret ENUM · Allows for the control of the dishwasher mode

FUNCTIONS

Dishwasher_SetDishwasherMode
raw SetDishwasherMode · arg ENUM · ret VOID · Allows for the control of the dishwasher mode

AirConditioner

RETRIEVED · RANK 8

4 services · 2 values · 2 functions

VALUES

AirConditioner_AirConditionerMode
raw AirConditionerMode · arg - · ret ENUM · Controls air conditioner mode and temperature settings

AirConditioner_TargetTemperature
raw TargetTemperature · arg - · ret DOUBLE · Controls air conditioner mode and temperature settings

FUNCTIONS

AirConditioner_SetAirConditionerMode
raw SetAirConditionerMode · arg ENUM · ret VOID · Controls air conditioner mode and temperature settings

AirConditioner_SetTargetTemperature
raw SetTargetTemperature · arg DOUBLE · ret VOID · Controls air conditioner mode and temperature settings

Pump

2 services · 1 values · 1 functions

RETRIEVED · RANK 9

VALUES

Pump_PumpMode

raw PumpMode · arg - · ret ENUM · Allows for the control of a pump device

FUNCTIONS

Pump_SetPumpMode

raw SetPumpMode · arg ENUM · ret VOID · Allows for the control of a pump device

LaundryDryer

4 services · 2 values · 2 functions

RETRIEVED · RANK 10

VALUES

LaundryDryer_LaundryDryerMode

raw LaundryDryerMode · arg - · ret ENUM · Allows for the control of the laundry dryer mode

LaundryDryer_SpinSpeed

raw SpinSpeed · arg - · ret INTEGER · Allows for the control of the laundry dryer mode

FUNCTIONS

LaundryDryer_SetLaundryDryerMode

raw SetLaundryDryerMode · arg ENUM · ret VOID · Allows for the control of the laundry dryer mode

LaundryDryer_SetSpinSpeed

raw SetSpinSpeed · arg INTEGER · ret VOID · Allows for the control of the laundry dryer mode

GT JOICODE

cron="" · period=0

wait until ((#RainSensor).rainsensor_rain == true)

(#Dehumidifier).switch_on()

GENERATED JOICODE

cron="" · period=100

prev := (#RainSensor).rainsensor_rain

curr = (#RainSensor).rainsensor_rain

if (prev == false and curr == true) {

(#Dehumidifier).dehumidifier_setdehumidifiermode("dehumidifying")

}

prev = curr

FAILURE REASONS

extraneous

gt_mismatch

gt_receiver_coverage

gt_service_coverage

LINE DIFF

GT	Generated
wait until ((#RainSensor).rainsensor_rain == true)	prev := (#RainSensor).rainsensor_rain
	curr = (#RainSensor).rainsensor_rain
(#Dehumidifier).switch_on()	if (prev == false and curr == true) {
	(#Dehumidifier).dehumidifier_setdehumidifiermode("dehumidifying")

file:///home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_blocks_equivalence_20260508/retrieval_gpt41_mini_cat4/side_by_side_...

5/9

GT	Generated
	}
	prev = curr

Row 118 · Category 4

When any presence sensor in the hallway detects presence, set all hallway lights to purple.

복도에 재실 센서가 하나라도 감지되면 모든 복도 조명을 보라색으로 설정해줘.

GT name: WhenAnyPresenceSensorInHallwayDetectsPresenceSet				
Service list: service_list_ver2.0.1.json				
Output name: SetHallwayLightsToPurpleOnPresence				
Retrieval cats: not used (connected_devices scope)				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.4687	GT SERVICE COV. 0.5000
RECEIVER COV. 0.5000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 13804
COMPLETION TOKENS 91	TOTAL TOKENS 13895	LLM LATENCY 2.485s	PIPELINE 2.495s	TOK/S 5592.4495
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3
---	--	--	------------------------	----------------------	--------------------------

PresenceSensor

1 services · 1 values · 0 functions

VALUES

PresenceSensor_Presence
raw Presence · arg - · ret BOOL · The ability to see the current status of a presence sensor device

FUNCTIONS

None

Light

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

ColorControl

CONNECTED

2 services · 1 values · 1 functions

VALUES

ColorControl_Color

raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor

raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

GT JOICODE

cron="" · period=0

```
wait until (all(#Hallway #PresenceSensor).presencesensor_presence ==| true)

all(#Hallway #Light).colorcontrol_setcolor("128,0,128")
```

GENERATED JOICODE

cron="" · period=100

```
prev := all(#Hallway #PresenceSensor).presencesensor_presence
curr = all(#Hallway #PresenceSensor).presencesensor_presence
if (prev == false and curr == true) {
    all(#Hallway #Light).light_movetorgb(128, 0, 128)
}
prev = curr
```

FAILURE REASONS

- extraneous
- gt_mismatch
- gt_receiver_coverage
- gt_service_coverage

LINE DIFF

GT	Generated
wait until (all(#Hallway #PresenceSensor).presencesensor_presence == true)	prev := all(#Hallway #PresenceSensor).presencesensor_presence
	curr = all(#Hallway #PresenceSensor).presencesensor_presence
all(#Hallway #Light).colorcontrol_setcolor("128,0,128")	if (prev == false and curr == true) {
	all(#Hallway #Light).light_movetorgb(128, 0, 128)
	}
	prev = curr