

JOIcode Side-by-Side Report · qwen25_coder_7b

Side-by-side GT vs Generated JOIcode report for **qwen25_coder_7b**. This report is rendered from row-level benchmark outputs and is print-friendly for PDF export.

ROWS 1	AVG DET 100.0000	DET PASS 100.0%	GT EXACT 100.0%	AVG PROMPT TOKENS 18397.0
AVG COMPLETION TOKENS 43.0	AVG LLM LATENCY 13.957s	P50 LLM LATENCY 13.957s	PEAK VRAM 17.627 GB	OOM COUNT 0

RUN METADATA

Results	/home/mgjeong/Desktop/llm/JOILang-
Dir	Server/gpt_mg/version0_15_update20260413/results/model_suite_20260508_132523
Output	/home/mgjeong/Desktop/llm/JOILang-
Dir	Server/gpt_mg/version0_15_update20260413/results/model_suite_20260508_132523/side_by_side_report_qwen25_coder_7b
Suite	paper_local5
Genome	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/genomes/example_genome.json
Created At	2026-05-08T13:25:23.429326
Categories	-
Limit/Category	-
Rows	5

TOP FAILURE REASONS

None 0

CONTEXT + CATEGORIES

service_retrieval_fallback	1
Category 1	1

MODEL RUNTIME SNAPSHOT

MODEL

Qwen2.5-Coder-7B-Instruct

RESOLVED MODEL

/home/mgjeong/.cache/huggingface/hub/models--Qwen--Qwen2.5-Coder-7B-Instruct/snapshots/c03e6d358207e414f1eca0bb1891e29f1db0e242

WORKER PYTHON

/home/mgjeong/miniconda3/envs/l/bin/python

SERVICE LIST

service_list_ver2.0.1.json

CANDIDATE K

1

REPAIR ATTEMPTS

0

DET PROFILE

worker

ROW DETAILS

Row 5 · Category 1

Set the speaker volume to 30.

스피커의 볼륨을 30으로 설정해줘.

GT name: SetSpeakerVolumeTo30

Service list: service_list_ver2.0.1.json

Output name: SetSpeakerVolume

Retrieval cats: Speaker, SoundSensor, Siren, AudioRecorder, ArmRobot, Television, PressureSensor, Pump, ColorControl, LevelControl

DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 18397
COMPLETION TOKENS 43	TOTAL TOKENS 18440	LLM LATENCY 13.957s	PIPELINE 21.353s	TOK/S 1321.2103
PEAK VRAM 17.627 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE retrieval premapping	SNIPPET SOURCE service_retrieval_fallback	RETRIEVAL used	CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10	INJECTED CATEGORIES 10
---	--	-------------------	------------------------	-----------------------	---------------------------

Speaker

RETRIEVED · RANK 1

11 services · 2 values · 9 functions

VALUES

Speaker_PlaybackState

raw PlaybackState · arg - · ret ENUM · Speaker device for audio playback and media control

Speaker_Volume

raw Volume · arg - · ret INTEGER · Speaker device for audio playback and media control

FUNCTIONS

Speaker_FastForward

raw FastForward · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Pause

raw Pause · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Play

raw Play · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Rewind

raw Rewind · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_SetVolume

raw SetVolume · arg INTEGER · ret INTEGER · Speaker device for audio playback and media control

Speaker_Speak

raw Speak · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Stop

raw Stop · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_VolumeDown

raw VolumeDown · arg - · ret INTEGER · Speaker device for audio playback and media control

Speaker_VolumeUp

raw VolumeUp · arg - · ret INTEGER · Speaker device for audio playback and media control

SoundSensor

RETRIEVED · RANK 2

1 services · 1 values · 0 functions

VALUES

SoundSensor_Sound

raw Sound · arg - · ret DOUBLE · Sound sensor device for measuring sound levels

FUNCTIONS

None

Siren

RETRIEVED · RANK 3

2 services · 1 values · 1 functions

VALUES

Siren_SirenMode

raw SirenMode · arg - · ret ENUM · Allows for the control of the Siren

FUNCTIONS

Siren_SetSirenMode

raw SetSirenMode · arg ENUM · ret VOID · Allows for the control of the Siren

AudioRecorder

RETRIEVED · RANK 4

5 services · 2 values · 3 functions

VALUES

AudioRecorder_AudioFile

raw AudioFile · arg - · ret BINARY · Record audio

AudioRecorder_RecordStatus

raw RecordStatus · arg - · ret ENUM · Record audio

FUNCTIONS

AudioRecorder_RecordStart

raw RecordStart · arg - · ret VOID · Record audio

AudioRecorder_RecordStop

raw RecordStop · arg BINARY · ret VOID · Record audio

AudioRecorder_RecordWithDuration

raw RecordWithDuration · arg STRING | DOUBLE · ret BINARY · Record audio

ArmRobot

RETRIEVED · RANK 5

5 services · 2 values · 3 functions

VALUES

ArmRobot_ArmRobotType

raw ArmRobotType · arg - · ret ENUM · Allows for the control of the arm robot

ArmRobot_CurrentPosition

raw CurrentPosition · arg - · ret STRING · Allows for the control of the arm robot

FUNCTIONS

ArmRobot_Hello

raw Hello · arg - · ret VOID · Allows for the control of the arm robot

ArmRobot_SendCommand

raw SendCommand · arg ENUM · ret VOID · Allows for the control of the arm robot

ArmRobot_SetPosition

raw SetPosition · arg ENUM · ret VOID · Allows for the control of the arm robot

Television

RETRIEVED · RANK 6

4 services · 1 values · 3 functions

VALUES

Television_Channel

raw Channel · arg - · ret INTEGER · A television device

FUNCTIONS

Television_ChannelDown

raw ChannelDown · arg - · ret INTEGER · A television device

Television_ChannelUp

raw ChannelUp · arg - · ret INTEGER · A television device

Television_SetChannel

raw SetChannel · arg INTEGER · ret VOID · A television device

PressureSensor

RETRIEVED · RANK 7

1 services · 1 values · 0 functions

VALUES

PressureSensor_Pressure

raw Pressure · arg - · ret DOUBLE · The ability to see the current status of a pressure sensor device

FUNCTIONS

None

Pump

RETRIEVED · RANK 8

2 services · 1 values · 1 functions

VALUES

Pump_PumpMode

raw PumpMode · arg - · ret ENUM · Allows for the control of a pump device

FUNCTIONS

Pump_SetPumpMode

raw SetPumpMode · arg ENUM · ret VOID · Allows for the control of a pump device

ColorControl

RETRIEVED · RANK 9

2 services · 1 values · 1 functions

VALUES

ColorControl_Color

raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor

raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

LevelControl

RETRIEVED · RANK 10

4 services · 3 values · 1 functions

VALUES

LevelControl_CurrentLevel

raw CurrentLevel · arg - · ret DOUBLE · Allows for the control of the level of a device like a light or a dimmer switch

LevelControl_MaxLevel

raw MaxLevel · arg - · ret DOUBLE · Allows for the control of the level of a device like a light or a dimmer switch

LevelControl_MinLevel

raw MinLevel · arg - · ret DOUBLE · Allows for the control of the level of a device like a light or a dimmer switch

FUNCTIONS

LevelControl_MoveToLevel

raw MoveToLevel · arg DOUBLE | DOUBLE · ret VOID · Allows for the control of the level of a device like a light or a dimmer switch

GT JOICODE

cron="" · period=0

(#Speaker).speaker_setvolume(30)

GENERATED JOICODE

cron="" · period=0

(#Speaker).speaker_setvolume(30)

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#Speaker).speaker_setvolume(30)	(#Speaker).speaker_setvolume(30)

Generated from /home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/model_suite_20260508_132523/row_comparison.csv. PDF export uses headless Chrome when available.