

JOIcode Side-by-Side Report · gpt41_mini

Side-by-side GT vs Generated JOIcode report for gpt41_mini. This report is rendered from row-level benchmark outputs and is print-friendly for PDF export.

ROWS 30	AVG DET 88.8629	DET PASS 90.0%	GT EXACT 0.0%	AVG PROMPT TOKENS 17117.7
AVG COMPLETION TOKENS 48.0	AVG LLM LATENCY 2.241s	P50 LLM LATENCY 1.949s	PEAK VRAM 0.000 GB	OOM COUNT 0

RUN METADATA

Results	/home/mgjeong/Desktop/llm/JOILang-
Dir	Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_by_category_manual_20260506/retrieval_gpt41_mini_cat2
Output	/home/mgjeong/Desktop/llm/JOILang-
Dir	Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_by_category_manual_20260506/retrieval_gpt41_mini_cat2/side_by_side_report_gpt41_mini
Suite	paper_with_cloud_ref
Genome	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/best_genome.json
Created At	2026-05-06T16:33:23.048461
Categories	2
Limit/Category	-
Rows	31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60

TOP FAILURE REASONS

gt_mismatch	30
semantic	10
arg_type	7
gt_receiver_coverage	5
extraneous	5
precondition	5
gt_service_coverage	2
numeric_grounding	1

CONTEXT + CATEGORIES

connected_devices_only	30
Category 2	30

MODEL RUNTIME SNAPSHOT

MODEL GPT-4.1-mini	RESOLVED MODEL -	WORKER PYTHON -	SERVICE LIST service_list_ver2.0.1.json	CANDIDATE K 1
REPAIR ATTEMPTS 0	DET PROFILE openai			

ROW DETAILS

Row 31 · Category 2

Set the living room light to yellow.

거실 조명을 노란색으로 설정해줘.

GT name: SetLivingRoomLightToYellow				
Service list: service_list_ver2.0.1.json				
Output name: SetLivingRoomLightToYellow				
Retrieval cats: not used (connected_devices scope)				
DET 55.9387	PASS No	GT EXACT No	SIMILARITY 0.5377	GT SERVICE COV. 0.0000
RECEIVER COV. 0.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 17987
COMPLETION TOKENS 50	TOTAL TOKENS 18037	LLM LATENCY 1.746s	PIPELINE 1.755s	TOK/S 10332.8368
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 2 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 2
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

CONNECTED

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

ColorControl

CONNECTED

2 services · 1 values · 1 functions

VALUES

ColorControl_Color

raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor

raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

GT JOICODE

cron="" · period=0

(#LivingRoom #Light).colorcontrol_setcolor("255|255|0")

GENERATED JOICODE

cron="" · period=0

(#Light #Livingroom).light_movetorgb(255 | 255 | 0)

FAILURE REASONS

arg_type

gt_mismatch

gt_receiver_coverage

gt_service_coverage

LINE DIFF

GT	Generated
(#LivingRoom #Light).colorcontrol_setcolor("255 255 0")	(#Light #Livingroom).light_movetorgb(255 255 0)

Row 32 · Category 2

Capture an image of the meeting room with the camera.

카메라로 회의실 사진을 촬영해줘.

GT name: CaptureImageOfMeetingRoomWithCamera				
Service list: service_list_ver2.0.1.json				
Output name: CaptureImageMeetingRoom				
Retrieval cats: not used (connected_devices scope)				
DET 97.2100	PASS Yes	GT EXACT No	SIMILARITY 0.9220	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16888
COMPLETION TOKENS 38	TOTAL TOKENS 16926	LLM LATENCY 2.078s	PIPELINE 2.086s	TOK/S 8146.5082
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Camera

8 services · 4 values · 4 functions

VALUES

Camera_CameraState

raw CameraState · arg - · ret ENUM · Controls camera device for image/video capture and streaming

Camera_Image

raw Image · arg - · ret BINARY · Controls camera device for image/video capture and streaming

Camera_Stream

raw Stream · arg - · ret STRING · Controls camera device for image/video capture and streaming

CONNECTED

Camera_Video

raw Video · arg - · ret BINARY · Controls camera device for image/video capture and streaming

FUNCTIONS

Camera_CaptureImage

raw CaptureImage · arg - · ret BINARY · Controls camera device for image/video capture and streaming

Camera_CaptureVideo

raw CaptureVideo · arg - · ret BINARY · Controls camera device for image/video capture and streaming

Camera_StartStream

raw StartStream · arg - · ret STRING · Controls camera device for image/video capture and streaming

Camera_StopStream

raw StopStream · arg - · ret VOID · Controls camera device for image/video capture and streaming

GT JOICODE

cron="" · period=0

(#MeetingRoom #Camera).camera_captureimage()

GENERATED JOICODE

cron="" · period=0

(#Camera).camera_captureimage()

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
(#MeetingRoom #Camera).camera_captureimage()	(#Camera).camera_captureimage()

Row 33 · Category 2

Set the brightness of the living room light to 80%.

거실 조명의 밝기를 80%로 설정해줘.

GT name: SetBrightnessOfLivingRoomLightTo80				
Service list: service_list_ver2.0.1.json				
Output name: SetLivingRoomLightBrightness				
Retrieval cats: not used (connected_devices scope)				
DET 93.4700	PASS Yes	GT EXACT No	SIMILARITY 0.9190	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 17784
COMPLETION TOKENS 46	TOTAL TOKENS 17830	LLM LATENCY 2.513s	PIPELINE 2.523s	TOK/S 7095.3878
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

GT JOICODE

cron="" · period=0

(#LivingRoom #Light).light_movetobrightness(80, 0)

GENERATED JOICODE

cron="" · period=0

(#Light #LivingRoom).light_movetobrightness(80 | 0)

FAILURE REASONS

- arg_type
- gt_mismatch

LINE DIFF

GT	Generated
(#LivingRoom #Light).light_movetobrightness(80, 0)	(#Light #LivingRoom).light_movetobrightness(80 0)

Row 34 · Category 2

Set all dehumidifiers in the lab to AI drying mode.

연구실 제습기를 모두 AI건조모드로 설정해줘.

GT name: SetAllDehumidifiersInLabToAIDryingMode				
Service list: service_list_ver2.0.1.json				
Output name: SetDehumidifiersToAIDryingMode				
Retrieval cats: not used (connected_devices scope)				
DET 94.3094	PASS Yes	GT EXACT No	SIMILARITY 0.8219	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16494
COMPLETION TOKENS 53	TOTAL TOKENS 16547	LLM LATENCY 1.637s	PIPELINE 1.645s	TOK/S 10108.7421
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Dehumidifier

2 services · 1 values · 1 functions

VALUES

Dehumidifier_DehumidifierMode
raw DehumidifierMode · arg - · ret ENUM · Allows for the control of the dehumidifier mode

FUNCTIONS

Dehumidifier_SetDehumidifierMode
raw SetDehumidifierMode · arg ENUM · ret VOID · Allows for the control of the dehumidifier mode

CONNECTED

GT JOICODE

cron="" · period=0

```
all(#Lab #Dehumidifier).dehumidifier_setdehumidifiermode("AIDrying")
```

GENERATED JOICODE

cron="" · period=0

```
(#Dehumidifier).dehumidifier_setdehumidifiermode("AIDrying")
```

FAILURE REASONS

- gt_mismatch
- semantic

LINE DIFF

GT	Generated
all(#Lab #Dehumidifier).dehumidifier_setdehumidifiermode("AIDrying")	(#Dehumidifier).dehumidifier_setdehumidifiermode("AIDrying")

Row 35 · Category 2

Set the hue of the living room light to 240 and the saturation to 80.

거실 조명의 색조는 240, 채도는 80으로 맞춰줘.

GT name: SetHueOfLivingRoomLightTo240				
Service list: service_list_ver2.0.1.json				
Output name: SetLivingRoomLightHueSaturation				
Retrieval cats: not used (connected_devices scope)				
DET 78.6506	PASS Yes	GT EXACT No	SIMILARITY 0.8885	GT SERVICE COV. 1.0000
RECEIVER COV. 0.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 17790
COMPLETION TOKENS 51	TOTAL TOKENS 17841	LLM LATENCY 2.678s	PIPELINE 2.688s	TOK/S 6662.0612
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

CONNECTED

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

GT JOICODE

cron="" · period=0

(#LivingRoom #Light).light_movetohueandsaturation(240, 80)

GENERATED JOICODE

cron="" · period=0

(#Light #Living_room).light_movetohueandsaturation(240 | 80)

FAILURE REASONS

- arg_type
- gt_mismatch
- gt_receiver_coverage

LINE DIFF

GT	Generated
(#LivingRoom #Light).light_movetohueandsaturation(240, 80)	(#Light #Living_room).light_movetohueandsaturation(240 80)

Row 36 · Category 2

Set all robot vacuum cleaners with even tags to auto mode.

짝수 태그 로봇 청소기를 모두 자동 모드로 설정해줘.

GT name: SetAllRobotVacuumCleanersWithEvenTagsToAuto				
Service list: service_list_ver2.0.1.json				
Output name: SetEvenRobotVacuumAutoMode				
Retrieval cats: not used (connected_devices scope)				
DET 96.4812	PASS Yes	GT EXACT No	SIMILARITY 0.8105	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16476
COMPLETION TOKENS 55	TOTAL TOKENS 16531	LLM LATENCY 2.221s	PIPELINE 2.228s	TOK/S 7444.3844
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

RobotVacuumCleaner

2 services · 1 values · 1 functions

VALUES

RobotVacuumCleaner_RobotVacuumCleanerMode
raw RobotVacuumCleanerMode · arg - · ret ENUM · Allows for the control of the robot cleaner cleaning mode

FUNCTIONS

RobotVacuumCleaner_SetRobotVacuumCleanerModeMode
raw SetRobotVacuumCleanerModeMode · arg ENUM · ret VOID · Allows for the control of the robot cleaner cleaning mode

CONNECTED

GT JOICODE

cron="" · period=0

```
all(#Even #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode("auto")
```

GENERATED JOICODE

cron="" · period=0

```
(#RobotVacuumCleaner #even).robotvacuumcleaner_setrobotvacuumcleanermodemode("auto")
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
all(#Even #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode ("auto")	(#RobotVacuumCleaner #even).robotvacuumcleaner_setrobotvacuumcleanermodemode("auto")

Row 37 · Category 2

Lock all door locks.

모든 도어락을 잠궜줘.

GT name: LockAllDoorLocks				
Service list: service_list_ver2.0.1.json				
Output name: LockAllDoorLocks				
Retrieval cats: not used (connected_devices scope)				
DET 97.1316	PASS Yes	GT EXACT No	SIMILARITY 0.8263	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16461
COMPLETION TOKENS 39	TOTAL TOKENS 16500	LLM LATENCY 1.204s	PIPELINE 1.211s	TOK/S 13706.5958
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

DoorLock

3 services · 1 values · 2 functions

VALUES

DoorLock_DoorLockState
raw DoorLockState · arg - · ret ENUM · Allow for the control of a door lock

FUNCTIONS

DoorLock_Lock
raw Lock · arg - · ret VOID · Allow for the control of a door lock

DoorLock_Unlock

CONNECTED

raw Unlock · arg - · ret VOID · Allow for the control of a door lock

GT JOICODE

cron="" · period=0

```
all(#DoorLock).doorlock_lock()
```

GENERATED JOICODE

cron="" · period=0

```
(#DoorLock).doorlock_lock()
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
all(#DoorLock).doorlock_lock()	(#DoorLock).doorlock_lock()

Row 38 · Category 2

Set the target temperature of the air conditioner in Sector1 to 18 degrees.

구역1의 에어컨의 목표 온도를 18도로 설정해줘.

GT name: SetTargetTemperatureOfAirConditionerInSector1				
Service list: service_list_ver2.0.1.json				
Output name: SetAirConditionerTemperatureSector1				
Retrieval cats: not used (connected_devices scope)				
DET 97.6932	PASS Yes	GT EXACT No	SIMILARITY 0.9386	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16610
COMPLETION TOKENS 49	TOTAL TOKENS 16659	LLM LATENCY 1.720s	PIPELINE 1.728s	TOK/S 9684.9020
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT					
Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.					
CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1

AirConditioner		CONNECTED
4 services · 2 values · 2 functions		
VALUES		
AirConditioner_AirConditionerMode raw AirConditionerMode · arg - · ret ENUM · Controls air conditioner mode and temperature settings		
AirConditioner_TargetTemperature raw TargetTemperature · arg - · ret DOUBLE · Controls air conditioner mode and temperature settings		
FUNCTIONS		
AirConditioner_SetAirConditionerMode		

raw SetAirConditionerMode · arg ENUM · ret VOID · Controls air conditioner mode and temperature settings

AirConditioner_SetTargetTemperature

raw SetTargetTemperature · arg DOUBLE · ret VOID · Controls air conditioner mode and temperature settings

GT JOICODE

cron="" · period=0

```
(#Sector1 #AirConditioner).airconditioner_settargettemperature(18)
```

GENERATED JOICODE

cron="" · period=0

```
(#AirConditioner #Sector1).airconditioner_settargettemperature(18)
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
(#Sector1 #AirConditioner).airconditioner_settargettemperature(18)	(#AirConditioner #Sector1).airconditioner_settargettemperature(18)

Row 39 · Category 2

Change the air purifier in the bedroom to sleep mode.

안방의 공기청정기를 수면모드로 바꿔줘.

GT name: ChangeAirPurifierInBedroomToSleepMode				
Service list: service_list_ver2.0.1.json				
Output name: SetAirPurifierToSleepModeInBedroom				
Retrieval cats: not used (connected_devices scope)				
DET 98.4786	PASS Yes	GT EXACT No	SIMILARITY 0.9357	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16430
COMPLETION TOKENS 54	TOTAL TOKENS 16484	LLM LATENCY 1.894s	PIPELINE 1.901s	TOK/S 8702.8140
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

AirPurifier

2 services · 1 values · 1 functions

VALUES

AirPurifier_AirPurifierMode
raw AirPurifierMode · arg - · ret ENUM · Controls air purifier mode

FUNCTIONS

AirPurifier_SetAirPurifierMode
raw SetAirPurifierMode · arg ENUM · ret VOID · Controls air purifier mode

CONNECTED

GT JOICODE

cron="" · period=0

```
(#Bedroom #AirPurifier).airpurifier_setairpurifiermode("sleep")
```

GENERATED JOICODE

cron="" · period=0

```
(#AirPurifier #bedroom).airpurifier_setairpurifiermode("sleep")
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
(#Bedroom #AirPurifier).airpurifier_setairpurifiermode("sleep")	(#AirPurifier #bedroom).airpurifier_setairpurifiermode("sleep")

Row 40 · Category 2

Close all valves in the kitchen.

주방의 모든 밸브를 닫아줘.

GT name: CloseAllValvesInKitchen				
Service list: service_list_ver2.0.1.json				
Output name: CloseAllValvesInKitchen				
Retrieval cats: not used (connected_devices scope)				
DET 97.0044	PASS Yes	GT EXACT No	SIMILARITY 0.8809	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16416
COMPLETION TOKENS 42	TOTAL TOKENS 16458	LLM LATENCY 3.879s	PIPELINE 3.886s	TOK/S 4242.7367
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

raw Open · arg - · ret VOID · Controls a valve to open or close it

GT JOICODE

cron="" · period=0

```
all(#Kitchen #Valve).valve_close()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Valve #kitchen).valve_close()
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
all(#Kitchen #Valve).valve_close()	all(#Valve #kitchen).valve_close()

Row 41 · Category 2

Open all safes.

모든 금고를 열어줘.

GT name: OpenAllSafes				
Service list: service_list_ver2.0.1.json				
Output name: OpenAllSafes				
Retrieval cats: not used (connected_devices scope)				
DET 88.1000	PASS Yes	GT EXACT No	SIMILARITY 0.8200	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16441
COMPLETION TOKENS 37	TOTAL TOKENS 16478	LLM LATENCY 2.891s	PIPELINE 2.898s	TOK/S 5700.5466
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

raw Unlock · arg - · ret VOID · Allows for the control of the Safe

GT JOICODE

cron="" · period=0

```
all(#Safe).safe_unlock()
```

GENERATED JOICODE

cron="" · period=0

```
(#Safe).safe_unlock()
```

FAILURE REASONS

- extraneous
- gt_mismatch
- semantic

LINE DIFF

GT	Generated
all(#Safe).safe_unlock()	(#Safe).safe_unlock()

Row 42 · Category 2

Record for 10 seconds with the meeting room recorder and save it as test.wav.

회의실 녹음기로 10초 동안 녹음해서 test.wav로 저장해줘.

GT name: RecordFor10SecondsWithMeetingRoomRecorder				
Service list: service_list_ver2.0.1.json				
Output name: RecordMeetingRoomAudio				
Retrieval cats: not used (connected_devices scope)				
DET 92.8689	PASS Yes	GT EXACT No	SIMILARITY 0.9465	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16665
COMPLETION TOKENS 46	TOTAL TOKENS 16711	LLM LATENCY 1.915s	PIPELINE 1.923s	TOK/S 8724.5484
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

AudioRecorder

5 services · 2 values · 3 functions

VALUES

AudioRecorder_AudioFile

raw AudioFile · arg - · ret BINARY · Record audio

AudioRecorder_RecordStatus

raw RecordStatus · arg - · ret ENUM · Record audio

FUNCTIONS

AudioRecorder_RecordStart

CONNECTED

file:///home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_by_category_manual_20260506/retrieval_gpt41_mini_cat2/side_by_side_report... 25/69

raw RecordStart · arg - · ret VOID · Record audio

AudioRecorder_RecordStop

raw RecordStop · arg BINARY · ret VOID · Record audio

AudioRecorder_RecordWithDuration

raw RecordWithDuration · arg STRING | DOUBLE · ret BINARY · Record audio

GT JOICODE

cron="" · period=0

(#MeetingRoom #AudioRecorder).audiorecorder_recordwithduration("test.wav", 10)

GENERATED JOICODE

cron="" · period=0

(#AudioRecorder).audiorecorder_recordwithduration("test.wav" | 10)

FAILURE REASONS

arg_type

gt_mismatch

semantic

LINE DIFF

GT	Generated
(#MeetingRoom #AudioRecorder).audiorecorder_recordwithduration("test.wav", 10)	(#AudioRecorder).audiorecorder_recordwithduration("test.wav" 10)

Row 43 · Category 2

Sound a fire siren on the farm.

사이렌으로 농장에 화재경보를 울려줘.

GT name: SoundFireSirenOnFarm				
Service list: service_list_ver2.0.1.json				
Output name: SoundFireSirenOnFarm				
Retrieval cats: not used (connected_devices scope)				
DET 96.8224	PASS Yes	GT EXACT No	SIMILARITY 0.9645	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16408
COMPLETION TOKENS 45	TOTAL TOKENS 16453	LLM LATENCY 1.773s	PIPELINE 1.779s	TOK/S 9281.8459
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Siren

2 services · 1 values · 1 functions

VALUES

Siren_SirenMode
raw SirenMode · arg - · ret ENUM · Allows for the control of the Siren

FUNCTIONS

Siren_SetSirenMode
raw SetSirenMode · arg ENUM · ret VOID · Allows for the control of the Siren

CONNECTED

GT JOICODE

cron="" · period=0

```
(#Farm #Siren).siren_setsirenmode("fire")
```

GENERATED JOICODE

cron="" · period=0

```
(#Siren).siren_setsirenmode("fire")
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
(#Farm #Siren).siren_setsirenmode("fire")	(#Siren).siren_setsirenmode("fire")

Row 44 · Category 2

Play the "Golden.mp3" file through the speaker in the playroom.

놀이방의 스피커로 "Golden.mp3" 파일을 재생해줘.

GT name: PlayGoldenMp3FileThroughSpeakerIn				
Service list: service_list_ver2.0.1.json				
Output name: PlayGoldenMp3InPlayroom				
Retrieval cats: not used (connected_devices scope)				
DET 98.0213	PASS Yes	GT EXACT No	SIMILARITY 0.9043	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 17204
COMPLETION TOKENS 46	TOTAL TOKENS 17250	LLM LATENCY 1.838s	PIPELINE 1.847s	TOK/S 9384.6907
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT					
Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.					
CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1

Speaker	CONNECTED
11 services · 2 values · 9 functions	
VALUES	
Speaker_PlaybackState raw PlaybackState · arg - · ret ENUM · Speaker device for audio playback and media control	
Speaker_Volume raw Volume · arg - · ret INTEGER · Speaker device for audio playback and media control	
FUNCTIONS	
Speaker_FastForward	

raw FastForward · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Pause

raw Pause · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Play

raw Play · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Rewind

raw Rewind · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_SetVolume

raw SetVolume · arg INTEGER · ret INTEGER · Speaker device for audio playback and media control

Speaker_Speak

raw Speak · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Stop

raw Stop · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_VolumeDown

raw VolumeDown · arg - · ret INTEGER · Speaker device for audio playback and media control

Speaker_VolumeUp

raw VolumeUp · arg - · ret INTEGER · Speaker device for audio playback and media control

GT JOICODE

cron="" · period=0

(#Playroom #Speaker).speaker_play("Golden.mp3")

GENERATED JOICODE

cron="" · period=0

(#Speaker #playroom).speaker_play("Golden.mp3")

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
(#Playroom #Speaker).speaker_play("Golden.mp3")	(#Speaker #playroom).speaker_play("Golden.mp3")

Row 45 · Category 2

Turn off all lights in the bedroom.

안방 조명을 모두 꺼줘.

GT name: TurnOffAllLightsInBedroom				
Service list: service_list_ver2.0.1.json				
Output name: TurnOffAllBedroomLights				
Retrieval cats: not used (connected_devices scope)				
DET 95.3864	PASS Yes	GT EXACT No	SIMILARITY 0.8773	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 18102
COMPLETION TOKENS 41	TOTAL TOKENS 18143	LLM LATENCY 1.982s	PIPELINE 1.992s	TOK/S 9155.7327
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT					
Prompt context came from connected_devices, so retrieval was skipped. 2 connected-device category group(s) were injected.					
CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 2

Light	CONNECTED
15 services · 8 values · 7 functions	
VALUES	
Light_ColorMode raw ColorMode · arg · ret ENUM · A numerical representation of the brightness intensity	
Light_CurrentBrightness raw CurrentBrightness · arg · ret DOUBLE · A numerical representation of the brightness intensity	
Light_CurrentColorTemperature raw CurrentColorTemperature · arg · ret INTEGER · A numerical representation of the brightness intensity	

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

```
all(#Bedroom #Light).switch_off()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Light #bedroom).switch_off()
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
all(#Bedroom #Light).switch_off()	all(#Light #bedroom).switch_off()

Row 46 · Category 2

Close all windows in the living room.

거실에 있는 창문을 모두 닫아줘.

GT name: CloseAllWindowsInLivingRoom				
Service list: service_list_ver2.0.1.json				
Output name: CloseAllWindowsInLivingRoom				
Retrieval cats: not used (connected_devices scope)				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.7054	GT SERVICE COV. 1.0000
RECEIVER COV. 0.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16782
COMPLETION TOKENS 48	TOTAL TOKENS 16830	LLM LATENCY 3.239s	PIPELINE 3.248s	TOK/S 5195.5669
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

WindowCovering

6 services · 2 values · 4 functions

CONNECTED

VALUES

WindowCovering_CurrentPosition

raw CurrentPosition · arg - · ret INTEGER · Controls a window covering to open or close it

WindowCovering_WindowCoveringType

raw WindowCoveringType · arg - · ret ENUM · Controls a window covering to open or close it

FUNCTIONS

WindowCovering_DownOrClose

raw DownOrClose · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_SetLevel

raw SetLevel · arg INTEGER · ret INTEGER · Controls a window covering to open or close it

WindowCovering_Stop

raw Stop · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_UpOrOpen

raw UpOrOpen · arg - · ret VOID · Controls a window covering to open or close it

GT JOICODE

cron="" · period=0

```
all(#LivingRoom #Window).windowcovering_downorclose()
```

GENERATED JOICODE

cron="" · period=0

```
(#WindowCovering #Living_room).windowcovering_downorclose()
```

FAILURE REASONS

- gt_mismatch
- gt_receiver_coverage

LINE DIFF

GT	Generated
all(#LivingRoom #Window).windowcovering_downorclose()	(#WindowCovering #Living_room).windowcovering_downorclose()

Row 47 · Category 2

Open all blinds in Sector2.

섹터2에 있는 블라인드를 모두 열어줘.

GT name: OpenAllBlindsInSector2				
Service list: service_list_ver2.0.1.json				
Output name: OpenAllBlindsInSector2				
Retrieval cats: not used (connected_devices scope)				
DET 97.6250	PASS Yes	GT EXACT No	SIMILARITY 0.9250	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16781
COMPLETION TOKENS 52	TOTAL TOKENS 16833	LLM LATENCY 2.057s	PIPELINE 2.065s	TOK/S 8184.8682
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT					
Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.					
CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1

WindowCovering	CONNECTED
6 services · 2 values · 4 functions	
VALUES	
WindowCovering_CurrentPosition raw CurrentPosition · arg - · ret INTEGER · Controls a window covering to open or close it	
WindowCovering_WindowCoveringType raw WindowCoveringType · arg - · ret ENUM · Controls a window covering to open or close it	
FUNCTIONS	
WindowCovering_DownOrClose	

raw DownOrClose · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_SetLevel

raw SetLevel · arg INTEGER · ret INTEGER · Controls a window covering to open or close it

WindowCovering_Stop

raw Stop · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_UpOrOpen

raw UpOrOpen · arg - · ret VOID · Controls a window covering to open or close it

GT JOICODE

cron="" · period=0

```
all(#Sector2 #Blind).windowcovering_uporopen()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Sector2 #WindowCovering #blind).windowcovering_uporopen()
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
all(#Sector2 #Blind).windowcovering_uporopen()	all(#Sector2 #WindowCovering #blind).windowcovering_uporopen()

Row 48 · Category 2

Change the light on the living room wall to red.

거실 벽에 있는 조명을 빨간색으로 바꿔줘.

GT name: ChangeLightOnLivingRoomWallToRed				
Service list: service_list_ver2.0.1.json				
Output name: SetLivingRoomWallLightToRed				
Retrieval cats: not used (connected_devices scope)				
DET 87.3545	PASS Yes	GT EXACT No	SIMILARITY 0.9066	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 18312
COMPLETION TOKENS 53	TOTAL TOKENS 18365	LLM LATENCY 3.830s	PIPELINE 3.840s	TOK/S 4795.5400
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

ColorControl

CONNECTED

2 services · 1 values · 1 functions

VALUES

ColorControl_Color

raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor

raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

(#LivingRoom #Wall #Light).light_movetorgb(255, 0, 0)

GENERATED JOICODE

cron="" · period=0

(#Light #LivingRoom #Wall).light_movetorgb(255 | 0 | 0)

FAILURE REASONS

arg_type

gt_mismatch

precondition

LINE DIFF

GT	Generated
(#LivingRoom #Wall #Light).light_movetorgb(255, 0, 0)	(#Light #LivingRoom #Wall).light_movetorgb(255 0 0)

Row 49 · Category 2

Lock all safes with odd tags in Sector B.

섹터 비에 있는 홀수 태그가 붙은 금고를 모두 잠궜줘.

GT name: LockAllSafesWithOddTagsInSectorB				
Service list: service_list_ver2.0.1.json				
Output name: LockOddSafesInSectorB				
Retrieval cats: not used (connected_devices scope)				
DET 94.5625	PASS Yes	GT EXACT No	SIMILARITY 0.9125	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16447
COMPLETION TOKENS 46	TOTAL TOKENS 16493	LLM LATENCY 1.295s	PIPELINE 1.302s	TOK/S 12739.8424
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Safe

3 services · 1 values · 2 functions

VALUES

Safe_SafeState
raw SafeState · arg - · ret ENUM · Allows for the control of the Safe

FUNCTIONS

Safe_Lock
raw Lock · arg - · ret VOID · Allows for the control of the Safe

Safe_Unlock

CONNECTED

raw Unlock · arg - · ret VOID · Allows for the control of the Safe

GT JOICODE

cron="" · period=0

```
all(#SectorB #Odd #Safe).safe_lock()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Safe #SectorB #odd).safe_lock()
```

FAILURE REASONS

- gt_mismatch
- semantic

LINE DIFF

GT	Generated
all(#SectorB #Odd #Safe).safe_lock()	all(#Safe #SectorB #odd).safe_lock()

Row 50 · Category 2

Increases the light brightness to 100 in the meeting room.

회의실에 있는 조명 밝기를 100까지 높여줘.

GT name: IncreasesLightBrightnessTo100InMeetingRoom				
Service list: service_list_ver2.0.1.json				
Output name: IncreaseMeetingRoomLightBrightness				
Retrieval cats: not used (connected_devices scope)				
DET 70.2672	PASS Yes	GT EXACT No	SIMILARITY 0.8642	GT SERVICE COV. 1.0000
RECEIVER COV. 0.0000	DATAFLOW 1.0000	NUMERIC 0.5000	ENUM 1.0000	PROMPT TOKENS 18592
COMPLETION TOKENS 46	TOTAL TOKENS 18638	LLM LATENCY 1.684s	PIPELINE 1.695s	TOK/S 11070.3255
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

LevelControl

CONNECTED

4 services · 3 values · 1 functions

VALUES

LevelControl_CurrentLevel

raw CurrentLevel · arg - · ret DOUBLE · Allows for the control of the level of a device like a light or a dimmer switch

LevelControl_MaxLevel

raw MaxLevel · arg - · ret DOUBLE · Allows for the control of the level of a device like a light or a dimmer switch

LevelControl_MinLevel

raw MinLevel · arg - · ret DOUBLE · Allows for the control of the level of a device like a light or a dimmer switch

FUNCTIONS

LevelControl_MoveToLevel

raw MoveToLevel · arg DOUBLE | DOUBLE · ret VOID · Allows for the control of the level of a device like a light or a dimmer switch

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

(#MeetingRoom #Light).light_movetobrightness(100, 0)

GENERATED JOICODE

cron="" · period=0

(#Light #meeting_room).light_movetobrightness(100 | 10)

FAILURE REASONS

arg_type

gt_mismatch

gt_receiver_coverage

numeric_grounding

precondition

LINE DIFF

GT	Generated
(#MeetingRoom #Light).light_movetobrightness(100, 0)	(#Light #meeting_room).light_movetobrightness(100 10)

Row 51 · Category 2

Close everything in Sector2.

섹터2 모두 닫아줘.

GT name: CloseEverythingInSector2				
Service list: service_list_ver2.0.1.json				
Output name: CloseAllInSector2				
Retrieval cats: not used (connected_devices scope)				
DET 97.2400	PASS Yes	GT EXACT No	SIMILARITY 0.9280	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16780
COMPLETION TOKENS 48	TOTAL TOKENS 16828	LLM LATENCY 4.048s	PIPELINE 4.056s	TOK/S 4157.0119
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

WindowCovering

CONNECTED

6 services · 2 values · 4 functions

VALUES

- WindowCovering_CurrentPosition

raw CurrentPosition · arg - · ret INTEGER · Controls a window covering to open or close it
- WindowCovering_WindowCoveringType

raw WindowCoveringType · arg - · ret ENUM · Controls a window covering to open or close it

FUNCTIONS

- WindowCovering_DownOrClose

raw DownOrClose · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_SetLevel

raw SetLevel · arg INTEGER · ret INTEGER · Controls a window covering to open or close it

WindowCovering_Stop

raw Stop · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_UpOrOpen

raw UpOrOpen · arg - · ret VOID · Controls a window covering to open or close it

GT JOICODE

cron="" · period=0

```
all(#Sector2).windowcovering_downorclose()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Sector2 #WindowCovering).windowcovering_downorclose()
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
all(#Sector2).windowcovering_downorclose()	all(#Sector2 #WindowCovering).windowcovering_downorclose()

Row 52 · Category 2

Change all lights on the hallway wall to blue.

복도 벽에 있는 모든 조명을 파란색으로 바꿔줘.

GT name: ChangeAllLightsOnHallwayWallToBlue				
Service list: service_list_ver2.0.1.json				
Output name: Set Hallway Wall Lights to Blue				
Retrieval cats: not used (connected_devices scope)				
DET 78.8665	PASS Yes	GT EXACT No	SIMILARITY 0.7233	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 18311
COMPLETION TOKENS 53	TOTAL TOKENS 18364	LLM LATENCY 2.589s	PIPELINE 2.601s	TOK/S 7093.0861
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT					
Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.					
CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3

Light	CONNECTED
15 services · 8 values · 7 functions	
VALUES	
Light_ColorMode raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity	
Light_CurrentBrightness raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity	
Light_CurrentColorTemperature raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity	

Light_CurrentHue
raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB
raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation
raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX
raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY
raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness
raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature
raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue
raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation
raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB
raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation
raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY
raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

ColorControl

2 services · 1 values · 1 functions

CONNECTED

VALUES

ColorControl_Color
raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor
raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

Switch

4 services · 1 values · 3 functions

CONNECTED

VALUES

Switch_Switch
raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

all(#Hallway #Wall #Light).light_movetorgb(0, 0, 255)

GENERATED JOICODE

cron="" · period=0

(#Light #hallway #wall).light_movetorgb(0 | 0 | 255)

FAILURE REASONS

arg_type

extraneous

gt_mismatch

precondition

semantic

LINE DIFF

GT	Generated
all(#Hallway #Wall #Light).light_movetorgb(0, 0, 255)	(#Light #hallway #wall).light_movetorgb(0 0 255)

Row 53 · Category 2

In Group 1, change all upper-level lights to blue.

그룹1에서 상단부에 있는 조명들을 모두 파란색으로 변경해줘.

GT name: InGroup1ChangeAllUpperLevelLightsToBlue				
Service list: service_list_ver2.0.1.json				
Output name: Change Group1 Upper Lights to Blue				
Retrieval cats: not used (connected_devices scope)				
DET 46.5833	PASS No	GT EXACT No	SIMILARITY 0.5167	GT SERVICE COV. 0.0000
RECEIVER COV. 0.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 18314
COMPLETION TOKENS 53	TOTAL TOKENS 18367	LLM LATENCY 1.512s	PIPELINE 1.525s	TOK/S 12150.7012
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 4	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

CONNECTED

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

ColorControl

CONNECTED

2 services · 1 values · 1 functions

VALUES

ColorControl_Color

raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor

raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

all(#Group1 #Top #Light).light_movetorgb(0, 0, 255)

GENERATED JOICODE

cron="" · period=0

all(#Light #Group1 #Upper).colorcontrol_setcolor("0|0|255")

FAILURE REASONS

extraneous

gt_mismatch

gt_receiver_coverage

gt_service_coverage

precondition

semantic

LINE DIFF

GT	Generated
all(#Group1 #Top #Light).light_movetorgb(0, 0, 255)	all(#Light #Group1 #Upper).colorcontrol_setcolor("0 0 255")

Row 54 · Category 2

Change all lights in Sector 10 to white.

섹터10의 모든 조명을 흰색으로 바꿔줘.

GT name: ChangeAllLightsInSector10ToWhite				
Service list: service_list_ver2.0.1.json				
Output name: SetAllSector10LightsToWhite				
Retrieval cats: not used (connected_devices scope)				
DET 83.7285	PASS Yes	GT EXACT No	SIMILARITY 0.9457	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 18311
COMPLETION TOKENS 51	TOTAL TOKENS 18362	LLM LATENCY 1.427s	PIPELINE 1.438s	TOK/S 12870.2600
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

ColorControl

CONNECTED

2 services · 1 values · 1 functions

VALUES

ColorControl_Color

raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor

raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

all(#Sector10 #Light).colorcontrol_setcolor("255|255|255")

GENERATED JOICODE

cron="" · period=0

all(#Light #Sector10).colorcontrol_setcolor("255|255|255")

FAILURE REASONS

extraneous

gt_mismatch

precondition

semantic

LINE DIFF

GT	Generated
all(#Sector10 #Light).colorcontrol_setcolor("255 255 255")	all(#Light #Sector10).colorcontrol_setcolor("255 255 255")

Row 55 · Category 2

Lower all even-tagged blinds in the bedroom.

안방에 있는 짝수 태그 블라인드를 모두 내려줘.

GT name: LowerAllEvenTaggedBlindsInBedroom				
Service list: service_list_ver2.0.1.json				
Output name: LowerEvenTaggedBlindsInBedroom				
Retrieval cats: not used (connected_devices scope)				
DET 88.3004	PASS Yes	GT EXACT No	SIMILARITY 0.8601	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16784
COMPLETION TOKENS 52	TOTAL TOKENS 16836	LLM LATENCY 1.754s	PIPELINE 1.763s	TOK/S 9597.5373
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 4	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

WindowCovering

6 services · 2 values · 4 functions

CONNECTED

VALUES

WindowCovering_CurrentPosition

raw CurrentPosition · arg - · ret INTEGER · Controls a window covering to open or close it

WindowCovering_WindowCoveringType

raw WindowCoveringType · arg - · ret ENUM · Controls a window covering to open or close it

FUNCTIONS

WindowCovering_DownOrClose

raw DownOrClose · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_SetLevel

raw SetLevel · arg INTEGER · ret INTEGER · Controls a window covering to open or close it

WindowCovering_Stop

raw Stop · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_UpOrOpen

raw UpOrOpen · arg - · ret VOID · Controls a window covering to open or close it

GT JOICODE

cron="" · period=0

```
all(#Bedroom #Even #Blind).windowcovering_downorclose()
```

GENERATED JOICODE

cron="" · period=0

```
all(#WindowCovering #even #bedroom).windowcovering_downorclose()
```

FAILURE REASONS

- extraneous
- gt_mismatch
- semantic

LINE DIFF

GT	Generated
all(#Bedroom #Even #Blind).windowcovering_downorclose()	all(#WindowCovering #even #bedroom).windowcovering_downorclose()

Row 56 · Category 2

Stop all robot vacuum cleaners on the 3rd floor.

3층에 있는 모든 로봇 청소기를 멈춰줘.

GT name: StopAllRobotVacuumCleanersOn3rdFloor				
Service list: service_list_ver2.0.1.json				
Output name: StopRobotVacuumCleaner3rdFloor				
Retrieval cats: not used (connected_devices scope)				
DET 95.9831	PASS Yes	GT EXACT No	SIMILARITY 0.7966	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16476
COMPLETION TOKENS 58	TOTAL TOKENS 16534	LLM LATENCY 1.502s	PIPELINE 1.516s	TOK/S 11007.9893
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

RobotVacuumCleaner

2 services · 1 values · 1 functions

VALUES

RobotVacuumCleaner_RobotVacuumCleanerMode
raw RobotVacuumCleanerMode · arg - · ret ENUM · Allows for the control of the robot cleaner cleaning mode

FUNCTIONS

RobotVacuumCleaner_SetRobotVacuumCleanerModeMode
raw SetRobotVacuumCleanerModeMode · arg ENUM · ret VOID · Allows for the control of the robot cleaner cleaning mode

CONNECTED

GT JOICODE

cron="" · period=0

```
all(#Floor3 #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode("stop")
```

GENERATED JOICODE

cron="" · period=0

```
(#RobotVacuumCleaner #3rdFloor).robotvacuumcleaner_setrobotvacuumcleanermodemode("stop")
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
all(#Floor3 #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode("stop")	(#RobotVacuumCleaner #3rdFloor).robotvacuumcleaner_setrobotvacuumcleanermodemode("stop")

Row 57 · Category 2

Turn on all odd-tagged lights on the living room wall.

거실 벽에 있는 모든 홀수 태그 조명을 켜줘.

GT name: TurnOnAllOddTaggedLightsOnLivingRoom				
Service list: service_list_ver2.0.1.json				
Output name: TurnOnOddTaggedLivingRoomWallLights				
Retrieval cats: not used (connected_devices scope)				
DET 92.5674	PASS Yes	GT EXACT No	SIMILARITY 0.7135	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 18107
COMPLETION TOKENS 47	TOTAL TOKENS 18154	LLM LATENCY 4.278s	PIPELINE 4.290s	TOK/S 4243.5718
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 2 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 2
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg · ret INTEGER · A numerical representation of the brightness intensity

CONNECTED

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

```
all(#LivingRoom #Wall #Odd #Light).switch_on()
```

GENERATED JOICODE

cron="" · period=0

```
(#Light #Odd #LivingRoom #Wall).switch_on()
```

FAILURE REASONS

- gt_mismatch
- semantic

LINE DIFF

GT	Generated
all(#LivingRoom #Wall #Odd #Light).switch_on()	(#Light #Odd #LivingRoom #Wall).switch_on()

Row 58 · Category 2

Set all dehumidifiers in the office to dehumidify mode.

사무실의 모든 제습기를 제습 모드로 설정해줘.

GT name: SetAllDehumidifiersInOfficeToDehumidifyMode				
Service list: service_list_ver2.0.1.json				
Output name: SetOfficeDehumidifiersToDehumidify				
Retrieval cats: not used (connected_devices scope)				
DET 94.4631	PASS Yes	GT EXACT No	SIMILARITY 0.7926	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16495
COMPLETION TOKENS 55	TOTAL TOKENS 16550	LLM LATENCY 2.297s	PIPELINE 2.304s	TOK/S 7206.3050
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Dehumidifier

2 services · 1 values · 1 functions

VALUES

Dehumidifier_DehumidifierMode
raw DehumidifierMode · arg - · ret ENUM · Allows for the control of the dehumidifier mode

FUNCTIONS

Dehumidifier_SetDehumidifierMode
raw SetDehumidifierMode · arg ENUM · ret VOID · Allows for the control of the dehumidifier mode

CONNECTED

GT JOICODE

cron="" · period=0

```
all(#Office #Dehumidifier).dehumidifier_setdehumidifiermode("dehumidifying")
```

GENERATED JOICODE

cron="" · period=0

```
(#Dehumidifier #office).dehumidifier_setdehumidifiermode("dehumidifying")
```

FAILURE REASONS

- gt_mismatch
- semantic

LINE DIFF

GT	Generated
all(#Office #Dehumidifier).dehumidifier_setdehumidifiermode("dehumidifying")	(#Dehumidifier #office).dehumidifier_setdehumidifiermode("dehumidifying")

Row 59 · Category 2

Lock all door locks in the storage.

창고의 모든 도어락을 잠궈줘.

GT name: LockAllDoorLocksInStorage				
Service list: service_list_ver2.0.1.json				
Output name: LockAllStorageDoorLocks				
Retrieval cats: not used (connected_devices scope)				
DET 95.6200	PASS Yes	GT EXACT No	SIMILARITY 0.7240	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16464
COMPLETION TOKENS 42	TOTAL TOKENS 16506	LLM LATENCY 2.257s	PIPELINE 2.265s	TOK/S 7311.9518
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

DoorLock

3 services · 1 values · 2 functions

VALUES

DoorLock_DoorLockState
raw DoorLockState · arg - · ret ENUM · Allow for the control of a door lock

FUNCTIONS

DoorLock_Lock
raw Lock · arg - · ret VOID · Allow for the control of a door lock

DoorLock_Unlock

raw Unlock · arg - · ret VOID · Allow for the control of a door lock

GT JOICODE

cron="" · period=0

```
all(#Storage #DoorLock).doorlock_lock()
```

GENERATED JOICODE

cron="" · period=0

```
(#DoorLock #storage).doorlock_lock()
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
all(#Storage #DoorLock).doorlock_lock()	(#DoorLock #storage).doorlock_lock()

Row 60 · Category 2

Open all even-tagged valves in the kitchen.

주방의 모든 짝수 태그 밸브를 열어줘.

GT name: OpenAllEvenTaggedValvesInKitchen				
Service list: service_list_ver2.0.1.json				
Output name: OpenEvenValvesInKitchen				
Retrieval cats: not used (connected_devices scope)				
DET 95.2600	PASS Yes	GT EXACT No	SIMILARITY 0.6520	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16419
COMPLETION TOKENS 43	TOTAL TOKENS 16462	LLM LATENCY 1.506s	PIPELINE 1.514s	TOK/S 10930.2171
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 4	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT					
Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.					
CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1

Valve	CONNECTED
3 services · 1 values · 2 functions	
VALUES	
Valve_ValveState raw ValveState · arg - · ret BOOL · Controls a valve to open or close it	
FUNCTIONS	
Valve_Close raw Close · arg - · ret VOID · Controls a valve to open or close it	
Valve_Open	

raw Open · arg - · ret VOID · Controls a valve to open or close it

GT JOICODE

cron="" · period=0

```
all(#Kitchen #Even #Valve).valve_open()
```

GENERATED JOICODE

cron="" · period=0

```
(#Valve #even #kitchen).valve_open()
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
all(#Kitchen #Even #Valve).valve_open()	(#Valve #even #kitchen).valve_open()

Generated from /home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_by_category_manual_20260506/retrieval_gpt41_mini_cat2/row_comparison.csv. PDF export uses headless Chrome when available.