

JOIcode Side-by-Side Report · gpt41_mini

Side-by-side GT vs Generated JOIcode report for gpt41_mini. This report is rendered from row-level benchmark outputs and is print-friendly for PDF export.

ROWS 3	AVG DET 57.4740	DET PASS 0.0%	GT EXACT 0.0%	AVG PROMPT TOKENS 17694.3
AVG COMPLETION TOKENS 50.3	AVG LLM LATENCY 2.165s	P50 LLM LATENCY 1.746s	PEAK VRAM 0.000 GB	OOM COUNT 0

RUN METADATA

Results Dir	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_by_category_manual_20260506/retrieval_gpt41_mini_cat2
Output Dir	Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_by_category_manual_20260506/retrieval_gpt41_mini_cat2/side_by_side_report_gpt41_mini_failures_only
Suite	paper_with_cloud_ref
Genome	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/best_genome.json
Created At	2026-05-06T16:33:23.048461
Categories	2
Limit/Category	-
Rows	31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60

TOP FAILURE REASONS

gt_mismatch	3
gt_receiver_coverage	3
gt_service_coverage	2
arg_type	1
extraneous	1
precondition	1
semantic	1

CONTEXT + C

connected_d
Category 2

MODEL RUNTIME SNAPSHOT

MODEL GPT-4.1-mini	RESOLVED MODEL -	WORKER PYTHON -	SERVICE LIST service_list_ver2.0.1.json	CANDIDATE K 1
REPAIR ATTEMPTS 0	DET PROFILE openai			

ROW DETAILS

Row 31 · Category 2

Set the living room light to yellow.

거실 조명을 노란색으로 설정해줘.

GT name: SetLivingRoomLightToYellow				
Service list: service_list_ver2.0.1.json				
Output name: SetLivingRoomLightToYellow				
Retrieval cats: not used (connected_devices scope)				
DET 55.9387	PASS No	GT EXACT No	SIMILARITY 0.5377	GT SERVICE COV. 0.0000
RECEIVER COV. 0.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 17987
COMPLETION TOKENS 50	TOTAL TOKENS 18037	LLM LATENCY 1.746s	PIPELINE 1.755s	TOK/S 10332.8368
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 2 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 2
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

CONNECTED

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

ColorControl

CONNECTED

2 services · 1 values · 1 functions

VALUES

ColorControl_Color

raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor

raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

GT JOICODE

cron="" · period=0

(#LivingRoom #Light).colorcontrol_setcolor("255|255|0")

GENERATED JOICODE

cron="" · period=0

(#Light #Livingroom).light_movetorgb(255 | 255 | 0)

FAILURE REASONS

- arg_type
- gt_mismatch
- gt_receiver_coverage
- gt_service_coverage

LINE DIFF

GT	Generated
(#LivingRoom #Light).colorcontrol_setcolor("255 255 0")	(#Light #Livingroom).light_movetorgb(255 255 0)

Row 46 · Category 2

Close all windows in the living room.

거실에 있는 창문을 모두 닫아줘.

GT name: CloseAllWindowsInLivingRoom				
Service list: service_list_ver2.0.1.json				
Output name: CloseAllWindowsInLivingRoom				
Retrieval cats: not used (connected_devices scope)				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.7054	GT SERVICE COV. 1.0000
RECEIVER COV. 0.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 16782
COMPLETION TOKENS 48	TOTAL TOKENS 16830	LLM LATENCY 3.239s	PIPELINE 3.248s	TOK/S 5195.5669
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT					
Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.					
CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1

WindowCovering	CONNECTED
6 services · 2 values · 4 functions	
VALUES	
WindowCovering_CurrentPosition raw CurrentPosition · arg - · ret INTEGER · Controls a window covering to open or close it	
WindowCovering_WindowCoveringType raw WindowCoveringType · arg - · ret ENUM · Controls a window covering to open or close it	
FUNCTIONS	
WindowCovering_DownOrClose	

raw DownOrClose · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_SetLevel

raw SetLevel · arg INTEGER · ret INTEGER · Controls a window covering to open or close it

WindowCovering_Stop

raw Stop · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_UpOrOpen

raw UpOrOpen · arg - · ret VOID · Controls a window covering to open or close it

GT JOICODE

cron="" · period=0

```
all(#LivingRoom #Window).windowcovering_downorclose()
```

GENERATED JOICODE

cron="" · period=0

```
(#WindowCovering #Living_room).windowcovering_downorclose()
```

FAILURE REASONS

- gt_mismatch
- gt_receiver_coverage

LINE DIFF

GT	Generated
all(#LivingRoom #Window).windowcovering_downorclose()	(#WindowCovering #Living_room).windowcovering_downorclose()

Row 53 · Category 2

In Group 1, change all upper-level lights to blue.

그룹1에서 상단부에 있는 조명들을 모두 파란색으로 변경해줘.

GT name: InGroup1ChangeAllUpperLevelLightsToBlue				
Service list: service_list_ver2.0.1.json				
Output name: Change Group1 Upper Lights to Blue				
Retrieval cats: not used (connected_devices scope)				
DET 46.5833	PASS No	GT EXACT No	SIMILARITY 0.5167	GT SERVICE COV. 0.0000
RECEIVER COV. 0.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 18314
COMPLETION TOKENS 53	TOTAL TOKENS 18367	LLM LATENCY 1.512s	PIPELINE 1.525s	TOK/S 12150.7012
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 4	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

CONNECTED

Light_CurrentHue
raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB
raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation
raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX
raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY
raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness
raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature
raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue
raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation
raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB
raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation
raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY
raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

ColorControl

2 services · 1 values · 1 functions

CONNECTED

VALUES

ColorControl_Color
raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor
raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

Switch

4 services · 1 values · 3 functions

CONNECTED

VALUES

Switch_Switch
raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

all(#Group1 #Top #Light).light_movetorgb(0, 0, 255)

GENERATED JOICODE

cron="" · period=0

all(#Light #Group1 #Upper).colorcontrol_setcolor("0|0|255")

FAILURE REASONS

extraneous

gt_mismatch

gt_receiver_coverage

gt_service_coverage

precondition

semantic

LINE DIFF

GT	Generated
all(#Group1 #Top #Light).light_movetorgb(0, 0, 255)	all(#Light #Group1 #Upper).colorcontrol_setcolor("0 0 255")

Generated from /home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_by_category_manual_20260506/retrieval_gpt41_mini_cat2/row_comparison.csv. PDF export uses headless Chrome when available.