

JOIcode Side-by-Side Report · gpt41_mini

Side-by-side GT vs Generated JOIcode report for gpt41_mini. This report is rendered from row-level benchmark outputs and is print-friendly for PDF export.

ROWS 26	AVG DET 67.0481	DET PASS 0.0%	GT EXACT 0.0%	AVG PROMPT TOKENS 18367.9
AVG COMPLETION TOKENS 75.5	AVG LLM LATENCY 3.031s	P50 LLM LATENCY 2.587s	PEAK VRAM 0.000 GB	OOM COUNT 0

RUN METADATA

Results Dir	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_by_category_manual_20260506/retrieval_gpt41_mini_cat5
Output Dir	Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_by_category_manual_20260506/retrieval_gpt41_mini_cat5/side_by_side_report_gpt41_mini_failures_only
Suite	paper_with_cloud_ref
Genome	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/best_genome.json
Created At	2026-05-06T16:38:17.149121
Categories	5
Limit/Category	-
Rows	121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150

TOP FAILURE REASONS

arg_type	26
extraneous	26
gt_mismatch	26
numeric_grounding	26
semantic	17
dataflow	11
gt_receiver_coverage	7
enum_grounding	6

CONTEXT + C

service_retrie
connected_d
Category 5

MODEL RUNTIME SNAPSHOT

MODEL GPT-4.1-mini	RESOLVED MODEL -	WORKER PYTHON -	SERVICE LIST service_list_ver2.0.1.json	CANDIDATE K 1
REPAIR ATTEMPTS 0	DET PROFILE openai			

ROW DETAILS

Row 122 · Category 5

Set the air conditioner to cool mode and switch to auto mode after 30 minutes.

에어컨을 냉방 모드로 설정하고 30분 뒤에 자동 모드로 설정해줘.

GT name: SetAirConditionerToCoolModeSwitchTo				
Service list: service_list_ver2.0.1.json				
Output name: AirConditionerCoolThenAuto				
Retrieval cats: AirConditioner, AirPurifier, AirQualitySensor, Dishwasher, Dehumidifier, LaundryDryer, DimmerSwitch, Oven, CarbonDioxideSensor, TemperatureSensor				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.9597	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 0.0000	ENUM 0.5000	PROMPT TOKENS 19876
COMPLETION TOKENS 77	TOTAL TOKENS 19953	LLM LATENCY 2.580s	PIPELINE 3.562s	TOK/S 7732.5221
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE retrieval premapping	SNIPPET SOURCE service_retrieval_fallback	RETRIEVAL used	CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10	INJECTED CATEGORIES 10
--------------------------------------	--	-------------------	------------------------	-----------------------	---------------------------

AirConditioner

4 services · 2 values · 2 functions

VALUES

AirConditioner_AirConditionerMode

raw AirConditionerMode · arg - · ret ENUM · Controls air conditioner mode and temperature settings

AirConditioner_TargetTemperature

raw TargetTemperature · arg - · ret DOUBLE · Controls air conditioner mode and temperature settings

FUNCTIONS

AirConditioner_SetAirConditionerMode

raw SetAirConditionerMode · arg ENUM · ret VOID · Controls air conditioner mode and temperature settings

AirConditioner_SetTargetTemperature
raw SetTargetTemperature · arg DOUBLE · ret VOID · Controls air conditioner mode and temperature settings

AirPurifier

2 services · 1 values · 1 functions

RETRIEVED · RANK 2

VALUES

AirPurifier_AirPurifierMode
raw AirPurifierMode · arg - · ret ENUM · Controls air purifier mode

FUNCTIONS

AirPurifier_SetAirPurifierMode
raw SetAirPurifierMode · arg ENUM · ret VOID · Controls air purifier mode

AirQualitySensor

7 services · 7 values · 0 functions

RETRIEVED · RANK 3

VALUES

AirQualitySensor_CarbonDioxide
raw CarbonDioxide · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_DustLevel
raw DustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_FineDustLevel
raw FineDustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_Humidity
raw Humidity · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_Temperature
raw Temperature · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_TvocLevel
raw TvocLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_VeryFineDustLevel
raw VeryFineDustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

FUNCTIONS

None

Dishwasher

2 services · 1 values · 1 functions

RETRIEVED · RANK 4

VALUES

Dishwasher_DishwasherMode
raw DishwasherMode · arg - · ret ENUM · Allows for the control of the dishwasher mode

FUNCTIONS

Dishwasher_SetDishwasherMode
raw SetDishwasherMode · arg ENUM · ret VOID · Allows for the control of the dishwasher mode

Dehumidifier

2 services · 1 values · 1 functions

RETRIEVED · RANK 5

VALUES

Dehumidifier_DehumidifierMode

raw DehumidifierMode · arg - · ret ENUM · Allows for the control of the dehumidifier mode

FUNCTIONS

Dehumidifier_SetDehumidifierMode

raw SetDehumidifierMode · arg ENUM · ret VOID · Allows for the control of the dehumidifier mode

LaundryDryer

4 services · 2 values · 2 functions

RETRIEVED · RANK 6

VALUES

LaundryDryer_LaundryDryerMode

raw LaundryDryerMode · arg - · ret ENUM · Allows for the control of the laundry dryer mode

LaundryDryer_SpinSpeed

raw SpinSpeed · arg - · ret INTEGER · Allows for the control of the laundry dryer mode

FUNCTIONS

LaundryDryer_SetLaundryDryerMode

raw SetLaundryDryerMode · arg ENUM · ret VOID · Allows for the control of the laundry dryer mode

LaundryDryer_SetSpinSpeed

raw SetSpinSpeed · arg INTEGER · ret VOID · Allows for the control of the laundry dryer mode

DimmerSwitch

4 services · 4 values · 0 functions

RETRIEVED · RANK 7

VALUES

DimmerSwitch_Button1

raw Button1 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

DimmerSwitch_Button2

raw Button2 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

DimmerSwitch_Button3

raw Button3 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

DimmerSwitch_Button4

raw Button4 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

FUNCTIONS

None

Oven

4 services · 1 values · 3 functions

RETRIEVED · RANK 8

VALUES

Oven_OvenMode

raw OvenMode · arg - · ret ENUM · Allows for the control of the oven mode

FUNCTIONS

Oven_AddMoreTime

raw AddMoreTime · arg DOUBLE · ret VOID · Allows for the control of the oven mode

Oven_SetCookingParameters

raw SetCookingParameters · arg ENUM | DOUBLE · ret VOID · Allows for the control of the oven mode

Oven_SetOvenMode

raw SetOvenMode · arg ENUM · ret VOID · Allows for the control of the oven mode

CarbonDioxideSensor

RETRIEVED · RANK 9

1 services · 1 values · 0 functions

VALUES

CarbonDioxideSensor_CarbonDioxide

raw CarbonDioxide · arg - · ret DOUBLE · Measure carbon dioxide levels

FUNCTIONS

None

TemperatureSensor

RETRIEVED · RANK 10

1 services · 1 values · 0 functions

VALUES

TemperatureSensor_Temperature

raw Temperature · arg - · ret DOUBLE · Get the temperature from a Device that reports current temperature

FUNCTIONS

None

GT JOICODE

cron="" · period=0

(#AirConditioner).airconditioner_setairconditionermode("cool")

delay(30 MIN)

(#AirConditioner).airconditioner_setairconditionermode("auto")

GENERATED JOICODE

cron="" · period=0

(#AirConditioner).airconditioner_setairconditionermode("cool")

(#Clock).clock_delay(1800000)

(#AirConditioner).airconditioner_setairconditionermode("auto")

FAILURE REASONS

- arg_type
- enum_grounding
- extraneous
- gt_mismatch
- numeric_grounding
- semantic

LINE DIFF

GT	Generated
(#AirConditioner).airconditioner_setairconditionermode("cool")	(#AirConditioner).airconditioner_setairconditionermode("cool")
	(#Clock).clock_delay(1800000)
delay(30 MIN)	(#AirConditioner).airconditioner_setairconditionermode("auto")

GT	Generated
(#AirConditioner).airconditioner_setairconditionermode("auto")	

Row 123 · Category 5

Set the air purifier to auto mode and switch to sleep mode after 2 hours.

공기청정기를 자동 모드로 설정하고 2시간 뒤에 수면 모드로 설정해줘.

GT name: SetAirPurifierToAutoModeSwitchTo				
Service list: service_list_ver2.0.1.json				
Output name: AirPurifierAutoThenSleep				
Retrieval cats: AirPurifier, AirConditioner, AirQualitySensor, Dishwasher, RobotVacuumCleaner, LaundryDryer, Dehumidifier, Humidifier, Pump, SmokeDetector				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.9543	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 0.0000	ENUM 0.5000	PROMPT TOKENS 19485
COMPLETION TOKENS 77	TOTAL TOKENS 19562	LLM LATENCY 2.041s	PIPELINE 3.005s	TOK/S 9586.8660
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE retrieval premapping	SNIPPET SOURCE service_retrieval_fallback	RETRIEVAL used	CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10	INJECTED CATEGORIES 10
--------------------------------------	--	-------------------	------------------------	-----------------------	---------------------------

AirPurifier

2 services · 1 values · 1 functions

VALUES

AirPurifier_AirPurifierMode

raw AirPurifierMode · arg - · ret ENUM · Controls air purifier mode

FUNCTIONS

AirPurifier_SetAirPurifierMode

raw SetAirPurifierMode · arg ENUM · ret VOID · Controls air purifier mode

AirConditioner

RETRIEVED · RANK 2

4 services · 2 values · 2 functions

VALUES

AirConditioner_AirConditionerMode

raw AirConditionerMode · arg - · ret ENUM · Controls air conditioner mode and temperature settings

AirConditioner_TargetTemperature

raw TargetTemperature · arg - · ret DOUBLE · Controls air conditioner mode and temperature settings

FUNCTIONS

AirConditioner_SetAirConditionerMode

raw SetAirConditionerMode · arg ENUM · ret VOID · Controls air conditioner mode and temperature settings

AirConditioner_SetTargetTemperature

raw SetTargetTemperature · arg DOUBLE · ret VOID · Controls air conditioner mode and temperature settings

AirQualitySensor

RETRIEVED · RANK 3

7 services · 7 values · 0 functions

VALUES

AirQualitySensor_CarbonDioxide

raw CarbonDioxide · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_DustLevel

raw DustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_FineDustLevel

raw FineDustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_Humidity

raw Humidity · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_Temperature

raw Temperature · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_TvocLevel

raw TvocLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_VeryFineDustLevel

raw VeryFineDustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

FUNCTIONS

None

Dishwasher

RETRIEVED · RANK 4

2 services · 1 values · 1 functions

VALUES

Dishwasher_DishwasherMode

raw DishwasherMode · arg - · ret ENUM · Allows for the control of the dishwasher mode

FUNCTIONS

Dishwasher_SetDishwasherMode

raw SetDishwasherMode · arg ENUM · ret VOID · Allows for the control of the dishwasher mode

RobotVacuumCleaner 2 services · 1 values · 1 functions VALUES RobotVacuumCleaner_RobotVacuumCleanerMode raw RobotVacuumCleanerMode · arg - · ret ENUM · Allows for the control of the robot cleaner cleaning mode FUNCTIONS RobotVacuumCleaner_SetRobotVacuumCleanerModeMode raw SetRobotVacuumCleanerModeMode · arg ENUM · ret VOID · Allows for the control of the robot cleaner cleaning mode	RETRIEVED · RANK 5
LaundryDryer 4 services · 2 values · 2 functions VALUES LaundryDryer_LaundryDryerMode raw LaundryDryerMode · arg - · ret ENUM · Allows for the control of the laundry dryer mode LaundryDryer_SpinSpeed raw SpinSpeed · arg - · ret INTEGER · Allows for the control of the laundry dryer mode FUNCTIONS LaundryDryer_SetLaundryDryerMode raw SetLaundryDryerMode · arg ENUM · ret VOID · Allows for the control of the laundry dryer mode LaundryDryer_SetSpinSpeed raw SetSpinSpeed · arg INTEGER · ret VOID · Allows for the control of the laundry dryer mode	RETRIEVED · RANK 6
Dehumidifier 2 services · 1 values · 1 functions VALUES Dehumidifier_DehumidifierMode raw DehumidifierMode · arg - · ret ENUM · Allows for the control of the dehumidifier mode FUNCTIONS Dehumidifier_SetDehumidifierMode raw SetDehumidifierMode · arg ENUM · ret VOID · Allows for the control of the dehumidifier mode	RETRIEVED · RANK 7
Humidifier 2 services · 1 values · 1 functions VALUES Humidifier_HumidifierMode raw HumidifierMode · arg - · ret ENUM · Maintains and sets the state of an humidifier FUNCTIONS Humidifier_SetHumidifierMode raw SetHumidifierMode · arg ENUM · ret VOID · Maintains and sets the state of an humidifier	RETRIEVED · RANK 8

Pump

2 services · 1 values · 1 functions

RETRIEVED · RANK 9

VALUES

Pump_PumpMode

raw PumpMode · arg - · ret ENUM · Allows for the control of a pump device

FUNCTIONS

Pump_SetPumpMode

raw SetPumpMode · arg ENUM · ret VOID · Allows for the control of a pump device

SmokeDetector

1 services · 1 values · 0 functions

RETRIEVED · RANK 10

VALUES

SmokeDetector_Smoke

raw Smoke · arg - · ret BOOL · A Device that detects smoke

FUNCTIONS

None

GT JOICODE

cron="" · period=0

(#AirPurifier).airpurifier_setairpurifiermode("auto")

delay(2 HOUR)

(#AirPurifier).airpurifier_setairpurifiermode("sleep")

GENERATED JOICODE

cron="" · period=0

(#AirPurifier).airpurifier_setairpurifiermode("auto")

(#Clock).clock_delay(7200000)

(#AirPurifier).airpurifier_setairpurifiermode("sleep")

FAILURE REASONS

arg_type

enum_grounding

extraneous

gt_mismatch

numeric_grounding

LINE DIFF

GT	Generated
(#AirPurifier).airpurifier_setairpurifiermode("auto")	(#AirPurifier).airpurifier_setairpurifiermode("auto")
	(#Clock).clock_delay(7200000)
delay(2 HOUR)	(#AirPurifier).airpurifier_setairpurifiermode("sleep")
(#AirPurifier).airpurifier_setairpurifiermode("sleep")	

Row 125 · Category 5

Set the oven mode to Bake and change it to warming mode after 10 minutes.

오븐 모드를 베이크로 설정하고 10분 뒤에 데우기 모드로 바꿔줘.

GT name: SetOvenModeToBakeChangeItTo				
Service list: service_list_ver2.0.1.json				
Output name: OvenModeChangeWithDelay				
Retrieval cats: Oven, RiceCooker, AirConditioner, Dishwasher, LaundryDryer, TemperatureSensor, Dehumidifier, Button, MenuProvider, Television				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.9357	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 0.0000	ENUM 0.5000	PROMPT TOKENS 19860
COMPLETION TOKENS 70	TOTAL TOKENS 19930	LLM LATENCY 3.173s	PIPELINE 4.159s	TOK/S 6280.3302
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE retrieval premapping	SNIPPET SOURCE service_retrieval_fallback	RETRIEVAL used	CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10	INJECTED CATEGORIES 10
--------------------------------------	--	-------------------	------------------------	-----------------------	---------------------------

Oven

4 services · 1 values · 3 functions

VALUES

Oven_OvenMode

raw OvenMode · arg - · ret ENUM · Allows for the control of the oven mode

FUNCTIONS

Oven_AddMoreTime

raw AddMoreTime · arg DOUBLE · ret VOID · Allows for the control of the oven mode

Oven_SetCookingParameters

raw SetCookingParameters · arg ENUM | DOUBLE · ret VOID · Allows for the control of the oven mode

RETRIEVED · RANK 1

Oven_SetOvenMode

raw SetOvenMode · arg ENUM · ret VOID · Allows for the control of the oven mode

RiceCooker

RETRIEVED · RANK 2

4 services · 1 values · 3 functions

VALUES

RiceCooker_RiceCookerMode

raw RiceCookerMode · arg - · ret ENUM · Allows for the control of the Rice Cooker

FUNCTIONS

RiceCooker_AddMoreTime

raw AddMoreTime · arg DOUBLE · ret VOID · Allows for the control of the Rice Cooker

RiceCooker_SetCookingParameters

raw SetCookingParameters · arg ENUM | DOUBLE · ret VOID · Allows for the control of the Rice Cooker

RiceCooker_SetRiceCookerMode

raw SetRiceCookerMode · arg ENUM · ret VOID · Allows for the control of the Rice Cooker

AirConditioner

RETRIEVED · RANK 3

4 services · 2 values · 2 functions

VALUES

AirConditioner_AirConditionerMode

raw AirConditionerMode · arg - · ret ENUM · Controls air conditioner mode and temperature settings

AirConditioner_TargetTemperature

raw TargetTemperature · arg - · ret DOUBLE · Controls air conditioner mode and temperature settings

FUNCTIONS

AirConditioner_SetAirConditionerMode

raw SetAirConditionerMode · arg ENUM · ret VOID · Controls air conditioner mode and temperature settings

AirConditioner_SetTargetTemperature

raw SetTargetTemperature · arg DOUBLE · ret VOID · Controls air conditioner mode and temperature settings

Dishwasher

RETRIEVED · RANK 4

2 services · 1 values · 1 functions

VALUES

Dishwasher_DishwasherMode

raw DishwasherMode · arg - · ret ENUM · Allows for the control of the dishwasher mode

FUNCTIONS

Dishwasher_SetDishwasherMode

raw SetDishwasherMode · arg ENUM · ret VOID · Allows for the control of the dishwasher mode

LaundryDryer

RETRIEVED · RANK 5

4 services · 2 values · 2 functions

VALUES

LaundryDryer_LaundryDryerMode

raw LaundryDryerMode · arg - · ret ENUM · Allows for the control of the laundry dryer mode

LaundryDryer_SpinSpeed

raw SpinSpeed · arg - · ret INTEGER · Allows for the control of the laundry dryer mode

FUNCTIONS

LaundryDryer_SetLaundryDryerMode

raw SetLaundryDryerMode · arg ENUM · ret VOID · Allows for the control of the laundry dryer mode

LaundryDryer_SetSpinSpeed

raw SetSpinSpeed · arg INTEGER · ret VOID · Allows for the control of the laundry dryer mode

TemperatureSensor

RETRIEVED · RANK 6

1 services · 1 values · 0 functions

VALUES

TemperatureSensor_Temperature

raw Temperature · arg - · ret DOUBLE · Get the temperature from a Device that reports current temperature

FUNCTIONS

None

Dehumidifier

RETRIEVED · RANK 7

2 services · 1 values · 1 functions

VALUES

Dehumidifier_DehumidifierMode

raw DehumidifierMode · arg - · ret ENUM · Allows for the control of the dehumidifier mode

FUNCTIONS

Dehumidifier_SetDehumidifierMode

raw SetDehumidifierMode · arg ENUM · ret VOID · Allows for the control of the dehumidifier mode

Button

RETRIEVED · RANK 8

1 services · 1 values · 0 functions

VALUES

Button_Button

raw Button · arg - · ret ENUM · A device with one or more buttons

FUNCTIONS

None

MenuProvider

RETRIEVED · RANK 9

4 services · 3 values · 1 functions

VALUES

MenuProvider_Menu

raw Menu · arg - · ret STRING · Provides menu information services

MenuProvider_TodayMenu

raw TodayMenu · arg - · ret STRING · Provides menu information services

MenuProvider_TodayPlace

raw TodayPlace · arg - · ret STRING · Provides menu information services

FUNCTIONS

MenuProvider_GetMenu

raw GetMenu · arg STRING · ret STRING · Provides menu information services

Television

RETRIEVED · RANK 10

4 services · 1 values · 3 functions

VALUES

Television_Channel

raw Channel · arg - · ret INTEGER · A television device

FUNCTIONS

Television_ChannelDown

raw ChannelDown · arg - · ret INTEGER · A television device

Television_ChannelUp

raw ChannelUp · arg - · ret INTEGER · A television device

Television_SetChannel

raw SetChannel · arg INTEGER · ret VOID · A television device

GT JOICODE

cron="" · period=0

(#Oven).oven_setovenmode("Bake")

delay(10 MIN)

(#Oven).oven_setovenmode("warming")

GENERATED JOICODE

cron="" · period=0

(#Oven).oven_setovenmode("Bake")

(#Clock).clock_delay(600000)

(#Oven).oven_setovenmode("warming")

FAILURE REASONS

- arg_type
- enum_grounding
- extraneous
- gt_mismatch
- numeric_grounding
- semantic

LINE DIFF

GT	Generated
(#Oven).oven_setovenmode("Bake")	(#Oven).oven_setovenmode("Bake")
	(#Clock).clock_delay(600000)
delay(10 MIN)	(#Oven).oven_setovenmode("warming")
(#Oven).oven_setovenmode("warming")	

Row 126 · Category 5

When the presence sensor detects someone, take a picture after 1 minute.

재질 센서에 감지가 되면 1분 뒤에 사진을 찍어줘.

GT name: WhenPresenceSensorDetectsSomeoneTakePictureAfter				
Service list: service_list_ver2.0.1.json				
Output name: PresenceDetectedTakePictureAfter1Minute				
Retrieval cats: PresenceSensor, PresenceVitalSensor, MotionSensor, ContactSensor, TemperatureSensor, Camera, LightSensor, PressureSensor, SoundSensor, CarbonDioxideSensor				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.9486	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 0.2000	NUMERIC 0.0000	ENUM 1.0000	PROMPT TOKENS 18392
COMPLETION TOKENS 67	TOTAL TOKENS 18459	LLM LATENCY 2.364s	PIPELINE 3.316s	TOK/S 7807.7151
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE retrieval premapping	SNIPPET SOURCE service_retrieval_fallback	RETRIEVAL used	CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10	INJECTED CATEGORIES 10
--------------------------------------	--	-------------------	------------------------	-----------------------	---------------------------

PresenceSensor

1 services · 1 values · 0 functions

VALUES

PresenceSensor_Presence

raw Presence · arg - · ret BOOL · The ability to see the current status of a presence sensor device

FUNCTIONS

None

PresenceVitalSensor

7 services · 7 values · 0 functions

VALUES

PresenceVitalSensor_Awakeness

raw Awakeness · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_Distance

raw Distance · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_DwellTime

raw DwellTime · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_HeartRate

raw HeartRate · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_MovementIndex

raw MovementIndex · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_Presence

raw Presence · arg - · ret BOOL · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_RespiratoryRate

raw RespiratoryRate · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

FUNCTIONS

None

MotionSensor

1 services · 1 values · 0 functions

RETRIEVED · RANK 3

VALUES

MotionSensor_Motion

raw Motion · arg - · ret BOOL · Motion sensor device

FUNCTIONS

None

ContactSensor

1 services · 1 values · 0 functions

RETRIEVED · RANK 4

VALUES

ContactSensor_Contact

raw Contact · arg - · ret BOOL · Allows reading the value of a contact sensor device

FUNCTIONS

None

TemperatureSensor

1 services · 1 values · 0 functions

RETRIEVED · RANK 5

VALUES

TemperatureSensor_Temperature

raw Temperature · arg - · ret DOUBLE · Get the temperature from a Device that reports current temperature

FUNCTIONS

None

Camera

8 services · 4 values · 4 functions

VALUES

Camera_CameraState

raw CameraState · arg - · ret ENUM · Controls camera device for image/video capture and streaming

Camera_Image

raw Image · arg - · ret BINARY · Controls camera device for image/video capture and streaming

Camera_Stream

raw Stream · arg - · ret STRING · Controls camera device for image/video capture and streaming

Camera_Video

raw Video · arg - · ret BINARY · Controls camera device for image/video capture and streaming

FUNCTIONS

Camera_CaptureImage

raw CaptureImage · arg - · ret BINARY · Controls camera device for image/video capture and streaming

Camera_CaptureVideo

raw CaptureVideo · arg - · ret BINARY · Controls camera device for image/video capture and streaming

Camera_StartStream

raw StartStream · arg - · ret STRING · Controls camera device for image/video capture and streaming

Camera_StopStream

raw StopStream · arg - · ret VOID · Controls camera device for image/video capture and streaming

LightSensor

1 services · 1 values · 0 functions

VALUES

LightSensor_Brightness

raw Brightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

None

PressureSensor

1 services · 1 values · 0 functions

VALUES

PressureSensor_Pressure

raw Pressure · arg - · ret DOUBLE · The ability to see the current status of a pressure sensor device

FUNCTIONS

None

SoundSensor

1 services · 1 values · 0 functions

VALUES

SoundSensor_Sound

raw Sound · arg - · ret DOUBLE · Sound sensor device for measuring sound levels

FUNCTIONS

None

CarbonDioxideSensor

RETRIEVED · RANK 10

1 services · 1 values · 0 functions

VALUES

CarbonDioxideSensor_CarbonDioxide

raw CarbonDioxide · arg - · ret DOUBLE · Measure carbon dioxide levels

FUNCTIONS

None

GT JOICODE

cron="" · period=0

```
wait until ((#PresenceSensor).presencesensor_presence == true)

delay(1 MIN)

(#Camera).camera_captureimage()
```

GENERATED JOICODE

cron="" · period=0

```
wait until ((#PresenceSensor).presencesensor_presence == true)
(#Clock).clock_delay(60000)
(#Camera).camera_captureimage()
```

FAILURE REASONS

- arg_type
- dataflow
- extraneous
- gt_mismatch
- numeric_grounding
- semantic

LINE DIFF

GT	Generated
wait until ((#PresenceSensor).presencesensor_presence == true)	wait until ((#PresenceSensor).presencesensor_presence == true)
	(#Clock).clock_delay(60000)
delay(1 MIN)	(#Camera).camera_captureimage()
(#Camera).camera_captureimage()	

Row 127 · Category 5

When the oven enters heating mode, switch it to microwave mode after 3 seconds.

오븐이 가열 모드가 되면 3초 뒤에 전자레인지 모드로 바뀌줘.

GT name: WhenOvenEntersHeatingModeSwitchItToMicrowave				
Service list: service_list_ver2.0.1.json				
Output name: OvenHeatingToMicrowave				
Retrieval cats: Oven, Dishwasher, RiceCooker, DimmerSwitch, Dehumidifier, LaundryDryer, MenuProvider, TapDialSwitch, AirConditioner, Humidifier				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.9505	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 0.2000	NUMERIC 0.0000	ENUM 1.0000	PROMPT TOKENS 20463
COMPLETION TOKENS 75	TOTAL TOKENS 20538	LLM LATENCY 4.234s	PIPELINE 5.208s	TOK/S 4850.2739
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

Oven_SetOvenMode

raw SetOvenMode · arg ENUM · ret VOID · Allows for the control of the oven mode

Dishwasher

RETRIEVED · RANK 2

2 services · 1 values · 1 functions

VALUES

Dishwasher_DishwasherMode

raw DishwasherMode · arg - · ret ENUM · Allows for the control of the dishwasher mode

FUNCTIONS

Dishwasher_SetDishwasherMode

raw SetDishwasherMode · arg ENUM · ret VOID · Allows for the control of the dishwasher mode

RiceCooker

RETRIEVED · RANK 3

4 services · 1 values · 3 functions

VALUES

RiceCooker_RiceCookerMode

raw RiceCookerMode · arg - · ret ENUM · Allows for the control of the Rice Cooker

FUNCTIONS

RiceCooker_AddMoreTime

raw AddMoreTime · arg DOUBLE · ret VOID · Allows for the control of the Rice Cooker

RiceCooker_SetCookingParameters

raw SetCookingParameters · arg ENUM | DOUBLE · ret VOID · Allows for the control of the Rice Cooker

RiceCooker_SetRiceCookerMode

raw SetRiceCookerMode · arg ENUM · ret VOID · Allows for the control of the Rice Cooker

DimmerSwitch

RETRIEVED · RANK 4

4 services · 4 values · 0 functions

VALUES

DimmerSwitch_Button1

raw Button1 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

DimmerSwitch_Button2

raw Button2 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

DimmerSwitch_Button3

raw Button3 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

DimmerSwitch_Button4

raw Button4 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

FUNCTIONS

None

Dehumidifier

RETRIEVED · RANK 5

2 services · 1 values · 1 functions

VALUES

Dehumidifier_DehumidifierMode

raw DehumidifierMode · arg - · ret ENUM · Allows for the control of the dehumidifier mode

FUNCTIONS

Dehumidifier_SetDehumidifierMode

raw SetDehumidifierMode · arg ENUM · ret VOID · Allows for the control of the dehumidifier mode

LaundryDryer

RETRIEVED · RANK 6

4 services · 2 values · 2 functions

VALUES

LaundryDryer_LaundryDryerMode

raw LaundryDryerMode · arg - · ret ENUM · Allows for the control of the laundry dryer mode

LaundryDryer_SpinSpeed

raw SpinSpeed · arg - · ret INTEGER · Allows for the control of the laundry dryer mode

FUNCTIONS

LaundryDryer_SetLaundryDryerMode

raw SetLaundryDryerMode · arg ENUM · ret VOID · Allows for the control of the laundry dryer mode

LaundryDryer_SetSpinSpeed

raw SetSpinSpeed · arg INTEGER · ret VOID · Allows for the control of the laundry dryer mode

MenuProvider

RETRIEVED · RANK 7

4 services · 3 values · 1 functions

VALUES

MenuProvider_Menu

raw Menu · arg - · ret STRING · Provides menu information services

MenuProvider_TodayMenu

raw TodayMenu · arg - · ret STRING · Provides menu information services

MenuProvider_TodayPlace

raw TodayPlace · arg - · ret STRING · Provides menu information services

FUNCTIONS

MenuProvider_GetMenu

raw GetMenu · arg STRING · ret STRING · Provides menu information services

TapDialSwitch

RETRIEVED · RANK 8

6 services · 6 values · 0 functions

VALUES

TapDialSwitch_Button1

raw Button1 · arg - · ret ENUM · A tap dial switch device with multiple buttons and a rotary dial

TapDialSwitch_Button2

raw Button2 · arg - · ret ENUM · A tap dial switch device with multiple buttons and a rotary dial

TapDialSwitch_Button3

raw Button3 · arg - · ret ENUM · A tap dial switch device with multiple buttons and a rotary dial

TapDialSwitch_Button4

raw Button4 · arg - · ret ENUM · A tap dial switch device with multiple buttons and a rotary dial

TapDialSwitch_Rotation

raw Rotation · arg - · ret ENUM · A tap dial switch device with multiple buttons and a rotary dial

TapDialSwitch_RotationSteps

raw RotationSteps · arg - · ret INTEGER · A tap dial switch device with multiple buttons and a rotary dial

FUNCTIONS

None

AirConditioner

RETRIEVED · RANK 9

4 services · 2 values · 2 functions

VALUES

AirConditioner_AirConditionerMode

raw AirConditionerMode · arg - · ret ENUM · Controls air conditioner mode and temperature settings

AirConditioner_TargetTemperature

raw TargetTemperature · arg - · ret DOUBLE · Controls air conditioner mode and temperature settings

FUNCTIONS

AirConditioner_SetAirConditionerMode

raw SetAirConditionerMode · arg ENUM · ret VOID · Controls air conditioner mode and temperature settings

AirConditioner_SetTargetTemperature

raw SetTargetTemperature · arg DOUBLE · ret VOID · Controls air conditioner mode and temperature settings

Humidifier

RETRIEVED · RANK 10

2 services · 1 values · 1 functions

VALUES

Humidifier_HumidifierMode

raw HumidifierMode · arg - · ret ENUM · Maintains and sets the state of an humidifier

FUNCTIONS

Humidifier_SetHumidifierMode

raw SetHumidifierMode · arg ENUM · ret VOID · Maintains and sets the state of an humidifier

GT JOICODE

cron="" · period=0

wait until ((#Oven).oven_ovenmode == "heating")

delay(3 SEC)

GENERATED JOICODE

cron="" · period=0

wait until ((#Oven).oven_ovenmode == "heating")
(#Clock).clock_delay(3000)
(#Oven).oven_setovenmode("Microwave")

(#Oven).oven_setovenmode("Microwave")

FAILURE REASONS

- arg_type
- dataflow
- extraneous
- gt_mismatch
- numeric_grounding

LINE DIFF

GT	Generated
wait until ((#Oven).oven_ovenmode == "heating")	wait until ((#Oven).oven_ovenmode == "heating")
	(#Clock).clock_delay(3000)
delay(3 SEC)	(#Oven).oven_setovenmode("Microwave")
(#Oven).oven_setovenmode("Microwave")	

Row 128 · Category 5

When the humidity falls below 30%, output "Humidity is low" through the speaker after 3 seconds.

습도가 30%보다 낮아지면 3초 뒤에 스피커로 "습도가 낮습니다"를 출력해.

GT name: WhenHumidityFallsBelow30OutputHumidityIsLow				
Service list: service_list_ver2.0.1.json				
Output name: LowHumidityAlert				
Retrieval cats: HumiditySensor, Speaker, Humidifier, AirQualitySensor, WeatherProvider, Dehumidifier, AudioRecorder, SoundSensor, RainSensor, PresenceVitalSensor				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.9123	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 0.2000	NUMERIC 0.0000	ENUM 1.0000	PROMPT TOKENS 20816
COMPLETION TOKENS 68	TOTAL TOKENS 20884	LLM LATENCY 1.972s	PIPELINE 2.941s	TOK/S 10589.7267
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE retrieval premapping	SNIPPET SOURCE service_retrieval_fallback	RETRIEVAL used	CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10	INJECTED CATEGORIES 10
--------------------------------------	--	-------------------	------------------------	-----------------------	---------------------------

HumiditySensor

1 services · 1 values · 0 functions

VALUES

HumiditySensor_Humidity
raw Humidity · arg · ret DOUBLE · Allow reading the relative humidity from devices that support it

FUNCTIONS

None

RETRIEVED · RANK 1

Speaker

11 services · 2 values · 9 functions

RETRIEVED · RANK 2

VALUES

Speaker_PlaybackState

raw PlaybackState · arg - · ret ENUM · Speaker device for audio playback and media control

Speaker_Volume

raw Volume · arg - · ret INTEGER · Speaker device for audio playback and media control

FUNCTIONS

Speaker_FastForward

raw FastForward · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Pause

raw Pause · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Play

raw Play · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Rewind

raw Rewind · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_SetVolume

raw SetVolume · arg INTEGER · ret INTEGER · Speaker device for audio playback and media control

Speaker_Speak

raw Speak · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Stop

raw Stop · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_VolumeDown

raw VolumeDown · arg - · ret INTEGER · Speaker device for audio playback and media control

Speaker_VolumeUp

raw VolumeUp · arg - · ret INTEGER · Speaker device for audio playback and media control

Humidifier

RETRIEVED · RANK 3

2 services · 1 values · 1 functions

VALUES

Humidifier_HumidifierMode

raw HumidifierMode · arg - · ret ENUM · Maintains and sets the state of an humidifier

FUNCTIONS

Humidifier_SetHumidifierMode

raw SetHumidifierMode · arg ENUM · ret VOID · Maintains and sets the state of an humidifier

AirQualitySensor

RETRIEVED · RANK 4

7 services · 7 values · 0 functions

VALUES

AirQualitySensor_CarbonDioxide

raw CarbonDioxide · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_DustLevel

raw DustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_FineDustLevel

raw FineDustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_Humidity

raw Humidity · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_Temperature

raw Temperature · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_TvocLevel

raw TvocLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_VeryFineDustLevel

raw VeryFineDustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

FUNCTIONS

None

WeatherProvider

RETRIEVED · RANK 5

7 services · 6 values · 1 functions

VALUES

WeatherProvider_HumidityWeather

raw HumidityWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Pm10Weather

raw Pm10Weather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Pm25Weather

raw Pm25Weather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_PressureWeather

raw PressureWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_TemperatureWeather

raw TemperatureWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Weather

raw Weather · arg - · ret ENUM · Provides weather information

FUNCTIONS

WeatherProvider_GetWeatherInfo

raw GetWeatherInfo · arg DOUBLE | DOUBLE · ret STRING · Provides weather information

Dehumidifier

RETRIEVED · RANK 6

2 services · 1 values · 1 functions

VALUES

Dehumidifier_DehumidifierMode

raw DehumidifierMode · arg - · ret ENUM · Allows for the control of the dehumidifier mode

FUNCTIONS

Dehumidifier_SetDehumidifierMode

raw SetDehumidifierMode · arg ENUM · ret VOID · Allows for the control of the dehumidifier mode

AudioRecorder

RETRIEVED · RANK 7

5 services · 2 values · 3 functions

VALUES

AudioRecorder_AudioFile

raw AudioFile · arg - · ret BINARY · Record audio

AudioRecorder_RecordStatus

raw RecordStatus · arg - · ret ENUM · Record audio

FUNCTIONS

AudioRecorder_RecordStart

raw RecordStart · arg - · ret VOID · Record audio

AudioRecorder_RecordStop

raw RecordStop · arg BINARY · ret VOID · Record audio

AudioRecorder_RecordWithDuration

raw RecordWithDuration · arg STRING | DOUBLE · ret BINARY · Record audio

SoundSensor

RETRIEVED · RANK 8

1 services · 1 values · 0 functions

VALUES

SoundSensor_Sound

raw Sound · arg - · ret DOUBLE · Sound sensor device for measuring sound levels

FUNCTIONS

None

RainSensor

RETRIEVED · RANK 9

1 services · 1 values · 0 functions

VALUES

RainSensor_Rain

raw Rain · arg - · ret BOOL · A Device that senses rain

FUNCTIONS

None

PresenceVitalSensor

RETRIEVED · RANK 10

7 services · 7 values · 0 functions

VALUES

PresenceVitalSensor_Awakeness

raw Awakeness · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_Distance

raw Distance · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_DwellTime

raw DwellTime · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_HeartRate

raw HeartRate · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_MovementIndex

raw MovementIndex · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_Presence

raw Presence · arg - · ret BOOL · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_RespiratoryRate

raw RespiratoryRate · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

FUNCTIONS

None

GT JOICODE

cron="" · period=0

```
wait until ((#HumiditySensor).humiditysensor_humidity < 30)

delay(3 SEC)

(#Speaker).speaker_speak("습도가 낮습니다")
```

GENERATED JOICODE

cron="" · period=0

```
wait until ((#HumiditySensor).humiditysensor_humidity < 30.0)
(#Clock).clock_delay(3000)
(#Speaker).speaker_speak("Humidity is low")
```

FAILURE REASONS

- arg_type
- dataflow
- extraneous
- gt_mismatch
- numeric_grounding

LINE DIFF

GT	Generated
wait until ((#HumiditySensor).humiditysensor_humidity < 30)	wait until ((#HumiditySensor).humiditysensor_humidity < 30.0)
	(#Clock).clock_delay(3000)
delay(3 SEC)	(#Speaker).speaker_speak("Humidity is low")
(#Speaker).speaker_speak("습도가 낮습니다")	

Row 129 · Category 5

When it rains, close the door and check again after 1 hour; if it's not raining then, open the door again.

비가 오면 문을 닫고 1시간 뒤에 체크해서 비가 안오면 문을 다시 열어줘.

GT name: WhenItRainsCloseDoorCheckAgainAfter

Service list: service_list_ver2.0.1.json

Output name: RainTriggeredDoorControl

Retrieval cats: Door, RainSensor, DoorLock, WeatherProvider, WindowCovering, Valve, Clock, Humidifier, HumiditySensor, Pump

DET 68.6218	PASS No	GT EXACT No	SIMILARITY 0.8077	GT SERVICE COV. 0.7500
RECEIVER COV. 0.7500	DATAFLOW 0.2000	NUMERIC 0.0000	ENUM 1.0000	PROMPT TOKENS 20175
COMPLETION TOKENS 86	TOTAL TOKENS 20261	LLM LATENCY 5.263s	PIPELINE 6.291s	TOK/S 3849.5592
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE
retrieval premapping

SNIPPET SOURCE
service_retrieval_fallback

RETRIEVAL
used

CONFIGURED TOP-K
10

EFFECTIVE TOP-K
10

INJECTED CATEGORIES
10

Door

3 services · 1 values · 2 functions

RETRIEVED · RANK 1

VALUES

Door_DoorState

raw DoorState · arg - · ret ENUM · Allow for the control of a door

FUNCTIONS

Door_Close

raw Close · arg - · ret VOID · Allow for the control of a door

Door_Open

raw Open · arg - · ret VOID · Allow for the control of a door

RainSensor

1 services · 1 values · 0 functions

RETRIEVED · RANK 2

VALUES

RainSensor_Rain

raw Rain · arg - · ret BOOL · A Device that senses rain

FUNCTIONS

None

DoorLock

3 services · 1 values · 2 functions

RETRIEVED · RANK 3

VALUES

DoorLock_DoorLockState

raw DoorLockState · arg - · ret ENUM · Allow for the control of a door lock

FUNCTIONS

DoorLock_Lock

raw Lock · arg - · ret VOID · Allow for the control of a door lock

DoorLock_Unlock

raw Unlock · arg - · ret VOID · Allow for the control of a door lock

WeatherProvider

7 services · 6 values · 1 functions

RETRIEVED · RANK 4

VALUES

WeatherProvider_HumidityWeather

raw HumidityWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Pm10Weather

raw Pm10Weather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Pm25Weather

raw Pm25Weather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_PressureWeather

raw PressureWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_TemperatureWeather raw TemperatureWeather · arg - · ret DOUBLE · Provides weather information	
WeatherProvider_Weather raw Weather · arg - · ret ENUM · Provides weather information	
FUNCTIONS	
WeatherProvider_GetWeatherInfo raw GetWeatherInfo · arg DOUBLE DOUBLE · ret STRING · Provides weather information	
WindowCovering	RETRIEVED · RANK 5
6 services · 2 values · 4 functions	
VALUES	
WindowCovering_CurrentPosition raw CurrentPosition · arg - · ret INTEGER · Controls a window covering to open or close it	
WindowCovering_WindowCoveringType raw WindowCoveringType · arg - · ret ENUM · Controls a window covering to open or close it	
FUNCTIONS	
WindowCovering_DownOrClose raw DownOrClose · arg - · ret VOID · Controls a window covering to open or close it	
WindowCovering_SetLevel raw SetLevel · arg INTEGER · ret INTEGER · Controls a window covering to open or close it	
WindowCovering_Stop raw Stop · arg - · ret VOID · Controls a window covering to open or close it	
WindowCovering_UpOrOpen raw UpOrOpen · arg - · ret VOID · Controls a window covering to open or close it	
Valve	RETRIEVED · RANK 6
3 services · 1 values · 2 functions	
VALUES	
Valve_ValveState raw ValveState · arg - · ret BOOL · Controls a valve to open or close it	
FUNCTIONS	
Valve_Close raw Close · arg - · ret VOID · Controls a valve to open or close it	
Valve_Open raw Open · arg - · ret VOID · Controls a valve to open or close it	
Clock	RETRIEVED · RANK 7
13 services · 12 values · 1 functions	
VALUES	
Clock_Date	

raw Date · arg - · ret STRING · Provide current date and time

Clock_Datetime

raw Datetime · arg - · ret STRING · Provide current date and time

Clock_Day

raw Day · arg - · ret INTEGER · Provide current date and time

Clock_Hour

raw Hour · arg - · ret INTEGER · Provide current date and time

Clock_IsHoliday

raw IsHoliday · arg - · ret BOOL · Provide current date and time

Clock_Minute

raw Minute · arg - · ret INTEGER · Provide current date and time

Clock_Month

raw Month · arg - · ret INTEGER · Provide current date and time

Clock_Second

raw Second · arg - · ret INTEGER · Provide current date and time

Clock_Time

raw Time · arg - · ret STRING · Provide current date and time

Clock_Timestamp

raw Timestamp · arg - · ret DOUBLE · Provide current date and time

Clock_Weekday

raw Weekday · arg - · ret ENUM · Provide current date and time

Clock_Year

raw Year · arg - · ret INTEGER · Provide current date and time

FUNCTIONS

Clock_Delay

raw Delay · arg INTEGER | INTEGER | INTEGER · ret VOID · Provide current date and time

Humidifier

RETRIEVED · RANK 8

2 services · 1 values · 1 functions

VALUES

Humidifier_HumidifierMode

raw HumidifierMode · arg - · ret ENUM · Maintains and sets the state of an humidifier

FUNCTIONS

Humidifier_SetHumidifierMode

raw SetHumidifierMode · arg ENUM · ret VOID · Maintains and sets the state of an humidifier

HumiditySensor

RETRIEVED · RANK 9

1 services · 1 values · 0 functions

VALUES

HumiditySensor_Humidity

raw Humidity · arg - · ret DOUBLE · Allow reading the relative humidity from devices that support it

FUNCTIONS

None

Pump

RETRIEVED · RANK 10

2 services · 1 values · 1 functions

VALUES

Pump_PumpMode

raw PumpMode · arg - · ret ENUM · Allows for the control of a pump device

FUNCTIONS

Pump_SetPumpMode

raw SetPumpMode · arg ENUM · ret VOID · Allows for the control of a pump device

GT JOICODE

cron="" · period=0

```
wait until ((#RainSensor).rainsensor_rain == true)

(#Door).door_close()
delay(1 HOUR)

if ((#WeatherProvider).weatherprovider_weather != "rain") {

    (#Door).door_open()

}
```

GENERATED JOICODE

cron="" · period=0

```
wait until ((#RainSensor).rainsensor_rain == true)
(#Door).door_close()
(#Clock).clock_delay(3600000)
if ((#RainSensor).rainsensor_rain == false) {
    (#Door).door_open()
}
```

FAILURE REASONS

- arg_type
- dataflow
- extraneous
- gt_mismatch
- gt_receiver_coverage
- gt_service_coverage
- numeric_grounding
- semantic

LINE DIFF

GT	Generated
wait until ((#RainSensor).rainsensor_rain == true)	wait until ((#RainSensor).rainsensor_rain == true)
	(#Door).door_close()
(#Door).door_close()	(#Clock).clock_delay(3600000)
delay(1 HOUR)	if ((#RainSensor).rainsensor_rain == false) {
	(#Door).door_open()
if ((#WeatherProvider).weatherprovider_weather != "rain") {	}
(#Door).door_open()	
}	

Row 130 · Category 5

If the dust level concentration is 2000ppm or above, close the door and close the valve after 4 hours.

외부 미세먼지 농도가 2000 이상이면 문을 닫고 4시간 뒤에 밸브를 잠궈줘.

GT name: IfDustLevelConcentrationIs2000ppmOrAboveClose				
Service list: service_list_ver2.0.1.json				
Output name: DustLevelTriggerCloseDoorAndValve				
Retrieval cats: Valve, Door, AirQualitySensor, WindowCovering, DoorLock, RobotVacuumCleaner, Dishwasher, AirPurifier, PresenceVitalSensor, Pump				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.7481	GT SERVICE COV. 0.6667
RECEIVER COV. 0.6667	DATAFLOW 0.2000	NUMERIC 0.4167	ENUM 1.0000	PROMPT TOKENS 20081
COMPLETION TOKENS 81	TOTAL TOKENS 20162	LLM LATENCY 4.153s	PIPELINE 5.153s	TOK/S 4854.4531
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE retrieval premapping	SNIPPET SOURCE service_retrieval_fallback	RETRIEVAL used	CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10	INJECTED CATEGORIES 10
--------------------------------------	--	-------------------	------------------------	-----------------------	---------------------------

Valve

3 services · 1 values · 2 functions

RETRIEVED · RANK 1

VALUES

Valve_ValveState

raw ValveState · arg - · ret BOOL · Controls a valve to open or close it

FUNCTIONS

Valve_Close

raw Close · arg - · ret VOID · Controls a valve to open or close it

Valve_Open

raw Open · arg - · ret VOID · Controls a valve to open or close it

Door

RETRIEVED · RANK 2

3 services · 1 values · 2 functions

VALUES

Door_DoorState

raw DoorState · arg - · ret ENUM · Allow for the control of a door

FUNCTIONS

Door_Close

raw Close · arg - · ret VOID · Allow for the control of a door

Door_Open

raw Open · arg - · ret VOID · Allow for the control of a door

AirQualitySensor

RETRIEVED · RANK 3

7 services · 7 values · 0 functions

VALUES

AirQualitySensor_CarbonDioxide

raw CarbonDioxide · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_DustLevel

raw DustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_FineDustLevel

raw FineDustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_Humidity

raw Humidity · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_Temperature

raw Temperature · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_TvocLevel

raw TvocLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

AirQualitySensor_VeryFineDustLevel

raw VeryFineDustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

FUNCTIONS

None

WindowCovering 6 services · 2 values · 4 functions VALUES WindowCovering_CurrentPosition raw CurrentPosition · arg - · ret INTEGER · Controls a window covering to open or close it WindowCovering_WindowCoveringType raw WindowCoveringType · arg - · ret ENUM · Controls a window covering to open or close it FUNCTIONS WindowCovering_DownOrClose raw DownOrClose · arg - · ret VOID · Controls a window covering to open or close it WindowCovering_SetLevel raw SetLevel · arg INTEGER · ret INTEGER · Controls a window covering to open or close it WindowCovering_Stop raw Stop · arg - · ret VOID · Controls a window covering to open or close it WindowCovering_UpOrOpen raw UpOrOpen · arg - · ret VOID · Controls a window covering to open or close it DoorLock 3 services · 1 values · 2 functions VALUES DoorLock_DoorLockState raw DoorLockState · arg - · ret ENUM · Allow for the control of a door lock FUNCTIONS DoorLock_Lock raw Lock · arg - · ret VOID · Allow for the control of a door lock DoorLock_Unlock raw Unlock · arg - · ret VOID · Allow for the control of a door lock RobotVacuumCleaner 2 services · 1 values · 1 functions VALUES RobotVacuumCleaner_RobotVacuumCleanerMode raw RobotVacuumCleanerMode · arg - · ret ENUM · Allows for the control of the robot cleaner cleaning mode FUNCTIONS RobotVacuumCleaner_SetRobotVacuumCleanerModeMode raw SetRobotVacuumCleanerModeMode · arg ENUM · ret VOID · Allows for the control of the robot cleaner cleaning mode Dishwasher 2 services · 1 values · 1 functions VALUES

Dishwasher_DishwasherMode

raw DishwasherMode · arg - · ret ENUM · Allows for the control of the dishwasher mode

FUNCTIONS

Dishwasher_SetDishwasherMode

raw SetDishwasherMode · arg ENUM · ret VOID · Allows for the control of the dishwasher mode

AirPurifier

RETRIEVED · RANK 8

2 services · 1 values · 1 functions

VALUES

AirPurifier_AirPurifierMode

raw AirPurifierMode · arg - · ret ENUM · Controls air purifier mode

FUNCTIONS

AirPurifier_SetAirPurifierMode

raw SetAirPurifierMode · arg ENUM · ret VOID · Controls air purifier mode

PresenceVitalSensor

RETRIEVED · RANK 9

7 services · 7 values · 0 functions

VALUES

PresenceVitalSensor_Awakeness

raw Awakeness · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_Distance

raw Distance · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_DwellTime

raw DwellTime · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_HeartRate

raw HeartRate · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_MovementIndex

raw MovementIndex · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_Presence

raw Presence · arg - · ret BOOL · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_RespiratoryRate

raw RespiratoryRate · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

FUNCTIONS

None

Pump

RETRIEVED · RANK 10

2 services · 1 values · 1 functions

VALUES

Pump_PumpMode

raw PumpMode · arg - · ret ENUM · Allows for the control of a pump device

FUNCTIONS

Pump_SetPumpMode

raw SetPumpMode · arg ENUM · ret VOID · Allows for the control of a pump device

GT JOICODE

cron="" · period=0

```
if ((#WeatherProvider).weatherprovider_pm10weather >= 2000) {  
  
    (#Door).door_close()  
  
    delay(4 HOUR)  
  
    (#Valve).valve_close()  
  
}
```

GENERATED JOICODE

cron="" · period=0

```
if ((#AirQualitySensor).airqualitysensor_dustlevel >= 2000) {  
    (#Door).door_close()  
    (#Clock).clock_delay(14400000)  
    (#Valve).valve_close()  
}
```

FAILURE REASONS

- arg_type
- dataflow
- extraneous
- gt_mismatch
- gt_receiver_coverage
- gt_service_coverage
- numeric_grounding

LINE DIFF

GT	Generated
if ((#WeatherProvider).weatherprovider_pm10weather >= 2000) {	if ((#AirQualitySensor).airqualitysensor_dustlevel >= 2000) {
	(#Door).door_close()
(#Door).door_close()	(#Clock).clock_delay(14400000)
	(#Valve).valve_close()
delay(4 HOUR)	}
(#Valve).valve_close()	
}	

Row 131 · Category 5

Sound the siren in emergency mode and change it to fire mode after 5 seconds.

사이렌을 응급 모드로 울리고 5초 뒤에 사이렌 모드를 화재 모드로 바꿔줘.

GT name: SoundSirenInEmergencyModeChangeltTo				
Service list: service_list_ver2.0.1.json				
Output name: SirenEmergencyToFireMode				
Retrieval cats: Siren, SoundSensor, Speaker, AudioRecorder, PresenceVitalSensor, Oven, RiceCooker, Pump, AirPurifier, SmokeDetector				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.9473	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 0.0000	ENUM 0.5000	PROMPT TOKENS 20376
COMPLETION TOKENS 71	TOTAL TOKENS 20447	LLM LATENCY 2.325s	PIPELINE 3.291s	TOK/S 8792.5177
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE retrieval premapping	SNIPPET SOURCE service_retrieval_fallback	RETRIEVAL used	CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10	INJECTED CATEGORIES 10
--------------------------------------	--	-------------------	------------------------	-----------------------	---------------------------

Siren

2 services · 1 values · 1 functions

VALUES

Siren_SirenMode
raw SirenMode · arg - · ret ENUM · Allows for the control of the Siren

FUNCTIONS

Siren_SetSirenMode
raw SetSirenMode · arg ENUM · ret VOID · Allows for the control of the Siren

SoundSensor

1 services · 1 values · 0 functions

VALUES

SoundSensor_Sound

raw Sound · arg - · ret DOUBLE · Sound sensor device for measuring sound levels

FUNCTIONS

None

Speaker

RETRIEVED · RANK 3

11 services · 2 values · 9 functions

VALUES

Speaker_PlaybackState

raw PlaybackState · arg - · ret ENUM · Speaker device for audio playback and media control

Speaker_Volume

raw Volume · arg - · ret INTEGER · Speaker device for audio playback and media control

FUNCTIONS

Speaker_FastForward

raw FastForward · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Pause

raw Pause · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Play

raw Play · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Rewind

raw Rewind · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_SetVolume

raw SetVolume · arg INTEGER · ret INTEGER · Speaker device for audio playback and media control

Speaker_Speak

raw Speak · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Stop

raw Stop · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_VolumeDown

raw VolumeDown · arg - · ret INTEGER · Speaker device for audio playback and media control

Speaker_VolumeUp

raw VolumeUp · arg - · ret INTEGER · Speaker device for audio playback and media control

AudioRecorder

RETRIEVED · RANK 4

5 services · 2 values · 3 functions

VALUES

AudioRecorder_AudioFile

raw AudioFile · arg - · ret BINARY · Record audio

AudioRecorder_RecordStatus

raw RecordStatus · arg - · ret ENUM · Record audio

FUNCTIONS

AudioRecorder_RecordStart
raw RecordStart · arg - · ret VOID · Record audio

AudioRecorder_RecordStop
raw RecordStop · arg BINARY · ret VOID · Record audio

AudioRecorder_RecordWithDuration
raw RecordWithDuration · arg STRING | DOUBLE · ret BINARY · Record audio

PresenceVitalSensor

RETRIEVED · RANK 5

7 services · 7 values · 0 functions

VALUES

PresenceVitalSensor_Awakeness
raw Awakeness · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_Distance
raw Distance · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_DwellTime
raw DwellTime · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_HeartRate
raw HeartRate · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_MovementIndex
raw MovementIndex · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_Presence
raw Presence · arg - · ret BOOL · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_RespiratoryRate
raw RespiratoryRate · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

FUNCTIONS

None

Oven

RETRIEVED · RANK 6

4 services · 1 values · 3 functions

VALUES

Oven_OvenMode
raw OvenMode · arg - · ret ENUM · Allows for the control of the oven mode

FUNCTIONS

Oven_AddMoreTime
raw AddMoreTime · arg DOUBLE · ret VOID · Allows for the control of the oven mode

Oven_SetCookingParameters
raw SetCookingParameters · arg ENUM | DOUBLE · ret VOID · Allows for the control of the oven mode

Oven_SetOvenMode

raw SetOvenMode · arg ENUM · ret VOID · Allows for the control of the oven mode

RiceCooker

RETRIEVED · RANK 7

4 services · 1 values · 3 functions

VALUES

RiceCooker_RiceCookerMode

raw RiceCookerMode · arg - · ret ENUM · Allows for the control of the Rice Cooker

FUNCTIONS

RiceCooker_AddMoreTime

raw AddMoreTime · arg DOUBLE · ret VOID · Allows for the control of the Rice Cooker

RiceCooker_SetCookingParameters

raw SetCookingParameters · arg ENUM | DOUBLE · ret VOID · Allows for the control of the Rice Cooker

RiceCooker_SetRiceCookerMode

raw SetRiceCookerMode · arg ENUM · ret VOID · Allows for the control of the Rice Cooker

Pump

RETRIEVED · RANK 8

2 services · 1 values · 1 functions

VALUES

Pump_PumpMode

raw PumpMode · arg - · ret ENUM · Allows for the control of a pump device

FUNCTIONS

Pump_SetPumpMode

raw SetPumpMode · arg ENUM · ret VOID · Allows for the control of a pump device

AirPurifier

RETRIEVED · RANK 9

2 services · 1 values · 1 functions

VALUES

AirPurifier_AirPurifierMode

raw AirPurifierMode · arg - · ret ENUM · Controls air purifier mode

FUNCTIONS

AirPurifier_SetAirPurifierMode

raw SetAirPurifierMode · arg ENUM · ret VOID · Controls air purifier mode

SmokeDetector

RETRIEVED · RANK 10

1 services · 1 values · 0 functions

VALUES

SmokeDetector_Smoke

raw Smoke · arg - · ret BOOL · A Device that detects smoke

FUNCTIONS

None

GT JOICODE

cron="" · period=0

```
(#Siren).siren_setsirenmode("emergency")

delay(5 SEC)

(#Siren).siren_setsirenmode("fire")
```

GENERATED JOICODE

cron="" · period=0

```
(#Siren).siren_setsirenmode("emergency")
(#Clock).clock_delay(5000)
(#Siren).siren_setsirenmode("fire")
```

FAILURE REASONS

- arg_type
- enum_grounding
- extraneous
- gt_mismatch
- numeric_grounding

LINE DIFF

GT	Generated
(#Siren).siren_setsirenmode("emergency")	(#Siren).siren_setsirenmode("emergency")
	(#Clock).clock_delay(5000)
delay(5 SEC)	(#Siren).siren_setsirenmode("fire")
(#Siren).siren_setsirenmode("fire")	

Row 133 · Category 5

Start the robot vacuum cleaner in auto mode and switch to manual mode after 30 minutes.

로봇 청소기를 자동 모드로 시작하고 30분 뒤에 수동 모드로 바꿔줘.

GT name: StartRobotVacuumCleanerInAutoModeSwitch				
Service list: service_list_ver2.0.1.json				
Output name: RobotVacuumAutoToManual				
Retrieval cats: RobotVacuumCleaner, ArmRobot, LaundryDryer, Dishwasher, Valve, AirPurifier, Pump, FaceRecognizer, PresenceVitalSensor, Humidifier				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.9673	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 0.0000	ENUM 0.5000	PROMPT TOKENS 19867
COMPLETION TOKENS 85	TOTAL TOKENS 19952	LLM LATENCY 2.594s	PIPELINE 3.548s	TOK/S 7692.4856
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE retrieval premapping	SNIPPET SOURCE service_retrieval_fallback	RETRIEVAL used	CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10	INJECTED CATEGORIES 10
--------------------------------------	--	-------------------	------------------------	-----------------------	---------------------------

RobotVacuumCleaner

2 services · 1 values · 1 functions

VALUES

RobotVacuumCleaner_RobotVacuumCleanerMode
raw RobotVacuumCleanerMode · arg - · ret ENUM · Allows for the control of the robot cleaner cleaning mode

FUNCTIONS

RobotVacuumCleaner_SetRobotVacuumCleanerModeMode
raw SetRobotVacuumCleanerModeMode · arg ENUM · ret VOID · Allows for the control of the robot cleaner cleaning mode

ArmRobot

RETRIEVED · RANK 2

5 services · 2 values · 3 functions

VALUES

ArmRobot_ArmRobotType

raw ArmRobotType · arg - · ret ENUM · Allows for the control of the arm robot

ArmRobot_CurrentPosition

raw CurrentPosition · arg - · ret STRING · Allows for the control of the arm robot

FUNCTIONS

ArmRobot_Hello

raw Hello · arg - · ret VOID · Allows for the control of the arm robot

ArmRobot_SendCommand

raw SendCommand · arg ENUM · ret VOID · Allows for the control of the arm robot

ArmRobot_SetPosition

raw SetPosition · arg ENUM · ret VOID · Allows for the control of the arm robot

LaundryDryer

RETRIEVED · RANK 3

4 services · 2 values · 2 functions

VALUES

LaundryDryer_LaundryDryerMode

raw LaundryDryerMode · arg - · ret ENUM · Allows for the control of the laundry dryer mode

LaundryDryer_SpinSpeed

raw SpinSpeed · arg - · ret INTEGER · Allows for the control of the laundry dryer mode

FUNCTIONS

LaundryDryer_SetLaundryDryerMode

raw SetLaundryDryerMode · arg ENUM · ret VOID · Allows for the control of the laundry dryer mode

LaundryDryer_SetSpinSpeed

raw SetSpinSpeed · arg INTEGER · ret VOID · Allows for the control of the laundry dryer mode

Dishwasher

RETRIEVED · RANK 4

2 services · 1 values · 1 functions

VALUES

Dishwasher_DishwasherMode

raw DishwasherMode · arg - · ret ENUM · Allows for the control of the dishwasher mode

FUNCTIONS

Dishwasher_SetDishwasherMode

raw SetDishwasherMode · arg ENUM · ret VOID · Allows for the control of the dishwasher mode

Valve

RETRIEVED · RANK 5

3 services · 1 values · 2 functions

VALUES

Valve_ValveState

raw ValveState · arg - · ret BOOL · Controls a valve to open or close it

FUNCTIONS

Valve_Close

raw Close · arg - · ret VOID · Controls a valve to open or close it

Valve_Open

raw Open · arg - · ret VOID · Controls a valve to open or close it

AirPurifier

RETRIEVED · RANK 6

2 services · 1 values · 1 functions

VALUES

AirPurifier_AirPurifierMode

raw AirPurifierMode · arg - · ret ENUM · Controls air purifier mode

FUNCTIONS

AirPurifier_SetAirPurifierMode

raw SetAirPurifierMode · arg ENUM · ret VOID · Controls air purifier mode

Pump

RETRIEVED · RANK 7

2 services · 1 values · 1 functions

VALUES

Pump_PumpMode

raw PumpMode · arg - · ret ENUM · Allows for the control of a pump device

FUNCTIONS

Pump_SetPumpMode

raw SetPumpMode · arg ENUM · ret VOID · Allows for the control of a pump device

FaceRecognizer

RETRIEVED · RANK 8

5 services · 1 values · 4 functions

VALUES

FaceRecognizer_RecognizedResult

raw RecognizedResult · arg - · ret STRING · Controls face recognition features

FUNCTIONS

FaceRecognizer_AddFace

raw AddFace · arg STRING · ret BOOL · Controls face recognition features

FaceRecognizer_DeleteFace

raw DeleteFace · arg STRING · ret BOOL · Controls face recognition features

FaceRecognizer_End

raw End · arg - · ret BOOL · Controls face recognition features

FaceRecognizer_Start

raw Start · arg - · ret BOOL · Controls face recognition features

PresenceVitalSensor

RETRIEVED · RANK 9

7 services · 7 values · 0 functions

VALUES

PresenceVitalSensor_Awakeness

raw Awakeness · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_Distance

raw Distance · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_DwellTime

raw DwellTime · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_HeartRate

raw HeartRate · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_MovementIndex

raw MovementIndex · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_Presence

raw Presence · arg - · ret BOOL · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

PresenceVitalSensor_RespiratoryRate

raw RespiratoryRate · arg - · ret DOUBLE · Presence and vital signs sensor with heart rate, respiratory rate, movement detection

FUNCTIONS

None

Humidifier

RETRIEVED · RANK 10

2 services · 1 values · 1 functions

VALUES

Humidifier_HumidifierMode

raw HumidifierMode · arg - · ret ENUM · Maintains and sets the state of an humidifier

FUNCTIONS

Humidifier_SetHumidifierMode

raw SetHumidifierMode · arg ENUM · ret VOID · Maintains and sets the state of an humidifier

GT JOICODE

cron="" · period=0

```
(#RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode("auto")

delay(30 MIN)

(#RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode("manual")
```

GENERATED JOICODE

cron="" · period=0

```
(#RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode("auto")
(#Clock).clock_delay(1800000)
(#RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode("manual")
```

FAILURE REASONS

arg_type enum_grounding extraneous gt_mismatch numeric_grounding

LINE DIFF

semantic

GT	Generated
(#RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode("auto")	(#RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode("auto")
	(#Clock).clock_delay(1800000)
delay(30 MIN)	(#RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode("manual")
(#RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode("manual")	

Row 135 · Category 5

Start the dehumidifier in drying mode and change to refreshing mode after 1 hour.

제습기를 건조 모드로 작동시키고 1시간 뒤에 리프레쉬 모드로 바꿔줘.

GT name: StartDehumidifierInDryingModeChangeToRefreshing				
Service list: service_list_ver2.0.1.json				
Output name: DehumidifierDryingToRefreshing				
Retrieval cats: Dehumidifier, Humidifier, LaundryDryer, Dishwasher, AirPurifier, HumiditySensor, AirConditioner, RobotVacuumCleaner, Pump, DimmerSwitch				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.9553	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 0.0000	ENUM 0.5000	PROMPT TOKENS 19167
COMPLETION TOKENS 80	TOTAL TOKENS 19247	LLM LATENCY 2.798s	PIPELINE 3.795s	TOK/S 6878.8420
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE retrieval premapping	SNIPPET SOURCE service_retrieval_fallback	RETRIEVAL used	CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10	INJECTED CATEGORIES 10
--------------------------------------	--	-------------------	------------------------	-----------------------	---------------------------

Dehumidifier

2 services · 1 values · 1 functions

VALUES

Dehumidifier_DehumidifierMode
raw DehumidifierMode · arg - · ret ENUM · Allows for the control of the dehumidifier mode

FUNCTIONS

Dehumidifier_SetDehumidifierMode
raw SetDehumidifierMode · arg ENUM · ret VOID · Allows for the control of the dehumidifier mode

RETRIEVED · RANK 1

Humidifier

RETRIEVED · RANK 2

2 services · 1 values · 1 functions

VALUES

Humidifier_HumidifierMode

raw HumidifierMode · arg - · ret ENUM · Maintains and sets the state of an humidifier

FUNCTIONS

Humidifier_SetHumidifierMode

raw SetHumidifierMode · arg ENUM · ret VOID · Maintains and sets the state of an humidifier

LaundryDryer

RETRIEVED · RANK 3

4 services · 2 values · 2 functions

VALUES

LaundryDryer_LaundryDryerMode

raw LaundryDryerMode · arg - · ret ENUM · Allows for the control of the laundry dryer mode

LaundryDryer_SpinSpeed

raw SpinSpeed · arg - · ret INTEGER · Allows for the control of the laundry dryer mode

FUNCTIONS

LaundryDryer_SetLaundryDryerMode

raw SetLaundryDryerMode · arg ENUM · ret VOID · Allows for the control of the laundry dryer mode

LaundryDryer_SetSpinSpeed

raw SetSpinSpeed · arg INTEGER · ret VOID · Allows for the control of the laundry dryer mode

Dishwasher

RETRIEVED · RANK 4

2 services · 1 values · 1 functions

VALUES

Dishwasher_DishwasherMode

raw DishwasherMode · arg - · ret ENUM · Allows for the control of the dishwasher mode

FUNCTIONS

Dishwasher_SetDishwasherMode

raw SetDishwasherMode · arg ENUM · ret VOID · Allows for the control of the dishwasher mode

AirPurifier

RETRIEVED · RANK 5

2 services · 1 values · 1 functions

VALUES

AirPurifier_AirPurifierMode

raw AirPurifierMode · arg - · ret ENUM · Controls air purifier mode

FUNCTIONS

AirPurifier_SetAirPurifierMode

raw SetAirPurifierMode · arg ENUM · ret VOID · Controls air purifier mode

HumiditySensor

RETRIEVED · RANK 6

1 services · 1 values · 0 functions

VALUES

HumiditySensor_Humidity

raw Humidity · arg - · ret DOUBLE · Allow reading the relative humidity from devices that support it

FUNCTIONS

None

AirConditioner

RETRIEVED · RANK 7

4 services · 2 values · 2 functions

VALUES

AirConditioner_AirConditionerMode

raw AirConditionerMode · arg - · ret ENUM · Controls air conditioner mode and temperature settings

AirConditioner_TargetTemperature

raw TargetTemperature · arg - · ret DOUBLE · Controls air conditioner mode and temperature settings

FUNCTIONS

AirConditioner_SetAirConditionerMode

raw SetAirConditionerMode · arg ENUM · ret VOID · Controls air conditioner mode and temperature settings

AirConditioner_SetTargetTemperature

raw SetTargetTemperature · arg DOUBLE · ret VOID · Controls air conditioner mode and temperature settings

RobotVacuumCleaner

RETRIEVED · RANK 8

2 services · 1 values · 1 functions

VALUES

RobotVacuumCleaner_RobotVacuumCleanerMode

raw RobotVacuumCleanerMode · arg - · ret ENUM · Allows for the control of the robot cleaner cleaning mode

FUNCTIONS

RobotVacuumCleaner_SetRobotVacuumCleanerModeMode

raw SetRobotVacuumCleanerModeMode · arg ENUM · ret VOID · Allows for the control of the robot cleaner cleaning mode

Pump

RETRIEVED · RANK 9

2 services · 1 values · 1 functions

VALUES

Pump_PumpMode

raw PumpMode · arg - · ret ENUM · Allows for the control of a pump device

FUNCTIONS

Pump_SetPumpMode

raw SetPumpMode · arg ENUM · ret VOID · Allows for the control of a pump device

DimmerSwitch

RETRIEVED · RANK 10

4 services · 4 values · 0 functions

VALUES

DimmerSwitch_Button1

raw Button1 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

DimmerSwitch_Button2

raw Button2 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

DimmerSwitch_Button3

raw Button3 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

DimmerSwitch_Button4

raw Button4 · arg - · ret ENUM · A dimmer switch device with multiple buttons (typically 4 buttons)

FUNCTIONS

None

GT JOICODE

cron="" · period=0

(#Dehumidifier).dehumidifier_setdehumidifiermode("drying")

delay(1 HOUR)

(#Dehumidifier).dehumidifier_setdehumidifiermode("refreshing")

GENERATED JOICODE

cron="" · period=0

(#Dehumidifier).dehumidifier_setdehumidifiermode("drying")

(#Clock).clock_delay(3600000)

(#Dehumidifier).dehumidifier_setdehumidifiermode("refreshing")

FAILURE REASONS

arg_type

enum_grounding

extraneous

gt_mismatch

numeric_grounding

LINE DIFF

GT	Generated
(#Dehumidifier).dehumidifier_setdehumidifiermode("drying")	(#Dehumidifier).dehumidifier_setdehumidifiermode("drying")
	(#Clock).clock_delay(3600000)
delay(1 HOUR)	(#Dehumidifier).dehumidifier_setdehumidifiermode("refreshing")
(#Dehumidifier).dehumidifier_setdehumidifiermode("refreshing")	

Row 136 · Category 5

Turn on all lights in the living room and turn them off after 1 hour.

거실의 모든 전등을 켜고 1시간 뒤에 꺼줘.

GT name: TurnOnAllLightsInLivingRoomTurn				
Service list: service_list_ver2.0.1.json				
Output name: LivingRoomLightsOnThenOffAfter1Hour				
Retrieval cats: not used (connected_devices scope)				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.8630	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 0.0000	ENUM 1.0000	PROMPT TOKENS 18111
COMPLETION TOKENS 67	TOTAL TOKENS 18178	LLM LATENCY 2.197s	PIPELINE 2.209s	TOK/S 8275.1400
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 2 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 2
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg · ret INTEGER · A numerical representation of the brightness intensity

CONNECTED

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

```
all(#LivingRoom #Light).switch_on()

delay(1 HOUR)

all(#LivingRoom #Light).switch_off()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Light #LivingRoom).switch_on()
(#Clock).clock_delay(3600000)
all(#Light #LivingRoom).switch_off()
```

FAILURE REASONS

- arg_type
- extraneous
- gt_mismatch
- numeric_grounding
- semantic

LINE DIFF

GT	Generated
all(#LivingRoom #Light).switch_on()	all(#Light #LivingRoom).switch_on()
	(#Clock).clock_delay(3600000)
delay(1 HOUR)	all(#Light #LivingRoom).switch_off()
all(#LivingRoom #Light).switch_off()	

Row 137 · Category 5

When any presence sensor in the house detects presence, sound all emergency sirens after 10 seconds.

집안의 재실 센서가 하나라도 감지되면 10초 뒤에 모든 긴급 사이렌을 울려줘.

GT name: WhenAnyPresenceSensorInHouseDetectsPresenceSound				
Service list: service_list_ver2.0.1.json				
Output name: PresenceTriggeredEmergencySiren				
Retrieval cats: not used (connected_devices scope)				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.8832	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 0.2000	NUMERIC 0.0000	ENUM 1.0000	PROMPT TOKENS 16513
COMPLETION TOKENS 72	TOTAL TOKENS 16585	LLM LATENCY 1.754s	PIPELINE 1.762s	TOK/S 9456.0693
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 4	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 2 connected-device category group(s) were injected.

CONTEXT MODE
connected_devices scope

SNIPPET SOURCE
connected_devices_only

RETRIEVAL
skipped_connected_devices_present

CONFIGURED TOP-K
10

EFFECTIVE TOP-K
-

INJECTED CATEGORIES
2

PresenceSensor

1 services · 1 values · 0 functions

VALUES

PresenceSensor_Presence

raw Presence · arg - · ret BOOL · The ability to see the current status of a presence sensor device

FUNCTIONS

None

Siren

CONNECTED

2 services · 1 values · 1 functions

VALUES

Siren_SirenMode

raw SirenMode · arg - · ret ENUM · Allows for the control of the Siren

FUNCTIONS

Siren_SetSirenMode

raw SetSirenMode · arg ENUM · ret VOID · Allows for the control of the Siren

GT JOICODE

cron="" · period=0

```
wait until (all(#House #PresenceSensor).presencesensor_presence ==| true)

delay(10 SEC)

all(#Siren).siren_setsirenmode("emergency")
```

GENERATED JOICODE

cron="" · period=0

```
wait until (any(#PresenceSensor).presencesensor_presence == true)
(#Clock).clock_delay(10000)
(#Siren).siren_setsirenmode("emergency")
```

FAILURE REASONS

- arg_type
- dataflow
- extraneous
- gt_mismatch
- numeric_grounding
- semantic

LINE DIFF

GT	Generated
wait until (all(#House #PresenceSensor).presencesensor_presence == true)	wait until (any(#PresenceSensor).presencesensor_presence == true)
	(#Clock).clock_delay(10000)
delay(10 SEC)	(#Siren).siren_setsirenmode("emergency")
all(#Siren).siren_setsirenmode("emergency")	

Row 138 · Category 5

Open all valves in the kitchen and close them again after 5 minutes.

주방의 모든 밸브를 열고 5분 뒤에 다시 잠궜줘.

GT name: OpenAllValvesInKitchenCloseThemAgain				
Service list: service_list_ver2.0.1.json				
Output name: OpenValvesAndCloseAfter5Minutes				
Retrieval cats: not used (connected_devices scope)				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.8448	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 0.0000	ENUM 1.0000	PROMPT TOKENS 16424
COMPLETION TOKENS 65	TOTAL TOKENS 16489	LLM LATENCY 1.965s	PIPELINE 1.973s	TOK/S 8391.3486
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Valve

3 services · 1 values · 2 functions

VALUES

Valve_ValveState
raw ValveState · arg - · ret BOOL · Controls a valve to open or close it

FUNCTIONS

Valve_Close
raw Close · arg - · ret VOID · Controls a valve to open or close it

Valve_Open

CONNECTED

raw Open · arg - · ret VOID · Controls a valve to open or close it

GT JOICODE

cron="" · period=0

```
all(#Kitchen #Valve).valve_open()

delay(5 MIN)

all(#Kitchen #Valve).valve_close()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Valve #kitchen).valve_open()
(#Clock).clock_delay(300000)
all(#Valve #kitchen).valve_close()
```

FAILURE REASONS

- arg_type
- extraneous
- gt_mismatch
- numeric_grounding
- semantic

LINE DIFF

GT	Generated
all(#Kitchen #Valve).valve_open()	all(#Valve #kitchen).valve_open()
	(#Clock).clock_delay(300000)
delay(5 MIN)	all(#Valve #kitchen).valve_close()
all(#Kitchen #Valve).valve_close()	

Row 139 · Category 5

Close all blinds in the bedroom and open them again after 2 hours.

안방의 모든 블라인드를 닫고 2시간 뒤에 다시 열어줘.

GT name: CloseAllBlindsInBedroomOpenThemAgain				
Service list: service_list_ver2.0.1.json				
Output name: CloseAndReopenBlindsInBedroom				
Retrieval cats: not used (connected_devices scope)				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.8632	GT SERVICE COV. 1.0000
RECEIVER COV. 0.0000	DATAFLOW 1.0000	NUMERIC 0.0000	ENUM 1.0000	PROMPT TOKENS 16789
COMPLETION TOKENS 80	TOTAL TOKENS 16869	LLM LATENCY 4.211s	PIPELINE 4.219s	TOK/S 4005.8417
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

WindowCovering

6 services · 2 values · 4 functions

CONNECTED

VALUES

WindowCovering_CurrentPosition

raw CurrentPosition · arg - · ret INTEGER · Controls a window covering to open or close it

WindowCovering_WindowCoveringType

raw WindowCoveringType · arg - · ret ENUM · Controls a window covering to open or close it

FUNCTIONS

WindowCovering_DownOrClose

raw DownOrClose · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_SetLevel

raw SetLevel · arg INTEGER · ret INTEGER · Controls a window covering to open or close it

WindowCovering_Stop

raw Stop · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_UpOrOpen

raw UpOrOpen · arg - · ret VOID · Controls a window covering to open or close it

GT JOICODE

cron="" · period=0

all(#Bedroom #Blind).windowcovering_downorclose()

delay(2 HOUR)

all(#Bedroom #Blind).windowcovering_uporopen()

GENERATED JOICODE

cron="" · period=0

all(#WindowCovering #bedroom).windowcovering_downorclose()
(#Clock).clock_delay(7200000)
all(#WindowCovering #bedroom).windowcovering_uporopen()

FAILURE REASONS

arg_type

extraneous

gt_mismatch

gt_receiver_coverage

numeric_grounding

LINE DIFF

GT	Generated
all(#Bedroom #Blind).windowcovering_downorclose()	all(#WindowCovering #bedroom).windowcovering_downorclose()
	(#Clock).clock_delay(7200000)
delay(2 HOUR)	all(#WindowCovering #bedroom).windowcovering_uporopen()
all(#Bedroom #Blind).windowcovering_uporopen()	

Row 140 · Category 5

When any light in the hallway is turned on, turn off all lights in the living room after 5 minutes.

복도의 조명이 하나라도 켜지면 5분 뒤에 거실의 모든 조명을 꺼줘.

GT name: WhenAnyLightInHallwayIsTurnedOnTurn				
Service list: service_list_ver2.0.1.json				
Output name: TurnOffLivingRoomLightsAfterHallwayLightOn				
Retrieval cats: not used (connected_devices scope)				
DET 69.3978	PASS No	GT EXACT No	SIMILARITY 0.8761	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 0.2000	NUMERIC 0.0000	ENUM 1.0000	PROMPT TOKENS 18117
COMPLETION TOKENS 74	TOTAL TOKENS 18191	LLM LATENCY 3.596s	PIPELINE 3.607s	TOK/S 5058.6763
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 2 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 2
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

```
wait until (all(#Hallway #Light).switch_switch ==| true)

delay(5 MIN)

all(#LivingRoom #Light).switch_off()
```

GENERATED JOICODE

cron="" · period=0

```
wait until (any(#Light #Hallway).switch_switch == true)
(#Clock).clock_delay(300000)
all(#Light #LivingRoom).switch_off()
```

FAILURE REASONS

- arg_type
- dataflow
- extraneous
- gt_mismatch
- numeric_grounding
- precondition
- semantic

LINE DIFF

GT	Generated
wait until (all(#Hallway #Light).switch_switch == true)	wait until (any(#Light #Hallway).switch_switch == true)
	(#Clock).clock_delay(300000)
delay(5 MIN)	all(#Light #LivingRoom).switch_off()
all(#LivingRoom #Light).switch_off()	

Row 141 · Category 5

Turn on all dehumidifiers in the lab and turn them off after 4 hours.

연구실의 모든 제습기를 켜고 4시간 뒤에 꺼줘.

GT name: TurnOnAllDehumidifiersInLabTurnThem				
Service list: service_list_ver2.0.1.json				
Output name: LabDehumidifierOnOffAfter4Hours				
Retrieval cats: not used (connected_devices scope)				
DET 65.9876	PASS No	GT EXACT No	SIMILARITY 0.5864	GT SERVICE COV. 0.5000
RECEIVER COV. 0.5000	DATAFLOW 1.0000	NUMERIC 0.0000	ENUM 1.0000	PROMPT TOKENS 16821
COMPLETION TOKENS 79	TOTAL TOKENS 16900	LLM LATENCY 2.876s	PIPELINE 2.885s	TOK/S 5875.8084
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 2 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 2
---	--	--	------------------------	----------------------	--------------------------

Dehumidifier

2 services · 1 values · 1 functions

VALUES

Dehumidifier_DehumidifierMode
raw DehumidifierMode · arg - · ret ENUM · Allows for the control of the dehumidifier mode

FUNCTIONS

Dehumidifier_SetDehumidifierMode
raw SetDehumidifierMode · arg ENUM · ret VOID · Allows for the control of the dehumidifier mode

CONNECTED

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

all(#Lab #Dehumidifier).switch_on()

delay(4 HOUR)

all(#Lab #Dehumidifier).switch_off()

GENERATED JOICODE

cron="" · period=0

(#Dehumidifier #Lab).dehumidifier_setdehumidifiermode("dehumidifying")
(#Clock).clock_delay(14400000)
(#Dehumidifier #Lab).switch_off()

FAILURE REASONS

- arg_type
- extraneous
- gt_mismatch
- gt_receiver_coverage
- gt_service_coverage
- numeric_grounding
- semantic

LINE DIFF

GT	Generated
all(#Lab #Dehumidifier).switch_on()	(#Dehumidifier #Lab).dehumidifier_setdehumidifiermode("dehumidifying")
	(#Clock).clock_delay(14400000)
delay(4 HOUR)	(#Dehumidifier #Lab).switch_off()
all(#Lab #Dehumidifier).switch_off()	

Row 142 · Category 5

When any air purifier in the office switches to sleep mode, turn off the light after 10 minutes.

사무실의 공기청정기가 하나라도 수면모드로 바뀌면 10분 뒤에 조명을 꺼줘.

GT name: WhenAnyAirPurifierInOfficeSwitchesToSleep				
Service list: service_list_ver2.0.1.json				
Output name: TurnOffLightAfterAirPurifierSleep				
Retrieval cats: not used (connected_devices scope)				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.8473	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 0.2000	NUMERIC 0.0000	ENUM 1.0000	PROMPT TOKENS 18360
COMPLETION TOKENS 75	TOTAL TOKENS 18435	LLM LATENCY 5.537s	PIPELINE 5.546s	TOK/S 3329.1798
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3
---	--	--	------------------------	----------------------	--------------------------

AirPurifier

2 services · 1 values · 1 functions

VALUES

AirPurifier_AirPurifierMode
raw AirPurifierMode · arg · ret ENUM · Controls air purifier mode

FUNCTIONS

AirPurifier_SetAirPurifierMode
raw SetAirPurifierMode · arg ENUM · ret VOID · Controls air purifier mode

CONNECTED

Light

CONNECTED

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

wait until (all(#Office #AirPurifier).airpurifier_airpurifiermode ==| "sleep")

delay(10 MIN)

(#Office #Light).switch_off()

GENERATED JOICODE

cron="" · period=0

wait until (any(#AirPurifier #office).airpurifier_airpurifiermode == "sleep")
(#Clock).clock_delay(600000)
(#Light).switch_off()

FAILURE REASONS

- arg_type
- dataflow
- extraneous
- gt_mismatch
- numeric_grounding
- precondition
- semantic

LINE DIFF

GT	Generated
wait until (all(#Office #AirPurifier).airpurifier_airpurifiermode == "sleep")	wait until (any(#AirPurifier #office).airpurifier_airpurifiermode == "sleep")
	(#Clock).clock_delay(600000)
delay(10 MIN)	(#Light).switch_off()
(#Office #Light).switch_off()	

Row 143 · Category 5

Lock all warehouse door locks and sound the emergency siren 1 minute later.

창고의 모든 도어락을 잠그고 1분 뒤에 긴급 사이렌을 울려줘.

GT name: LockAllWarehouseDoorLocksSoundEmergencySiren				
Service list: service_list_ver2.0.1.json				
Output name: LockWarehouseDoorsAndEmergencySiren				
Retrieval cats: not used (connected_devices scope)				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.8312	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 0.0000	ENUM 1.0000	PROMPT TOKENS 16697
COMPLETION TOKENS 67	TOTAL TOKENS 16764	LLM LATENCY 5.376s	PIPELINE 5.383s	TOK/S 3118.5356
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT					
Prompt context came from connected_devices, so retrieval was skipped. 2 connected-device category group(s) were injected.					
CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 2

DoorLock	CONNECTED
3 services · 1 values · 2 functions	
VALUES	
DoorLock_DoorLockState raw DoorLockState · arg - · ret ENUM · Allow for the control of a door lock	
FUNCTIONS	
DoorLock_Lock raw Lock · arg - · ret VOID · Allow for the control of a door lock	
DoorLock_Unlock	

raw Unlock · arg - · ret VOID · Allow for the control of a door lock

Siren

CONNECTED

2 services · 1 values · 1 functions

VALUES

Siren_SirenMode

raw SirenMode · arg - · ret ENUM · Allows for the control of the Siren

FUNCTIONS

Siren_SetSirenMode

raw SetSirenMode · arg ENUM · ret VOID · Allows for the control of the Siren

GT JOICODE

cron="" · period=0

all(#Warehouse #DoorLock).doorlock_lock()

delay(1 MIN)

(#Siren).siren_setsirenmode("emergency")

GENERATED JOICODE

cron="" · period=0

(#DoorLock).doorlock_lock()
(#Clock).clock_delay(60000)
(#Siren).siren_setsirenmode("emergency")

FAILURE REASONS

- arg_type
- extraneous
- gt_mismatch
- numeric_grounding
- semantic

LINE DIFF

GT	Generated
all(#Warehouse #DoorLock).doorlock_lock()	(#DoorLock).doorlock_lock()
	(#Clock).clock_delay(60000)
delay(1 MIN)	(#Siren).siren_setsirenmode("emergency")
(#Siren).siren_setsirenmode("emergency")	

Row 144 · Category 5

When any illuminance sensor on the terrace reaches 100 lux or higher, raise all blinds after 5 seconds.

테라스의 어느 조도 센서라도 100 럭스 이상이 되면 5초 뒤에 모든 블라인드를 올려줘.

GT name: WhenAnyIlluminanceSensorOnTerraceReaches100Lux				
Service list: service_list_ver2.0.1.json				
Output name: TerraceIlluminanceBlindsControl				
Retrieval cats: not used (connected_devices scope)				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.8000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 0.2000	NUMERIC 0.5000	ENUM 1.0000	PROMPT TOKENS 16883
COMPLETION TOKENS 79	TOTAL TOKENS 16962	LLM LATENCY 3.799s	PIPELINE 3.807s	TOK/S 4464.7416
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 4	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 2 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 2
---	--	--	------------------------	----------------------	--------------------------

LightSensor

1 services · 1 values · 0 functions

VALUES

LightSensor_Brightness
raw Brightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

None

WindowCovering

6 services · 2 values · 4 functions

VALUES

WindowCovering_CurrentPosition

raw CurrentPosition · arg - · ret INTEGER · Controls a window covering to open or close it

WindowCovering_WindowCoveringType

raw WindowCoveringType · arg - · ret ENUM · Controls a window covering to open or close it

FUNCTIONS

WindowCovering_DownOrClose

raw DownOrClose · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_SetLevel

raw SetLevel · arg INTEGER · ret INTEGER · Controls a window covering to open or close it

WindowCovering_Stop

raw Stop · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_UpOrOpen

raw UpOrOpen · arg - · ret VOID · Controls a window covering to open or close it

GT JOICODE

cron="" · period=0

```
wait until (all(#Terrace #LightSensor).lightsensor_brightness >=| 100)

delay(5 SEC)

all(#Terrace #Blind).windowcovering_uporopen()
```

GENERATED JOICODE

cron="" · period=0

```
wait until (any(#LightSensor #terrace).lightsensor_brightness >= 100)
(#WindowCovering #terrace).windowcovering_uporopen()
(#Clock).clock_delay(5000)
```

FAILURE REASONS

- arg_type
- dataflow
- extraneous
- gt_mismatch
- numeric_grounding
- semantic

LINE DIFF

GT	Generated
wait until (all(#Terrace #LightSensor).lightsensor_brightness >= 100)	wait until (any(#LightSensor #terrace).lightsensor_brightness >= 100)
	(#WindowCovering #terrace).windowcovering_uporopen()
delay(5 SEC)	(#Clock).clock_delay(5000)
all(#Terrace #Blind).windowcovering_uporopen()	

Row 145 · Category 5

When any temperature sensor in the data center reaches 30 degrees or higher, set all air conditioners to cool mode after 1 minute.

데이터 센터의 어느 온도 센서라도 30도 이상이 되면 1분 뒤에 모든 에어컨을 냉방 모드로 작동시켜줘.

GT name: WhenAnyTemperatureSensorInDataCenterReaches30				
Service list: service_list_ver2.0.1.json				
Output name: DataCenterTempHighSetACCool				
Retrieval cats: not used (connected_devices scope)				
DET 52.8074	PASS No	GT EXACT No	SIMILARITY 0.6504	GT SERVICE COV. 0.5000
RECEIVER COV. 0.5000	DATAFLOW 0.0000	NUMERIC 0.0000	ENUM 1.0000	PROMPT TOKENS 16730
COMPLETION TOKENS 84	TOTAL TOKENS 16814	LLM LATENCY 1.589s	PIPELINE 1.597s	TOK/S 10579.5004
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 4	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 2 connected-device category group(s) were injected.

CONTEXT MODE
connected_devices scope

SNIPPET SOURCE
connected_devices_only

RETRIEVAL
skipped_connected_devices_present

CONFIGURED TOP-K
10

EFFECTIVE TOP-K
-

INJECTED CATEGORIES
2

TemperatureSensor

1 services · 1 values · 0 functions

VALUES

TemperatureSensor_Temperature

raw Temperature · arg - · ret DOUBLE · Get the temperature from a Device that reports current temperature

FUNCTIONS

None

AirConditioner

CONNECTED

4 services · 2 values · 2 functions

VALUES

AirConditioner_AirConditionerMode

raw AirConditionerMode · arg - · ret ENUM · Controls air conditioner mode and temperature settings

AirConditioner_TargetTemperature

raw TargetTemperature · arg - · ret DOUBLE · Controls air conditioner mode and temperature settings

FUNCTIONS

AirConditioner_SetAirConditionerMode

raw SetAirConditionerMode · arg ENUM · ret VOID · Controls air conditioner mode and temperature settings

AirConditioner_SetTargetTemperature

raw SetTargetTemperature · arg DOUBLE · ret VOID · Controls air conditioner mode and temperature settings

GT JOICODE

cron="" · period=0

wait until (all(#DataCenter #TemperatureSensor).temperaturesensor_temperature >=| 30)

delay(1 MIN)

all(#DataCenter #AirConditioner).airconditioner_setairconditionermode("cool")

GENERATED JOICODE

cron="" · period=0

```
if (any(#TemperatureSensor #DataCenter).temperaturemeasurement_temperature >= 30.0) {
  (#Clock).clock_delay(60000)
  (#AirConditioner).airconditioner_setairconditionermode("cool")
}
```

FAILURE REASONS

- arg_type
- dataflow
- extraneous
- gt_mismatch
- gt_receiver_coverage
- gt_service_coverage
- numeric_grounding
- semantic
- service_match
- unknown_service:temperaturemeasurement_temperature

LINE DIFF

GT	Generated
wait until (all(#DataCenter #TemperatureSensor).temperaturesensor_temperature >= 30)	if (any(#TemperatureSensor #DataCenter).temperaturemeasurement_temperature >= 30.0) {
	(#Clock).clock_delay(60000)
delay(1 MIN)	(#AirConditioner).airconditioner_setairconditionermode("cool")
	}
all(#DataCenter #AirConditioner).airconditioner_setairconditionermode("cool")	

Row 146 · Category 5

Turn on the kitchen light and turn on the kitchen dehumidifier 10 seconds later.

주방 조명을 켜고 10초 뒤에 주방 제습기를 켜줘.

GT name: TurnOnKitchenLightTurnOnKitchen				
Service list: service_list_ver2.0.1.json				
Output name: TurnOnKitchenLightAndDehumidifierDelayed				
Retrieval cats: not used (connected_devices scope)				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.8244	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 0.0000	ENUM 1.0000	PROMPT TOKENS 18112
COMPLETION TOKENS 64	TOTAL TOKENS 18176	LLM LATENCY 1.925s	PIPELINE 1.935s	TOK/S 9440.1163
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 2 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 2
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg · ret INTEGER · A numerical representation of the brightness intensity

CONNECTED

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

```
(#Kitchen #Light).switch_on()

delay(10 SEC)

(#Kitchen #Dehumidifier).switch_on()
```

GENERATED JOICODE

cron="" · period=0

```
(#Light #kitchen).switch_on()
(#Clock).clock_delay(10000)
(#Switch #kitchen).switch_on()
```

FAILURE REASONS

- arg_type
- extraneous
- gt_mismatch
- numeric_grounding
- semantic

LINE DIFF

GT	Generated
(#Kitchen #Light).switch_on()	(#Light #kitchen).switch_on()
	(#Clock).clock_delay(10000)
delay(10 SEC)	(#Switch #kitchen).switch_on()
(#Kitchen #Dehumidifier).switch_on()	

Row 147 · Category 5

Set the study air purifier to high and turn it off after 2 hours.

서재 공기청정기를 강풍으로 틀고 2시간 뒤에 꺼줘.

GT name: SetStudyAirPurifierToHighTurnIt				
Service list: service_list_ver2.0.1.json				
Output name: StudyAirPurifierHighThenOffAfter2Hours				
Retrieval cats: not used (connected_devices scope)				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.7312	GT SERVICE COV. 0.5000
RECEIVER COV. 0.5000	DATAFLOW 1.0000	NUMERIC 0.0000	ENUM 1.0000	PROMPT TOKENS 16435
COMPLETION TOKENS 81	TOTAL TOKENS 16516	LLM LATENCY 3.031s	PIPELINE 3.038s	TOK/S 5448.6672
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

AirPurifier

2 services · 1 values · 1 functions

VALUES

AirPurifier_AirPurifierMode
raw AirPurifierMode · arg - · ret ENUM · Controls air purifier mode

FUNCTIONS

AirPurifier_SetAirPurifierMode
raw SetAirPurifierMode · arg ENUM · ret VOID · Controls air purifier mode

CONNECTED

GT JOICODE

cron="" · period=0

```
(#Study #AirPurifier).airpurifier_setairpurifiermode("high")

delay(2 HOUR)

(#Study #AirPurifier).switch_off()
```

GENERATED JOICODE

cron="" · period=0

```
(#AirPurifier).airpurifier_setairpurifiermode("high")
(#Clock).clock_delay(7200000)
(#AirPurifier).airpurifier_setairpurifiermode("off")
```

FAILURE REASONS

- arg_type
- extraneous
- gt_mismatch
- gt_receiver_coverage
- gt_service_coverage
- numeric_grounding

LINE DIFF

GT	Generated
(#Study #AirPurifier).airpurifier_setairpurifiermode("high")	(#AirPurifier).airpurifier_setairpurifiermode("high")
	(#Clock).clock_delay(7200000)
delay(2 HOUR)	(#AirPurifier).airpurifier_setairpurifiermode("off")
(#Study #AirPurifier).switch_off()	

Row 148 · Category 5

Turn off the bathroom light and turn on after 5 minutes.

욕실 조명을 끄고 5분 뒤에 켜줘.

GT name: TurnOffBathroomLightTurnOnAfter5				
Service list: service_list_ver2.0.1.json				
Output name: BathroomLightDelayedOn				
Retrieval cats: not used (connected_devices scope)				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.8500	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 0.0000	ENUM 1.0000	PROMPT TOKENS 18414
COMPLETION TOKENS 57	TOTAL TOKENS 18471	LLM LATENCY 2.353s	PIPELINE 2.361s	TOK/S 7850.6460
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

Dehumidifier

CONNECTED

2 services · 1 values · 1 functions

VALUES

Dehumidifier_DehumidifierMode

raw DehumidifierMode · arg - · ret ENUM · Allows for the control of the dehumidifier mode

FUNCTIONS

Dehumidifier_SetDehumidifierMode

raw SetDehumidifierMode · arg ENUM · ret VOID · Allows for the control of the dehumidifier mode

GT JOICODE

cron="" · period=0

(#Bathroom #Light).switch_off()

delay(5 MIN)

(#Bathroom #Light).switch_on()

GENERATED JOICODE

cron="" · period=0

(#Light #Bathroom).switch_off()

(#Clock).clock_delay(300000)

(#Light #Bathroom).switch_on()

FAILURE REASONS

arg_type

extraneous

gt_mismatch

numeric_grounding

semantic

LINE DIFF

GT	Generated
(#Bathroom #Light).switch_off()	(#Light #Bathroom).switch_off()
	(#Clock).clock_delay(300000)
delay(5 MIN)	(#Light #Bathroom).switch_on()
(#Bathroom #Light).switch_on()	

Row 149 · Category 5

Close the meeting room door. After 3 seconds take a picture with the meeting room camera.

회의실 문을 닫고 3초 뒤에 회의실 카메라로 촬영해줘.

GT name: CloseMeetingRoomDoorAfter3SecondsTake				
Service list: service_list_ver2.0.1.json				
Output name: CloseDoorAndCaptureImage				
Retrieval cats: not used (connected_devices scope)				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.8699	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 0.0000	ENUM 1.0000	PROMPT TOKENS 17157
COMPLETION TOKENS 56	TOTAL TOKENS 17213	LLM LATENCY 2.552s	PIPELINE 2.559s	TOK/S 6744.1132
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 2 connected-device category group(s) were injected.

CONTEXT MODE
connected_devices scope

SNIPPET SOURCE
connected_devices_only

RETRIEVAL
skipped_connected_devices_present

CONFIGURED TOP-K
10

EFFECTIVE TOP-K
-

INJECTED CATEGORIES
2

Door

3 services · 1 values · 2 functions

VALUES

Door_DoorState
raw DoorState · arg - · ret ENUM · Allow for the control of a door

FUNCTIONS

Door_Close
raw Close · arg - · ret VOID · Allow for the control of a door

Door_Open

CONNECTED

raw Open · arg - · ret VOID · Allow for the control of a door

Camera

CONNECTED

8 services · 4 values · 4 functions

VALUES

Camera_CameraState

raw CameraState · arg - · ret ENUM · Controls camera device for image/video capture and streaming

Camera_Image

raw Image · arg - · ret BINARY · Controls camera device for image/video capture and streaming

Camera_Stream

raw Stream · arg - · ret STRING · Controls camera device for image/video capture and streaming

Camera_Video

raw Video · arg - · ret BINARY · Controls camera device for image/video capture and streaming

FUNCTIONS

Camera_CaptureImage

raw CaptureImage · arg - · ret BINARY · Controls camera device for image/video capture and streaming

Camera_CaptureVideo

raw CaptureVideo · arg - · ret BINARY · Controls camera device for image/video capture and streaming

Camera_StartStream

raw StartStream · arg - · ret STRING · Controls camera device for image/video capture and streaming

Camera_StopStream

raw StopStream · arg - · ret VOID · Controls camera device for image/video capture and streaming

GT JOICODE

cron="" · period=0

(#MeetingRoom #Door).door_close()

delay(3 SEC)

(#MeetingRoom #Camera).camera_captureimage()

GENERATED JOICODE

cron="" · period=0

(#Door).door_close()
(#Clock).clock_delay(3000)
(#Camera).camera_captureimage()

FAILURE REASONS

arg_type

extraneous

gt_mismatch

numeric_grounding

LINE DIFF

GT	Generated
(#MeetingRoom #Door).door_close()	(#Door).door_close()
	(#Clock).clock_delay(3000)
delay(3 SEC)	(#Camera).camera_captureimage()
(#MeetingRoom #Camera).camera_captureimage()	

Row 150 · Category 5

Check the wine cellar temperature now and again in 10 minutes. If it has changed by 1 degree or higher, announce through the speaker that the wine cellar temperature has changed rapidly.

지금 와인 셀러 온도를 체크하고 10분뒤에 다시 체크해서 1도 이상 차이가 나면, 스피커로 온도가 급변했다고 안내해줘.

GT name: CheckWineCellarTemperatureNowAgainIn10				
Service list: service_list_ver2.0.1.json				
Output name: WineCellarTemperatureChangeAnnouncement				
Retrieval cats: not used (connected_devices scope)				
DET 18.5350	PASS No	GT EXACT No	SIMILARITY 0.1237	GT SERVICE COV. 0.0000
RECEIVER COV. 0.0000	DATAFLOW 0.0000	NUMERIC 0.8333	ENUM 1.0000	PROMPT TOKENS 17445
COMPLETION TOKENS 126	TOTAL TOKENS 17571	LLM LATENCY 2.538s	PIPELINE 2.546s	TOK/S 6922.3496
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3
---	--	--	------------------------	----------------------	--------------------------

TemperatureSensor 1 services · 1 values · 0 functions VALUES TemperatureSensor_Temperature raw Temperature · arg - · ret DOUBLE · Get the temperature from a Device that reports current temperature FUNCTIONS None	CONNECTED
HumiditySensor	CONNECTED

1 services · 1 values · 0 functions

VALUES

HumiditySensor_Humidity

raw Humidity · arg - · ret DOUBLE · Allow reading the relative humidity from devices that support it

FUNCTIONS

None

Speaker

CONNECTED

11 services · 2 values · 9 functions

VALUES

Speaker_PlaybackState

raw PlaybackState · arg - · ret ENUM · Speaker device for audio playback and media control

Speaker_Volume

raw Volume · arg - · ret INTEGER · Speaker device for audio playback and media control

FUNCTIONS

Speaker_FastForward

raw FastForward · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Pause

raw Pause · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Play

raw Play · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Rewind

raw Rewind · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_SetVolume

raw SetVolume · arg INTEGER · ret INTEGER · Speaker device for audio playback and media control

Speaker_Speak

raw Speak · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Stop

raw Stop · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_VolumeDown

raw VolumeDown · arg - · ret INTEGER · Speaker device for audio playback and media control

Speaker_VolumeUp

raw VolumeUp · arg - · ret INTEGER · Speaker device for audio playback and media control

GT JOICODE

cron="" · period=0

```
original_temp = (#WineCellar #TemperatureSensor).temperaturesensor_temperature

delay(10 MIN)
```

GENERATED JOICODE

cron="" · period=600000

```
prevTemp := (#TemperatureSensor).temperaturemeasurement_temperature
if (prevTemp != (#TemperatureSensor).temperaturemeasurement_temperature) {
  currTemp = (#TemperatureSensor).temperaturemeasurement_temperature
  diff = currTemp - prevTemp
}
```

```
temp = (#WineCellar #TemperatureSensor).temperaturesensor_temperature

if (temp >= original_temp + 1 or temp <= original_temp - 1) {

    (#Speaker).speaker_speak("와인셀러의 온도가 급변했습니다")
}
```

```
if ((diff >= 1) or (diff <= -1)) {
    (#Speaker).mediaplayback_speak("The wine cellar temperature has changed rapidly")
}
prevTemp = currTemp
}
```

FAILURE REASONS

- arg_type
- dataflow
- extraneous
- gt_mismatch
- gt_receiver_coverage
- gt_service_coverage
- numeric_grounding
- precondition
- semantic
- service_match
- unknown_service:mediaplayback_speak
- unknown_service:temperaturemeasurement_temperature

LINE DIFF

GT	Generated
original_temp = (#WineCellar #TemperatureSensor).temperaturesensor_temperature	prevTemp := (#TemperatureSensor).temperaturemeasurement_temperature
	if (prevTemp != (#TemperatureSensor).temperaturemeasurement_temperature) {
delay(10 MIN)	currTemp = (#TemperatureSensor).temperaturemeasurement_temperature
	diff = currTemp - prevTemp
temp = (#WineCellar #TemperatureSensor).temperaturesensor_temperature	if ((diff >= 1) or (diff <= -1)) {
	(#Speaker).mediaplayback_speak("The wine cellar temperature has changed rapidly")
if (temp >= original_temp + 1 or temp <= original_temp - 1) {	}
	prevTemp = currTemp
(#Speaker).speaker_speak("와인셀러의 온도가 급변했습니다")	}
}	