

JOIcode Side-by-Side Report · gpt41_mini

Side-by-side GT vs Generated JOIcode report for **gpt41_mini**. This report is rendered from row-level benchmark outputs and is print-friendly for PDF export.

ROWS
30

AVG DET
98.5588

DET PASS
100.0%

GT EXACT
76.7%

AVG PROMPT TOKENS
23754.6

AVG COMPLETION TOKENS
48.7

AVG LLM LATENCY
2.080s

P50 LLM LATENCY
1.714s

PEAK VRAM
0.000 GB

OOM COUNT
0

RUN METADATA

Results	/home/mgjeong/Desktop/llm/JOILang-
Dir	Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_allcats_20260508/retrieval_gpt41_mini_cat2
Output	/home/mgjeong/Desktop/llm/JOILang-
Dir	Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_allcats_20260508/retrieval_gpt41_mini_cat2/side_by_side_report_gpt41_mini
Suite	paper_with_cloud_ref
Genome	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/genomes/example_genome.json
Created At	2026-05-08T09:34:54.481041
Categories	2
Limit/Category	-
Rows	31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60

TOP FAILURE REASONS

gt_mismatch	7
semantic	4
extraneous	1
precondition	1

CONTEXT + CATEGORIES

connected_devices_only	30
Category 2	30

MODEL RUNTIME SNAPSHOT

MODEL
GPT-4.1-mini

RESOLVED MODEL
-

WORKER PYTHON
-

SERVICE LIST
service_list_ver2.0.1.json

CANDIDATE K
1

REPAIR ATTEMPTS
0

DET PROFILE
openai

ROW DETAILS

Row 31 · Category 2

Set the living room light to yellow.

거실 조명을 노란색으로 설정해줘.

GT name: SetLivingRoomLightToYellow				
Service list: service_list_ver2.0.1.json				
Output name: SetLivingRoomLightToYellow				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 24615
COMPLETION TOKENS 51	TOTAL TOKENS 24666	LLM LATENCY 2.954s	PIPELINE 2.977s	TOK/S 8350.5992
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 2 connected-device category group(s) were injected.

CONTEXT MODE
connected_devices scope

SNIPPET SOURCE
connected_devices_only

RETRIEVAL
skipped_connected_devices_present

CONFIGURED TOP-K
10

EFFECTIVE TOP-K
-

INJECTED CATEGORIES
2

Light

15 services · 8 values · 7 functions

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

CONNECTED

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

ColorControl

CONNECTED

2 services · 1 values · 1 functions

VALUES

ColorControl_Color

raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor

raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

GT JOICODE

cron="" · period=0

(#LivingRoom #Light).colorcontrol_setcolor("255,255,0")

GENERATED JOICODE

cron="" · period=0

(#LivingRoom #Light).light_movetorgb(255, 255, 0)

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#LivingRoom #Light).colorcontrol_setcolor("255,255,0")	(#LivingRoom #Light).light_movetorgb(255, 255, 0)

Row 32 · Category 2

Capture an image of the meeting room with the camera.

카메라로 회의실 사진을 촬영해줘.

GT name: CaptureImageOfMeetingRoomWithCamera				
Service list: service_list_ver2.0.1.json				
Output name: CaptureMeetingRoomImage				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23525
COMPLETION TOKENS 37	TOTAL TOKENS 23562	LLM LATENCY 1.698s	PIPELINE 1.708s	TOK/S 13877.9597
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Camera

8 services · 4 values · 4 functions

CONNECTED

VALUES

Camera_CameraState

raw CameraState · arg - · ret ENUM · Controls camera device for image/video capture and streaming

Camera_Image

raw Image · arg - · ret BINARY · Controls camera device for image/video capture and streaming

Camera_Stream

raw Stream · arg - · ret STRING · Controls camera device for image/video capture and streaming

Camera_Video

raw Video · arg - · ret BINARY · Controls camera device for image/video capture and streaming

FUNCTIONS

Camera_CaptureImage

raw CaptureImage · arg - · ret BINARY · Controls camera device for image/video capture and streaming

Camera_CaptureVideo

raw CaptureVideo · arg - · ret BINARY · Controls camera device for image/video capture and streaming

Camera_StartStream

raw StartStream · arg - · ret STRING · Controls camera device for image/video capture and streaming

Camera_StopStream

raw StopStream · arg - · ret VOID · Controls camera device for image/video capture and streaming

GT JOICODE

cron="" · period=0

(#MeetingRoom #Camera).camera_captureimage()

GENERATED JOICODE

cron="" · period=0

(#MeetingRoom #Camera).camera_captureimage()

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#MeetingRoom #Camera).camera_captureimage()	(#MeetingRoom #Camera).camera_captureimage()

Row 33 · Category 2

Set the brightness of the living room light to 80%.

거실 조명의 밝기를 80%로 설정해줘.

GT name: SetBrightnessOfLivingRoomLightTo80				
Service list: service_list_ver2.0.1.json				
Output name: SetLivingRoomLightBrightness				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 24416
COMPLETION TOKENS 47	TOTAL TOKENS 24463	LLM LATENCY 3.303s	PIPELINE 3.314s	TOK/S 7407.4186
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

CONNECTED

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

GT JOICODE

cron="" · period=0

(#LivingRoom #Light).light_movetobrightness(80, 0)

GENERATED JOICODE

cron="" · period=0

(#LivingRoom #Light).light_movetobrightness(80, 0)

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#LivingRoom #Light).light_movetobrightness(80, 0)	(#LivingRoom #Light).light_movetobrightness(80, 0)

Row 34 · Category 2

Set all dehumidifiers in the lab to AI drying mode.

연구실 제습기를 모두 AI건조모드로 설정해줘.

GT name: SetAllDehumidifiersInLabToAIDryingMode				
Service list: service_list_ver2.0.1.json				
Output name: SetLabDehumidifiersToAIDrying				
Retrieval cats: not used (connected_devices scope)				
DET 94.3992	PASS Yes	GT EXACT No	SIMILARITY 0.8398	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23133
COMPLETION TOKENS 55	TOTAL TOKENS 23188	LLM LATENCY 3.016s	PIPELINE 3.026s	TOK/S 7687.5642
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Dehumidifier

2 services · 1 values · 1 functions

CONNECTED

VALUES

Dehumidifier_DehumidifierMode
raw DehumidifierMode · arg - · ret ENUM · Allows for the control of the dehumidifier mode

FUNCTIONS

Dehumidifier_SetDehumidifierMode
raw SetDehumidifierMode · arg ENUM · ret VOID · Allows for the control of the dehumidifier mode

GT JOICODE

cron="" · period=0

```
all(#Lab #Dehumidifier).dehumidifier_setdehumidifiermode("AIDrying")
```

GENERATED JOICODE

cron="" · period=0

```
(#Lab #Dehumidifier).dehumidifier_setdehumidifiermode("AIDrying")
```

FAILURE REASONS

- gt_mismatch
- semantic

LINE DIFF

GT	Generated
all(#Lab #Dehumidifier).dehumidifier_setdehumidifiermode("AIDrying ")	(#Lab #Dehumidifier).dehumidifier_setdehumidifiermode("AIDrying ")

Row 35 · Category 2

Set the hue of the living room light to 240 and the saturation to 80.

거실 조명의 색조는 240, 채도는 80으로 맞춰줘.

GT name: SetHueOfLivingRoomLightTo240				
Service list: service_list_ver2.0.1.json				
Output name: SetLivingRoomLightHueAndSaturation				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 24428
COMPLETION TOKENS 52	TOTAL TOKENS 24480	LLM LATENCY 1.686s	PIPELINE 1.697s	TOK/S 14520.4342
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

CONNECTED

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

GT JOICODE

cron="" · period=0

(#LivingRoom #Light).light_movetohueandsaturation(240, 80)

GENERATED JOICODE

cron="" · period=0

(#LivingRoom #Light).light_movetohueandsaturation(240, 80)

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#LivingRoom #Light).light_movetohueandsaturation(240, 80)	(#LivingRoom #Light).light_movetohueandsaturation(240, 80)

Row 36 · Category 2

Set all robot vacuum cleaners with even tags to auto mode.

짝수 태그 로봇 청소기를 모두 자동 모드로 설정해줘.

GT name: SetAllRobotVacuumCleanersWithEvenTagsToAuto				
Service list: service_list_ver2.0.1.json				
Output name: SetEvenRobotVacuumCleanersToAutoMode				
Retrieval cats: not used (connected_devices scope)				
DET 96.6391	PASS Yes	GT EXACT No	SIMILARITY 0.8421	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23119
COMPLETION TOKENS 60	TOTAL TOKENS 23179	LLM LATENCY 2.126s	PIPELINE 2.135s	TOK/S 10904.6857
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

RobotVacuumCleaner

CONNECTED

2 services · 1 values · 1 functions

VALUES

RobotVacuumCleaner_RobotVacuumCleanerMode

raw RobotVacuumCleanerMode · arg - · ret ENUM · Allows for the control of the robot cleaner cleaning mode

FUNCTIONS

RobotVacuumCleaner_SetRobotVacuumCleanerModeMode

raw SetRobotVacuumCleanerModeMode · arg ENUM · ret VOID · Allows for the control of the robot cleaner cleaning mode

GT JOICODE

cron="" · period=0

```
all(#Even #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode("auto")
```

GENERATED JOICODE

cron="" · period=0

```
(#Even #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode("auto")
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
all(#Even #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcle anermodemode("auto")	(#Even #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcle anermodemode("auto")

Row 37 · Category 2

Lock all door locks.

모든 도어락을 잠궜줘.

GT name: LockAllDoorLocks				
Service list: service_list_ver2.0.1.json				
Output name: LockAllDoorLocks				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23095
COMPLETION TOKENS 39	TOTAL TOKENS 23134	LLM LATENCY 1.448s	PIPELINE 1.457s	TOK/S 15974.3129
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

raw Unlock · arg - · ret VOID · Allow for the control of a door lock

GT JOICODE

cron="" · period=0

```
all(#DoorLock).doorlock_lock()
```

GENERATED JOICODE

cron="" · period=0

```
all(#DoorLock).doorlock_lock()
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#DoorLock).doorlock_lock()	all(#DoorLock).doorlock_lock()

Row 38 · Category 2

Set the target temperature of the air conditioner in Sector1 to 18 degrees.

구역1의 에어컨의 목표 온도를 18도로 설정해줘.

GT name: SetTargetTemperatureOfAirConditionerInSector1				
Service list: service_list_ver2.0.1.json				
Output name: SetSector1AirConditionerTargetTemperature				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23251
COMPLETION TOKENS 52	TOTAL TOKENS 23303	LLM LATENCY 1.544s	PIPELINE 1.554s	TOK/S 15089.6846
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

AirConditioner

CONNECTED

4 services · 2 values · 2 functions

VALUES

AirConditioner_AirConditionerMode

raw AirConditionerMode · arg - · ret ENUM · Controls air conditioner mode and temperature settings

AirConditioner_TargetTemperature

raw TargetTemperature · arg - · ret DOUBLE · Controls air conditioner mode and temperature settings

FUNCTIONS

AirConditioner_SetAirConditionerMode

raw SetAirConditionerMode · arg ENUM · ret VOID · Controls air conditioner mode and temperature settings

AirConditioner_SetTargetTemperature

raw SetTargetTemperature · arg DOUBLE · ret VOID · Controls air conditioner mode and temperature settings

GT JOICODE

cron="" · period=0

```
(#Sector1 #AirConditioner).airconditioner_settargettemperature(18)
```

GENERATED JOICODE

cron="" · period=0

```
(#Sector1 #AirConditioner).airconditioner_settargettemperature(18)
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#Sector1 #AirConditioner).airconditioner_settargettemperature(18)	(#Sector1 #AirConditioner).airconditioner_settargettemperature(18)

Row 39 · Category 2

Change the air purifier in the bedroom to sleep mode.

안방의 공기청정기를 수면모드로 바꿔줘.

GT name: ChangeAirPurifierInBedroomToSleepMode				
Service list: service_list_ver2.0.1.json				
Output name: SetBedroomAirPurifierToSleepMode				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23072
COMPLETION TOKENS 52	TOTAL TOKENS 23124	LLM LATENCY 3.103s	PIPELINE 3.111s	TOK/S 7453.1038
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

AirPurifier

2 services · 1 values · 1 functions

VALUES

AirPurifier_AirPurifierMode
raw AirPurifierMode · arg - · ret ENUM · Controls air purifier mode

FUNCTIONS

AirPurifier_SetAirPurifierMode
raw SetAirPurifierMode · arg ENUM · ret VOID · Controls air purifier mode

CONNECTED

GT JOICODE

cron="" · period=0

```
(#Bedroom #AirPurifier).airpurifier_setairpurifiermode("sleep")
```

GENERATED JOICODE

cron="" · period=0

```
(#Bedroom #AirPurifier).airpurifier_setairpurifiermode("sleep")
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#Bedroom #AirPurifier).airpurifier_setairpurifiermode("sleep")	(#Bedroom #AirPurifier).airpurifier_setairpurifiermode("sleep")

Row 40 · Category 2

Close all valves in the kitchen.

주방의 모든 밸브를 닫아줘.

GT name: CloseAllValvesInKitchen				
Service list: service_list_ver2.0.1.json				
Output name: CloseAllValvesInKitchen				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23052
COMPLETION TOKENS 42	TOTAL TOKENS 23094	LLM LATENCY 1.835s	PIPELINE 1.844s	TOK/S 12587.3440
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

raw Open · arg - · ret VOID · Controls a valve to open or close it

GT JOICODE

cron="" · period=0

```
all(#Kitchen #Valve).valve_close()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Kitchen #Valve).valve_close()
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Kitchen #Valve).valve_close()	all(#Kitchen #Valve).valve_close()

Row 41 · Category 2

Open all safes.

모든 금고를 열어줘.

GT name: OpenAllSafes				
Service list: service_list_ver2.0.1.json				
Output name: OpenAllSafes				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23072
COMPLETION TOKENS 37	TOTAL TOKENS 23109	LLM LATENCY 2.415s	PIPELINE 2.424s	TOK/S 9569.3403
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

raw Unlock · arg - · ret VOID · Allows for the control of the Safe

GT JOICODE

cron="" · period=0

```
all(#Safe).safe_unlock()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Safe).safe_unlock()
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Safe).safe_unlock()	all(#Safe).safe_unlock()

Row 42 · Category 2

Record for 10 seconds with the meeting room recorder and save it as test.wav.

회의실 녹음기로 10초 동안 녹음해서 test.wav로 저장해줘.

GT name: RecordFor10SecondsWithMeetingRoomRecorder				
Service list: service_list_ver2.0.1.json				
Output name: MeetingRoomRecorderRecord10Seconds				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23309
COMPLETION TOKENS 49	TOTAL TOKENS 23358	LLM LATENCY 2.373s	PIPELINE 2.382s	TOK/S 9844.4810
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

raw RecordStart · arg - · ret VOID · Record audio

AudioRecorder_RecordStop

raw RecordStop · arg BINARY · ret VOID · Record audio

AudioRecorder_RecordWithDuration

raw RecordWithDuration · arg STRING | DOUBLE · ret BINARY · Record audio

GT JOICODE

cron="" · period=0

```
(#MeetingRoom #AudioRecorder).audiorecorder_recordwithduration("test.wav", 10)
```

GENERATED JOICODE

cron="" · period=0

```
(#MeetingRoom #AudioRecorder).audiorecorder_recordwithduration("test.wav", 10)
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#MeetingRoom #AudioRecorder).audiorecorder_recordwithduration("test.wa v", 10)	(#MeetingRoom #AudioRecorder).audiorecorder_recordwithduration("test.wa v", 10)

Row 43 · Category 2

Sound a fire siren on the farm.

사이렌으로 농장에 화재경보를 올려줘.

GT name: SoundFireSirenOnFarm				
Service list: service_list_ver2.0.1.json				
Output name: FarmFireSirenAlert				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23046
COMPLETION TOKENS 45	TOTAL TOKENS 23091	LLM LATENCY 1.522s	PIPELINE 1.531s	TOK/S 15171.4849
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_de vices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	---	------------------------	----------------------	--------------------------

Siren

2 services · 1 values · 1 functions

VALUES

Siren_SirenMode
raw SirenMode · arg - · ret ENUM · Allows for the control of the Siren

FUNCTIONS

Siren_SetSirenMode
raw SetSirenMode · arg ENUM · ret VOID · Allows for the control of the Siren

CONNECTED

GT JOICODE

cron="" · period=0

```
(#Farm #Siren).siren_setsirenmode("fire")
```

GENERATED JOICODE

cron="" · period=0

```
(#Farm #Siren).siren_setsirenmode("fire")
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#Farm #Siren).siren_setsirenmode("fire")	(#Farm #Siren).siren_setsirenmode("fire")

Row 44 · Category 2

Play the "Golden.mp3" file through the speaker in the playroom.

놀이방의 스피커로 "Golden.mp3" 파일을 재생해줘.

GT name: PlayGoldenMp3FileThroughSpeakerIn				
Service list: service_list_ver2.0.1.json				
Output name: PlayGoldenMp3InPlayroom				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23847
COMPLETION TOKENS 46	TOTAL TOKENS 23893	LLM LATENCY 1.663s	PIPELINE 1.673s	TOK/S 14369.1364
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Speaker

CONNECTED

11 services · 2 values · 9 functions

VALUES

Speaker_PlaybackState raw PlaybackState · arg - · ret ENUM · Speaker device for audio playback and media control
Speaker_Volume raw Volume · arg - · ret INTEGER · Speaker device for audio playback and media control

FUNCTIONS

Speaker_FastForward

raw FastForward · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Pause

raw Pause · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_Play

raw Play · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Rewind

raw Rewind · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_SetVolume

raw SetVolume · arg INTEGER · ret INTEGER · Speaker device for audio playback and media control

Speaker_Speak

raw Speak · arg STRING · ret VOID · Speaker device for audio playback and media control

Speaker_Stop

raw Stop · arg - · ret VOID · Speaker device for audio playback and media control

Speaker_VolumeDown

raw VolumeDown · arg - · ret INTEGER · Speaker device for audio playback and media control

Speaker_VolumeUp

raw VolumeUp · arg - · ret INTEGER · Speaker device for audio playback and media control

GT JOICODE

cron="" · period=0

```
(#Playroom #Speaker).speaker_play("Golden.mp3")
```

GENERATED JOICODE

cron="" · period=0

```
(#Playroom #Speaker).speaker_play("Golden.mp3")
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#Playroom #Speaker).speaker_play("Golden.mp3")	(#Playroom #Speaker).speaker_play("Golden.mp3")

Row 45 · Category 2

Turn off all lights in the bedroom.

안방 조명을 모두 꺼줘.

GT name: TurnOffAllLightsInBedroom				
Service list: service_list_ver2.0.1.json				
Output name: TurnOffAllBedroomLights				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 24729
COMPLETION TOKENS 40	TOTAL TOKENS 24769	LLM LATENCY 1.608s	PIPELINE 1.626s	TOK/S 15399.7762
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 2 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 2
---	--	--	------------------------	----------------------	--------------------------

Light

CONNECTED

15 services · 8 values · 7 functions

VALUES

Light_ColorMode raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity
Light_CurrentBrightness raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity
Light_CurrentColorTemperature raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

```
all(#Bedroom #Light).switch_off()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Bedroom #Light).switch_off()
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Bedroom #Light).switch_off()	all(#Bedroom #Light).switch_off()

Row 46 · Category 2

Close all windows in the living room.

거실에 있는 창문을 모두 닫아줘.

GT name: CloseAllWindowsInLivingRoom				
Service list: service_list_ver2.0.1.json				
Output name: CloseAllLivingRoomWindows				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23418
COMPLETION TOKENS 47	TOTAL TOKENS 23465	LLM LATENCY 1.800s	PIPELINE 1.811s	TOK/S 13036.8354
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

raw DownOrClose · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_SetLevel

raw SetLevel · arg INTEGER · ret INTEGER · Controls a window covering to open or close it

WindowCovering_Stop

raw Stop · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_UpOrOpen

raw UpOrOpen · arg - · ret VOID · Controls a window covering to open or close it

GT JOICODE

cron="" · period=0

```
all(#LivingRoom #Window).windowcovering_downorclose()
```

GENERATED JOICODE

cron="" · period=0

```
all(#LivingRoom #Window).windowcovering_downorclose()
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#LivingRoom #Window).windowcovering_downorclose()	all(#LivingRoom #Window).windowcovering_downorclose()

Row 47 · Category 2

Open all blinds in Sector2.

섹터2에 있는 블라인드를 모두 열어줘.

GT name: OpenAllBlindsInSector2				
Service list: service_list_ver2.0.1.json				
Output name: OpenAllBlindsInSector2				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23418
COMPLETION TOKENS 49	TOTAL TOKENS 23467	LLM LATENCY 1.213s	PIPELINE 1.223s	TOK/S 19347.8440
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

WindowCovering

CONNECTED

6 services · 2 values · 4 functions

VALUES

WindowCovering_CurrentPosition

raw CurrentPosition · arg - · ret INTEGER · Controls a window covering to open or close it

WindowCovering_WindowCoveringType

raw WindowCoveringType · arg - · ret ENUM · Controls a window covering to open or close it

FUNCTIONS

WindowCovering_DownOrClose

raw DownOrClose · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_SetLevel

raw SetLevel · arg INTEGER · ret INTEGER · Controls a window covering to open or close it

WindowCovering_Stop

raw Stop · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_UpOrOpen

raw UpOrOpen · arg - · ret VOID · Controls a window covering to open or close it

GT JOICODE

cron="" · period=0

```
all(#Sector2 #Blind).windowcovering_uporopen()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Sector2 #Blind).windowcovering_uporopen()
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Sector2 #Blind).windowcovering_uporopen()	all(#Sector2 #Blind).windowcovering_uporopen()

Row 48 · Category 2

Change the light on the living room wall to red.

거실 벽에 있는 조명을 빨간색으로 바꿔줘.

GT name: ChangeLightOnLivingRoomWallToRed				
Service list: service_list_ver2.0.1.json				
Output name: ChangeLivingRoomWallLightToRed				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 24946
COMPLETION TOKENS 54	TOTAL TOKENS 25000	LLM LATENCY 4.337s	PIPELINE 4.348s	TOK/S 5764.4862
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

CONNECTED

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

ColorControl

CONNECTED

2 services · 1 values · 1 functions

VALUES

ColorControl_Color

raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor

raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

```
(#LivingRoom #Wall #Light).light_movetorgb(255, 0, 0)
```

GENERATED JOICODE

cron="" · period=0

```
(#LivingRoom #Wall #Light).light_movetorgb(255, 0, 0)
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#LivingRoom #Wall #Light).light_movetorgb(255, 0, 0)	(#LivingRoom #Wall #Light).light_movetorgb(255, 0, 0)

Row 49 · Category 2

Lock all safes with odd tags in Sector B.

섹터 비에 있는 홀수 태그가 붙은 금고를 모두 잠궜줘.

GT name: LockAllSafesWithOddTagsInSectorB				
Service list: service_list_ver2.0.1.json				
Output name: LockAllOddTaggedSafesInSectorB				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23093
COMPLETION TOKENS 47	TOTAL TOKENS 23140	LLM LATENCY 1.184s	PIPELINE 1.193s	TOK/S 19547.2208
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Safe

3 services · 1 values · 2 functions

CONNECTED

VALUES

Safe_SafeState
raw SafeState · arg - · ret ENUM · Allows for the control of the Safe

FUNCTIONS

Safe_Lock
raw Lock · arg - · ret VOID · Allows for the control of the Safe

Safe_Unlock

raw Unlock · arg - · ret VOID · Allows for the control of the Safe

GT JOICODE

cron="" · period=0

```
all(#SectorB #Odd #Safe).safe_lock()
```

GENERATED JOICODE

cron="" · period=0

```
all(#SectorB #Odd #Safe).safe_lock()
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#SectorB #Odd #Safe).safe_lock()	all(#SectorB #Odd #Safe).safe_lock()

Row 50 · Category 2

Increases the light brightness to 100 in the meeting room.

회의실에 있는 조명 밝기를 100까지 올려줘.

GT name: IncreasesLightBrightnessTo100InMeetingRoom				
Service list: service_list_ver2.0.1.json				
Output name: IncreaseMeetingRoomLightBrightnessTo100				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 25225
COMPLETION TOKENS 49	TOTAL TOKENS 25274	LLM LATENCY 2.225s	PIPELINE 2.237s	TOK/S 11359.1011
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 2	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

CONNECTED

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

LevelControl

CONNECTED

4 services · 3 values · 1 functions

VALUES

LevelControl_CurrentLevel

raw CurrentLevel · arg - · ret DOUBLE · Allows for the control of the level of a device like a light or a dimmer switch

LevelControl_MaxLevel

raw MaxLevel · arg - · ret DOUBLE · Allows for the control of the level of a device like a light or a dimmer switch

LevelControl_MinLevel

raw MinLevel · arg - · ret DOUBLE · Allows for the control of the level of a device like a light or a dimmer switch

FUNCTIONS

LevelControl_MoveToLevel

raw MoveToLevel · arg DOUBLE | DOUBLE · ret VOID · Allows for the control of the level of a device like a light or a dimmer switch

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

(#MeetingRoom #Light).light_movetobrightness(100, 0)

GENERATED JOICODE

cron="" · period=0

(#MeetingRoom #Light).light_movetobrightness(100, 0)

FAILURE REASONS

none

LINE DIFF

GT	Generated
(#MeetingRoom #Light).light_movetobrightness(100, 0)	(#MeetingRoom #Light).light_movetobrightness(100, 0)

Row 51 · Category 2

Close everything in Sector2.

섹터2 모두 닫아줘.

GT name: CloseEverythingInSector2				
Service list: service_list_ver2.0.1.json				
Output name: CloseAllInSector2				
Retrieval cats: not used (connected_devices scope)				
DET 97.2400	PASS Yes	GT EXACT No	SIMILARITY 0.9280	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23413
COMPLETION TOKENS 47	TOTAL TOKENS 23460	LLM LATENCY 1.261s	PIPELINE 1.271s	TOK/S 18601.3321
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

WindowCovering

CONNECTED

6 services · 2 values · 4 functions

VALUES

- WindowCovering_CurrentPosition

raw CurrentPosition · arg - · ret INTEGER · Controls a window covering to open or close it
- WindowCovering_WindowCoveringType

raw WindowCoveringType · arg - · ret ENUM · Controls a window covering to open or close it

FUNCTIONS

- WindowCovering_DownOrClose

raw DownOrClose · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_SetLevel

raw SetLevel · arg INTEGER · ret INTEGER · Controls a window covering to open or close it

WindowCovering_Stop

raw Stop · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_UpOrOpen

raw UpOrOpen · arg - · ret VOID · Controls a window covering to open or close it

GT JOICODE

cron="" · period=0

```
all(#Sector2).windowcovering_downorclose()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Sector2 #WindowCovering).windowcovering_downorclose()
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
all(#Sector2).windowcovering_downorclose()	all(#Sector2 #WindowCovering).windowcovering_downorclose()

Row 52 · Category 2

Change all lights on the hallway wall to blue.

복도 벽에 있는 모든 조명을 파란색으로 바꿔줘.

GT name: ChangeAllLightsOnHallwayWallToBlue				
Service list: service_list_ver2.0.1.json				
Output name: ChangeHallwayWallLightsToBlue				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 24946
COMPLETION TOKENS 55	TOTAL TOKENS 25001	LLM LATENCY 1.730s	PIPELINE 1.744s	TOK/S 14453.1160
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

CONNECTED

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

ColorControl

CONNECTED

2 services · 1 values · 1 functions

VALUES

ColorControl_Color

raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor

raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

```
all(#Hallway #Wall #Light).light_movetorgb(0, 0, 255)
```

GENERATED JOICODE

cron="" · period=0

```
all(#Hallway #Wall #Light).light_movetorgb(0, 0, 255)
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Hallway #Wall #Light).light_movetorgb(0, 0, 255)	all(#Hallway #Wall #Light).light_movetorgb(0, 0, 255)

Row 53 · Category 2

In Group 1, change all upper-level lights to blue.

그룹1에서 상단부에 있는 조명들을 모두 파란색으로 변경해줘.

GT name: InGroup1ChangeAllUpperLevelLightsToBlue				
Service list: service_list_ver2.0.1.json				
Output name: ChangeGroup1UpperLightsToBlue				
Retrieval cats: not used (connected_devices scope)				
DET 83.8650	PASS Yes	GT EXACT No	SIMILARITY 0.9730	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 24950
COMPLETION TOKENS 55	TOTAL TOKENS 25005	LLM LATENCY 1.688s	PIPELINE 1.703s	TOK/S 14812.5111
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 4	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

CONNECTED

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

ColorControl

CONNECTED

2 services · 1 values · 1 functions

VALUES

ColorControl_Color

raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor

raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

```
all(#Group1 #Top #Light).light_movetorgb(0, 0, 255)
```

GENERATED JOICODE

cron="" · period=0

```
all(#Group1 #Upper #Light).light_movetorgb(0, 0, 255)
```

FAILURE REASONS

- extraneous
- gt_mismatch
- precondition
- semantic

LINE DIFF

GT	Generated
all(#Group1 #Top #Light).light_movetorgb(0, 0, 255)	all(#Group1 #Upper #Light).light_movetorgb(0, 0, 255)

Row 54 · Category 2

Change all lights in Sector 10 to white.

섹터10의 모든 조명을 흰색으로 바꿔줘.

GT name: ChangeAllLightsInSector10ToWhite				
Service list: service_list_ver2.0.1.json				
Output name: ChangeAllSector10LightsToWhite				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 24945
COMPLETION TOKENS 53	TOTAL TOKENS 24998	LLM LATENCY 1.346s	PIPELINE 1.359s	TOK/S 18566.5478
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 3 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 3
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

CONNECTED

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

ColorControl

CONNECTED

2 services · 1 values · 1 functions

VALUES

ColorControl_Color

raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor

raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

all(#Sector10 #Light).colorcontrol_setcolor("255,255,255")

GENERATED JOICODE

cron="" · period=0

all(#Sector10 #Light).light_movetorgb(255, 255, 255)

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Sector10 #Light).colorcontrol_setcolor("255,255,255")	all(#Sector10 #Light).light_movetorgb(255, 255, 255)

Row 55 · Category 2

Lower all even-tagged blinds in the bedroom.

안방에 있는 짝수 태그 블라인드를 모두 내려줘.

GT name: LowerAllEvenTaggedBlindsInBedroom				
Service list: service_list_ver2.0.1.json				
Output name: LowerEvenBlindsInBedroom				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23423
COMPLETION TOKENS 49	TOTAL TOKENS 23472	LLM LATENCY 1.344s	PIPELINE 1.355s	TOK/S 17459.0896
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 4	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

WindowCovering

6 services · 2 values · 4 functions

CONNECTED

VALUES

WindowCovering_CurrentPosition

raw CurrentPosition · arg - · ret INTEGER · Controls a window covering to open or close it

WindowCovering_WindowCoveringType

raw WindowCoveringType · arg - · ret ENUM · Controls a window covering to open or close it

FUNCTIONS

WindowCovering_DownOrClose

raw DownOrClose · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_SetLevel

raw SetLevel · arg INTEGER · ret INTEGER · Controls a window covering to open or close it

WindowCovering_Stop

raw Stop · arg - · ret VOID · Controls a window covering to open or close it

WindowCovering_UpOrOpen

raw UpOrOpen · arg - · ret VOID · Controls a window covering to open or close it

GT JOICODE

cron="" · period=0

```
all(#Bedroom #Even #Blind).windowcovering_downorclose()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Bedroom #Even #Blind).windowcovering_downorclose()
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Bedroom #Even #Blind).windowcovering_downorclose()	all(#Bedroom #Even #Blind).windowcovering_downorclose()

Row 56 · Category 2

Stop all robot vacuum cleaners on the 3rd floor.

3층에 있는 모든 로봇 청소기를 멈춰줘.

GT name: StopAllRobotVacuumCleanersOn3rdFloor				
Service list: service_list_ver2.0.1.json				
Output name: StopAllRobotVacuumCleanersOnFloor3				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23116
COMPLETION TOKENS 62	TOTAL TOKENS 23178	LLM LATENCY 4.694s	PIPELINE 4.703s	TOK/S 4937.7929
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

RobotVacuumCleaner

2 services · 1 values · 1 functions

CONNECTED

VALUES

RobotVacuumCleaner_RobotVacuumCleanerMode
raw RobotVacuumCleanerMode · arg - · ret ENUM · Allows for the control of the robot cleaner cleaning mode

FUNCTIONS

RobotVacuumCleaner_SetRobotVacuumCleanerModeMode
raw SetRobotVacuumCleanerModeMode · arg ENUM · ret VOID · Allows for the control of the robot cleaner cleaning mode

GT JOICODE

cron="" · period=0

```
all(#Floor3 #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode("stop")
```

GENERATED JOICODE

cron="" · period=0

```
all(#Floor3 #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode("stop")
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Floor3 #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcle anermodemode("stop")	all(#Floor3 #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcle anermodemode("stop")

Row 57 · Category 2

Turn on all odd-tagged lights on the living room wall.

거실 벽에 있는 모든 홀수 태그 조명을 켜줘.

GT name: TurnOnAllOddTaggedLightsOnLivingRoom				
Service list: service_list_ver2.0.1.json				
Output name: TurnOnOddTaggedLivingRoomWallLights				
Retrieval cats: not used (connected_devices scope)				
DET 93.7554	PASS Yes	GT EXACT No	SIMILARITY 0.9511	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 24742
COMPLETION TOKENS 48	TOTAL TOKENS 24790	LLM LATENCY 2.478s	PIPELINE 2.491s	TOK/S 10002.4209
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 2 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 2
---	--	--	------------------------	----------------------	--------------------------

Light

15 services · 8 values · 7 functions

CONNECTED

VALUES

Light_ColorMode

raw ColorMode · arg - · ret ENUM · A numerical representation of the brightness intensity

Light_CurrentBrightness

raw CurrentBrightness · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentColorTemperature

raw CurrentColorTemperature · arg - · ret INTEGER · A numerical representation of the brightness intensity

Light_CurrentHue

raw CurrentHue · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentRGB

raw CurrentRGB · arg - · ret STRING · A numerical representation of the brightness intensity

Light_CurrentSaturation

raw CurrentSaturation · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentX

raw CurrentX · arg - · ret DOUBLE · A numerical representation of the brightness intensity

Light_CurrentY

raw CurrentY · arg - · ret DOUBLE · A numerical representation of the brightness intensity

FUNCTIONS

Light_MoveToBrightness

raw MoveToBrightness · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToColorTemperature

raw MoveToColorTemperature · arg INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHue

raw MoveToHue · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToHueAndSaturation

raw MoveToHueAndSaturation · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToRGB

raw MoveToRGB · arg INTEGER | INTEGER | INTEGER · ret VOID · A numerical representation of the brightness intensity

Light_MoveToSaturation

raw MoveToSaturation · arg DOUBLE · ret VOID · A numerical representation of the brightness intensity

Light_MoveToXY

raw MoveToXY · arg DOUBLE | DOUBLE · ret VOID · A numerical representation of the brightness intensity

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

GT JOICODE

cron="" · period=0

```
all(#LivingRoom #Wall #Odd #Light).switch_on()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Odd #LivingRoom #Wall #Light).switch_on()
```

FAILURE REASONS

- gt_mismatch
- semantic

LINE DIFF

GT	Generated
all(#LivingRoom #Wall #Odd #Light).switch_on()	all(#Odd #LivingRoom #Wall #Light).switch_on()

Row 58 · Category 2

Set all dehumidifiers in the office to dehumidify mode.

사무실의 모든 제습기를 제습 모드로 설정해줘.

GT name: SetAllDehumidifiersInOfficeToDehumidifyMode				
Service list: service_list_ver2.0.1.json				
Output name: SetAllOfficeDehumidifiersToDehumidifyMode				
Retrieval cats: not used (connected_devices scope)				
DET 94.7047	PASS Yes	GT EXACT No	SIMILARITY 0.8409	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23135
COMPLETION TOKENS 57	TOTAL TOKENS 23192	LLM LATENCY 1.976s	PIPELINE 1.985s	TOK/S 11734.4667
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

Dehumidifier

2 services · 1 values · 1 functions

CONNECTED

VALUES

Dehumidifier_DehumidifierMode
raw DehumidifierMode · arg - · ret ENUM · Allows for the control of the dehumidifier mode

FUNCTIONS

Dehumidifier_SetDehumidifierMode
raw SetDehumidifierMode · arg ENUM · ret VOID · Allows for the control of the dehumidifier mode

GT JOICODE

cron="" · period=0

```
all(#Office #Dehumidifier).dehumidifier_setdehumidifiermode("dehumidifying")
```

GENERATED JOICODE

cron="" · period=0

```
(#Office #Dehumidifier).dehumidifier_setdehumidifiermode("dehumidifying")
```

FAILURE REASONS

- gt_mismatch
- semantic

LINE DIFF

GT	Generated
all(#Office #Dehumidifier).dehumidifier_setdehumidifiermode("dehumidi fying")	(#Office #Dehumidifier).dehumidifier_setdehumidifiermode("dehumidi fying")

Row 59 · Category 2

Lock all door locks in the storage.

창고의 모든 도어락을 잠궜줘.

GT name: LockAllDoorLocksInStorage				
Service list: service_list_ver2.0.1.json				
Output name: LockAllStorageDoorLocks				
Retrieval cats: not used (connected_devices scope)				
DET 100.0000	PASS Yes	GT EXACT Yes	SIMILARITY 1.0000	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23101
COMPLETION TOKENS 42	TOTAL TOKENS 23143	LLM LATENCY 1.524s	PIPELINE 1.533s	TOK/S 15184.6992
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 1
---	--	--	------------------------	----------------------	--------------------------

DoorLock

CONNECTED

3 services · 1 values · 2 functions

VALUES

DoorLock_DoorLockState

raw DoorLockState · arg - · ret ENUM · Allow for the control of a door lock

FUNCTIONS

DoorLock_Lock

raw Lock · arg - · ret VOID · Allow for the control of a door lock

DoorLock_Unlock

raw Unlock · arg - · ret VOID · Allow for the control of a door lock

GT JOICODE

cron="" · period=0

```
all(#Storage #DoorLock).doorlock_lock()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Storage #DoorLock).doorlock_lock()
```

FAILURE REASONS

none

LINE DIFF

GT	Generated
all(#Storage #DoorLock).doorlock_lock()	all(#Storage #DoorLock).doorlock_lock()

Row 60 · Category 2

Open all even-tagged valves in the kitchen.

주방의 모든 짝수 태그 밸브를 열어줘.

GT name: OpenAllEvenTaggedValvesInKitchen				
Service list: service_list_ver2.0.1.json				
Output name: OpenAllEvenValvesInKitchen				
Retrieval cats: not used (connected_devices scope)				
DET 96.1600	PASS Yes	GT EXACT No	SIMILARITY 0.8320	GT SERVICE COV. 1.0000
RECEIVER COV. 1.0000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 23059
COMPLETION TOKENS 44	TOTAL TOKENS 23103	LLM LATENCY 1.304s	PIPELINE 1.314s	TOK/S 17712.9495
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 4	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 1 connected-device category group(s) were injected.

CONTEXT MODE
connected_devices scope

SNIPPET SOURCE
connected_devices_only

RETRIEVAL
skipped_connected_devices_present

CONFIGURED TOP-K
10

EFFECTIVE TOP-K
-

INJECTED CATEGORIES
1

Valve

3 services · 1 values · 2 functions

CONNECTED

VALUES

Valve_ValveState
raw ValveState · arg - · ret BOOL · Controls a valve to open or close it

FUNCTIONS

Valve_Close
raw Close · arg - · ret VOID · Controls a valve to open or close it

Valve_Open

raw Open · arg - · ret VOID · Controls a valve to open or close it

GT JOICODE

cron="" · period=0

```
all(#Kitchen #Even #Valve).valve_open()
```

GENERATED JOICODE

cron="" · period=0

```
(#Kitchen #Even #Valve).valve_open()
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
all(#Kitchen #Even #Valve).valve_open()	(#Kitchen #Even #Valve).valve_open()

Generated from /home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_allcats_20260508/retrieval_gpt41_mini_cat2/row_comparison.csv. PDF export uses headless Chrome when available.