

JOIcode Side-by-Side Report · gpt41_mini

Side-by-side GT vs Generated JOIcode report for **gpt41_mini**. This report is rendered from row-level benchmark outputs and is print-friendly for PDF export.

ROWS 2	AVG DET 69.9000	DET PASS 0.0%	GT EXACT 0.0%	AVG PROMPT TOKENS 25897.5
AVG COMPLETION TOKENS 116.5	AVG LLM LATENCY 2.884s	P50 LLM LATENCY 2.884s	PEAK VRAM 0.000 GB	OOM COUNT 0

RUN METADATA

Results Dir	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_allcats_20260508/retrieval_gpt41_mini_cat3
Output Dir	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_allcats_20260508/retrieval_gpt41_mini_cat3/side_by_side_report_gpt41_mini_failures_only
Suite	paper_with_cloud_ref
Genome	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/genomes/example_genome.json
Created At	2026-05-08T09:36:03.382832
Categories	3
Limit/Category	-
Rows	61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90

TOP FAILURE REASONS	
gt_mismatch	2
gt_receiver_coverage	2
gt_service_coverage	2
numeric_grounding	1

CONTAINER CATEGORY
service
connection
Category

MODEL RUNTIME SNAPSHOT

MODEL GPT-4.1-mini	RESOLVED MODEL -	WORKER PYTHON -	SERVICE LIST service_list_ver2.0.1.json	CANDIDATE K 1
REPAIR ATTEMPTS 0	DET PROFILE openai			

ROW DETAILS

Row 63 · Category 3

If the cloud service is activated, upload test.png file to the cloud.

클라우드 서비스가 활성화되어있으면, test.png 파일을 클라우드에 업로드해줘.

GT name: IfCloudServiceIsActivatedUploadTestPngFile				
Service list: service_list_ver2.0.1.json				
Output name: UploadFileIfCloudServiceActive				
Retrieval cats: RainSensor, CloudServiceProvider, MenuProvider, LevelControl, EmailProvider, WeatherProvider, Charger, ColorControl, Button, AirQualitySensor				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.8313	GT SERVICE COV. 0.5000
RECEIVER COV. 0.5000	DATAFLOW 1.0000	NUMERIC 1.0000	ENUM 1.0000	PROMPT TOKENS 27939
COMPLETION TOKENS 67	TOTAL TOKENS 28006	LLM LATENCY 2.183s	PIPELINE 3.157s	TOK/S 12827.9590
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE service_retrieval_fallback	DEVICE COUNT 10	RETRIEVAL used
CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10			

PROMPT CONTEXT SNAPSHOT

Retrieval premapping was used for this row. Requested top-10 and injected 10 category group(s) into the prompt.

CONTEXT MODE retrieval premapping	SNIPPET SOURCE service_retrieval_fallba ck	RETRIEVAL used	CONFIGURED TOP-K 10	EFFECTIVE TOP-K 10	INJECTED CATEGORIES 10
--------------------------------------	--	-------------------	------------------------	-----------------------	---------------------------

RainSensor 1 services · 1 values · 0 functions RETRIEVED · RANK 1 VALUES RainSensor_Rain raw Rain · arg - · ret BOOL · A Device that senses rain FUNCTIONS None	CloudServiceProvider 14 services · 5 values · 9 functions RETRIEVED · RANK 2
---	--

VALUES

CloudServiceProvider_ChatSession

raw ChatSession · arg - · ret STRING · Provides cloud service functionalities

CloudServiceProvider_GeneratedImage

raw GeneratedImage · arg - · ret BINARY · Provides cloud service functionalities

CloudServiceProvider_ImageExplanation

raw ImageExplanation · arg - · ret STRING · Provides cloud service functionalities

CloudServiceProvider_LLMModels

raw LLMModels · arg - · ret LIST · Provides cloud service functionalities

CloudServiceProvider_UploadedFile

raw UploadedFile · arg - · ret BINARY · Provides cloud service functionalities

FUNCTIONS

CloudServiceProvider_ChatWithAI

raw ChatWithAI · arg STRING · ret STRING · Provides cloud service functionalities

CloudServiceProvider_ExplainImage

raw ExplainImage · arg BINARY · ret STRING · Provides cloud service functionalities

CloudServiceProvider_GenerateImage

raw GenerateImage · arg STRING · ret BINARY · Provides cloud service functionalities

CloudServiceProvider_IsAvailable

raw IsAvailable · arg BOOL · ret BOOL · Provides cloud service functionalities

CloudServiceProvider_SaveToFile

raw SaveToFile · arg BINARY | STRING · ret STRING · Provides cloud service functionalities

CloudServiceProvider_SpeechToText

raw SpeechToText · arg STRING · ret STRING · Provides cloud service functionalities

CloudServiceProvider_TextToSpeech

raw TextToSpeech · arg STRING · ret BINARY · Provides cloud service functionalities

CloudServiceProvider_UploadFile

raw UploadFile · arg STRING · ret BINARY · Provides cloud service functionalities

CloudServiceProvider_UploadToCloudStorage

raw UploadToCloudStorage · arg STRING · ret STRING · Provides cloud service functionalities

MenuProvider

RETRIEVED · RANK 3

4 services · 3 values · 1 functions

VALUES

MenuProvider_Menu

raw Menu · arg - · ret STRING · Provides menu information services

MenuProvider_TodayMenu

raw TodayMenu · arg - · ret STRING · Provides menu information services

MenuProvider_TodayPlace

raw TodayPlace · arg - · ret STRING · Provides menu information services

FUNCTIONS

MenuProvider_GetMenu

raw GetMenu · arg STRING · ret STRING · Provides menu information services

LevelControl

RETRIEVED · RANK 4

4 services · 3 values · 1 functions

VALUES

LevelControl_CurrentLevel

raw CurrentLevel · arg - · ret DOUBLE · Allows for the control of the level of a device like a light or a dimmer switch

LevelControl_MaxLevel

raw MaxLevel · arg - · ret DOUBLE · Allows for the control of the level of a device like a light or a dimmer switch

LevelControl_MinLevel

raw MinLevel · arg - · ret DOUBLE · Allows for the control of the level of a device like a light or a dimmer switch

FUNCTIONS

LevelControl_MoveToLevel

raw MoveToLevel · arg DOUBLE | DOUBLE · ret VOID · Allows for the control of the level of a device like a light or a dimmer switch

EmailProvider

RETRIEVED · RANK 5

2 services · 0 values · 2 functions

VALUES

None

FUNCTIONS

EmailProvider_SendMail

raw SendMail · arg STRING | STRING | STRING · ret VOID · Provides email service

EmailProvider_SendMailWithFile

raw SendMailWithFile · arg STRING | STRING | STRING · ret VOID · Provides email service

WeatherProvider

RETRIEVED · RANK 6

7 services · 6 values · 1 functions

VALUES

WeatherProvider_HumidityWeather

raw HumidityWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Pm10Weather

raw Pm10Weather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Pm25Weather

raw Pm25Weather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_PressureWeather

raw PressureWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_TemperatureWeather
raw TemperatureWeather · arg - · ret DOUBLE · Provides weather information

WeatherProvider_Weather
raw Weather · arg - · ret ENUM · Provides weather information

FUNCTIONS

WeatherProvider_GetWeatherInfo
raw GetWeatherInfo · arg DOUBLE | DOUBLE · ret STRING · Provides weather information

Charger RETRIEVED · RANK 7
4 services · 4 values · 0 functions

VALUES

Charger_ChargingState
raw ChargingState · arg - · ret ENUM · The current status of battery charging

Charger_Current
raw Current · arg - · ret DOUBLE · The current status of battery charging

Charger_Power
raw Power · arg - · ret DOUBLE · The current status of battery charging

Charger_Voltage
raw Voltage · arg - · ret DOUBLE · The current status of battery charging

FUNCTIONS

None

ColorControl RETRIEVED · RANK 8
2 services · 1 values · 1 functions

VALUES

ColorControl_Color
raw Color · arg - · ret STRING · Allows for control of a color changing device

FUNCTIONS

ColorControl_SetColor
raw SetColor · arg STRING · ret VOID · Allows for control of a color changing device

Button RETRIEVED · RANK 9
1 services · 1 values · 0 functions

VALUES

Button_Button
raw Button · arg - · ret ENUM · A device with one or more buttons

FUNCTIONS

None

AirQualitySensor RETRIEVED · RANK 10
7 services · 7 values · 0 functions

VALUES

- AirQualitySensor_CarbonDioxide**
raw CarbonDioxide · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring
- AirQualitySensor_DustLevel**
raw DustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring
- AirQualitySensor_FineDustLevel**
raw FineDustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring
- AirQualitySensor_Humidity**
raw Humidity · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring
- AirQualitySensor_Temperature**
raw Temperature · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring
- AirQualitySensor_TvocLevel**
raw TvocLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring
- AirQualitySensor_VeryFineDustLevel**
raw VeryFineDustLevel · arg - · ret DOUBLE · Air quality detector device for comprehensive air quality monitoring

FUNCTIONS

None

GT JOICODE

```
cron="" · period=0

if ((#CloudServiceProvider).cloudserviceprovider_isavailable == true) {

    (#CloudServiceProvider).cloudserviceprovider_uploadfile("test.png")

}
```

GENERATED JOICODE

```
cron="" · period=0

if ((#CloudServiceProvider).cloudserviceprovider_chatsession != "") {
    (#CloudServiceProvider).cloudserviceprovider_uploadfile("test.png")
}
```

FAILURE REASONS

- gt_mismatch
- gt_receiver_coverage
- gt_service_coverage

LINE DIFF

GT	Generated
if	if
((#CloudServiceProvider).cloudserviceprovider_isavailable	((#CloudServiceProvider).cloudserviceprovider_chatsession
== true) {	!= "") {
	(#CloudServiceProvider).cloudserviceprovider_uploadfile("test.png")
(#CloudServiceProvider).cloudserviceprovider_uploadfile("test.png")	}
}	

Row 90 · Category 3

If the lab humidity is 50 or higher, turn on the dehumidifier, and if it's below 50, turn on the humidifier.

연구실 습도가 50 이상이면 제습기를 켜고 50 미만이면 가습기를 켜줘.

GT name: IfLabHumidityIs50OrHigherTurnOn				
Service list: service_list_ver2.0.1.json				
Output name: LabHumidityControl				
Retrieval cats: not used (connected_devices scope)				
DET 69.9000	PASS No	GT EXACT No	SIMILARITY 0.3479	GT SERVICE COV. 0.5000
RECEIVER COV. 0.5000	DATAFLOW 1.0000	NUMERIC 0.6667	ENUM 1.0000	PROMPT TOKENS 23856
COMPLETION TOKENS 166	TOTAL TOKENS 24022	LLM LATENCY 3.584s	PIPELINE 3.596s	TOK/S 6701.6320
PEAK VRAM 0.000 GB	OOM No	SNIPPET SOURCE connected_devices_only	DEVICE COUNT 3	RETRIEVAL skipped_connected_devices_present
CONFIGURED TOP-K 10	EFFECTIVE TOP-K -			

PROMPT CONTEXT SNAPSHOT

Prompt context came from connected_devices, so retrieval was skipped. 4 connected-device category group(s) were injected.

CONTEXT MODE connected_devices scope	SNIPPET SOURCE connected_devices_only	RETRIEVAL skipped_connected_devices_present	CONFIGURED TOP-K 10	EFFECTIVE TOP-K -	INJECTED CATEGORIES 4
---	--	--	------------------------	----------------------	--------------------------

HumiditySensor 1 services · 1 values · 0 functions VALUES HumiditySensor_Humidity raw Humidity · arg - · ret DOUBLE · Allow reading the relative humidity from devices that support it FUNCTIONS None	CONNECTED
Dehumidifier	CONNECTED

2 services · 1 values · 1 functions

VALUES

Dehumidifier_DehumidifierMode

raw DehumidifierMode · arg - · ret ENUM · Allows for the control of the dehumidifier mode

FUNCTIONS

Dehumidifier_SetDehumidifierMode

raw SetDehumidifierMode · arg ENUM · ret VOID · Allows for the control of the dehumidifier mode

Switch

CONNECTED

4 services · 1 values · 3 functions

VALUES

Switch_Switch

raw Switch · arg - · ret BOOL · Allows for the control of a Switch device

FUNCTIONS

Switch_Off

raw Off · arg - · ret VOID · Allows for the control of a Switch device

Switch_On

raw On · arg - · ret VOID · Allows for the control of a Switch device

Switch_Toggle

raw Toggle · arg - · ret BOOL · Allows for the control of a Switch device

Humidifier

CONNECTED

2 services · 1 values · 1 functions

VALUES

Humidifier_HumidifierMode

raw HumidifierMode · arg - · ret ENUM · Maintains and sets the state of an humidifier

FUNCTIONS

Humidifier_SetHumidifierMode

raw SetHumidifierMode · arg ENUM · ret VOID · Maintains and sets the state of an humidifier

GT JOICODE

cron="" · period=0

```
if ((#Lab #HumiditySensor).humiditysensor_humidity >= 50) {  
  
    (#Lab #Dehumidifier).switch_on()  
  
} else {  
  
    (#Lab #Humidifier).switch_on()  
  
}
```

GENERATED JOICODE

cron="" · period=100

```
prev := (#HumiditySensor).humiditysensor_humidity  
  
curr = (#HumiditySensor).humiditysensor_humidity  
  
if (prev < 50 and curr >= 50) {  
  
    all(#Group1 #Dehumidifier).dehumidifier_setdehumidifiermode("drying")  
  
}
```


prev = curr

FAILURE REASONS

- gt_mismatch
- gt_receiver_coverage
- gt_service_coverage
- numeric_grounding

LINE DIFF

GT	Generated
if ((#Lab #HumiditySensor).humiditysensor_humidity >= 50) {	prev := (#HumiditySensor).humiditysensor_humidity
(#Lab #Dehumidifier).switch_on()	curr = (#HumiditySensor).humiditysensor_humidity
} else {	if (prev < 50 and curr >= 50) {
(#Lab #Humidifier).switch_on()	all(#Group1 #Dehumidifier).dehumidifier_setdehumidifiermode("drying")
}	}
	prev = curr

Generated from /home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/gpt41_mini_retrieval_allcats_20260508/retrieval_gpt41_mini_cat3/row_comparison.csv. PDF export uses headless Chrome when available.