

CHECKLIST
SMALL CRAFT - CRAFT IDENTIFICATION - CODING SYSTEMS

Ref.: EN ISO 10087:2022 (ISO 10087:2022)

Checklist_Evaluation_Module B_G en260703

Watercraft manufacturer:	
Watercraft model name:	



Subject to check	Clause	Requirements	Checked ?
1 The craft identification consists of 14 consecutive characters plus a hyphen as specified without intervening spaces, slashes or dashes.	4.1	[Yes ?]	
2 The first two characters, followed by a hyphen, designate the code of the country of the manufacturer as specified in the Alpha-2 code in ISO 3166-1. It is the country in which the manufacturer is established and not necessarily where the craft is manufactured (see Example). EXAMPLE If a manufacturer established in South Africa assembles a craft in Norway, Turkey and Poland, each of those craft would bear the country code of South Africa.	4.2	[Yes ?]	
3 The next three characters are the unique manufacturer's identification code. a) a unique code of the manufacturer; or b) a code of a national authority or recognized organization. These characters may consist of numerals and/or letters, except for the numerals 0 and 1. NOTE A recognized organization is one that is authorized by a national authority.	4.3	[Yes ?]	
4 The following five characters indicate the unique serial number for each individual craft.	4.4	[Yes ?]	
5 The serial number shall consist of numerals and/or letters, except for the letters I, O and Q.	4.4	[Yes ?]	
6 The last four characters designate the month and year of manufacture, and the model year.	4.5	[Yes ?]	
7 The month and year of manufacture date shall be no earlier than the date of construction or when assembly began and no later than the date the craft leaves the place of manufacture or assembly or is placed on the market. The month of manufacture shall be indicated by the code from Table 1, the year of manufacture shall be identified by the last numeral of the production year.	4.5	[Yes ?]	
8 The model year indicates the year when the specific craft is intended to be placed on the market. NOTE: The model year assigned to a specific craft is a period of twelve months that can extend across two calendar years. The manufacturer decides which of these is the model year.	4.5	[Yes ?]	

compliant: Yes or V

not applicable: NA

follow up on variation report: Rpt or X

Checklist_Evaluation_Module B_G en260703

Watercraft manufacturer:	
Watercraft model name:	



9	The characters shall be at least 6 mm high.	5.1	[Yes ?]	
10	Each craft identification number shall be carved, burned, stamped, embossed, moulded, or otherwise permanently affixed, so that alteration, removal, or replacement will be obvious.	5.2	[Yes ?]	
11	If the number is on a separate plate, the plate shall be fastened in such a manner that its removal would normally cause some scarring of or damage to the surrounding hull area.	5.2	[Yes / NA ?]	
12	The identification number shall be visible on the starboard outboard side of the transom, or near the stern within 50 mm of the transom top, gunwale, hull/deck joint or its capping, whichever is lowest.	5.3.1	[Yes ?]	
13	On craft with a transom, the identification number shall be located on the starboard side of the transom.	5.3.2	[Yes / NA ?]	
14	On craft without a transom or with a transom on which it is impractical to locate the identification number, it shall be affixed within 300 mm of the stern.	5.3.3	[Yes / NA ?]	
15	On catamarans, the identification number shall be located as follows. a) Hulls structurally permanently connected: on the starboard hull. b) Hulls detachable but regarded as the primary structure: on both hulls. c) Hulls readily removable and/or replaceable: on the aft cross-beam within 300 mm of the starboard hull; this also applies to catamaran-type pontoon boats.	5.3.4	[Yes / NA ?]	
16	On trimarans, the identification number shall be located on the centre hull.	5.3.5	[Yes / NA ?]	
17	On inflatable boats, the identification number shall be affixed on the rigid aft cross-beam or motor bracket within 300 mm of the starboard hull attachment. If the identification number is not readily visible due to the construction of the boat, it may be applied additionally to some other suitable structure of the boat, such as the console assembly.	5.3.6	[Yes / NA ?]	
18	Rails, fittings or other accessories shall not obscure the identification number located as specified above. If the design of the craft would result in this, the identification number shall be located as near as possible to the required location to be visible.	5.3.7	[Yes / NA ?]	
19	The identification number shall be displayed in alphanumerical characters (Arabic numerals and uppercase letters) and shall read from left to right.	5.6	[Yes ?]	
20	If additional information is displayed on the craft within 50 mm of the identification number, it shall be separated by means of borders or it shall be on a separate label so that it will not be interpreted as part of the identification number.	6	[Yes / NA ?]	

The following questions shall be filled in by the watercraft manufacturer and appropriate documentation shall be submitted to the inspector for verification.

Subject to check	Clause	Requirements	Checked ?
------------------	--------	--------------	-----------

compliant: Yes or V

not applicable: NA

follow up on variation report: Rpt or X

Checklist_Evaluation_Module B_G en260703

Watercraft manufacturer:	
Watercraft model name:	



21	A duplicate identification number shall be affixed to a non-removable part of the craft in a location only known by the manufacturer. The duplicate identification number shall be located in the interior or beneath a fitting or item of hardware. Catamarans shall have this identification number in or on both hulls. The identification number should be located so that it is extremely difficult to reach and modify.	5.4	[Yes ?]	
22	The identification number shall be affixed to the craft during the construction or assembly of the craft. In no case shall the craft be put on the market without it being affixed.	5.5	[Yes ?]	

Comments:
