

	Environmental Management Bureau
	<b>Regional Environmental Laboratory Region VIII</b>
	Brgy. Baras, Palo, Leyte
<b>Certificate of Analysis</b>	

Department: ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-AMBIENT SECTION

Name/Source:	Priority River (Canturing River)		
Address/Location:	Maasin City		
Sampled by:	MSudaria		
Date Arrived:	February 8, 2022 @ 2:19 PM	Date Acknowledged:	February 8, 2022 @ 2:20 PM
Date Analyzed:	February 8, 2022 @ 2:41 PM	Date Reported:	February 14, 2022 @ 8:00 AM

Chain of custody no.	Lab sample no.	Time of Collection	Sample type	Sample Information
2022-029	2208-080	February 8, 2022 @ 9:17 AM	riverwater	water sample placed in 250-mL sterilized glass bottle labeled "Canturing Stn.1"
	2208-081	February 8, 2022 @ 9:06 AM	riverwater	water sample placed in 250-mL sterilized glass bottle labeled "Canturing Stn.2"
	2208-082	February 8, 2022 @ 8:44 AM	riverwater	water sample placed in 250-mL sterilized glass bottle labeled "Canturing Stn.3"
	2208-083	February 8, 2022 @ 8:22 AM	riverwater	water sample placed in 250-mL sterilized glass bottle labeled "Canturing Stn.4"

Environmental conditions during analysis:

Relative humidity: 47.4%

Temperature: 22.7 °C

CHARACTERISTICS:

Parameters	Lab sample no.			
	80	81	82	83
Fecal coliform, MPN/100 mL	$7.0 \times 10^3$	$3.3 \times 10^3$	$2.3 \times 10^3$	$2.3 \times 10^3$

Method Used: Fecal coliform - Multiple Tube Fermentation Technique

Reference: Standard Methods for the Examination of Water and Wastewater, 23rd ed., 2017, AHA, AWWA, WEF

Remarks  
1. This certificate of analysis is based on the sample as received by this office.  
2. This certificate of analysis shall not be reproduced in full, without written approval from issuing laboratory.

Analyzed by:

**REBEKAH V. SUPERALES**  
Technical Manager, Microbiology

Certified by:

**APRILYN R. DAÑAS, RCh**  
Laboratory Manager  
Reg. No. 0011659

Approved by:


**MANUEL J. SACEDA JR.**  
OIC - Chief EMED

Noted by:

**REYNALDO B. BARRA**  
OIC - Regional Director

Laboratory Unit  
Email: embr8lab@yahoo.com

cc Laboratory  
Sampler  
Records Unit

	Environmental Management Bureau
	<b>Regional Environmental Laboratory Region VIII</b>
	Brgy. Baras, Palo, Leyte
<b>Certificate of Analysis</b>	

Department: ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-AMBIENT SECTION

Name/Source:	Priority River (Canturing River)		
Address/Location:	Maasin City		
Sampled by:	MSudaria		
Date Arrived:	February 8, 2022 @ 2:19 PM	Date Acknowledged:	February 8, 2022 @ 2:20 PM
Date Analyzed:	February 8, 2022 @ 2:41 PM	Date Reported:	February 14, 2022 @ 8:00 AM

Chain of custody no.	Lab sample no.	Time of Collection	Sample type	Sample Information
2022-029	2208-080	February 8, 2022 @ 9:17 AM	riverwater	water sample placed in 250-mL sterilized glass bottle labeled "Canturing Stn.1"
	2208-081	February 8, 2022 @ 9:06 AM	riverwater	water sample placed in 250-mL sterilized glass bottle labeled "Canturing Stn.2"
	2208-082	February 8, 2022 @ 8:44 AM	riverwater	water sample placed in 250-mL sterilized glass bottle labeled "Canturing Stn.3"
	2208-083	February 8, 2022 @ 8:22 AM	riverwater	water sample placed in 250-mL sterilized glass bottle labeled "Canturing Stn.4"

Environmental conditions during analysis:

Relative humidity: 47.4%

Temperature: 22.7 °C

CHARACTERISTICS:

Parameters	Lab sample no.			
	80	81	82	83
Fecal coliform, MPN/100 mL	$7.0 \times 10^3$	$3.3 \times 10^3$	$2.3 \times 10^3$	$2.3 \times 10^3$

Method Used: Fecal coliform - Multiple Tube Fermentation Technique

Reference: Standard Methods for the Examination of Water and Wastewater, 23rd ed., 2017, AHA, AWWA, WEF

Remarks  
1. This certificate of analysis is based on the sample as received by this office.  
2. This certificate of analysis shall not be reproduced in full, without written approval from issuing laboratory.

Analyzed by:

**REBEKAH V. SUPERALES**  
Technical Manager, Microbiology

Approved by:

**MANUEL J. SACEDA JR.**  
OIC - Chief EMED

Certified by:

**APRILYN R. DAÑAS, RCh**  
Laboratory Manager  
Reg. No. 0011659

Noted by:

**REYNALDO B. BARRA**  
OIC - Regional Director