

	Enviromental Management Bureau
	ENVIRONMENTAL MANAGEMENT BUREAU REGION VIII
	Brgy. Baras, Palo, Leyte
Certificate of Analysis	

Department: ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-AMBIENT SECTION

Name/Source:	Robinsons Place-Marasbaras Roadside (Strengthen Ambient Air Monitoring)		
Address/Location:	Tacloban City		
Sampled by:	JV Hijada		
Date Arrived:	Mar 13, 2022 @ 12:11 PM	Date Acknowledged:	Mar 14, 2022 @ 7:51 AM
Date Analyzed:	Mar 15, 2022 @ 9:15 AM	Date Reported:	Mar 15, 2022 @ 2:19 PM

Chain of custody no.	Lab sample no.	Time of Collection	Sample type	Sample Information
2022-086	2208-283	Mar 12-13, 2022 @ 12:00 AM	Ambient Air	filter paper placed in a round plastic container

Environmental conditions during analysis:

Relative humidity: 40.1%

Temperature: 20.2°C


CHARACTERISTICS:

Parameters	Sample no.
	283
PM2.5, µg/Ncm	12.08


Method used: PM2.5- Gravimetric method

Reference: Appendix L to Part 50. U.S. Environmental Protection Agency, "Reference Method for the Determination of Particulate Matter in the Atmosphere", 1997

Remarks: 1. This certificate of analysis is based on the sample as received by this office.
2. This certificate of analysis shall not be reproduced in full, without written approval from issuing laboratory.

Analyzed by: 
SHEREY MAE U. BALAGAO, RCh
Laboratory Analyst, Chemistry
Reg. No. 0013722

Certified by: 
APRILYN B. DANAS, RCh
Laboratory Manager
Reg. No. 0011659

Approved by: 
FOR. MANUEL J. SACEDA JR.
OIC - Chief EMBD

Noted by: 
ENGR. REYNALDO B. BARRA
OIC - Regional Director

Laboratory Unit
Email: embr8lab@yahoo.com

cc Laboratory
Sampler
Records Unit