

	Environmental Management Bureau Regional Environmental Laboratory Region VIII Brgy. Baras, Palo, Leyte	
	Certificate of Analysis	
	Department: ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-AMBIENT SECTION	

Name/Source:	Cleanaway Philippines Inc.(Data Gathering)		
Address/Location:	Isabel, Leyte		
Sampled by:	JC Salvador		
Date Arrived:	Dec. 7, 2021@3:34 PM	Date Acknowledged:	Dec. 7, 2021@3:35 PM
Date Reported:	Dec. 7, 2021@5:10 PM		

Chain of custody no.	Lab sample no.	Time of Collection	Sample type	Sample Information
2021-422	2108-1255	Dec. 7,2021@9:48 AM	influent	water sample placed in 500-mL plastic bottle labeled "CPI influent"
	2108-1256	Dec. 7,2021@10:00 AM	effluent	water sample placed in 500-mL plastic bottle labeled "CPI effluent"

Environmental conditions during analysis:

Relative humidity: 56.3%

Temperature: 22.6°C

CHARACTERISTICS:

Parameter	Date analyzed	Lab sample no.	
		1255	1256
True color, TCU	7-Dec-21	20	10

Method used: True color - Visual comparison method

Method detection limit (MDL):

TCU 5 TCU

Reference: Standard Methods for the Examination of Water and Wastewater, 23rd ed., 2017, AHA, AWWA, WEF

Remarks

1. This certificate of analysis is based on the sample as received by this office.
2. This certificate
3. ND : "not detected", < MDL

*Based on Method 5210B: 5-Day BOD Test

Analyzed by:

ARIEL B. SEVILLEN, RChT
 Laboratory analyst, Chemistry
 Reg. No. 0003055

Certified by:

APRILYN L. DANAS, RCh
 Laboratory Manager
 Reg. No. 0011659

Approved by:

MANUEL J. SACEDA JR.
 OIC - Chief EMED

Noted by:

REYNALDO B. BARRA
 OIC - Regional Director

cc

Laboratory
 Sampler
 Records Unit

Laboratory Unit
 Email: emb8lab@yahoo.com