



Republic of the Philippines  
Department of Environment and Natural Resources  
**ENVIRONMENTAL MANAGEMENT BUREAU**  
Regional Office No. VIII  
DENR 8 Compound, Brgy. 2, Jones Extension, Tacloban City  
Telefax: (053) 832-2319  
Email: [r8support@emb.gov.ph](mailto:r8support@emb.gov.ph) [emb8@yahoo.com](mailto:emb8@yahoo.com)  
Website: [r8.emb.gov.ph](http://r8.emb.gov.ph)



25 April 2022

**MR. MARIO G. CARACUEL**

Resident Manager  
HIDECO Sugar Milling Company, Inc. (HISUMCO)  
Brgy. Montebello, Kananga, Leyte

ENVIRONMENTAL MANAGEMENT BUREAU  
RELEASED BY: \_\_\_\_\_  
DATE: 4-28-2022  
TIME: 1:28

Dear Sir:

This has reference to the 3rd Party Source Emission Monitoring Report for the emission testing conducted for your 2-units 5300BHP Babcock Atlantique Biomass Boilers on March 01, 2022, by F.A.S.T. Laboratories that this Office received on April 18, 2022.

**The average results of Particulate Matter (PM) concentrations from both Boilers of 905 mg/Ncm and 1,552 mg/Ncm exceed the National Emission Standards for Source-Specific Air Pollutants (NESSAP) set under the DENR Administrative Order No. 2000-81 of 150 mg/Nm<sup>3</sup>.**

Relative thereof, you are directed to implement immediate corrective measures to address the exceedance of your air pollution source facilities.

Further, please be advised to submit a test plan for the scheduled confirmatory testing/re-sampling of the above-cited facilities.

Please be guided accordingly.

Very truly yours,

**REYNALDO B. BARRA, PME.**  
OIC- Regional Director